










CALL NO.	AUTHOR OF BOOK (or Periodical Title, Vol. and Year)	CHARGED
		DUE
TITLE, PLACE AND DATE OF BOOK (or Author, Title, & Pages of Period. Article)		
REQUESTED BY (Name and Section)		
RECEIVED BY (Name and Date)		

SMITHSONIAN INSTITUTION LIBRARIES
 ENTOMOLOGY BRANCH
 WASHINGTON, D.C. 20560

SI-LIB-862b (Rev. 3-67)







meets
QL
506
B86
V.3
ENT

3

(595.708
K58)

95632
Smith

90

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

BY

W. F. KIRBY,

FORMERLY ASSISTANT IN THE DEPARTMENT OF ZOOLOGY.

VOL. III.

ORTHOPTERA SALTATORIA

PART II.

(LOCUSTIDÆ vel ACRIDIIDÆ.)

LONDON:

PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.

SOLD BY


LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., LTD., 37 SOHO SQUARE, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1910.

All rights reserved.



ALERE & FLAMMAM



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET

P R E F A C E.

THIS volume completes Mr. Kirby's arduous work in compiling a Catalogue of the Orthoptera. Its preparation has occupied a considerable part of the last three years, but has been frequently interrupted by the numerous other duties the author has been called on to perform. A glance at the synonymy and at the multitude of references will be enough to show how great has been the labour involved in the preparation of the Catalogue.

SIDNEY F. HARMER,
Keeper of Zoology.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
March 3rd, 1910.

INTRODUCTION TO VOL. III.

WITH this volume I complete my general Catalogue of the Order Orthoptera, of which Vol. I., containing the *Forficulidae*, *Hemimeridae*, *Blattidae*, *Mantidae*, and *Phasmida*, was published in 1904 ; and Vol. II., containing the families *Achetidae* and *Phasgonuridae*, was published in 1906. The third volume, containing the *Locustidae* or *Acridiidae* (the Short-horned Grasshoppers or Migratory Locusts), is considerably larger than the others, and has consequently occupied a longer time in preparation.

It had been intended to add an Appendix bringing the Catalogue up to date ; but this was found to be impracticable, except as regards the third volume ; for a Catalogue so largely facilitates work on the groups of which it treats, that it speedily grows out of date, and in many groups treated of in Vols. I. and II. the amount of recent changes and additions has been so large that nothing short of re-editing whole families would be satisfactory.

As regards Vol. I., Prof. A. N. Caudell published numerous additions in the 'Proceedings of the Entomological Society of Washington,' vol. vii. pp. 84-88. The contents of this paper have been included in our Additions and Corrections (*infra*, pp. 562-569), and various other omissions to Vols. I. and II.

have been supplied. Corrections of synonymy have not been included : these are often more or less conjectural or doubtful, and would have required more time and labour to investigate than could possibly be devoted to them. Nor have I attempted to include all the species described under magazine genera, like *Blatta* and *Mantis*, by the older authors, such as Gmelin and Goeze, who often described species very briefly and imperfectly, and sometimes based them merely on almost unrecognizable figures in the works of Seba and other early iconographers.

When any doubt seemed to exist in the identification of a synonym, I have preferred to keep the names distinct for the present. It is always easy to drop a superfluous name ; but if a name representing a distinct species should be wrongly rejected, the insect is likely to be renamed as new by the next writer who notices it.

In using my Catalogue, it will be necessary for Entomologists always to consult the 'Zoological Records' published a year or two before each volume, as well as those published since. While the general arrangement is largely that of Brunner von Wattenwyl's 'Révision du Système des Orthoptères' of 1893, the latest revisions of separate families or even genera have been used to supplement it, especially those in the 'Biologia Centrali-Americana' by Bruner.

I may now make supplementary remarks on some of the families included in Vols. I. and II.

FORFICULIDÆ.

Since the death of De Bormans, Dr. Malcolm Burr has completely remodelled this group of insects. I have therefore omitted any reference to it in my Additions and Corrections.

BLATTIDÆ.

Since his return from Borneo, Mr. R. Shelford has specially devoted himself to this family, and has revised and rearranged many of the subfamilies which it includes.

PHASMIDÆ.

A great monograph on this family has been published by Brunner von Wattenwyl and J. Redtenbacher, 'Die Insektenfamilie der Phasmiden' (3 parts, 4to, Leipzig, 1906, 1907, 1908), which supersedes everything previously published on this group.

PHASGONURIDÆ.

Dr. A. Griffini has given special attention to the great genus *Gryllacris*, on which he has published an important series of papers.

The Order Orthoptera is the smallest of the seven great Orders of Insects, with perhaps the exception of the Neuroptera; but it contains many species of exceedingly curious forms, and others of much economic importance from their numbers and destructiveness. The Order has hitherto been somewhat neglected, but appears likely to attract an increasing number of students from year to year.

W. F. KIRBY.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
March, 1910.

LOCUSTIDAE and ACRIDIDAE

Oedipodinae
Acridinae

Vol. I.	562
Vol. II.	570
Vol. III.	575

CATALOGUE

OF

ORTHOPTERA.

VOL. III.

FAM. VIII.

LOCUSTIDÆ

(or ACRIDIIDÆ).

SUBFAM. I.

ACRYDIINÆ.

Genus 1. **Tripetalocera.**

Westw. Zool. Journ. v. p. 444 (1834); Bol. Ann. Soc. Ent.
Belg. xxxi. pp. 190, 196, 310 (1887); Hanc. Gen. Ins.
Orth., Acrid. Tetr. p. 4 (1906).

- *1. **T. Ferruginea, Westw.** l. c. p. 444. Malabar,
n. 1, pl. 22. f. 3 (1834); Bol. l. c. p. 310. | Borneo,
n. 1, pl. 5. f. 28 (1887). | Penang
Acridium (Tetrix) Ferrugineum, De Haan. (eadem?).
Temminck, Verhandel., Orth. pp. 166, 168.
n. 5, pl. 22. f. 11 (1842).

Genus 2. **Birmana.**

Brunn. Ann. Mus. Genova, xxxiii. p. 113 (1893);
Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 4 (1906).

1. **B. Gracilis, Brunn.** l. c. p. 114, pl. 5. | Burma.
f. 47 (1893). |

Genus 3. **Cleostratus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 56 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 198 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 5 (1906).

- | | |
|--|--------------|
| 1. C. Monocerus , Stål, l. c. p. 56. n. 1
(1877); Bol. l. c. p. 198. n. 1, pl. 4. ff. 1, 1a
(1887); Hanc. l. c. p. 5. n. 1, f. 1
(1906). | Philippines. |
| 2. C. Longifrons , Stål, l. c. p. 56. n. 2
(1877); Bol. l. c. p. 198. n. 2 (1887). | id. |

Genus 4. **Discotettix.** (*Type* no. 1.)

Costa, Ann. Mus. Zool. Nap. ii. p. 59 (1864); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 306 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 6 (1906).

Mnesarchus, Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55 (1877). (*Type* no. 3.)

- | | |
|--|------------------|
| *1. D. Belzebuth , Serv. (<i>Tettix</i> B.) Ins. Orth. p. 759. n. 2 (1839).
<i>Tettix</i> <i>Belzebuth</i> , Stål, Rec. Orth. i. p. 152. n. 13 (1873).
<i>Acridium</i> (<i>Tettix</i>) <i>Belzebuth</i> , De Haan, Temminck, Verhandel., Orth. pp. 166, 167. n. 1, pl. 22. f. 9 (1842).
<i>D. Belzebuth</i> , Bol. l. c. p. 306. n. 1, pl. 5. f. 29 (1887); Hanc. l. c. p. 6. n. 1, f. 2 (1906).
<i>D. Armatus</i> , Costa, l. c. p. 59. n. 1696 (1864). | Java,
Borneo. |
| 2. D. Selysi , Bol. l. c. pp. 306, 307. n. 2 (1887). | Sumatra. |
| 3. D. Scabridus , Stål, (<i>Mnesarchus</i> S.) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55. n. 1 (1877).
<i>D. Scabridus</i> , Bol. l. c. pp. 306, 307. n. 3 (1887). | Philippines. |
| 4. D. Doræ , Bol. Ann. Mus. Genova, xxxix. p. 80. n. 27 (1898). | Mentawai
Isl. |

Genus 5. **Arulenus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 308 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 6 (1906).

- | | |
|--|--------------|
| 1. A. Validispinus , Stål, l. c. p. 56. n. 1
(1877); Bol. l. c. p. 308. n. 1 (1887). | Philippines. |
|--|--------------|

Genus 6. **Hirrius.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 308 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 7 (1906).

1. **H. Punctatus, Stål**, (*Arulenus P.*) Œfv. Philippines.
Vet.-Akad. Förh. xxxiv. (10) p. 56. n. 2
(1877).
H. Punctatus, Bol. l. c. p. 309. n. 1 (1887).

Genus 7. **Phæstus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 309 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 7 (1906).

1. **P. Mellerborgi, Stål**, (*Tettix M.*) Œfv. Java.
Vet.-Akad. Förh. xii. p. 353. n. 1 (1855);
Rec. Orth. i. p. 153. n. 16 (1873).
Tettix Mellerborgi, Stål, Eugénies Resa,
Orth. p. 346. n. 110 (1860).
P. Mellerborgi, Bol. l. c. p. 309. n. 1 (1887).

Genus 8. **Ophiotettix.**

Walk. Cat. Derm. Salt. B. M. v. p. 846 (1871).

Tetricodina, pt., Westw. Thes. Ent. Oxon. p. 175 (1874).

Tettigodina, Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 305
(1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 8
(1906).

- **1. **O. Cygnicollis, Walk.** l. c. p. 847. n. 1 Dorey,
(1871). Menado.
Tetricodina Luteomarginata, Westw. l. c.
p. 176, pl. 22. ff. 6, 6 b (1874).
Tettigodina Luteomarginata, Bol. l. c. p. 305.
n. 1, pl. 5. ff. 30, 30 a (1887); Hanc. l. c.
p. 8. n. 1, f. 3 (1906).

Genus 9. **Tetricodina.**

Westw. Thes. Ent. Oxon. p. 175 (1871).

1. **T. Limosina, Voll.** (*Tettix L.*) Tijdschr. Gebeh.
Ent. viii. p. 65, pl. 1. ff. 6-8 (1865). Waigiou.
T. Limosina, Westw. l. c. p. 175. n. 1, pl. 32.
f. 6 (1871).
Spartolus Limosinus, Bol. Ann. Soc. Ent.
Belg. xxxi. p. 233. n. 3 (1887).

Genus 10. **Bufonides.**

Bol. Ann. Mus. Genova, xxxix. p. 67 (1898);
 Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 8 (1906).

1. **B. Antennatus**, **Bol.** l. c. p. 68. n. 4 | N. Guinea.
 (1898); Hanc. l. c. pp. 8, 9. n. 1, f. 4 |
 (1906).

Genus 11. **Hymenotes.** (*Type* no. 1.)

Westw. Proc. Zool. Soc. Lond. 1837, p. 129; Mag. Nat.
 Hist. (n. s.) iii. p. 493 (1839); De Haan, Verhandel., Orth.
 p. 165 (1842); Walk. Cat. Derm. Salt. B. M. v. p. 846
 (1871); (?) Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183,
 191, 199 (1887); (?) Hanc. Gen. Ins. Orth., Acrid. Tetr.
 pp. 9, 11 (1906).

- *1. **H. Triangularis**, **Westw.** ll. cc. p. 130. | Philippines.
 n. 2 (1837); pp. 492, 493. n. 2, ff. 3,
 3 a-c (1839).
 2. **H. Bolivari**, **Kirb.** (n. n.). | id.
 || *H. Triangularis*, **Bol.** (*nec* Westw.) l. c.
 p. 200. n. 1, pl. 4. ff. 2, 2 a, b (1887);
 Hanc. l. c. p. 11, pl. 1. f. 5 (1906).

Genus 12. **Hypsæus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 200 (1887);
 Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 12 (1906).

1. **H. Westwoodi**, **Bol.** l. c. p. 200. n. 1, pl. 4. | Luzon.
 ff. 3, 3 a, b (1887); Hanc. l. c. p. 12. n. 1,
 pl. 1. f. 12 (1906).

Genus 13. **Phyllotettix.** (*Type* n. 3.)

Hanc. Ent. News, xiii. p. 188 (1902); Gen. Ins. Orth., Acrid.
 Tetr. p. 11 (1906).

Phyllotettix, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 9 (1906).

|| *Phyllonotus*, **Hanc.** (*nec* Swains.) Tett. N. Amer. pp. 34, 45
 (1906). 2

- **1. **P. Rhombea**, **Linn.** (*Cicada R.*) Syst. | Jamaica.
 Nat. (ed. 12) i. p. 704. n. 1 (1767).
Rhombea Cicada, **Felton**, Phil. Trans. liv.
 p. 55, pl. 6 (1764).

- Aceridium* (*Hymenotes*) *Rhombeum*, *De Haan*,
Temminck, Verhandel., Orth. p. 165. n. 1
(1842).
- Membracis Rhombica*, *Fabr.* Syst. Ent. p. 675.
n. 1 (1775).
- Choriphyllum Rhombeum*, *Hanc.* Tett. N.
Amer. pp. 42, 44 (1906).
- Choriphyllum Rhombeum*, *Bol.* Ann. Soc.
Ent. Belg. xxxi. p. 202. n. 1 (1887).
- Hymenotes Rhombica*, *Westw.* Proc. Zool.
Soc. Lond. 1837, p. 130. n. 1; *Mag. Nat.*
Hist. (n. s.) iii. pp. 492, 493, f. 1 (1839);
Guér., Ramon de la Sagra, *Hist. Cuba*,
Ins. p. 358. n. 1, pl. 12. f. 11 (1857).
- *2. **P. Compressa, Thunb.** (*Aceridium Com-* Jamaica.
pressum) *Nova Acta Sci. Upsal.* vii. p. 162.
n. 11 (1815).
- || *Membracis Rhombica*, *Westw.* (nec *Linn.*)
Mag. Nat. Hist. (n. s.) iii. p. 492, ff. 2,
2a, b (nec 1) (1839).
- ** *Choriphyllum Westwoodi*, *Hanc.* Tett. N.
Amer. p. 42, pl. 1. f. 2 (1902).
- Hymenotes Compressus*, *Stål*, *Rec. Orth.* i.
p. 153. n. 1 (1873).
- *3. **P. Foliatus, Hanc.** (*Choriphyllum Folia-* id.
tum) l. c. p. 42, pl. 1. f. 1 (1902).
P. Foliatus, *Hanc.* Gen. *Ins. Orth.*, *Acrid.*
Tetr. p. 12. n. 1, pl. 1. f. 10 (1906).

Genus 14. **Choriphyllum.** (Type n. 1.)

- Serv.* *Ins. Orth.* p. 754 (1839); *Thom.* *Syn. Acr. N. Amer.*
p. 244 (1873); *Hanc.* Tett. N. Amer. pp. 34, 41 (1892); 1702.
Gen. Ins. Orth., *Acrid. Tetr.* pp. 9, 12 (1906).
- Choriphyllum*, *Fieb.* *Abh. kön. Böhm. Ges. Wiss.* (5) iii. p. 407
(1845); *Bol.* Ann. Soc. Ent. Belg. xxxi. p. 202 (1887);
Hanc. *Psyche*, ix. p. 6 (1900).
1. **C. Sagrai, Serv.** l. c. p. 755. n. 1, pl. 8. Cuba.
f. 5 (1839).
Hymenotes Sagrai, *Westw.* *Mag. Nat. Hist.*
(n. s.) iii. p. 492, f. 4, p. 493. n. 3
(1839); *De Haan*, *Temminck*, *Verhandel.*,
Orth. p. 165. n. 3 (1842); (?) *Guér.*,
Ramon de la Sagra, *Hist. Cuba*, *Ins.*
p. 357, pl. 12. f. 10 (1857).

- Chorophyllum Sagrae*, *Bol.* l. c. p. 203. n. 2 (1887).
Phyllonotus Sagrai, *Hanc.* Tett. N. Amer. p. 45 (1902).
 || *Chorophyllum Rhombeum*, *Thom.* (excl. syn.) l. c. p. 245 (1873).
 2. **C. Plagiatum, **Walk.** Cat. Derm. Salt. Jamaica.
 B. M. v. p. 845. n. 2 (1871); *Thom.* l. c. p. 245 (1873).
 Phyllonotus Plagiatum, *Hanc.* l. c. pp. 45, 46 (1902).
 3. **C. Saussurei**, **Bol.** (*Chorophyllum S.*) Cuba.
 l. c. pp. 202, 203. n. 3, pl. 4. f. 5 (1887).
 Phyllonotus Saussurei, *Hanc.* l. c. pp. 45, 46, pl. 1. f. 7 (1902).
 C. Saussurei, *Hanc.* Gen. Ins. Orth., Acrid. Tett. pp. 12, 13. n. 3, pl. 1. f. 7 (1906).

Genus 15. **Dolatettix.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 13 (1906).

1. **D. Spinifrons**, **Hanc.** l. c. p. 13. n. 1, | British
 pl. 1. f. 2 (1906). | N. Guinea.

Genus 16. **Piezotettix.** (*Type* n. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 200 (1887); *Hanc.* Gen. Ins. Orth., Acrid. Tetr. pp. 9, 13 (1906).
 || *Plagiocephalus*, *Fieb. (nec Macq.)* Abh. kön. Böhm. Ges. Wiss. (5) iii. p. 407 (1845).

- *1. **P. Cultratus**, **Stål**, (*Hymenotes C.*) Philippines,
 Cefv. Vet.-Akad. Förh. xxxiv. (10) p. 54. Borneo.
 n. 2 (1877).
 P. Cultratus, *Bol.* l. c. p. 201. n. 1, pl. 4. ff. 4, 4a (1887); *Hanc.* l. c. p. 13. n. 1, pl. 1. f. 11 (1906).
 2. **P. Sulcatus**, **Stål**, (*Hymenotes S.*) l. c. Philippines.
 p. 54. n. 1 (1877).
 P. Sulcatus, *Bol.* l. c. p. 201. n. 2 (1887).
 *3. **P. Arcuatus**, **De Haan**, (*Acridium* N. Guinea,
 (*Hymenotes*) *Arcuatum*) Temminck, Ver- Mysol,
 handel., Orth. pp. 165, 166. n. 4, pl. 22. f. 8 Aru.
 (1842).
 P. Arcuatus, *Bol.* l. c. p. 202. n. 3 (1887).

Choriphyllum Granulatum, Costa, Ann.

Mus. Nap. ii. p. 58, n. 1688 (1864).

4. **P. Karschi**, Bol. Mem. Soc. Españ. i. | W. Africa.
p. 213 (1905).
5. **P. Clypeatus**, Karsch, Berlin. Ent. Cameroons.
Zeitschr. xxxvi. p. 196, n. 38 (1896).
6. **P. Pachymerus**, Fieb. (*Plagiocephalus* "E. Ind."
P.) l. c. p. 407 (1845).

Genus 17. **Deltonotus**. (*Type* no. 1.)

Hanc. Spol. Zeyl. ii. pp. 107, 111 (1904); Gen. Ins. Orth.,
Acrid. Tetr. pp. 9, 14 (1906).

|| *Pæcilottetix*, Bol. (*nec* Scudd.) Ann. Soc. Ent. France, lxx.
p. 580 (1902).

- *1. **D. Subeucullatus**, Walk. (*Tettix Sub-* | Ceylon.
eucullata) Cat. Derm. Salt. B. M. v. p. 830.
n. 68 (1871).
D. Tectiformis, Hanc. ll. cc. pp. 107, 111,
154. n. 1, pl. 1. ff. 2, 2 a (1904); p. 14.
n. 1, pl. 1. f. 1 (1906).
2. **D. Gibbiceps**, Bol. (*Pæcilottetix G.*) l. c. | Madura.
p. 580 (1902).

Genus 18. **Trypophyllum**.

Karsch, Ent. Nachr. xvi. p. 22 (1890);

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 14 (1906).

1. **T. Glabrifrons**, Karsch, l. c. p. 23. | W. Africa.
n. 4, p. 17. f. 3 (1890); Hanc. l. c. p. 14.
n. 1, f. 5 (1906).

Genus 19. **Xerophyllum**. (*Type* n. 1.)

Fairm. Ann. Soc. Ent. France, (2) iv. pp. 240, 242 (1846); Bol.
Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 204 (1887);
Mem. Soc. Españ. i. p. 210 (1905); Karsch, Ent. Nachr.
xvi. p. 18 (1890); Buckt. Mon. Membrac. p. 29 (1901);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 15 (1906).

- *1. **X. Servillei**, Fairm. l. c. p. 242. n. 1, | W. Africa.
pl. 4. ff. 10-12 (1846); Bol. Ann. Soc.
Ent. Belg. xxxi. pp. 204, 205. n. 4 (1887);
Buckt. l. c. p. 30. pl. 1. ff. 1, 1 a-p
(1901).

- | | |
|--|-----------------------|
| 2. X. Simile , Bol. l. c. pp. 204, 205. n. 3,
pl. 4. ff. 6, 6 <i>a</i> (1887) ; Hanc. l. c. p. 15.
n. 1, pl. 1. f. 4 (1906). | Angola. |
| *3. X. Cortices , Buckt. l. c. p. 31, pl. 1.
ff. 2, 11 <i>a</i> (1901). | Ogruga,
Lagos. |
| *4. X. Fuscum , Bol. l. c. p. 204. n. 1 (1887);
Karsch, l. c. p. 19 (1890). | S. Leone. |
| *5. X. Minor , Buckt. l. c. p. 31, pl. 1. f. 3
(1901). | W. Africa,
Ogruga. |
| **6. X. Platycorys , Westw. (<i>Hymenotes P.</i>)
Mag. Nat. Hist. iii. p. 424, p. 492, ff. 5,
5 <i>a-c</i> (1839).
<i>X. Platycorys</i> , Bol. l. c. pp. 204, 205. n. 2
(1887). | S. Leone. |
| 7. X. Galeatum , Karsch , l. c. p. 20. n. 2,
p. 17. f. 1 (1890). | W. Africa. |
| 8. X. Æquale , Karsch , (<i>Hypsæus Æqualis</i>)
l. c. p. 257. n. 1, f. 1 (1890) ; Bol. Mem.
Soc. Españ. i. p. 212 (1905). | id. |
| 9. X. Inæquale , Karsch , (<i>Hypsæus In-</i>
<i>æqualis</i>) l. c. p. 257 (1890). | Cameroons. |

Genus 20. **Acmophyllum.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 21 (1890) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 15 (1906).

- | | |
|---|------------|
| 1. A. Undulatum , Karsch , l. c. p. 22. n. 3,
p. 17, f. 2 (1890); Hanc. l. c. p. 15. n. 1,
f. 6 (1906). | W. Africa. |
| 2. A. Xerophylloide , Bol. Mem. Soc. Españ.
i. p. 211 (1905). | Cameroons. |
| 3. A. Conradti , Bol. l. c. (1905). | id. |
| 4. A. Nigropunctatum , Bol. l. c. p. 212
(1905). | id. |

Genus 21. **Eleleus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 205 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

- | | |
|---|---------|
| 1. E. Curtus , Bol. l. c. p. 206. n. 1, pl. 4.
ff. 7, 7 <i>a, b</i> (1887) ; Hanc. l. c. p. 16. n. 1,
pl. 1. f. 6 (1906). | Brazil. |
|---|---------|

Genus 22. **Cladonotus.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 478 (1861); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 208 (1887); Hanc. Spol. Zeyl. ii. pp. 107, 112 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

- | | |
|---|--------------|
| *1. C. Humbertianus , Sauss. l. c. p. 478. | Ceylon. |
| n. 8 (1861); Bol. l. c. p. 209. n. 1, pl. 4. | |
| ff. 10, 10 a (1887); Hanc. Spol. Zeyl. ii. | |
| pp. 107, 113. n. 2 (1904). | |
| **2. C. Turrifer , Walk. Cat. Derm. Salt. | id. |
| B. M. v. p. 843. n. 5 (1871). | |
| 3. C. Latiramus , Hanc. l. c. pp. 107, 113, | id. |
| 114. n. 3, pl. 1. ff. 1, 1 a (1904); Gen. Ins. | |
| Orth., Acrid. Tetr. p. 16. n. 2, pl. 1. f. 3 | |
| (1906). | |
| 4. C. Gibbosus , De Haan, (<i>Aceridium</i> (<i>Tet-</i> | Japan. |
| <i>trix</i>) (<i>Gibbosum</i>) Temminck, Verhandel. | |
| Orth. pp. 167, 169. n. 23, pl. 22. f. 14 | |
| (1842). | |
| <i>C. Gibbosus</i> , Bol. l. c. p. 209. n. 2 (1887). | |
| **5. C. Pelops , Walk. l. c. p. 843. n. 4 (1871). | Ceylon. |
| 6. C. Echinatus , Stål, (Efv. Vet.-Akad. | Philippines. |
| Förh. xxxiv. (10) p. 54. n. 1 (1877); Bol. | |
| l. c. p. 209. n. 3 (1887). | |
| 7. C. Beccarii , Bol. Ann. Mus. Genova, | N. Guinea. |
| xxxix. p. 66. n. 2 (1898). 5-626. | |
| 8. C. Interruptus , Bol. l. c. p. 67. n. 3 | Java. |
| (1898). 5-626. | |
| **9. C. Cristicornis , Walk. l. c. v. p. 844. | Philippines. |
| n. 7 (1871). | |
| **10. C. Securifer , Walk. l. c. n. 6 (1871). | id. |

Genus 23. **Misythus.** (*Type* no. 3.)

Stål, Efv. Vet.-Akad. Förh. xxxiv. (10) p. 54 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 210 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

- | | |
|---|--------------|
| **1. M. Cultatrix , Walk. (<i>Tettix</i> C.) Cat. | Philippines. |
| Derm. Salt. B. M. v. p. 833. n. 86 (1871). | |
| <i>M. Histrionicus</i> , Stål, l. c. p. 55. n. 2 (1877); | |
| (?) Bol. l. c. pp. 210, 211. n. 3 (1887). | |
| **2. M. Gladiatrix , Walk. (<i>Tettix</i> G.) l. c. | id. |
| p. 833. n. 85 (1871). | |

- **3. **M. Ensatrix, Walk.** (*Tettix E.*) l. c. Philippines.
 p. 833. n. 84 (1871).
M. Appendiculatus, Stål, l. c. p. 55. n. 1
 (1877); (?) *Bol.* l. c. p. 210. n. 2 (1887).
 *4. **M. Laminatus, Stål**, l. c. p. 55. n. 3 id.
 (1877); *Bol.* l. c. p. 210. n. 1, pl. 4. ff. 11,
 11a (1887); *Hanc.* l. c. p. 17. n. 1
 pl. 1. f. 8 (1906).

Genus 24. **Diotarus.** (*Type* no. 3.)

Stål, *Œfv. Vet.-Akad. Förh.* xxxiv. (10) p. 55 (1877); *Bol.*
Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 211 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 17 (1906).

1. **D. Brunneri, Bol.** l. c. pp. 211, 212. Sydney.
 n. 1 (1887).
 2. **D. Galeatus, Bol.** ll. cc. n. 2 (1887). Philippines.
 3. **D. Verrucifer, Stål**, l. c. pp. 55. n. 1 id.
 (1877); *Bol.* l. c. p. 212. n. 3 (1887).
 4. **D. Pupus, Bol.** l. c. n. 4 (1887). id.

Genus 25. **Pantelia.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 214 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 17 (1906).

- **1. **P. Horrenda, Walk.** (*Cladonotus Hor-* Sierra
rendus) *Cat. Derm. Salt. B. M.* v. p. 842. Leone.
 n. 3 (1871).
P. Cristulata, Bol. l. c. p. 214. n. 1, pl. 4.
 f. 12 (1887); *Hanc.* l. c. p. 18. n. 1,
 pl. 1. f. 9 (1906).
 2. **P. Armata, Bol.** *Ann. Soc. Ent. France*, Assinie.
 lxii. p. 176. n. 42 (1893).
 3. **P. Uncinata, Bol.** *Journ. Sci. Lisb.* (2) i. Caconda.
 p. 217. n. 195 (1890).

Genus 26. **Hippodes.**

Karsch, *Ent. Nachr.* xvi. p. 24 (1890);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 18 (1906).

1. **H. Vicarius, Karsch**, l. c. p. 24. n. 5, W. Africa.
 p. 17, f. 4 (1890).
H. Vicarus, Hanc. l. c. p. 18. n. 1, f. 7
 (1906).

Genus 27. **Cota.** (*Type* no. 2.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 206 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 18 (1906).

- | | |
|--|-------------------|
| 1. C. Strumosa , Bol. l. c. p. 206. n. 1 | Upper
Amazons. |
| (1887). | |
| 2. C. Saxosa , Bol. l. c. pp. 206, 207. n. 2,
pl. 4. ff. 8, 8a (1887); Hanc. l. c. p. 18.
n. 2, pl. 1. f. 13 (1906). | Peru. |
| 3. C. Bispina , Sauss. (<i>Tettix</i> B.) Rev.
Zool. (2) xiii. p. 401 (1861).
<i>C. Bispina</i> , Bol. l. c. p. 183. n. 6, p. 207.
n. 3 (1887). | Bahia. |

Genus 28. **Potua.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 208 (1887);
Hanc. Gen. Ins., Orth. Tetr. pp. 10, 19 (1906).

- | | |
|---|---------------------|
| 1. P. Coronata , Bol. l. c. p. 208. n. 1,
pl. 4. f. 9 (1887); Hanc. l. c. p. 19.
n. 1, f. 8 (1906). | Borneo,
Malacca. |
| 2. P. Sumatrensis , Bol. (<i>P. Coronata</i> , var.
<i>Sumatrensis</i>) Ann. Mus. Genova, xxxix.
p. 66. n. 1 (1898). | Sumatra. |
| **3. P. (?) Morbillosa , Walk. (<i>Tettix</i> M.)
Cat. Derm. Salt. B. M. v. p. 832. n. 82
(1871). | Sarawak. |

Genus 29. **Gestroana.**

Berg, Com. Mus. B. Aires, i. p. 42 (1898); Hanc. Gen. Ins.
Orth., Acrid. Tetr. pp. 10, 19 (1906).

|| *Gestroa*, Bol. (*nec Pini*) Ann. Mus. Genova, xxxix. p. 68
(1898).

- | | |
|--|------------|
| 1. G. Discoidea , Bol. (<i>Gestroa</i> D.) l. c. | N. Guinea. |
| n. 5 (1898). | |

Genus 30. **Trachytettix.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 57 (1876); Bol.
Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 213 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 19 (1906).

- | | |
|--|---------|
| *1. T. Bufo , Costa, (<i>Tettix</i> B.) Ann. Mus.
Nap. ii. p. 58. n. 1695 (1864). | Africa. |
|--|---------|

- T. Bufo*, *Bol.* l. c. p. 213. n. 1 (1887);
Hanc. l. c. p. 20. n. 1 (1906).
 ** *Cladonotus Horridus*, *Walk.* Cat. Derm.
Salt. B. M. v. p. 844. n. 8 (1871).
T. Scaberrimus, *Stål*, l. c. p. 57. n. 1
 (1876).
 2. **T. Alatus**, *Bol.* Mém. Soc. Ent. Belg. Congo.
 xvi. p. 84. n. 5 (1908).

Genus 31. **Dasyleurotettix.**

- Rehn*, Proc. Acad. Nat. Sci. Philad. lvi. p. 658 (1905);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 11, 20 (1906).
 1. **D. Curriei**, *Rehn*, l. c. p. 658 (1905). | Liberia.

Genus 32. **Tylosettix.**

- Morse*, Biol. Centr. Amer., Orth. ii. p. 6 (1900); *Hanc. Tett.*
N. Amer. pp. 34, 47 (1902); *Gen. Ins. Orth., Acrid. Tetr.*
 pp. 11, 20 (1906).
 1. **T. Sinuatus**, *Morse*, l. c. p. 6. n. 1, figs. | Nicaragua.
 (1900); *Hanc. ll. cc.* p. 47, pl. 1. f. 4 |
 (1902); p. 21. n. 1, f. 9 (1906).
Crimisus sp., *Brun.* Bull. Lab. Nat. Hist.
 Univ. Iowa, iii. p. 61, pl. 3. f. 1 (1895). |

(Genus 33. **Amphibotettix.** (Type no. 1.)

- Hanc. Ent. News*, xviii. p. 86 (1906);
Gen. Ins. Orth., Acrid. Tetr. pp. 21, 22 (1906).
 1. **A. Longipes**, *Hanc.* ll. cc. p. 87 (1906); | Borneo.
 p. 23. n. 1, f. 10 (1906).
 2. **A. Abbotti**, *Rehn*, (*Scelimena A.*) Proc. | Siam.
Acad. Nat. Sci. Philad. lvi. p. 660 |
 (1905).

Genus 34. **Scelimena.** (Type no. 1.)

- Serv. Ins. Orth.* p. 762 (1839); *Bol. Ann. Soc. Ent. Belg.*
 xxxi. pp. 184, 193, 215 (1887); *Hanc. Spol. Zeyl.* ii.
 pp. 107, 116, 154 (1904); *Gen. Ins. Orth., Acrid. Tetr.*
 pp. 21, 23 (1906).

Scelymena, Sauss. Ann. Soc. Ent. France, (4) i. p. 484 (1861).
Scelymena, Bol. Ann. Soc. Ent. France, lxx. p. 581 (1902).

- *1. **S. Producta**, Serv. (*Tetrix P.*) l. c. Java.
p. 762. n. 6 (1839).
Acridium (*Tetrix*) *Productum* (a), De Haan,
Temminck, Verhandel., Orth. pp. 166,
168. n. 6 (1842).
Scelymena Producta, Sauss. l. c. p. 484.
n. 11 (1861).
(?) *Tetrix Productus*, Stål, Recens. Orth. i.
p. 150. n. 7 (1873).
S. Producta, Bol. Ann. Soc. Ent. Belg.
xxxi. p. 216. n. 1 (1887).
- ***Scelymena Extensa*, Walk. Cat. Derm.
Salt. B. M. v. p. 841. n. 10 (1871).
- 2. **S. Sanguinolenta**, Bol. l. c. p. 216. n. 2 id.
(1887).
Acridium (*Tetrix*) *Productum* (b, c), De
Haan, l. c. pp. 166, 168. n. 6 (1842).
- 3. **S. (?) Hexodon**, De Haan, (*Acridium* Sumatra.
(*Tetrix*) *H.*) l. c. pp. 166, 168. n. 7 (1842).
S. Hexodon, Bol. l. c. pp. 216, 217. n. 3
(1887).
- 4. **S. Femorata**, Stoll, (*Gryllus Locusta* Hab. — ?
Femoratus, Spectres, Saut. p. 31. pl. 15 b.
f. 54 (1813).
- *5. **S. Harpago**, Serv. (*Tetrix H.*) l. c. Bombay.
p. 763. n. 7 (1839); De Haan, l. c. p. 166.
n. 8 (1842).
S. Harpago, Bol. l. c. pp. 216, 217, pl. 4.
f. 13 (1887).
- *6. **S. Gaviolis**, Sauss. (*Scelymena G.*) l. c. Ceylon.
p. 485. n. 12 (1861).
S. Gaviolis, Hanc. Spol. Zeyl. ii. pp. 107,
117, 154, pl. 1. ff. 4, 4 a-c (1904).
- ***Scelymena Nodosa*, Walk. l. c. p. 840.
n. 9 (1871).
- *7. **S. Logani**, Hanc. l. c. pp. 107, 120, 154, id.
pl. 1. ff. 5, 5 a-c (1904); Gen. Ins. Orth.,
Acrid. Tetr. p. 24. n. 7, pl. 2. f. 15 (1906).
- **8. **S. (?) Contracta**, Walk. (*Scelymena C.*) India.
l. c. v. p. 841. n. 11 (1871).
- 9. **S. (?) Uncinata**, Serv. (*Tetrix U.*) l. c. id.
p. 763. n. 8 (1839).
S. Uncinata, Bol. Ann. Soc. Ent. Belg.
xxxi. pp. 216, 218. n. 5 (1887).

Genus 35. **Eugavialidium.** (*Type* no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 21, 24 (1906).

- | | |
|---|--------------|
| 1. E. Dentiumeris , Hanc. l. c. p. 24. n. 1 (1906). | Borneo. |
| 2. E. Novæ-Guineæ , Bol. (<i>Gavialidium N.</i>) Ann. Mus. Genova, xxxix. p. 68. n. 6 (1898). | N. Guinea. |
| 3. E. Kraussi , Bol. (<i>Gavialidium K.</i>) Ann. Soc. Ent. Belg. xxxi. pp. 218, 221. n. 9 (1887). | Philippines. |
| 4. E. Dentifer , Stål, (<i>Tettix D.</i>) Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 1 (1877).
<i>Gavialidium Dentifer</i> , Bol. l. c. pp. 218, 221. n. 8 (1887). | id. |
| 5. E. Spiculatum , Stål, (<i>Tettix Spiculatus</i>) l. c. p. 57. n. 2 (1877).
<i>Gavialidium Spiculatum</i> , Bol. l. c. pp. 218, 220. n. 7 (1887). | id. |
| 6. E. Celebicum , Bol. (<i>Gavialidium C.</i>) l. c. pp. 218, 220. n. 6 (1887). | Minahassa. |
| 7. E. Aurivillii , Bol. (<i>Gavialidium A.</i>) l. c. pp. 218, 220. n. 5 (1887). | Philippines. |
| 8. E. Birmanicum , Bol. (<i>Gavialidium B.</i>) Ann. Mus. Genova, xxxiii. p. 104, pl. 5. f. 37 (1893).
<i>E. Birmani</i> , Hanc. l. c. p. 25. n. 8 (1906). | Burma. |
| 9. E. Tuberculatum , Bol. (<i>Gavialidium T.</i>) l. c. pp. 218, 219. n. 1 (1887). | Minahassa. |

Genus 36. **Gavialidium.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 481 (1861); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 218 (1887); Hanc. Spol. Zeyl. ii. pp. 107, 122 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 22, 25 (1906).

- *1. **G. Crocodilus**, Sauss. (*Scelymena C.*) Ceylon.
l. c. p. 481. n. 9 (1861).
G. Crocodilus, Bol. l. c. pp. 218, 219. n. 2 (1887); Hanc. ll. cc. pp. 107, 122, 123. n. 6, pl. 2. ff. 11, 11 *a*, *b* (1904); p. 25. n. 1, pl. 2. ff. 16, 16 *a* (1906).

2. **G. Alligator, Sauss.** (*Scelymena A.*) l. c. Ceylon.
 p. 483. n. 10 (1861).
G. Alligator, Bol. l. c. pp. 218, 219. n. 3
 (1887); *Hanc. Spol. Zeyl.* ii. pp. 107,
 122, 125. n. 7 (1904).
- **3. **G. Productum, Walk.** (*Tettix Producta*) Philippines.
Cat. Derm. Salt. B. M. v. p. 831. n. 80
 (1871).
G. Philippinum, Bol. l. c. pp. 218, 219.
 n. 4 (1887).

Genus 37. **Falconius.** (*Type* no. 3.)

Bol. Ann. Mus. Genova, xxxix. p. 69 (1898);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 22, 25 (1906).

1. **F. Clavatus, Bol.** l. c. p. 70. n. 7 (1898). Mentawai
 Isl.
2. **F. Gestroi, Bol.** l. c. n. 8 (1898). id.
3. **F. Clavitarsis, Bol.** (*Criotettix C.*) Ann. Borneo.
Soc. Ent. Belg. xxxi. pp. 224, 230. n. 17
 (1887).

Genus 38. **Tefrinda.**

Bol., Bol. Soc. Españ. vi. p. 394 (July 1906).
 || *Chthonius, Bol. (nec Koch)* Ann. Soc. Ent. Belg. xxxi.
 pp. 184, 193, 221 (1887); *Hanc. Gen. Ins. Orth., Acrid.*
Tetr. pp. 22, 26 (1906).
Chthonotettix, Hanc. l. c. p. 26 note (Nov. 1906).

1. **T. Palpatus, Stål,** (*Tettix P.*) *Æfv. Vet.-* Philippines.
Akad. Förh. xxxiv. (10) p. 57. n. 3
 (1877).
Chthonius Palpatus, Bol. l. c. p. 222. n. 1,
 pl. 4. ff. 14, 14 a (1887); *Hanc.* l. c.
 p. 26. n. 1, f. 11 (1906).

Genus 39. **Oxynotus.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 11 (1900);
Gen. Ins. Orth., Acrid. Tetr. pp. 22, 26 (1906).

1. **O. Hastatus, Hanc.** ll. cc. p. 12, pl. 1. | Madagascar.
 ff. 3, 3 a (1900); p. 27. n. 1, f. 14 (1906). |

Genus 40. **Charagotettix.**

Brancs. Jahresh. Ver. Trencs. Com. xv.-xvi. p. 184 (1893) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 22, 27 (1906).

- *1. **C. Lucubensis, Brancs.** l. c. p. 184, pl. 10. | Madagascar
f. 13 (1893).

Genus 41. **Criotettix.** (*Type no. 1.*)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 222 (1887) ;
Hanc. Spol. Zeyl. ii. pp. 108, 128 (1904) ; Gen. Ins. Orth.,
Acrid. Tetr. pp. 22, 27 (1906).

1. **C. Tricarinatus, Bol.** l. c. pp. 184, 223, 224. n. 1 (1887) ; Hanc. Spol. Zeyl. ii. pp. 108, 128. n. 9, pl. 3. ff. 15, 15 *a*, *b* (1904). | Ceylon.
2. **C. Indicus, Bol.** Ann. Soc. Ent. France, lxx. p. 581 (1902). | S. India.
3. **C. Vidali, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 10 (1887). | Philippines.
4. **C. Oculatus, Bol.** Ann. Mus. Genova, xxxix. p. 71. n. 9 (1898). *C. 10.* | Java,
Sumatra.
5. **C. Spinilobus, Hanc.** l. c. pp. 108, 129, 130. n. 10, pl. 3. ff. 12, 12 *a*, *b* (1904) ; Gen. Ins. Orth., Acrid. Tetr. p. 28. n. 5, f. 13 (1906). | Ceylon.
6. **C. Exsertus, Bol.** Ann. Soc. Ent. France, lxx. p. 583 (1902). | S. India.
7. **C. Acutipennis, Karsch,** Ent. Nachr. xxvi. pp. 285, 286 (1900). | Zanzibar.
8. **C. Aptus, Bol.** Ann. Mus. Genova, xxxix. p. 72. n. 11 (1898). | N. Guinea.
9. **C. Durus, Karsch,** (*Paratettix D.*) Berlin. Ent. Zeitschr. xxxviii. p. 119. n. 92 (1893). | Adeli.
C. Durus, Karsch, Ent. Nachr. xxvi. pp. 285, 286 (1900).
10. **C. Subulatus, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 9 (1887). | "E. Indies."
11. **C. Nigellus, Bol.** l. c. pp. 185, 223, 225. n. 4 (1887) ; Mem. Soc. Esp. i. p. 213 (1905). | Gaboon.
12. **C. Baeri, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 8 (1887). | Philippines.
C. Beari, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 28. n. 12 (1906).

13. **C. Nexuosus**, **Bol.** l. c. pp. 185, 223, 224. n. 2 (1887). Borneo.
14. **C. Borrei**, **Bol.** l. c. pp. 185, 223, 225. n. 3 (1887). Cochin China.
15. **C. Nodulosus**, **Stål**, (*Tettix Nodulosa*) Eugenies Resa, **Orth.** p. 346. n. 109 (1860). Java, Malacca.
Tettix Nodulosus, **Stål**, **Recens. Orth.** i. p. 151. n. 9 (1873).
C. Nodulosus, **Bol.** l. c. pp. 185, 224, 230. n. 16 (1887).
- **16. **C. Telifera**, **Walk.** (*Tettix T.*) l. c. p. 818. n. 38 (1871). Sierra Leone.

Genus 42. **Acanthalobus.** (*Type* no. 1.)

Hanc. Spol. Zeyl. ii. pp. 108, 131 (1904);
Gen. Ins. Orth., Acrid. Tetr. pp. 22, 28 (1906).

- *1. **A. Miliarius**, **Bol.** (*Criotettix M.*) **Ann. Soc. Ent. Belg.** xxxi. pp. 185, 223, 226. n. 6 (1887). Ceylon.
A. Miliarius, **Hanc.** ll. cc. pp. 108, 131, 132, 155. n. 11, pl. 2. ff. 8, 8 a (1904); p. 29. n. 1, pl. 2. ff. 19, 19 a (1906).
2. **A. Cuneatus**, **Hanc.** **Spol. Zeyl.** ii. p. 108. n. 12 (1904). id.
A. Miliarius Cuneatus, **Hanc.** l. c. p. 133. n. 12 (1904).
- **3. **A. Inornatus**, **Walk.** (*Tettix Inornata*) **Cat. Derm. Salt. B. M.** v. p. 834. n. 87 (1871). Burma, Java, Sumatra, S. India.
Criotettix Saginatus, **Bol.** l. c. pp. 185, 223, 225. n. 5 (1887); **Brunn. Ann. Mus. Genova**, xxxiii. p. 104. n. 1, pl. 5. f. 38 (1893).
- *4. **A. Bispinosus**, **Dalm.** (*Aerydium Bispinosum*) **Vet.-Acad. Handl.** 1818, p. 77. no. 1. China, Burma.
Tettix Bispinosa, **Dalm. Anal. Ent.** p. 86. n. 94 (1823).
Tettix Bispinosus, **Stål**, **Recens. Orth.** i. p. 150. n. 8 (1873).

- Criotettix Bispinosus*, Bol. l. c. pp. 185, 223, 226. n. 7. (1887).
 ** *Tettix Pallitarsis*, Walk. l. c. p. 822. n. 50 (1871).
 ** *Tettix Armigera*, Walk. l. c. p. 826. n. 60 (1871).
 ** *Tettix Latispina*, Walk. l. c. p. 837. n. 96 (1871).
 5. **A. Simplex, Walk. (*Tettix S.*) l. c. p. 836. n. 95 (1871). China.
 6. **A. Latiferus, Walk. (*Tettix Latifera*) l. c. p. 839. n. 101 (1871). Hab. — ?
 7. **A. Nodiferus, Walk. (*Tettix Nodifera*) l. c. p. 822. n. 49 (1871). China, Java, &c.
Acridium (Tetrix) Bispinosum, De Haan (nec Dalm.), Temminck, Verhandel., Orth. pp. 166, 169. n. 10 (1842).
 8. **A. Japonicus**, De Haan, (*Acridium (Tetrix) Bispinosum*, var. *Japonica*) l. c. p. 169. n. 10 (1842). Japan.
 9. **A. Flavopictus**, Bol. (*Criotettix F.*) Ann. Soc. Ent. France, lxx. p. 582 (1902). S. India.

Genus 43. **Loxilobus**. (Type no. 1.)

Hanc. Spol. Zeyl. ii. pp. 108, 134 (1904):
 Gen. Ins. Orth., Acrid. Tetr. pp. 22, 29 (1906).

1. **L. Acutus**, Hanc. ll. cc. pp. 108, 134, 154, 155, pl. 1. f. 3. pl. 3. ff. 16, 16 a, b (1904); p. 29. n. 1, f. 14. pl. 2. f. 17 (1906). Ceylon.
 2. **L. Hancocki**, Kirb. (n. n.). id.
 † *L. Rugosus*, Hanc. (nec Bol.) ll. cc. pp. 108, 134, 135, 155, pl. 3. ff. 17, 17 a, b (1904); p. 30. n. 2 (1906).
 3. **L. Pullus**, Bol. (*Criotettix P.*) Ann. Soc. Ent. Belg. xxxi. pp. 185, 224, 230. n. 15 (1887). Philippines.
 4. **L. Rugosus**, Bol. (*Criotettix R.*) l. c. pp. 185, 224, 228. n. 12 (1887). Borneo.
 5. **L. Insidiosus**, Bol. (*Criotettix I.*) ll. cc. n. 13 (1887). Malacca, Borneo.
 6. **L. Pulcher**, Bol. (*Criotettix P.*) ll. cc. n. 14 (1887). Queensland.

7. **L. Perminutus, Bol.** (*Criotettix P.*) l. c. Philippines.
pp. 185, 224, 227. n. 11 (1887).
- *8. **L. Brevis, De Haan,** (*Acridium (Tettix) Breve*, a & b) Temminck, Verhandel., Orth. N. Guinea,
pp. 167, 170. n. 24, pl. 22. f. 13 (1842). Tondano.
- **9. **L. Compactus, Walk.** (*Tettix C.*) Cat. Java.
Derm. Salt. B. M. v. p. 835. n. 90 (1871).
Acridium (Tettix) Breve, var. c, *De Haan*,
l. c. p. 170. n. 24 (1842).
Criotettix Brevis, Bol. l. c. pp. 185, 224,
229. n. 17 (1887).
10. **L. Emarginatus, De Haan,** (*Acridium (Tettix) Emarginatum*) l. c. N. Guinea.
pp. 167, 170.
n. 25, pl. 22. f. 15 (1842).
Criotettix Emarginatus, Bol. l. c. pp. 185,
224, 229. n. 18 (1887).

Genus 44. **Threciscus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 193, 232 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 32 (1906).

1. **T. Pugionatus, Stål,** (*Spartolus P.*) Öfv. Philippines.
Vet.-Akad. Förh. xxxiv. (10) p. 56. n. 2
(1877).
T. Pugionatus, Bol. l. c. pp. 185, 232. n. 1
(1887).

Genus 45. **Spartolus.** (Type no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 56 (1877) ; Bol.
Ann. Soc. Ent. Belg. xxxi. pp. 185, 193, 232 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 33 (1906).

- **1. **S. Minax, Walk.** (*Tettix M.*) Cat. Derm. Philippines.
Salt. B. M. v. p. 832. n. 83 (1871).
S. Longiceps, Stål, l. c. p. 56. n. 1 (1877) ;
Bol. l. c. pp. 185, 233. n. 1, pl. 5. ff. 15,
15 a (1887) ; Hanc. l. c. p. 33. n. 1, f. 15
(1906).
2. **S. Tricostatus, Bol.** l. c. pp. 185, 233. id.
n. 2 (1887).

Genus 46. **Systolederus.** (Type no. 5.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 194, 234 (1887);
Hanc. Spol. Zeyl. ii. pp. 108, 136 (1904); Gen. Ins. Orth.,
Acrid. Tetr. pp. 30, 33 (1906).

- | | |
|---|---|
| <p>**1. S. Femoralis, Walk. (<i>Tettix F.</i>) Cat.
Derm. Salt. B. M. v. p. 834. n. 89
(1871).</p> <p>2. S. Angusticeps, Stål, (<i>Tettix A.</i>) Œfv.
Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 4
(1877).
<i>S. Angusticeps</i>, Bol. l. c. pp. 185, 234, 235.
n. 1 (1887).</p> <p>3. S. Ophthalmicus, Bol. ll. cc. n. 2 (1887).</p> <p>4. S. Cinereus, Brunn. Ann. Mus. Genova,
xxxiii. p. 105. n. 1 (1893).</p> <p>5. S. Haani, Bol. l. c. pp. 185, 234, 235.
n. 3, pl. 5. ff. 16, 16 a (1887).</p> <p>6. S. Cephalicus, De Haan, (<i>Acridium (Tettix)</i> <i>Cephalicum</i>) Temminck, Verhandel.,
Orth. pp. 167, 169. n. 14 (1842).
<i>S. Cephalicus</i>, Bol. l. c. pp. 185, 234, 236.
n. 4 (1887).</p> <p>7. S. Languidus, Bol. ll. cc. n. 5 (1887).</p> <p>8. S. Uncinatus, Stål, (<i>Tettix U.</i>) l. c.
p. 57. n. 5 (1877).
<i>S. Uncinatus</i>, Bol. l. c. pp. 185, 234, 236.
n. 6 (1887).</p> <p>*9. S. Greeni, Bol. Ann. Soc. Ent. France,
lxx. p. 584 (1892); Hanc. ll. cc. pp. 108,
137, 155, pl. 2. ff. 9, 9 a, b (1904); p. 34.
n. 7, pl. 2. f. 14 (1906).</p> | <p>Philippines.</p> <p>id.</p> <p>Celebes.</p> <p>Burma.</p> <p>Philippines.</p> <p>Sumatra.</p> <p>Philippines.</p> <p>id.</p> <p>id.</p> <p>S. India,
Ceylon.</p> |
|---|---|

Genus 47. **Plesiotettix.** (Type no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 34 (1906).

- | | |
|--|-------------------------|
| <p>1. P. Uncinatus, Hanc. l. c. p. 34. n. 1,
pl. 3. f. 22 (1906).</p> <p>2. P. Spinus, Hanc. l. c. p. 34. n. 2 (1906).</p> | <p>Peru.</p> <p>id.</p> |
|--|-------------------------|

Genus 48. **Apterotettix.**

Hanc. Spol. Zeyl. ii. pp. 108, 140 (1904);
Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

- *1. **A. Obtusus**, **Hanc.** ll. cc. pp. 108, 140, Ceylon.
155. n. 17, pl. 3. ff. 13, 13*a*, *b* (1904); p. 35.
n. 1, f. 16 (1906).

Genus 49. **Cotys.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 247 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

1. **C. Antennatus**, **Bol.** l. c. pp. 186, 247. Peru.
n. 1 (1887); Hanc. l. c. p. 35. n. 1, pl. 4.
f. 34 (1906).

Genus 50. **Eurymorphopus.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

1. **E. Cunctatus**, **Bol.** (*Amorphopus* C.) New
Ann. Soc. Ent. Belg. xxxi. pp. 186, 250. Caledonia.
n. 1 (1887).

Genus 51. **Platythorus.**

Morse, Biol. Centr.-Amer., Orth. ii. p. 8 (1900); Hanc. Tett.
N. Amer. pp. 34, 51 (1902); Gen. Ins. Orth., Acrid. Tetr.
pp. 31, 36 (1906).

1. **P. Camurus**, **Morse**, l. c. p. 8. n. 1, Nicaragua.
figs. (1900); Hanc. Tett. N. Amer. p. 52,
pl. 1. f. 3 (1902).

Genus 52. **Amorphopus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 756 (1839); Bol. Ann. Soc. Ent. Belg. xxxi.
pp. 186, 194, 250 (1887); Hanc. Gen. Ins. Orth., Acrid.
Tetr. pp. 31, 36 (1906).

- *1. **A. Notabilis**, **Serv.** l. c. p. 757. n. 1, S. America.
pl. 13. f. 5 (1839); Bol. l. c. pp. 186, 250,
252. n. 5, pl. 5. ff. 20, 20*a*, *b* (1887);
Hanc. l. c. p. 37. n. 1, pl. 4. f. 38 (1906).

- *2. **A. Griseus**, **Bol.** l. c. pp. 186, 250, 251. Ega.
n. 4 (1887).
3. **A. Testudo**, **Sauss.** *Rev. Zool.* (2) xiii. Guiana.
p. 402 (1861).
4. **A. Caiman**, **Sauss.** l. c. (1861). Brazil.
- **5. **A. () Humeralis**, **Walk.** (*Tettix* *H.*) Hab. — ?
Cat. Derm. Salt. B. M. v. p. 838. n. 100
(1871).
6. **A. (?) Cnemidotus**, **Burm.** (*Tettix Cne-* Brazil,
midota) *Handb. Ent.* ii. p. 659. n. 3 Argentina.
(1838)
Paratettix Cnemidotus, **Bol.** l. c. pp. 188,
270, 274. n. 6 (1887); Giglio-Tos, *Boll.*
Mus. Torino, xii. (302) p. 28 (1897).

Genus 53. **Morphopus.** (*Type* no. 1.)

Bol. Mem. Soc. Españ. i. p. 216 (1905);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 37 (1906).

1. **M. Affinis**, **Bol.** l. c. p. 216 (1905); *Mém.* Cameroons.
Soc. Ent. Belg. xiv. p. 85. n. 7 (1908).
2. **M. Phyllocerus**, **Bol.** (*Amorphopus* *P.*) Gaboon.
Ann. Soc. Ent. Belg. xxxi. pp. 186, 251.
n. 3 (1887).
3. **M. Simplex**, **Brancs.** (*Amorphopus* *S.*) Madagascar
Jahresh. Ver. Trencs. Com. xv.-xvi.
p. 185, pl. 12. ff. 8 a-c (1893).

Genus 54. **Eomorphopus.** (*Type* no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 37 (1906).

- *1. **E. Antennatus**, **Bol.** (*Amorphopus* *A.*) Amazons.
Ann. Soc. Ent. Belg. xxxi. pp. 186, 250,
251. n. 2, pl. 5. ff. 19, 19 a, b (1887).
- *2. **E. Granulatus**, **Hanc.** l. c. p. 38. n. 2, Guiana.
pl. 4. ff. 35, 35 a (1906).
- *3. **E. Purpurascens**, **Oliv.** (*Acrydium* *P.*) Trinidad.
Encycl. Méth. vi. p. 234. n. 80
(1791).
Tettix Purpurascens, *Thom. Syn. Acrid. N.*
Amer. p. 244 (1873).

Genus 55. **Tetticerus.** (Type no. 1.)

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 2 (1900);
Gen. Ins. Orth., Acrid. Tetr. pp. 31, 38 (1906).

1. **T. Bigibbosus, Hanc.** ll. ec. p. 5, pl. 1. Madagascar
ff. 1, 1*a, b* (1900); p. 39, n. 1, pl. 2.
f. 18 (1906).
2. **T. Belphegor, Serv.** (*Tettix B.*) Ins. id.
Orth. p. 760, n. 4 (1839).

Genus 56. **Chiriquia.** (Type no. 1.)

Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 6 (1900); Hanc.
Tett. N. Amer. pp. 34, 37, 49 (1902); Gen. Ins. Orth.,
Acrid. Tetr. pp. 31, 39 (1906).

1. **C. Serrata, Morse,** l. c. p. 7, n. 1, figs. Nicaragua,
(1900); Hanc. ll. ec. p. 49, pl. 1, f. 6 Panama,
(1902); p. 39, n. 1 (1906).
2. **C. Concinna, Bol.** (*Metridora C.*) Ann. Guiana,
Soc. Ent. Belg. xxxi. pp. 186, 248, 249. Peru.
n. 5 (1887).

Genus 57. **Platytettix.** (Type no. 2.)

Hanc. Ent. News, xvii. p. 88 (1906);
Gen. Ins. Orth., Acrid. Tetr. pp. 31, 39 (1906).

- **1. **P. Gibbosulus, Walk.** (*Amorphopus G.*) Rio Negro.
Cat. Derm. Salt. B. M. v. p. 842, n. 4
(1871).
2. **P. Reticulatus, Hanc.** ll. ec. p. 88 Peru.
(1906); p. 40, n. 1, pl. 3. ff. 23, 23*a*
(1906).

Genus 58. **Phelene.** (Type no. 1.)

Bol., Bol. Soc. Españ. vi. p. 292 (July, 1906).
|| *Nephele*, Bol. (nec Hübn.) Ann. Soc. Ent. Belg. xxxi. pp. 186,
194, 252 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr.
pp. 31, 40 (1906).
Gladiotettix, Hanc. l. c. p. 40, note (1906).

1. **P. Turgida, Bol.** (*Nephele T.*) l. c. Brazil,
pp. 186, 252, n. 1 (1887). Peru.

Genus 59. **Crimisus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 246 (1887) ;
 Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 40 (1906).

- | | |
|--|----------------------------|
| 1. C. Patruus , Bol. l. c. p. 246. no. 1 | Upper
Amazons.
Peru. |
| (1887). | |
| 2. C. Contractus , Bol. l. c. n. 2 (1887). | |

Genus 60. **Metrodora.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 247 (1887) ;
 Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 41 (1906).

- | | |
|--|-----------------------|
| 1. M. Rana , Bol. l. c. p. 248. n. 1 (1887). | Upp. Amaz.
Brazil. |
| 2. M. Lutosa , Bol. l. c. n. 2 (1887). | |

Genus 61. **Lamellitettix.**

Hanc. Spol. Zeyl. ii. pp. 107, 125 (1904) ;
 Gen. Ins. Orth., Acrid. Tetr. pp. 31, 41 (1906).

- | | |
|--|--|
| 1. L. Acutus , Hanc. ll. cc. pp. 107, 126, Ceylon.
154. n. 8, pl. 2. ff. 6, 6 <i>a</i> , <i>b</i> (1904) ; p. 42.
n. 1, pl. 2. ff. 21, 21 <i>a</i> (1906). | |
|--|--|

Genus 62. **Cryptotettix.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 14 (1900) ;
 Gen. Ins. Orth., Acrid. Tetr. pp. 31, 42 (1906).

- | | |
|--|------------|
| 1. C. Spinilobus , Hanc. Occas. Mem.
Chicago Ent. Soc. i. (1) p. 14, pl. 1.
ff. 6, 6 <i>a</i> , <i>b</i> (1900). | Madagascar |
|--|------------|

Genus 63. **Mazarredia.** (*Type* no. 14.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 194, 236 (1887) ;
 Hanc. Spol. Zeyl. ii. pp. 108, 138 (1904) ; Gen. Ins.
 Orth., Acrid. Tetr. pp. 32, 42 (1906).

- | | |
|---|--------------|
| **1. M. Sobria , Walk. (<i>Tettix</i> S.) Cat. Derm.
Salt. B. M. v. p. 831. n. 81 (1871). | Philippines. |
| **2. M. Cervina , Walk. (<i>Tettix</i> C.) l. c.
p. 823. n. 51 (1871). | China. |

3. **M. Sculpta**, **Bol.** l. c. pp. 237, 238. n. 1 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 107. n. 2 (1893). Tenasserim, Pegu.
4. **M. Remissa**, **Bol.** l. c. pp. 237, 238. n. 2 (1887). Cambodia.
5. **M. Semperi**, **Bol.** ll. cc. n. 3 (1887). Philippines.
6. **M. Abbreviata**, **Bol.** l. c. pp. 237, 239. n. 4 (1887). Viti.
- *7. **M. Insularis**, **Bol.** ll. cc. n. 5 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 138, 155. n. 16, pl. 2. ff. 7, 7a, b (1904). Ceylon.
8. **M. Gallinacea**, **Stål**, (*Tettix Gallinaceus*) (Efv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 6 (1877). Philippines.
M. Gallinacea, **Bol.** l. c. pp. 237, 239. n. 6 (1887).
9. **M. Atypa**, **Bol.** l. c. pp. 237, 240. n. 7 (1887). id.
10. **M. Lauta**, **Bol.** ll. cc. n. 8 (1887). id.
- *11. **M. Fuscipes**, **Stål**, (*Tettix F.*) l. c. p. 58. id.
n. 8 (1877).
M. Fuscipes, **Bol.** l. c. pp. 237, 241. n. 9 (1887).
12. **M. Rufipes**, **Stål**, (*Tettix R.*) l. c. p. 57. id.
n. 7 (1877).
M. Rufipes, **Bol.** l. c. pp. 238, 241. n. 10 (1887).
- **13. **M. Consocia**, **Walk.** (*Tettix C.*) l. c. v. p. 834. n. 88 (1871). id.
14. **M. Gemella**, **Bol.** l. c. pp. 186, 238, 241. id.
n. 11, pl. 5. f. 17 (1887). *0-2415*
15. **M. Celebica**, **Bol.** ll. cc. n. 12 (1887). Celebes.
16. **M. Centrosa**, **Bol.** l. c. pp. 186, 242. Borneo.
n. 13 (1887).
17. **M. Aptera**, **Rehn**, Proc. Acad. Nat. Sci. Philad. lvi. p. 663 (1905). Labuan.
18. **M. Asperula**, **Bol.** Ann. Mus. Genova, xxxix. p. 72. n. 12 (1898). Sumatra.
19. **M. Quadricarinata**, **Bol.** l. c. p. 73. n. 13 (1898). id.
20. **M. Gibbosa**, **Bol.** l. c. p. 73. n. 14 (1898). N. Guinea.
21. **M. Minuta**, **Bol.** l. c. p. 74. n. 15 (1898). Java.
22. **M. Truncata**, **Bol.** l. c. p. 75. n. 16 (1898). N. Guinea.
23. **M. Cristulata**, **Bol.** Ann. Soc. Ent. France, lxx. p. 584 (1902). S. India.
24. **M. Inæqualis**, **Brunn.** Ann. Mus. Genova, xxxiii. p. 106. n. 1, pl. 5. f. 39 (1893). Burma.

- | | |
|--|--------|
| 25. M. Convergens , Brunn. l. c. pp. 106, 107.
n. 3, pl. 5. f. 40 (1893). | Burma. |
| 26. M. Lativertex , Brunn. l. c. pp. 106,
108. n. 4, pl. 5. f. 41 (1893). | id. |

Genus 64. **Dinotettix.** (*Type* no. 1.)

Bol. Mem. Soc. Españ. i. p. 214 (1905);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 43 (1906).

- | | |
|---|-----------------------|
| 1. D. Biafrensis , Bol. Mem. Soc. Españ.
i. p. 214 (1905). | Biafra,
Cameroons. |
| 2. D. Elegans , Bol. l. c. p. 215 (1905). | Cameroons. |
| 3. D. Major , Bol. l. c. (1905). | id. |

Genus 65. **Otumba.** (*Type* no. 1.)

Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 7 (1900); Hanc.
Tett. N. Amer. pp. 34, 50 (1902); Gen. Ins. Orth., Acrid.
Tetr. pp. 32, 43 (1906).

- | | |
|--|--------------------|
| 1. O. Scapularis , Morse , l. c. pp. 7, 8, n. 1,
figs. (1900); Hanc. ll. cc. p. 50, pl. 1. f. 5
(1902); pp. 44, 45. n. 1 (1906). | Nicaragua. |
| *2. O. Spinifrons , Stål , (<i>Tettix</i> S.) <i>Eugenies</i>
<i>Resa</i> , Orth. p. 346. n. 108 (1860).
<i>Tettix Spinifrons</i> , Stål , Recens. Orth. i.
p. 151. n. 10 (1873); Walk. Cat. Derm.
Salt. B. M. v. p. 815. n. 31 (1871).
<i>Metrodora Spinifrons</i> , Bol. Ann. Soc. Ent.
Belg. xxxi. pp. 248, 249. n. 4 (1887).
<i>O. Spinifrons</i> , Hanc. Gen. Ins. Orth., Acrid.
Tetr. pp. 44, 45. n. 2 (1906). | Brazil. |
| 3. O. Marcapata , Hanc. l. c. p. 44. n. 3
(1906). | Peru. |
| 4. O. Lobata , Hanc. l. c. pp. 44, 45. n. 4
(1906). | British
Guiana. |
| 5. O. Dentata , Hanc. ll. cc. n. 5 (1906). | Costa Rica. |

Genus 66. **Pterotettix.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 245 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 45 (1906).

- | | |
|--|------------|
| *1. P. Andrei , Bol. l. c. pp. 186, 245. n. 1
(1887). | Madagascar |
|--|------------|

Genus 67. **Xistra.** (*Type* no. 1.)

- Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 242 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 45 (1906).
1. **X. Gorgorzæ**, Bol. l. c. pp. 186, 243. n. 2, pl. 5. ff. 18, 18 a (1887); Hanc. l. c. pp. 45, 46. n. 1, f. 17 (1906). Philippines.
 2. **X. Corniculata**, Stål, (*Tettix Corniculatus*) Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 58. n. 9 (1877). id.
X. Corniculata, Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 243. n. 1 (1887).
 3. **X. Sagittaria**, Bol. l. c. pp. 186, 244. n. 3 (1887). id.
 4. **X. Impressa**, Bol. ll. cc. n. 4 (1887). id.
 5. **X. Lurida**, Bol. ll. cc. n. 5 (1887). id.
 6. **X. Similis**, Bol. l. c. pp. 186, 245. n. 6 (1887). id.
 7. **X. Ochracea**, Bol. ll. cc. n. 7 (1887). id.
 8. **X. Tricristata**, Bol. Ann. Mus. Genova, xxxix. p. 75. n. 17 (1898). Java.
 9. **X. Sagittata**, Bol. (*Paratettix Sagittatus*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 280. n. 21 (1887). Philippines.
X. Sagittata, Bol. Ann. Mus. Genova, xxxix. p. 76. n. 18 (1898).
 10. **X. Sumatrana**, Bol. (*X. Tricristata*, var. *Sumatrana*) l. c. p. 76 (1898). Sumatra, Nias, &c.
 11. **X. (?) Dubia**, Brunn. Ann. Mus. Genova, xxxiii. p. 108, pl. 5. f. 42 (1893). Burma.

Genus 68. **Trigonofemora.**

Hanc. Ent. News, xvii. p. 89 (1906);
Gen. Ins. Orth., Acrid. Tetr. pp. 32, 46 (1906).

1. **T. Fossulatus**, Hanc. ll. cc. p. 89 (1906); Peru.
p. 46, pl. 3. f. 30 (1906).

Genus 69. **Scabrotettix.** (*Type* no. 5.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 46 (1906).
Scabritettix, Hanc. l. c. p. 32 (1906).

1. **S. Scabrosus**, Hanc. l. c. p. 47. n. 1 (1906). Bolivia.

- | | |
|---|---|
| <p>2. S. Magistralis, Brunn. (<i>Metrodora M.</i>)
 Berlin. Ent. Zeitschr. xlv. p. 254, pl. 3.
 f. 1 (1900).
 <i>S. Magistralis</i>, <i>Hanc.</i> l. c. pp. 47, 48. n. 2
 (1906).</p> <p>3. S. Amazonica, Bol. (<i>Metrodora A.</i>) Ann.
 Soc. Ent. Belg. xxxi. pp. 186, 249. n. 3
 (1887).
 <i>S. Amazonus</i>, <i>Hanc.</i> l. c. pp. 47, 48. n. 3
 (1906).</p> <p>4. S. Bolivianus, Hanc. ll. cc. n. 4 (1906).
 <i>S. Bolivianus Extensus</i>, <i>Hanc.</i> ll. cc. n. 6
 (1906).</p> <p>5. S. Acutibobus, Hanc. ll. cc. n. 5, pl. 4.
 ff. 37, 37 a (1906).</p> | <p>Colombia.</p> <p>Upper
Amazons.</p> <p>Bolivia.</p> <p>id.</p> |
|---|---|

Genus 70. **Holocerus.**

Bol. Ann. Soc. Ent. Belg. xxxi. p. 186 (1887).

- | | |
|--|-------------------|
| <p>*1. H. Lucifer, Serv. (<i>Tetrix L.</i>) Ins. Orth.
 p. 758. n. 1 (1839).</p> | <p>Madagascar</p> |
|--|-------------------|

Genus 71. **Allotettix.** (*Type* no. 1.)

Hanc. Ent. News, x. pp. 275, 276 (1899); *Tett.* N. Amer.
 pp. 36, 39, 126 (1902); *Gen. Ins. Orth., Acrid. Tetr.* pp. 32,
 48 (1906).

- | | |
|---|--|
| <p>1. A. Prolongatus, Hanc. Ent. News, x.
 p. 276 (1899).</p> <p>2. A. Peruvianus, Bol. (<i>Paratettix P.</i>) Ann.
 Soc. Ent. Belg. xxxi. pp. 187, 270, 272.
 n. 1 (1887).
 <i>A. Peruvianus</i>, <i>Hanc.</i> l. c. p. 277 (1899);
 <i>Tett.</i> N. Amer. pp. 127, 187, pl. 9. f. 5
 (1902); <i>Gen. Ins. Orth., Acrid. Tetr.</i>
 p. 48. n. 1, f. 18 (1906).</p> <p>3. A. Cayennensis, Bol. (<i>Paratettix C.</i>)
 l. c. pp. 187, 270, 273. n. 2 (1887).
 <i>A. Cayennensis</i>, <i>Hanc.</i> Ent. News, x. p. 277
 (1899).</p> <p>4. A. Chipmani, Brun. Journ. N. York
 Ent. Soc. xiv. p. 146. n. 45 (1906).</p> | <p>Bolivia.</p> <p>Peru, Costa
Rica, to
Argentine
Republic.</p> <p>Cayenne.</p> <p>Trinidad.</p> |
|---|--|

Genus 72. **Notocerus.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 5 (1900);
Gen. Ins. Orth., Acrid. Tetr. pp. 32, 49 (1906).

1. **N. Cornutus**, Hanc. ll. cc. p. 6, pl. 1. Madagascar
ff. 2, 2a (1900); p. 49. n. 1, pl. 2. ff. 20,
20a (1906).

Genus 73. **Hybotettix.** (Type no. 1.)

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 8 (1900);
Gen. Ins. Orth., Acrid. Tetr. pp. 32, 49 (1906).

1. **H. Humeralis**, Hanc. ll. cc. p. 9, pl. 1. Madagascar
f. 4 (1900); p. 50, pl. 4. f. 43 (1906).
2. **H. (?) Asmodæus**, Serv. (*Tettix* A.) Paraguay.
Ins. Orth. p. 760. n. 3 (1839).
Nephela Asmodæus, Bol. Ann. Soc. Ent.
Belg. xxxi. pp. 186, 253. n. 2 (1887).

Genus 74. **Thyrus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 194, 253 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 39 (1906).

1. **T. Tiaratus**, Bol. l. c. pp. 187, 254, pl. 5. Fiji.
f. 21 (1887); Hanc. l. c. p. 50. n. 1, f. 19
(1906).

Genus 75. **Pseudomitrraria.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 50 (1906).

1. **P. Pontificalis**, Rehn, (*Mitrraria* P.) Liberia.
Proc. Acad. Nat. Sci. Philad. lvi. p. 664
(1905).

Genus 76. **Miriatra.** (Type no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (July 1906).
Mitritettix, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 51 note
(1906).

|| *Mitrraria*, Bol. (nec Raf.) Ann. Soc. Ent. Belg. xxxi. pp. 187,
194, 253 (1887); Hanc. l. c. pp. 32, 51 (1906).

1. **M. Producta**, Bol. (*Mitrraria* P.) l. c. Upper
pp. 187, 253. n. 1 (1887). | Amazons.

2. **M. Phyllocera, De Haan**, (*Acridium (Tettix) Phyllocerum*) Temminck, Verhandel., Orth. pp. 166, 168. n. 4, pl. 22. f. 10 (1842).
Mitraria Phyllocera, Bol. l. c. pp. 187, 253. n. 2 (1887).

Genus 77. **Teredorus.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 51, 52 (1906).

1. **T. Stenofrons, Hanc.** l. c. p. 53. n. 1, Peru.
 pl. 4. f. 42 (1906).

Genus 78. **Telmatettix.** (Type no. 1.)

Hanc. Psyche, ix. p. 7 (1900); Tett. N. Am. pp. 36, 39, 127 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 51, 53 (1906).

- *1. **T. Azteca, Sauss.** (*Tettix A.*) Rev. Zool. Mexico,
 (2) xiii. p. 400 (1861); Thom. Acrid. Arizona,
 N. Amer. p. 243 (1873). California,
Paratettix Aztecus, Bol. Ann. Soc. Ent. Cuba.
 Belg. xxxi. pp. 188, 272, 282. n. 28
 (1887); Morse, Biol. Centr.-Amer., Orth.
 ii. pp. 12, 14. n. 8 (1900).
T. Aztecus, Hanc. Tett. N. Amer. pp. 39,
 128, 131, pl. 9. ff. 1, 2 (1902).
2. **T. Hesperus, Morse** (*Paratettix H.*) Oregon,
 Journ. New York Ent. Soc. vii. p. 198 California.
 (1899).
T. Hesperus, Hanc. l. c. pp. 39, 128, 129,
 pl. 9. ff. 8, 9 (1902).
3. **T. Aridus, Hanc.** l. c. pp. 39, 129, 133, California.
 pl. 6. ff. 3, 3a (1902).
4. **T. Fallax, Bol.** (*Paratettix F.*) l. c. Guatemala.
 pp. 188, 272, 282. n. 27 (1887); Morse,
 Biol. Centr.-Amer., Orth. ii. pp. 12, 13.
 n. 7 (1900).
T. Fallax, Hanc. l. c. pp. 39, 129, 133
 (1902).
5. **T. Minutus, Hanc.** l. c. pp. 39, 129, 134, Mexico.
 pl. 7. ff. 5, 5a, 6, 6a (1902); Gen. Ins.
 Orth., Acrid. Tetr. p. 54. n. 5, pl. 3. f. 28
 (1906).
T. Minutus Rugosus, Hanc. Tett. N. Amer.
 pp. 39, 129, 135 (1902).

6. **T. Parviverticis, Hanc.** l. c. pp. 39, 128, 130, pl. 9. ff. 3, 4 (1902). Mexico.

Genus 79. **Clypeotettix.** (*Type* no. 1.)

Hanc. Tett. N. Amer. pp. 36, 39, 124 (1902);
Gen. Ins. Orth., Acrid. Tetr. pp. 51, 54 (1906).

1. **C. Schochii, Bol.** (*Paratettix S.*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 270, 274. n. 5 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 2 (1900). Mexico, Nicaragua, Guatemala, Venezuela.
C. Schochii, Hanc. ll. cc. pp. 39, 124, pl. 7. f. 1, pl. 9. ff. 10, 11 (1902); p. 54. n. 1, f. 21, pl. 3. f. 24 (1906).
- **2. **C. (?) Zonata, Walk.** (*Tettix Z.*) Cat. Derm. Salt. B. M. v. p. 818. n. 37 (1871). Santarem.

Genus 80. **Euparatettix.** (*Type* no. 2.)

Hanc. Spol. Zeyl. ii. pp. 108, 111, 145 (1904);
Gen. Ins. Orth., Acrid. Tetr. pp. 51, 55 (1906).

1. **E. Parvus, Hanc.** Spol. Zeyl. ii. pp. 108, 145. n. 21 (1904). Ceylon.
- *2. **E. Personatus, Bol.** (*Paratettix P.*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 278. n. 15 (1887). id., Java, Philippines, Burma.
E. Personatus, Hanc. l. c. pp. 108, 145, 146, 155, 156. n. 22, pl. 2. ff. 10, 10 a, b, pl. 3. ff. 20, 20 a, b (1904); Gen. Ins. Orth., Acrid. Tetr. p. 55. n. 2, pl. 3. f. 32 (1906).
3. **E. Interruptus, Brunn.** (*Paratettix I.*) Ann. Mus. Genova, xxxiii. p. 109. n. 2 (1893). Burma.
- **4. **E. Cingalensis, Walk.** (*Tettix C.*) Cat. Derm. Salt. B. M. v. p. 827. n. 61 (1871). Ceylon.
5. **E. Novæ-Guineæ, Bol.** (*Paratettix N.*) Ann. Mus. Genova, xxxix. p. 78. n. 22 (1898). N. Guinea.

Genus 81. **Paratettix.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 195, 270 (1887);
 Fin. Faune France, Orth. pp. 100, 169 (1889); Lugg.
 Orthopt. Minnesota, pp. 196, 199 (1897); Morse, Biol.
 Centr.-Amer., Orth. ii. pp. 5, 11 (1900); Blatchl. Rep.
 Indiana Dep. Geol. xxvii. pp. 218, 227 (1903); Hanc.
 Tettig. N. Amer. pp. 36, 39, 108 (1902); Spol. Zeyl. ii.
 pp. 108, 110, 144 (1904); Gen. Ins. Orth., Acrid. Tetr.
 pp. 52, 55 (1906); Jacobs. & Bianchi, Prem. i Lozhn.
 Ross. Imp. pp. 164, 175, 211 (1902).

|| *Batrachidea*, Sauss. (*nec* Serv.) Rev. Zool. (2) xiii. p. 401 (1861).

- *1. **P. Meridionalis, Ramb.** (*Tettix* M.) S. Europe,
 Faune Andal. ii. p. 65 (1839); Fin. Orth. N. Africa,
 France, pp. 84, 85 (1883). W. Asia,
Tettix Meridionalis, Bol. Ortópt. Españ. Madagascar
 pp. 162, 163. n. 2, pl. 3. f. 26 (1876);
 Ann. Soc. Españ. v. pp. 368, 369. n. 2,
 pl. 12. f. 26 (1876); Brunn. Prodr. Eur.
 Orth. pp. 235, 239. n. 4 (1882); Tümp.
 Geradfl. Mitteleuropas, pp. 220, 253 (1900).
Paratettix Meridionalis, Bol. Ann. Soc. Ent.
 Belg. xxxi. pp. 188, 271, 275. n. 9, pl. 5.
 ff. 23, 23 a (1887); Fin. Faune France,
 Orth. p. 170 (1889); Jacobs. & Bianchi,
 l. c. pp. 175, 211 (1902).
Tettix Subulata, var. *Meridionalis*, Fisch.
 Orth. Eur. pp. 422, 423, pl. 18. ff. 18,
 18* (1853).
Tettix Dohrnii, Fieb. Lotos, iii. p. 142. n. 4
 (1853); Syn. Eur. Orth. p. 32. n. 4 (1854).
Tettix Ophthalmica, Fieb. ll. cc. p. 145. n. 7
 (1853); p. 35. n. 7 (1854).
- *2. **P. Scaber, Thunb.** (*Acrydium Scabrum*) S. Africa.
 Nova Acta Upsal. vii. p. 159 (1815).
Tettix Scaber, Stål, Recens. Orth. i. p. 149.
 n. 5 (1873).
Paratettix Scaber, Bol. l. c. pp. 188, 279.
 n. 18 (1887).
- ** *Tettix Subpustulata*, Walk. Cat. Derm. Salt.
 B. M. v. p. 819. n. 40 (1871).
P. Scaber, var. *Ugandensis*, Karny, Sitz.
 Akad. Wiss. Wien, cxvi. p. 26 (1907).
3. **P. (?) Scapularis, Beauv.** (*Tettix* S.) Benin.
 Ins. Afr. Amér. p. 231, Orth. pl. 2 c. f. 8
 (1805).

4. **P. (?) Striata, Beauv.** (*Tetrix S.*) l. c. Benin.
p. 232, Orth. pl. 2 c. f. 9 (1805).
- **5. **P. Carinata, Kirb.** Trans. Ent. Soc. Transvaal.
Lond. 1902, p. 59. n. 6.
6. **P. Cinereus, Bol.** l. c. pp. 188, 271, 277. Nossi-Bé.
n. 14 (1887).
7. **P. Voeltzkowiana, Sauss.** Abhandl. id.
Senckenb. Ges. xxi. p. 656. n. 1
(1899).
8. **P. Indicus, Bol.** l. c. pp. 188, 272, 281. India (?),
n. 22 (1887). China.
9. **P. Hirsutus, Brunn.** Ann. Mus. Genova, Burma.
xxxiii. p. 110. n. 3, pl. 5. ff. 43 *a, b*
(1893).
10. **P. Semihirsutus, Brunn.** l. c. p. 110. id.
n. 4 (1893).
11. **P. Variegatus, Bol.** l. c. pp. 188, 272, 280. Ceylon.
n. 19 (1887); Hanc. Spol. Zeyl. ii.
pp. 108, 144. n. 20 (1904).
12. **P. Contractus, Bol.** l. c. pp. 188, 272, Borneo,
281. n. 23 (1887). Philippines.
13. **P. Variabilis, Bol.** l. c. pp. 188, 271, iid.,
276. n. 11 (1887). Madura.
14. **P. Mimus, Bol.** l. c. pp. 188, 271, 278. Philippines.
n. 16 (1887).
15. **P. Histrica, Stål** (*Tetrix H.*) Eugenes Malay Isl.,
Resa, Orth. p. 347. n. 113 (1860). Philippines,
Tettix Histricus, Stål, Recens. Orth. i. N. Australia,
p. 149. n. 6 (1873). N. Caledonia
P. Histricus, Bol. l. c. pp. 188, 271, 279.
n. 17 (1887).
16. **P. Tricarinatus, Bol.** l. c. pp. 188, 272, Philippines.
282. n. 25 (1887).
17. **P. Pullus, Bol.** l. c. pp. 188, 272, 281. Fiji.
n. 24 (1887).
18. **P. Cultratus, Bol.** Ann. Mus. Genova, N. Guinea.
xxxix. p. 77. n. 21 (1898).
19. **P. Femoralis, Bol.** Ann. Soc. Ent. Belg. Sydney.
xxxi. pp. 188, 271, 277. n. 12 (1887).
20. **P. Obesus, Bol.** ll. cc. n. 13 (1887). Hab. ——— ?
21. **P. Fluctuans, Bol.** l. c. pp. 188, 272, N. Australia.
280. n. 20 (1887).
22. **P. Similis, Bol.** l. c. pp. 188, 272, 282. id.
n. 26 (1887).
23. **P. Cucullata, Burm.** (*Tetrix C.*) Handb. Canada,
Ent. ii. p. 658. n. 1 (1838). U. States.

- Tettix Cucullata*, Scudd. Bost. Journ. Nat. Hist. vii. p. 475. n. 4 (1862); Thom. Syn. Acrid. N. Amer. p. 185 (1873).
Tettix Cucullatus, Bol. l. c. pp. 187, 259, 266. n. 18 (1887).
P. Cucullatus, Morse, Psyche, vii. p. 163, pl. 6. ff. 4, 4 a (1894); Hanc. Trans. Amer. Ent. Soc. xxiii. p. 241. n. 1, pl. 7. ff. 11, 11 a (1896); Tett. N. Amer. pp. 39, 109, 111, pl. 8. ff. 6, 7 (1902); Gen. Ins. Orth., Acrid. Tetr. p. 56. n. 33, pl. 4. f. 40 (1906); Lugg. Grasshoppers Minnesota, p. 200, f. 65 (1897); Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 227, 228. n. 24, f. 41 (1903).
24. **P. Texanus**, Hanc. Tett. N. Amer. pp. 39, 109, 113, pl. 6. ff. 2, 2 a, pl. 8. ff. 4, 5 (1902). Texas,
Louisiana.
P. Texanus Nanus, Hanc. l. c. pp. 39, 109, 114 (1902).
25. **P. Mexicana**, Sauss. (*Tettix M.*) Rev. Zool. (2) xiii. p. 400 (1861); Thom. l. c. p. 243 (1873). Mexico,
Southern States.
P. Mexicanus, Bol. l. c. pp. 188, 271, 275. n. 8 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 4 (1900); Hanc. l. c. pp. 39, 110, 115, pl. 8. ff. 1, 2, 12, 13 (1902).
P. Mexicanus Abortus, Hanc. l. c. pp. 39, 110, 117 (1902).
26. **P. Tuberculatus**, Hanc. l. c. pp. 39, 110, 117, pl. 8. f. 3 (1902). Mexico.
27. **P. Morsei**, Hanc. l. c. pp. 39, 110, 119, pl. 8. ff. 10, 11 (1902). California,
Arizona.
P. Toltecus Extensus, Morse, Journ. N. York Ent. Soc. vii. p. 198 (1899).
P. Morsei Extensus, Hanc. l. c. pp. 39, 110, 117, 165, pl. 8. ff. 8, 9, 16 (1902).
28. **P. Tolteca**, Sauss. (*Tettix T.*) l. c. p. 401 (1861). Mexico,
Nicaragua,
Southern States.
Batrachidea Tolteca, Thom. Syn. Acrid. N. Amer. p. 244 (1873).
P. Toltecus, Bol. l. c. pp. 188, 270, 273. n. 3 (1889); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 3 (1900); Hanc. l. c. pp. 39, 110, 119, pl. 8. ff. 14, 15 (1902).

- P. Toltecus*, race *Arizonus*, *Hanc.* l. c. pp. 39, 110, 120 (1902).
P. Toltecus Sonorensis, *Hanc.* l. c. pp. 39, 110, 121 (1902).
29. **P. Robustus**, *Hanc.* l. c. pp. 39, 110, 121 (1902). Wyoming.
30. **P. Frey-Gessnerii**, *Bol.* l. c. pp. 188, 271, 276. n. 10 (1887) ; *Hanc.* l. c. pp. 39, 110, 122 (1902). Cuba.
31. **P. Sævus**, *Kirb.* (n. n.). Mexico.
 || *P. Durus*, *Morse* (*nec Karsch*), l. c. pp. 11, 13. n. 5 (1900) ; *Hanc.* *Tett. N. Amer.* pp. 39, 111, 122 (1902).
32. **P. Sinuatus**, *Morse*, l. c. pp. 11, 13. n. 6 (1900) ; *Hanc.* l. c. pp. 39, 111, 123 (1902). id.
33. **P. Simoni**, *Bol.* *Ann. Soc. Ent. France*, (6) x. p. 138. n. 10 (1890). Venezuela.
34. **P. Borellii**, **Giglio-Tos**, *Boll. Mus. Torino*, xii. (302) p. 28 (1897). Argentina, Paraguay.
- **35. **P. Hastata**, *Walk.* (*Tettix H.*) l. c. v. p. 816. n. 33 (1871). Demerara.
- **36. **P. Attenuata**, *Walk.* (*Tettix A.*) l. c. n. 34 (1871). Santarem.
- **37. **P. Ignobilis**, *Walk.* (*Tettix I.*) l. c. p. 837 n. 97 (1871). Hab. — ?
38. **P. Heteropus**, *Bol.* *Actas Soc. Españ.* xxv. p. 14 (1896). Amazons.
39. **P. Scabripes**, *Bol.* *Ann. Mus. Genova*, xxxix. p. 76. n. 19 (1898). Java.
- **40. **P. Pallipes**, *Walk.* (*Tettix P.*) l. c. p. 821. n. 44 (1871). Sierra Leone.
41. **P. Angustivertex**, *Bol.* *Mém. Soc. Ent. Belge*, xvi. p. 85. n. 9 (1908). W. Africa.
42. **P. Africanus**, *Bol.* l. c. p. 86. n. 11 (1908). id.
43. **P. Wilverthi**, *Bol.* l. c. n. 12 (1908). id.

82. **Acrydium.** (*Type* no. 1.)

Geoffr. *Hist. Ins.* i. p. 390 (1762) ; *Fabr. Syst. Ent.* p. 278 (1775) ; *Rossi, Faun. Etr.* p. 262 (1790) ; *Oliv. Encycl. Méth., Ins.* vi. p. 209 (1791) ; *Leach, Edinb. Encycl.* ix. p. 120 (1815) ; *Curt. Brit. Ent.* x. pl. 439 (1833) ; *Steph. Ill. Brit. Ent., Mand.* vii. p. 32 (1835).

Acridium, *Schrank*, Fauna Boica, ii. p. 30 (1801); Zett. Orth. Suec. p. 104 (1821); Faun. Ins. Lapp. i. p. 452 (1828); Ins. Lapp. p. 250 (1840); Phil. Orthopt. Berol. p. 40 (1830).

Tetrix, *Latr.* Hist. Nat. Crust. Ins. iii. p. 284 (1802), xii. p. 161 (1804); St. Farg. & Serv. Encycl. Méth., Ins. x. p. 598 (1825); Serv. Ann. Sci. Nat. xxii. pp. 264, 291 (1831); Ins. Orth. p. 757 (1839); Wesm. Bull. Acad. Brux. v. p. 596 (1838); Burm. Handb. Ent. ii. p. 657 (1838); Borek, Skand. Rätv., Ins. p. 138 (1848); Fin. Orth. France, pp. 39, 82 (1883); Faune France, Orth. pp. 99, 165 (1889); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 174, 208 (1902); Hanc. Tett. N. Amer. pp. 35, 38, 66, 68 (1902); Spol. Zeyl. ii. pp. 108, 110, 141 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 57 (1906).

Tettix, *Charp.* Germ. Zeitschr. Ent. iii. p. 315 (1841); Fieb. Abh. Böhm. Ges. (5) iii. p. 408 (1844); Lotos, iii. p. 139 (1853); Syn. Eur. Orth. p. 29 (1854); Fisch. Waldh. Orth. Russ. p. 347 (1846); Türk. Wien. Ent. Mon. vi. p. 206 (1862); Friv. Ertek. Termész. Köreb. i. (12) p. 188 (1868); Stål, Rec. Orth. i. p. 146 (1873); Bol. Ortópt. Esp. p. 161 (1876); An. Soc. Esp. v. p. 367 (1876); Ann. Soc. Ent. Belg. xxvii. pp. 187, 195, 257 (1887); Ann. Sci. Nat. Porto, iv. p. 221, v. p. 35 (1897-1898); Brunn. Prodr. Eur. Orth. pp. 87, 234 (1882); Auriv. Ent. Tidskr. xxi. pp. 241, 247 (1900); Burr, Brit. Orth. pp. 33, 46 (1897); Tümp. Geradfl. Mitteleuropas, pp. 220, 253 (1900); Fisch. Orth. Eur. p. 215 (1853).

Bulla, *Schrank*, Enum. Ins. Austr. p. 242 (1781).

- *1. **A. Subulatum, Linn.** (*Gryllus Subulatus*) Europe,
Faun. Suec. (ed. ii.) p. 236. n. 865 (1761). N. & W.
Gryllus Bulla Subulatus, Sulz. Gesch. Ins. Asia.
p. 82, pl. 8. f. 7, a (1776).

Acrydium Subulatum, *De Geer*, Mém. Ins. iii. p. 484. n. 12 (1773); Fabr. l. c. p. 279. n. 2 (1775); Fuessly, Arch. Ent. p. 189. n. 2 (1786); Rossi, l. c. p. 262. n. 639 (1790); Oliv. l. c. vi. p. 233. n. 75 (1791); Sowerby, Brit. Misc., Ins. p. 27, pl. 74. f. 1 (1806); Curt. l. c. pl. 439 (1833); Steph. l. c. p. 34. n. 1 (1835).

Acridium Subulatum, *Schrank*, Fauna Boica, ii. p. 32. n. 1022 (1801); Phil. l. c. p. 41. n. 1 (1830); Zett. ll. cc. p. 106. n. 1 (1821); p. 452. n. 1 (1828); p. 250. n. 1 (1840).

Tettix Subulatus, Fisch. Waldh. l. c. p. 349, pl. 18. f. 1 (1846); Stål, l. c. p. 148. n. 3 (1873); Brunn. l. c. pp. 235, 237. n. 2, pl. 7. f. 56 c (1882); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 259, 267. n. 21 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 4 (1898); Auriv. l. c. p. 248. n. 2, ff. 12, 12 a, b (1900); Burr. l. c. pp. 46, 47, pl. 4. f. 3 (1897); Tümp. l. c. pp. 220, 253, pl. 20 (1900).

Tetrix Subulata, Latr. l. c. xii. p. 164. n. 2 (1804); St. Farg. & Serv. l. c. p. 599. n. 1 (1825); Serv. Ins. Orth. p. 760. n. 5 (1839); Wesm. l. c. p. 596. n. 2 (1838); Burm. l. c. p. 659. n. 5 (1838); Borek, l. c. p. 138. n. 1, pl. 4. f. 8 (1848); Fin. ll. cc. p. 84 (1883), p. 167, pl. 8. f. 116 (1889); Jacobs. & Bianchi, l. c. pp. 175, 210, pl. 7 (1902).

Tettix Subulata, Charp. l. c. p. 315 (1841); Fieb. ll. cc. p. 409. n. 1, pl. 10. ff. 12, 12 a (1844); p. 145. n. 9 (1853); p. 35. n. 9 (1854); Türk. l. c. p. 208. n. 1, pl. 2. ff. 1, 1 a (1862); Friv. l. c. p. 190. n. 1 (1868); Bol. An. Soc. Esp. v. pp. 367, 368. n. 1 (1876); Ortópt. Españ. pp. 161, 162. n. 1 (1876).

Var. *Acridium Pallescens*, Zett. ll. cc. Europe.
p. 109. n. 2 (1821); p. 453. n. 3 (1828);
p. 250. n. 3 (1840).

|| *Acrydium Bipunctatum*, Panz. (nec Linn.)
Ins. Germ. fasc. v. pl. xviii. (1793).

Tetrix Panzeri, St. Farg. & Serr. Enc. Méth., Ins. x. p. 599. n. 2 (1825).

Tettix Subulatus, β . *Panzeri*, Fisch. Waldh. l. c. p. 350, pl. 18. f. 2 (1846).

Tettix Subulatus v. *Pallescens*, Fieb. Lotos, iii. p. 146. v. 7 (1853); Syn. Eur. Orth. p. 36. v. 7 (1854).

Var. *Acrydium Thoracicum*, Oliv. Enc. Méth., Provence.
Ins. v. p. 233. n. 77 (1791).

Var. *Acrydium Bimaculatum*, Herbst, Fuessly, Archiv, p. 190. n. 5, pl. 52. f. 4 (1786); Oliv. l. c. p. 236. n. 11 (1791).

Acridium Bimaculatum, Zett. Orth. Suec. p. 114. n. 6 (1821); Ins. Lapp. p. 250. n. 6 (1840).

- Tettix Subulatus*, ε. *Bimaculatus*, Fisch. Waldh. l. c. p. 351 (1846).
- Tettix Subulata*, var. *Bimaculata*, Fieb. ll. cc. p. 146. v. 3 (1853); p. 36. v. 3 (1854).
- Var. *Acrydium Dorsale*, Thunb. Nova Acta Upsal. vii. p. 160. n. 3 (1815).
- Acridium Dorsale*, Zett. Ins. Suec. p. 112. n. 5 (1821); Faun. Ins. Lapp. i. p. 453. n. 5 (1828); Ins. Lapp. p. 250. n. 5 (1840).
- Tettix Subulatus*, δ. *Dorsalis*, Fisch. Waldh. l. c. p. 350, pl. 18. f. 4 (1846).
- Var. *Acrydium Quadrinaculatum*, Thunb. l. c. p. 160. n. 4 (1815).
- Var. *Tettix Exclamationis*, St. Farg. & Serv. l. c. p. 600. n. 7 (1825).
- Var. *Acridium Marginatum*, Zett. ll. cc. p. 110. n. 3 (1821); p. 453. n. 4 (1828); p. 250. n. 4 (1840).
- Tettix Marginata*, St. Farg. & Serv. l. c. p. 599. n. 4 (1825).
- Var. *Acridium Humerale*, Zett. Orth. Suec. p. 111. n. 4 (1821).
- Tettix Subulatus*, var. *Humeralis*, Fieb. Lotos, iii. p. 146. v. 9 (1853); p. 37. v. 9 (1854).
- Var. *Tettix Subulata*, var. *Nigra*, Fieb. Lotos, iii. p. 145. v. 1 (1853); Syn. Eur. Orth. p. 36. v. 1 (1854).
- Var. *T. Subulata*, var. *Fusca*, Fieb. ll. cc. p. 145. v. 2 (1853); p. 36. v. 2 (1854).
- Var. *Tettix Subulatus*, var. *Notata*, Fieb. ll. cc. p. 146. v. 4 (1853); p. 36. v. 4 (1854).
- Var. *Tettix Subulatus*, var. *Marginata*, Fieb. ll. cc. p. 146. v. 5 (1853); p. 36. v. 5 (1854).
- Var. *Tettix Subulatus*, var. *Livida*, Fieb. ll. cc. p. 146. v. 6 (1853); p. 36. v. 6 (1854).
- Var. *Tettix Subulatus*, var. *Nebulosa*, Fieb. ll. cc. p. 146. v. 8 (1853); p. 36. v. 8 (1854).
- Var. *Tettix Subulatus*, var. *Stragulum*, Fieb. ll. cc. p. 146. v. 10 (1853); p. 37. v. 10 (1854).

Var. *Tettix Subulatus*, var. *Crucigera*, Fieb. ll. cc. p. 147. v. 11 (1853); p. 37. v. 11 (1854).

Var. *Tettix Vittata*, Fieb. ll. cc. p. 147. v. 12 (1853); p. 37. v. 12 (1854).

Var. *Tettix Subulatus*, var. *Dorsalis*, Fieb. ll. cc. p. 147. v. 13 (1853); p. 37. v. 13 (1854).

Var. *Tettix Subulatus*, var. *Lineata*, Fieb. ll. cc. p. 147. v. 14 (1853); p. 37. v. 14 (1854).

Var. *Gryllus Dispar*, Lep. Reise, ii. p. 211, pl. 10. f. 17 (1775).

Tettix Subulatus, γ. *Dispar*, Fisch. Waldh. l. c. p. 350, pl. 18. f. 3 (1846).

Gryllus Striatus, Gmel. Syst. Nat. (1) iv. p. 2058 (1788).

Var. *Tettix Subulatus*, ζ. *Macropterus*, Fisch. Waldh. l. c. p. 351 (1846).

*2. **A. Bipunctatum**, Linn. (*Gryllus Bulla Bipunctatus*) Syst. Nat. (ed. x.) p. 427. n. 17 (1758); Sulz. l. c. p. 82, pl. 8. f. 6 (1776).

Europe,
N. Africa,
N. & W.
Asia.

Gryllus Bipunctatus, Linn. Faun. Suec. ed. ii. p. 235. n. 864 (1761); Scop. Ent. Carn. p. 105. n. 316 (1763); Schrank, Enum. Ins. Austr. p. 242. n. 461 (1781).

Acrydium Bipunctatum, Fabr. Syst. Ent. p. 278. n. 1 (1775); Rossi, l. c. p. 262. n. 638 (1790); Herbst, l. c. p. 189. n. 1, pl. 52. f. 1 (1786); Oliv. l. c. vi. p. 232. n. 74 (1791); Curt. l. c. fol. 439, p. 2. n. 2 (1833); Steph. l. c. p. 43. n. 2 (1835).

Acridium Bipunctatum, Schrank, Fauna Boica, ii. p. 32. n. 1023 (1801); Phil. l. c. p. 42. n. 2 (1830); Zett. ll. cc. p. 115. n. 7 (1821); p. 454. n. 8 (1828); p. 251. n. 8 (1840).

Tettix Bipunctata, Latr. l. c. xii. p. 164. n. 1 (1804); Wesm. l. c. p. 596. n. 1 (1838); Burm. l. c. p. 660. n. 7 (1838); Serv. l. c. p. 765. n. 10 (1839); Borek, l. c. p. 140. n. 2 (1848); Fin. l. c. pp. 83, 84 (1883); p. 166 (1889); Jacobs. & Bianchi, l. c. pp. 174, 209, pl. 7 (1902).

Tettix Bipunctatus, Stål, l. c. p. 147. n. 2 (1873); Brunn. l. c. pp. 234, 235. n. 1 (1882); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 263. n. 11 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 3 (1898); Burr, l. c. p. 46, pl. 4. f. 2 (1897); Auriv. l. c. p. 248. n. 1 (1900); Tümp. l. c. pp. 220, 253, pl. 20 (1900).

Tettix (Batrachidea) Bipunctatus, Fisch. Waldh. l. c. p. 351. n. 2, pl. 18. f. 6 (1846).

Tettix Bipunctata, Fieb. Abb. Böhm. Ges. (5) iii. p. 411. n. 4, pl. 10. ff. 14-16 (1844); Türk, l. c. pp. 208, 211, pl. 2. ff. 4, 4 a (1862); Friv. l. c. p. 191. n. 2 (1867); Bol. Ortópt. Españ. pp. 162, 164. n. 3, pl. 3. f. 27 (1876); Ann. Soc. Españ. v. pp. 368, 370. n. 3, pl. 12. f. 27 (1876).

Acrydium Scutellatum, De Geer, l. c. p. 483. n. 11, pl. 23. f. 15 (1773).

(Larva?) *Gryllus, Xyphothyreus*, Schrank, Enum. Ins. Austr. p. 243. n. 462 (1781).

Acridium Xyphothyreum, Schrank, Fauna Boica, ii. (1) p. 33. n. 1024 (1801).

Tettix Schrankii, Fieb. Abhandl. Böhm. Ges. (5) iii. p. 412. n. 5, pl. 10. ff. 17-19 (1843); Lotos, iii. p. 139. n. 2 (1853); Syn. Eur. Orth. p. 29. n. 2 (1854); Fisch. l. c. p. 427. n. 4, pl. 18. ff. 22, 22 a (1853).

Tettix Schrankii, varr. *Fusca*, *Tristis*, *Ferrugata*, *Acuta*, *Maculata*, *Bifasciata*, *Maculosa*, *Femoralis*, *Carinalis*, *Dorsalis*, *Bufo*, *Elegans*, *Vittata*, *Decora*, *Signata*, *Flavorittata*, *Ephippioides*, *Litura*, et *Oculata*, Fieb. Lotos, iii. pp. 139-141 (1853); Syn. Eur. Orth. pp. 29-31 (1854).

Acrydium Opacum, Herbst, Fuessly, Archiv, p. 190. n. 3, pl. 52. f. 2 (1786).

Acrydium Gibbum, Oliv. Enc. Méth., Ins. vi. p. 233. n. 76 (1791).

Var. *Acrydium Bifasciatum*, Herbst, l. c. p. 190. n. 4, pl. 52. f. 3 (1786); Oliv. Enc. Méth., Ins. vi. p. 236. n. 10 (1791).

Var. *Acridium Laterale*, Zett. ll. cc. p. 118.
n. 8 (1821); p. 455. n. 8 (1828); p. 251.
n. 10 (1840).

Tettix (*Batrachidea*) *Bipunctatus*, β . *Lateralis*,
f. 5; γ . *Ephippium*, f. 10, p. 352; δ . *Zonatus*,
f. 8; ϵ . *Ochraceus*, f. 7; ζ . *Coronatus*, f. 9;
 η . *Morosus* and θ . *Ethiops*, p. 353: Fisch.
Waldh. l. c. (1846).

Var. *Acrydium Ephippium*, Thunb. Nova
Acta Upsala, vii. p. 161. n. 8 (1815).

Acridium Ephippium, Zett. ll. cc. p. 118.
n. 9 (1821); p. 455. n. 9 (1828); p. 252.
n. 11 (1840).

Tettix Ephippium, Fisch. Waldh. l. c. p. 352,
pl. 13. f. 10 (1846).

Var. *Gryllus Binotatus*, Gmel. Syst. Nat. i.
(4) p. 2059. n. 231 (1788).

Acridium Binotatum, Zett. ll. cc. p. 119.
n. 10 (1821); p. 456. n. 10 (1828);
p. 252. n. 12 (1840).

Var. *Acridium Obscurum*, Zett. ll. cc. p. 123.
n. 14 (1821); p. 456. n. 12 (1828);
p. 252. n. 14 (1840).

Tettix Obscura, Hagenb. Symb. Faun. Ins.
Helvet. p. 42, f. 26 (1822).

Var. *Acrydium Cristatum*, Thunb. l. c.
pp. 159, 161. n. 10 (1815).

Acridium Cristatum, Zett. ll. cc. p. 120.
n. 11 (1821); p. 456. n. 11 (1828);
p. 252. n. 13 (1840).

Var. *Acridium Vittatum*, Zett. Orth. Suec.
p. 121. n. 12 (1821).

Var. *Acridium Zonatum*, Zett. l. c. p. 122.
n. 13 (1821).

Var. *Acridium Ochraceum*, Zett. l. c. p. 124.
n. 15 (1821).

Var. *Acridium Hieroglyphicum*, Zett. l. c.
p. 128. n. 16 (1821); Ins. Lapp. p. 252.
n. 15 (1840).

Acrydium Lunulatum, Thunb. l. c. pp. 159,
161 (1815).

Var. *Acridium Scriptum*, Zett. l. c. p. 126.
n. 17 (1821).

Var. *Acridium Variegatum*, Zett. l. c. p. 127.
n. 18 (1821).

Var. *Acridium Hilare*, Zett. Faun. Ins.

- Lapp. i. p. 455. n. 7 (1828) ; Ins. Lapp. p. 251. n. 9 (1840).
 Var. *Acridium Carbonarium*, Zett. Ins. Lapp. p. 252. n. 15 (1840).
 Var. *Tetrix Nutans*, Hagenb. l. c. p. 41, f. 25 (1822) ; Charp. Hor. Ent. p. 179 (1825).
Tetrix Nutans, Fieb. Abh. Böhm. Ges. (5) iii. p. 410. n. 3, pl. 10. f. 13 (1844) ; Lotos, iii. p. 147. n. 10 (1853) ; p. 37. n. 10 (1854) ; Fisch. Orth. Eur. p. 423, pl. 18. f. 19 (1853).
Tetrix Linnei, cum varr. *Conspersa*, *Circumscripta*, *Carinalis*, *Punctulata*, *Bipunctata* (L.), *Deltigera*, *Hilaris* (Zett.), *Punctatosignata*, *Hieroglyphica* (Zett.), *Marmorata*, *Discolor*, *Equestris*, *Dorsalis*, *Ziczac*, *Limbata*, *Vittata* (Zett.), *Cristata*, *Binotata* (Gmel.), *Ephippium* (Thunb.), *Contigua*, *Obscura* (Hag.), Fieb. Lotos, iii. pp. 142-144 (1853) ; Syn. Eur. Orth. pp. 32-34 (1854).
 Var. *Acridium Undulatum*, Sowerby, l. c. p. 28, pl. 74. f. 2 (1806).
 Var. *Acrydium Nigricans*, Sowerby, l. c. f. 3 (1806) ; Curt. Brit. Ent. x. fol. 439, p. 2. n. 3 (1833).
 3. **A. Tenuicorne**, Sahlb. (*Tetrix Tenuicornis*) Medd. Soc. Faun. Flor. Fenn. xix. p. 47 (1893). Finland.
 *4. **A. Depressum**, Bris. (*Tetrix Depressa*) Ann. Soc. Ent. France, (2) vi. p. 424 (1848) ; Fin. II. cc. pp. 83, 85 (1883) ; pp. 166, 168, pl. 8. f. 117 (1889) ; Jacobs. & Bianchi, l. c. pp. 174, 208, pl. 7 (1902). S. Europe, Asia Minor, N. Africa, Zanzibar.
Tetrix Depressa, Fisch. l. c. p. 424. n. 2, pl. 18. ff. 20, 20*, 20 a (1853) ; Bol. Ortópt. Españ. pp. 162, 165. n. 4 (1876) ; An. Soc. Españ. v. pp. 368, 371. n. 4 (1876).
Tetrix Depressus, Stål, Recens. Orth. i. p. 151. n. 11 (1873) ; Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 259. n. 1 (1887) ; Ann. Sci. Nat. Porto, v. pp. 35, 36. n. 1 (1898) ; Tümp. l. c. pp. 220, 254, pl. 20 (1900).

- Tetrix Acuminata*, Bris. Bull. Soc. Ent. France, (2) viii. p. lxiii (1850).
[Costa, Faun. Nap., Ortott. pl. 1*. f. 3 (1836).]
- Tetrix Charpentieri*, Fieb. ll. cc. p. 141. n. 3 (1853); p. 32. n. 3 (1854).
- Tetrix Elevata*, Fieb. ll. cc. p. 144. n. 6 (1853); p. 35. n. 6 (1854).
- *** *Tetrix Rudis*, Walk. Cat. Derm. Salt. B. M. v. p. 838. n. 98 (1871).
Larva. *Tetrix Nodulosa*, Fieb. ll. cc. p. 139. n. 1 (1853); p. 29. n. 1 (1854).
5. **A. Brachypterum**, Luc. (*Tetrix Brachyptera*) Expl. Alg. iii. p. 506 (1849); Jacobs. & Bianchi, l. c. pp. 174, 208, pl. 7 (1902). Portugal, Algeria, Morocco, Syria.
- Tetrix Nobrei*, Bol. An. Soc. Españ. xvi. p. 99, pl. 4. f. 10 (1887); Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 262. n. 9 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 2 (1898).
6. **A. Tartarus**, Bol. (*Tetrix T.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 262. n. 10 (1887). Turkestan.
Tetrix Tartara, Jacobs. & Bianchi, l. c. pp. 174, 209 (1902).
7. **A. Tuerki**, Krauss, (*Tetrix Türki*) Ent. Monatsbl. i. p. 103 (1876); Brunn. Prodr. Eur. Orth. pp. 235, 240. n. 5, pl. 7. f. 56 A, B (1882). Austria, Servia.
Tetrix Turki, Bol. l. c. pp. 187, 258, 264. n. 14 (1887); Tümp. l. c. pp. 220, 253 (1900).
Tetrix Tuerki, Jacobs. & Bianchi, l. c. pp. 175, 210 (1902).
Tetrix Meridionalis, pt., Türk, Wien. Ent. Mon. vi. p. 209. n. 2, pl. 11. ff. 2, 2 a-n (1862).
Tetrix Turki Sauleyi, Azam, Bull. Soc. Ent. France, lxii. p. 312 (1893).
8. **A. Ceperoi**, Bol. An. Soc. Españ. xvi. p. 100 (1887); Ann. Soc. Ent. Belg. xxxi. pp. 187, 259, 267. n. 22 (1887); Ann. Sci. Nat. Porto, v. pp. 36, 37. n. 5 (1898). Spain, Portugal, N. Africa.

9. **A. Fuliginosum, Zett.** (*Acridium F.*) N. Europe,
Faun. Ins. Lapp. i. p. 452. n. 2 (1828); Siberia.
Ins. Lapp. p. 250. n. 2 (1840).
Tettix Fuliginosus, Brunn. l. c. pp. 235,
239. n. 3 (1882); *Sahlb.* l. c. pp. 46, 47
(1893); *Bol. Ann. Soc. Ent. Belg.* xxxi.
pp. 187, 259, 268. n. 23 (1887).
Tettix Fuliginosa, Jacobs. & Bianchi, l. c.
pp. 175, 210 (1902).
Var. *Acridium Fascipes, Zett.* Ins. Lapp.
p. 250. n. 7 (1840).
Var. *Tettix Fuliginosus, var. Pulchella.*
Sahlb. l. c. p. 48 (1893).
10. **A. Kraussi, Saulcy,** (*Tettix K.*) Bull. Europe.
Soc. Ent. France, (6) viii. p. cxxxv
q. (1888); *Fin. Faune France, Orth.*
pp. 166, 167 (1889); *Jacobs. & Bianchi,*
l. c. pp. 174, 209 (1902).
Tettix Bipunctata, Sahlb. (nec Linn.) l. c.
p. 47 (1893).
- *11. **A. Gratosum, Karsch,** (*Tettix Gra-* Adeli,
tiosus) *Berlin. Ent. Zeitschr.* xxxviii. Fernando
p. 120. n. 93 (1893). Po.
12. **A. Illepidus, Karsch,** (*Tettix Illepidus*) id.
13. **A. Depressior, Karsch,** (*Tettix D.*) E. Africa.
Ent. Nachr. xxvi. p. 286 (1900).
- *14. **A. Condyllops, Gerst.** (*Tettix C.*) Arch. Zanzibar,
f. Nat. xxxv. p. 221. n. 76 (1869); *Von der Natal.*
Decken, Reisen, iii. (2) p. 48. n. 76 (1873).
***Tettix Vittata, Walk. Cat. Derm. Salt. B. M.*
v. p. 821. n. 43 (1871).
15. **A. Latipes, Stål,** (*Tettix L.*) *Œfv. Vet.-* Damara
Åkad. Förh. xxxiii. (3) p. 56. n. 2 (1876); Land.
Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187,
258, 261. n. 6 (1887).
16. **A. Dubiosum, Bol.** (*Tettix Dubiosus*) Caffraria.
ll. cc. n. 7 (1887).
17. **A. Distanti, Kirb.** *Trans. Ent. Soc. Lond.* Transvaal.
1902, p. 59. n. 4.
18. **A. Serripes, Redt.** (*Tettix S.*) Wien. Turcomania
Ent. Zeit. viii. p. 28. n. 4 (1889).
19. **A. Sibiricum, Bol.** (*Tettix Sibiricus*) l. c. Siberia.
pp. 187, 258, 265. n. 17 (1887).
Tettix Sibirica, Jacobs. & Bianchi, l. c.
pp. 175, 210 (1902).

20. **A. Japonicum, Bol.** (*Tettix Japonicus*) Japan.
l. c. pp. 187, 258, 263. n. 12 (1887).
Tettix Japonica, Jacobs. & Bianchi, l. c.
pp. 175, 210 (1902).
- **21. **A. Reductum, Walk.** (*Tettix Reducta*) HongKong.
l. c. p. 827. n. 62 (1871).
- **22. **A. Mundum, Walk.** (*Tettix Munda*) l. c. N. India.
p. 823. n. 52 (1871).
- **23. **A. Umbriferum, Walk.** (*Tettix Umbri-
fera*) l. c. p. 824. n. 53 (1871). Bombay.
- **24. **A. Lineiferum, Walk.** (*Tettix Lineifera*) id.
l. c. n. 54 (1871).
- **25. **A. Vittiferum, Walk.** (*Tettix Vittifera*) id.
l. c. n. 55 (1871).
- **26. **A. Dorsiferum, Walk.** (*Tettix Dorsifera*) id.
l. c. p. 825. n. 56 (1871).
- **27. **A. Obliquiferum, Walk.** (*Tettix Obliqui-
fera*) l. c. n. 57 (1871). id.
- **28. **A. Nigricolle, Walk.** (*Tettix Nigricollis*) id.
l. c. p. 826. n. 58 (1871).
- **29. **A. Balteatum, Walk.** (*Tettix Balteata*) S. India.
l. c. p. 828. n. 65 (1871).
- **30. **A. Lineosum, Walk.** (*Tettix Lineosa*) Bombay.
l. c. v. Suppl. p. 90 (1871).
- **31. **A. Discalis, Walk.** (*Tettix D.*) l. c. v. Ceylon.
p. 826. n. 59 (1871).
32. **A. Atypicalis, Hanc.** (*Tettix A.*) Spol. id.
Zeyl. ii. pp. 108, 142, 155. n. 18, pl. 3.
ff. 14, 14 a, b (1904).
33. **A. Ceylonicum, Hanc.** (*Tettix Atypicalis
Ceylonus*) l. c. pp. 108, 142, 143. n. 19 id.
(1904).
34. **A. Dilatatum, De Haan,** (*Acridium* Java.
(*Tettix D.*) Temminck. Verhandel., Orth.
pp. 167, 169. n. 22, pl. 22. f. 12
(1842).
Tettix Dilatatus, Bol. Ann. Soc. Ent. Belg.
xxxi. pp. 187, 257, 260. n. 3 (1887).
- **35. **A. Miserum, Walk.** (*Tettix Misera*) l. c. id.
v. p. 835. n. 91 (1871).
36. **A. Signatum, Bol.** (*Tettix Signatus*) l. c. Philippines.
pp. 187, 259, 268. n. 24 (1887).
37. **A. Priscum, Bol.** (*Tettix Priscus*) l. c. N. Australia.
pp. 187, 258, 261. n. 5 (1887).
- *38. **A. Irruptum, Bol.** (*Tettix Irruptus*) l. c. Australia.
pp. 187, 258, 262. n. 8 (1887).

39. **A. Spathulatum, Stål**, (*Tettix Spathulata*) Eugenies Resa, Orth. p. 348. n. 114 (1860).
Tettix Spathulatus, Stål, Recens. Orth. i. p. 152. n. 15 (1873); Bol. l. c. pp. 187, 259. n. 26 (1887).
Tettix Spathulata, Bol. l. c. p. 269. n. 26 (1887).
- **40. **A. Australe, Walk.** (*Tettix Australis*) l. c. v. p. 836. n. 93 (1871). S. Australia.
- **41. **A. Albescens, Walk.** (*Tettix A.*) l. c. p. 838. n. 99 (1871). Australia.
42. **A. Granulatum, Kirb.** Faun. Bor.-Amer., Ins. p. 251 (1837). Hudson's Bay, Canada, Northern U. States.
Tettix Granulatus, Scudd. Bost. Journ. Nat. Hist. vii. p. 474 (1862); Hanc. Tett. N. Amer. pp. 38, 66, 69, pl. 3. f. 1, pl. 4. ff. 2, 2 a (1902); Bol. l. c. pp. 187, 259, 265. n. 18 (1887); Lugger, Grasshoppers Minnesota, p. 197, f. 63 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 220, 221. n. 18, f. 39 (1903).
Tettix Granulata, Thom. Syn. Acrid. N. Amer. p. 182 (1873).
Tettix Granulatus Variegatus, Hanc. Tett. N. Amer. pp. 36, 66 (1902).
 || *Tettix Ornata*, Harr. (nec Say) Ins. Injur. Veget. p. 150. n. 1 (1841); (ed. 3) p. 186. n. 1 (1862).
Tettix Morsei, Hanc. Ent. News, x. p. 280 (1899).
43. **A. Incurvatum, Hanc.** (*Tettix Incurvata*) Amer. Nat. xxxix. p. 761, fig. (1895). Wash'gton, New Mexico, Colorado.
Tettix Incurvatus, Hanc. Tett. N. Amer. pp. 38, 66, 74, pl. 3. f. 2 (1902).
44. **A. Brunneri, Bol.** (*Tettix B.*) l. c. pp. 187, 259, 266. n. 20, pl. 5. ff. 22, 22 a (1887); Hanc. l. c. pp. 38, 67, 74 (1902). Hudson's Bay, Western U. States.
Tettix Brunneri Caudata, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 59. n. 39 (1906).
Tettix Tentatus, Morse, Journ. N. York Ent. Soc. vii. p. 200 (1899).
 || *Tettix Granulatus*, Hanc. (nec Kirb.) Ent. News, x. p. 279 (1899).

45. **A. Luggeri, Lugger** (*Tettix* L.) l. c. p. 199 (1897) ; Hanc. Tett. N. Amer. pp. 38, 67, 73, pl. 4. ff. 6, 6 a (1902). Minnesota, Illinois.
46. **A. Acadicum, Scudd.** (*Tettigidea Acadica*) Dawson, Rep. Geol. & Resources 49th Parallel, p. 345. n. 15 (1875). New Mexico, Minnesota, Nebraska, Canada.
Tettix Academicus, Scudd. Ann. Rep. W. 100th Merid. (App. JJ) p. 295. n. 49 (1876) ; Hanc. Tett. N. Amer. pp. 38, 67, 76. pl. 4. ff. 3, 3 a (1902).
- (?) *Tettix Ornatus, Lugger (nec Say)*, l. c. pp. 198, 199. f. 64 (1897) ; Blatchl. l. c. pp. 220, 222. n. 19, f. 40 (1903).
- *47. **A. Ornatum, Say**, Amer. Ent. i. p. 10, pl. 5. f. 1 (1824). N. America.
Tettix Ornata, Scudd. Bost. Journ. Nat. Hist. vii. p. 474. n. 2 (1862) ; Thom. l. c. p. 183 (1873).
Tettix Ornatus, Bol. l. c. pp. 187, 258, 264. n. 15 (1887) ; Hanc. l. c. pp. 38, 67, 78, pl. 3. f. 4, pl. 11. ff. 3, 3 a (1902).
Var. *Tetrix Dorsalis, Harr.* ll. cc. p. 151. n. 2 (1841) ; p. 186. n. 2 (1862).
Tettix Dorsalis, Thom. l. c. p. 184 (1873).
Var. *Tetrix Quadrimaculata, Harr.* ll. cc. p. 151. n. 3 (1841) ; p. 186. n. 3 (1862).
Tettix Quadrimaculata, Thom. l. c. p. 184 (1873).
Var. *Tetrix Bilineata, Harr.* ll. cc. p. 151. n. 4 (1841) ; p. 186. n. 4 (1862).
Tettix Bilineata, Thom. l. c. p. 184 (1873).
Var. *Tetrix Sordida, Harr.* ll. cc. p. 151. n. 5 (1841) ; p. 187. n. 5 (1862).
Tettix Sordida, Thom. l. c. p. 184 (1873).
Var. *Tettix Triangularis, Scudd.* l. c. p. 475. n. 3 (1862) ; Thom. l. c. p. 185 (1873) ; Bol. l. c. pp. 187, 258, 265. n. 16 (1887) ; Hanc. l. c. pp. 38, 67, 80 (1902).
48. **A. Oxycephalum, Burm.** (*Tetrix Oxycephalus*) Handb. Ent. ii. p. 659. n. 2 (1838). S. Carolina.
Tettix Oxycephala, Thom. l. c. p. 186 (1873).

49. **A. Hancocki, Morse**, (*Tettix H.*) Journ. N. America.
N. York Ent. Soc. vii. p. 200 (1899);
Hanc. l. c. pp. 38, 67, 81, pl. 4. f. 4,
pl. 11. ff. 5, 5 a (1902); Blatchl. l. c.
pp. 220, 223. n. 20 (1903).
Tettix Hancocki Abbreviatus, Morse, l. c.
p. 200 (1899); Hanc. l. c. pp. 38, 67, 83,
pl. 4. ff. 1, 1 a (1902).
50. **A. Crassum, Morse**, (*Tettix Crassus*) Colorado.
l. c. p. 201 (1899); Hanc. l. c. pp. 38, 67,
83 (1902).
Tettix Crassus Affinis, Hanc. l. c. pp. 38, 67
(1902).
51. **A. Arenosum, Burm.** (*Tetrix Arenosa*) United States.
l. c. p. 659. n. 4 (1838).
Tettix Arenosus, Bol. l. c. pp. 187, 259,
269. n. 25 (1887); Hanc. l. c. pp. 38,
68, 85, pl. 3. f. 3, pl. 4. ff. 5, 5 a, b
(1902); Blatchl. l. c. pp. 220, 224. n. 21
(1903).
Tettix Arenosus Costatus, Hanc. l. c. pp. 38,
68 (1902).
52. **A. Angustum, Hanc.** (*Tettix Angustus*) N. America.
Trans. Amer. Ent. Soc. xxiii. p. 238.
n. 3, pl. 6. ff. 4, 4 a (1896); Tett. N. Amer.
pp. 88, 89 (1902).
Var. *Tettix Inflatus*, Hanc. ll. cc. p. 238.
n. 4, pl. 7. f. 8 (1896); p. 88 (1902).
Var. *Tettix Obscurus*, Hanc. ll. cc. p. 239.
n. 5, pl. 7. ff. 9, 9 a, 10, 10 a (1896); pp. 38,
68, 87, fig. titlepage, pl. 5. ff. 1, 1 a, 2,
2 a (1902); Lugges, l. c. p. 199 (1897);
Blatchl. l. c. pp. 220, 225. n. 22 (1903).
Tetrix Obscura, Hanc. Gen. Ins. Orth.,
Acrid. Tetr. p. 59. n. 47 (1906).
Tettix Obscurus, Hanc. l. c. pl. 3. f. 27
(1906).
Var. *Tettix Gibbosus*, Hanc. Trans. Amer.
Ent. Soc. xxiii. p. 239. n. 6, pl. 6. ff. 5,
5 a (1896); Tett. N. Amer. pp. 38, 68,
89, pl. 3. f. 6, pl. 5. ff. 3-5 (1902).
Var. *Tettix Fluctuosus*, Hanc. ll. cc. p. 240.
n. 7, pl. 7. ff. 6, 6 a (1896); pp. 38, 68,
90 (1902).
Var. *Tettix Decoratus*, Hanc. ll. cc. p. 240.
n. 8, pl. 7. ff. 7, 7 a (1896); pp. 38, 68,
90, pl. 3. f. 5, pl. 5. ff. 6, 6 a (1902).

53. **A. Blatchleyi, Hanc.** (*Tettix B.*) Tett. Florida.
N. Amer. pp. 38, 68, 91 (1902).
- *54. **A. Mucronatum, St. Farg. & Serv.** Brazil.
(*Tettix Mucronata*) Enc. Méth., Ins. x.
p. 600. n. 5 (1825).
- ***Tettix Maura, Walk.* l. c. v. p. 817. n. 36
(1871).
55. **A. (?) Morbillosum, Fabr.** Mant. Ins. i. Sierra
p. 230. n. 1 (1787). Leone.
A. Afrum, Oliv. Encycl. Méth., Ins. vi.
p. 232. n. 73 (1791).
56. **A. (?) Indum, Oliv.** l. c. p. 234. n. 79 "E. Indies."
(1791).
57. **A. Gracile, Brun.** (*Nephrole G.*) 2nd Argentina,
Rep. Locust Comm. B. Aires, p. 15 Paraguay,
(1900). *Tettix Gracilis, Brun.* Journ. N. York Ent. Trinidad
Soc. xiv. p. 145. n. 44 (1906). (eadem?).
58. **A. Waelbroeckii, Bol.** (*Tettix W.*) Mém. Kinchassa.
Soc. Ent. Belg. xvi. p. 87. n. 13 (1908).

Genus 83. **Stenodorsus.**

Hancock, Ent. News, xvii. p. 90 (1906).

Stenodorsus, Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 52, 59 (1906).

1. **S. Extenuatus, Hanc.** Ent. News, xvii. Peru.
p. 91 (1906).
Stenodorsus Extenuatus, Hanc. Gen. Ins.
Orth., Acrid. Tetr. p. 60. n. 1, pl. 4. f. 39
(1906).

Genus 84. **Hedotettix.** (Type no. 2.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 188, 195, 283 (1887);
Hanc. Spol. Zeyl. ii. pp. 108, 111, 148 (1904); Gen. Ins.
Orth., Acrid. Tetr. pp. 52, 60 (1906).

- **1. **H. Quadriplagiata, Walk.** (*Tettix Q.*) N. India.
(Cat. Derm. Salt. B. M. v. p. 828. n. 64
(1871)).
2. **H. Gracilis, De Haan,** (*Acridium (Tettix)* India,
(*Gracile*) Temminck, Verhandel., Orth. Burma,
pp. 167, 169. n. 16 (1842). Siam,
H. Gracilis, Bol. l. c. pp. 188, 283, 284. Ceylon,
n. 1 (1887); Hanc. Spol. Zeyl. ii. Java,
E

- pp. 108, 149, 156, pl. 3. ff. 19, 19 *a, b* (1904). Sumatra,
Tondano.
- H. Gracilis Abortus*, *Hanc.* l. c. pp. 108,
149, 151. n. 24 (1904).
- H. Festivus*, *Bol.* l. c. pp. 188, 284, 286.
n. 8, pl. 5. ff. 24, 24 *a* (1887).
3. **H. Attenuatus**, *Hanc.* l. c. pp. 108, 149, Ceylon.
151. n. 25, pl. 3. ff. 18, 18 *a, b* (1904);
Gen. Ins. Orth., Acrid. Tetr. p. 60. n. 11,
f. 23 (1906).
4. **H. Exsultans**, *Stål*, (*Tettix E.*) *Eugenies* China.
Resa, *Orth.* p. 347. n. 112 (1860).
Tettix Exsultans, *Stål*, *Rec. Orth.* i. p. 149.
n. 4 (1873).
H. Exsultans, *Bol.* l. c. pp. 188, 283, 284.
n. 2 (1887).
- **5. **H. Plana**, *Walk.* (*Tettix P.*) l. c. p. 828. id.
n. 63 (1871).
- **6. **H. Notata**, *Walk.* (*Tettix N.*) l. c. p. 829. Hong
n. 66 (1871). Kong.
7. **H. Affinis**, *Bol.* l. c. pp. 188, 284, 285. Philippines,
n. 3 (1887). Sydney.
8. **H. Guibelondoi**, *Bol.* ll. cc. n. 4 (1887). Philippines.
9. **H. Coactus**, *Bol.* ll. cc. n. 5 (1887). Sumatra.
10. **H. Sobrinus**, *Bol.* l. c. pp. 188, 284, Philippines.
286. n. 6 (1887).
11. **H. Rusticus**, *Bol.* ll. cc. n. 7 (1887). id.
12. **H. Angustifrons**, *Bol.* l. c. pp. 188, 284, id.
287. n. 9 (1887).
13. **H. Puellus**, *Navás*, *Bol. Soc. Aragon*, Mindanao.
iv. p. 52 (1905).
14. **H. Equestris**, *Navás*, l. c. (1905). id.
15. **H. Pulchellus**, *Bol.* l. c. pp. 188, 284, Congo,
287. n. 10 (1887). Madagascar
16. **H. Granulatus**, *Bol.* *Ann. Soc. Ent.* Seychelles.
France, lxiv. p. 375 (1895).
17. **H. Burri**, *Hanc.* (*Telmatettix B.*) *Mem.* Madagascar
Chicago Ent. Soc. i. p. 10, pl. 1. ff. 5, 5 *a*
(1900).
18. **H. Tschoffeni**, *Bol.* *Mém. Soc. Ent. Belg.* Banana
xvi. p. 87. n. 14 (1908). Boma.

Genus 85. **Ochetotettix.** (*Type* no. 1.)

Morse, *Biol. Centr.-Amer., Orth.* ii. pp. 5, 9 (1900); *Hanc.*
Tett. N. Amer. pp. 36, 39, 106 (1902); *Gen. Ins. Orth.,*
Acrid. Tetr. pp. 52, 61 (1906).

1. **O. Barretti, Hanc.** (*Neotettix* B.) Ent. Mexico.
News. x. p. 277 (1899).
O. Barretti, Morse, l. c. p. 9. n. 1 (1900);
Hanc. Tett. N. Amer. pp. 39, 106, 107,
pl. 7. ff. 3, 3 *a* (1902); Gen. Ins. Orth.,
Acrid. Tetr. p. 61. n. 1, pl. 3. f. 33
(1906).
2. **O. Volans, Morse**, l. c. p. 9. n. 2, figs. id.
(1900); Hanc. Tett. N. Amer. pp. 39,
106, 108 (1902).

Genus 86. **Neotettix.** (*Type* no. 1.)

Hanc. Ent. News, ix. p. 138 (1898); Tett. N. Amer. pp. 35,
38, 92 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 61
(1906).

1. **N. Bolivari, Hanc.** ll. cc. p. 139. n. 2, Southern
pl. 8. ff. 2, 2 *a-d* (1898); pp. 38, 93, pl. 6. United
ff. 4, 4 *a, b*, pl. 11. ff. 1, 1 *a, b* (1902); States.
pp. 61, 62. n. 1, f. 24 (1906).
N. Bolivari Longipennis, Hanc. Tett. N.
Amer. p. 165 (1902).
Tettix Femoratus, Bol. (*nec* Scudd.) Ann.
Soc. Ent. Belg. xxxi. pp. 187, 258, 264.
n. 13 (1887). ♂-412
2. **N. Rotundifrons, Hanc.** Ent. News, ix. Florida.
p. 139. n. 1, pl. 8. ff. 3, 3 *a-d* (1898); Tett.
N. Amer. pp. 38, 93, 94, pl. 6. f. 5 (1902).
3. **N. Bolteri, Hanc.** ll. cc. p. 140. n. 3, id.
pl. 8. ff. 1, 1 *a-e* (1898); pp. 38, 93, 96,
pl. 6. ff. 6, 6 *a, b* (1902).
4. **N. Coarctatus, Hanc.** Tett. N. Amer. id.,
p. 165 (1902). New Mexico
5. **N. Variabilis, Hanc.** l. c. (1902). Florida.
6. **N. Femoratus, Scudd.** (*Tettix Femorata*) Southern
Trans. Amer. Ent. Soc. ii. p. 306 (1869); Maryland,
Thom. Syn. Acrid. N. Amer. p. 185 (1873). Georgia,
N. Femoratus, Hanc. Ent. News, ix. Carolina.
pp. 139, 140. n. 4 (1898); Tett. N. Amer.
pp. 38, 93, 95 (1902).
7. **N. Hancocki, Blatchl.** Rep. Indiana Indiana.
Dept. Geol. xxvii. p. 226. n. 23 (1903).

Genus 87. **Nomotettix.** (*Type* no. 1.)

Morse, Psyche, vii. p. 150 (1894); Lagger, Orthopt. Minnesota,
pp. 195, 196 (1897); Hanc. Psyche, ix. p. 6 (1900); Tett.

N. Amer. pp. 35, 38, 53 (1902) ; Gen. Ins. Orth., Acrid. Tetr. pp. 52, 62 (1906) ; Blatchl. Rep. Dept. Geol. Indiana, xxvii. p. 217, 218 (1903).

|| *Batrachidea*, Scudd. (*nec Serv.*) Boston Journ. Nat. Hist. vii. p. 478 (1862) ; Thomas, Syn. Acrid. N. Amer. p. 189 (1873).

1. **N. Cristatus**, Scudd. (*Batrachidea Cristata*) l. c. p. 478 (1862) ; Thomas, l. c. p. 190 (1873) ; Morse, Psyche, vii. p. 54 (1894). United States.
N. Cristatus, Morse, Journ. N. York Ent. Soc. iii. p. 15 (1895) ; iv. p. 49, pl. 1. ff. 2, 2 a, b (1896) ; Hanc. Tett. N. Amer. pp. 38, 55, 60 (1902).
N. Cristatus, var. *Denticulatus*, Morse, Psyche, xiii. p. 119 (1906).
 2. **N. Carinatus**, Scudd. (*Batrachidea Carinata*) l. c. p. 479 (1862) ; Thom. l. c. p. 190 (1873). id.
N. Carinatus, Hanc. l. c. pp. 38, 55, 63, pl. 2. f. 5 (1902) ; Gen. Ins. Orth., Acrid. Tetr. p. 62. n. 3, pl. 3. f. 25 (1906).
 3. **N. Parvus**, Morse, l. c. iii. p. 14 (1895) ; iv. p. 49, pl. 1. ff. 1, 1 a, b (1896) ; Luger, l. c. p. 196, f. 62 (1897) ; Hanc. Tett. N. Amer. pp. 38, 54, 55, pl. 2. ff. 4, 4 a (1902). Minnesota.
 4. **N. Acuminatus**, Hanc. Ent. News, x. p. 8 (1899) ; Tett. N. Amer. pp. 38, 54, 56, pl. 2. ff. 2, 2 a (1902). Kansas.
 5. **N. Sinufrons**, Hanc. ll. cc. x. p. 278 (1899) ; pp. 38, 54, 57 (1902). Minnesota.
 6. **N. Compressus**, Morse, l. c. iii. p. 15 (1895) ; iv. p. 49, pl. 1. ff. 3, 3 a, b (1896) ; Hanc. Tett. N. Amer. pp. 38, 55, 58 (1902) ; Blatchl. l. c. p. 218. n. 17 (1903). Maryland, Georgia, Indiana, N. Carolina.
N. Compressus, var. *Atavus*, Blatchl. l. c. p. 219 (1903).
 7. **N. Floridanus**, Hanc. Tett. N. Amer. pp. 38, 55, 64 (1902). Florida.
 8. **N. Arcuatus**, Hanc. l. c. pp. 38, 55, 65 (1902). Georgia.
- || *Tettix Cristatus*, Bol. (*nec Scudd.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 260. n. 4 (1887).

- | | |
|--|--|
| <p>2. A. Tectus, Morse, (<i>Tettix</i> (?) <i>T.</i>) l. c. p. 10. n. 2 (1900).
 <i>A. Tectus, Hanc.</i> Tett. N. Amer. pp. 39, 100, 101, pl. 7. ff. 2, 2 a (1902).</p> <p>3. A. Rugosa, Scudd. (<i>Tettix R.</i>) Bost. Journ. Nat. Hist. vii. p. 476. n. 5 (1862); Thom. Syn. Acrid. N. Amer. p. 186 (1873).
 <i>Paratettix Rugosus, Bol.</i> Ann. Soc. Ent. Belg. xxxi. pp. 188, 270, 273. n. 4 (1887).
 <i>A. Rugosus, Hanc.</i> l. c. pp. 39, 100, 104, pl. 6. ff. 1, 1 a (1902).</p> <p>4. A. Eurycephalus, Hanc. l. c. pp. 39, 100, 102, pl. 7. ff. 4, 4 a (1902).</p> <p>5. A. Brevipennis, Hanc. l. c. pp. 39, 100, 103 (1902).</p> <p>6. A. Minutus, Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvii. p. 34, pl. 1. ff. 3, 4 (1905).</p> <p>7. A. Bruneri, Hanc. Proc. U.S. Nat. Mus. xxx. p. 614 (1906).</p> | <p>Mexico.</p> <p>id.,
Southern
United
States.</p> <p>Texas.</p> <p>id.</p> <p>Florida.</p> <p>Paraguay.</p> |
|--|--|

Genus 91. **Liotettix.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 393 (1906).

|| *Prototettix, Bol. (nec Gieb.)* Ann. Soc. Ent. Belg. xxxi. pp. 187, 195, 255 (1887); *Hanc. Gen. Ins. Orth., Acrid. Tetr.* pp. 52, 65 (1906).

- | | |
|---|--|
| <p>1. L. Impressus, Stål, (<i>Tettix I.</i>) Rec. Orth. i. p. 151. n. 12 (1873).
 <i>Prototettix Impressus, Bol.</i> l. c. pp. 187, 255. n. 1 (1887).</p> <p>**2. L. Odiosus, Walk. (<i>Tettix Odiosa</i>) Cat. Derm. Salt. B. M. v. p. 820. n. 41 (1871).</p> <p>**3. L. Alienus, Walk. (<i>Tettix Aliena</i>) l. c. p. 821. n. 45 (1871).</p> <p>4. L. Umbripennis, Karsch, (<i>Prototettix U.</i>) Berlin. Ent. Zeitschr. xxxviii. p. 118. n. 90 (1893).</p> <p>5. L. Fossulatus, Bol. (<i>Prototettix F.</i>) l. c. pp. 187, 255, 256. n. 2 (1887).</p> <p>6. L. Miserabilis, Blanch. (<i>Tettix M.</i>) Gay, Hist. Chile, Zool. vi. p. 85 [Orth. pl. 3. f. 10 ined. ?] (1852). o - 157</p> | <p>S. Africa.</p> <p>id.</p> <p>Sierra
Leone.</p> <p>Adeli.</p> <p>Brazil.</p> <p>Chile.</p> |
|---|--|

7. **L. Lobulatus, Stål**, (*Tettix Lobulata*) Brazil,
Eugenies Resa, Orth. p. 347. n. 111 Argentina.
(1860).
Tettix Lobulatus, Stål, Rec. Orth. i. p. 152.
n. 14 (1873).
Prototettix Lobulatus, Bol. l. c. pp. 187,
255, 256. n. 3 (1887).

Genus 92. **Coptotettix.** (Type no. 16.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 188, 195, 287 (1887);
Hanc. Spol. Zeyl. ii. pp. 108, 111, 152 (1904); Gen. Ins.
Orth., Acrid. Tetr. pp. 52, 65 (1906).

1. **C. Latifrons, Brunn.** Ann. Mus. Genova, Burma.
xxxiii. p. 112. n. 2, pl. 5. f. 44 (1893).
2. **C. Acuteterminatus, Brunn.** l. c. p. 112. Pegu.
n. 3 (1893).
3. **C. Modiglianii, Bol.** Ann. Mus. Genova, Sumatra.
xxxix. p. 78. n. 24 (1898).
4. **C. Fossulatus, Bol.** Ann. Soc. Ent. Belg. Ceylon.
xxx. pp. 188, 287, 288. n. 1 (1887);
Hanc. Spol. Zeyl. ii. pp. 108, 153. n. 26
(1904).
5. **C. Inflatus, Krauss,** Denkschr. Med. Nat. Java.
Ges. Jena, viii. p. 758, pl. 67. f. 10
(1903).
6. **C. Planus, Bol.** l. c. pp. 188, 287, 289. N. Australia.
n. 2 (1887).
7. **C. Capitatus, Bol.** ll. cc. n. 3 (1887). Burma,
Java.
8. **C. Fuscus, Bol.** l. c. pp. 188, 288, 289. Philippines.
n. 4 (1887).
9. **C. Rufipes, Bol.** l. c. pp. 188, 288, 290. Somali.
n. 5 (1887).
10. **C. Bilineatus, Bol.** Mem. Soc. Españ. i. Guinea.
p. 217 (1905).
11. **C. Minutus, Bol.** l. c. p. 218 (1905). id.
12. **C. Angulatus, Bol.** l. c. (1905). Cameroons.
13. **C. Annulipes, Karsch,** Ent. Nachr. xvi. W. Africa.
p. 25. n. 8 (1890).
- **14. **C. Infaustus, Walk.** (*Tettix Infausta*) Natal.
Cat. Derm. Salt. B. M. v. p. 820. n. 42
(1871).
15. **C. Maesoi, Bol.** Ann. Soc. Ent. Belg. Philippines.
xxx. pp. 189, 288, 290. n. 6 (1887).

- | | |
|--|------------------|
| 16. C. Asperatus , Bol. ll. cc. n. 7, pl. 5.
ff. 25, 25 a (1887). | Cochin
China. |
| 17. C. Tuberculatus , Bol. l. c. pp. 189, 288,
291. n. 8 (1887). | Borneo. |
| 18. C. Testaceus , Bol. ll. cc. n. 9 (1887);
Hanc. l. c. pp. 108, 153. n. 27 (1904). | Ceylon. |
| 19. C. Interruptus , Bol. l. c. pp. 189, 288,
291. n. 10 (1887). | Java,
Burma. |
| 20. C. Nodosus , Bol. l. c. pp. 189, 288,
292. n. 11 (1887). | Philippines. |
| 21. C. Fuliginosus , Bol. ll. cc. n. 12 (1887);
Ann. Mus. Genova, xxxix. p. 78. n. 23
(1898).
<i>C. Fuliginosus</i> , var. <i>Abbreviatus</i> , Bol. Ann.
Mus. Genova, xxxix. p. 78 (1898). | Sumatra. |
| 22. C. Ferrugineus , Bol. Ann. Soc. Ent.
Belg. xxxi. pp. 189, 288, 292. n. 13
(1887). | Philippines. |
| 23. C. Mazarredoi , Bol. l. c. pp. 189, 288,
293. n. 14 (1887). | id. |

Genus 93. **Paxilla.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 195, 294 (1887);
Hanc. Tett. N. Amer. pp. 36, 40, 136 (1902); **Gen. Ins.**
Orth., **Acrid. Tetr.** pp. 66, 67 (1906).

- | | |
|---|----------|
| 1. P. Obesa , Scudd. (<i>Tettigidea</i> O.) Proc.
Bost. Soc. Nat. Hist. xix. p. 34 (1877).
<i>P. Obesa</i> , Bol. l. c. pp. 189, 294. n. 1
(1887); Hanc. ll. cc. pp. 40, 137, pl. 2.
ff. 3, 3 a (1902); p. 67. n. 1, pl. 3. f. 31
(1906). | Georgia. |
|---|----------|

Genus 94. **Castetsia.** (2 *Castetsia*)

Bol. Ann. Soc. Ent. France, lxx. p. 614 (1902). 0-337

- | | |
|---|---------|
| 1. C. Dispar , Bol. l. c. (1901). | Madura. |
|---|---------|

Genus 95. **Tettigidea.** (*Type* no. 1.)

Scudd. Bost. Journ. Nat. Hist. vii. p. 476 (1862); **Thom. Syn.**
Acrid. N. Amer. p. 186 (1873); **Bol.** Ann. Soc. Ent. Belg.
xxx. pp. 189, 195, 295 (1887); **Lugger**, **Orthopt. Minnesota**,
pp. 196, 200 (1898); **Morse**, **Biol. Centr.-Amer.**, **Orth.** ii.

pp. 6, 15 (1900) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 218, 228 (1903) ; Hanc. Tett. N. Amer. pp. 37, 40, 138 (1902) ; Gen. Ins. Orth., Acrid. Tetr. pp. 66, 67 (1906).

*1. **T. Lateralis, Say** (*Aerydium Laterale*) N. America.

Amer. Ent. i. pl. 5, pt. (1824).

Tetrix Lateralis, Harr. Ins. Injur. Veget. p. 151. n. 6 (1841), (ed. 3) p. 187. n. 6 (1862).

Tetrix Lateralis, Glou. Ill. N. Amer. Orth. pl. 5. f. 7 (1872).

Tettigidea Lateralis, Scudd. l. c. p. 477. n. 1 (1862) ; Thom. l. c. pp. 187, 188 (1873) ; Bol. l. c. pp. 189, 295, 298. n. 5 (1887) ; Lugg. l. c. p. 201, f. 66 (1898) ; Brun. Nebraska State Board Agric. p. 138, f. 35 (1899) ; Blatchl. l. c. pp. 229, 231, 232. n. 28, f. 42 (1903) ; Hanc. Tett. N. Amer. pp. 40, 140, 149, pl. 10. f. 9 (1902).

Var. *Tetrix Polymorpha*, Burm. Handb. Ent. ii. p. 659. n. 6 (1838).

Tettigidea Polymorpha, Scudd. l. c. p. 477. n. 2 (1862) ; Thom. l. c. p. 188 (1873) ; Bol. l. c. pp. 189, 295, 297. n. 4 (1887) ; Lugg. l. c. p. 201 (1898) ; Morse, Psyche, vii. p. 54 (1894) ; Hanc. l. c. pp. 40, 140, 151, pl. 10. f. 11 (1902).

Tetrix Parvipennis, Harr. ll. cc. p. 152. n. 7 (1841), p. 187. n. 7, f. 82 (1862) ; Thom. l. c. p. 189 (1873) ; Blatchl. l. c. pp. 229, 230. n. 27 (1903).

Tettigidea Parvipennis, Hanc. l. c. pp. 40, 140, 148, pl. 10. f. 8 (1902).

Var. *Tettigidea Medialis*, Hanc. l. c. pp. 40, 140, 152, pl. 10. f. 10 (1902).

Var. *Tettigidea Parvipennis Pennata*, Morse, Journ. N. York Ent. Soc. iii. p. 109 (1901) ; Hanc. l. c. pp. 40, 140, 146, pl. 10. f. 7, pl. 11. ff. 2, 2 a, eggs (1902).

2. **T. Jalapa, Hanc.** Canad. Ent. xxxii. Mexico.

p. 25 (1900) ; Tett. N. Amer. pp. 40, 140, 152, pl. 2. ff. 1, 1 a, pl. 10. f. 4 (1902) ; Gen. Ins. Orth., Acrid. Tetr. p. 68. n. 6, pl. 3. f. 26 (1906).

3. **T. Chichimeca, Sauss.** (*Tettix C.*) Rev. Zool. (2) xiii. p. 400 (1861); Thom. l. c. p. 244 (1873). Mexico.
Tettigidea Chichimeca, Bol. l. c. pp. 189, 295, 296. n. 1 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 15, 16. n. 2 (1900); Hanc. Tett. N. Amer. pp. 40, 141, 156 (1902).
Tettigidea Chichimeca Australis, Hanc. Canad. Ent. xxxii. p. 25 (1900); Tett. N. Amer. p. 153 (1902).
Tettigidea Australis, Hanc. Tett. N. Amer. pp. 40, 140 (1902).
4. **T. Guatemalteca, Bol.** l. c. pp. 189, 296, 298. n. 6 (1887); Morse, l. c. p. 18. n. 8 1901 (1900); Hanc. l. c. pp. 40, 141, 155, pl. 10. f. 3 (1902). Guatemala.
5. **T. Bruneri, Morse**, l. c. pp. 15, 16. n. 1 (1900); Hanc. l. c. pp. 40, 141, 155 (1902). Mexico.
6. **T. Nicaraguæ, Brun.** Bull. Lab. Nat. Hist. Iowa, iii. p. 62, pl. 3. ff. 3a, b (1895); id.,
Morse, l. c. pp. 15, 16. n. 1 (1900); Nicaragua.
Hanc. l. c. pp. 40, 141, 157 (1902).
Tettigidea Nicaraguæ Brevis, Hanc. l. c. p. 158 (1902).
7. **T. Plagiata, Morse**, l. c. pp. 15, 17. n. 4 (1900); Hanc. l. c. pp. 40, 141, 158 (1902). Mexico.
8. **T. Parvula, Morse**, l. c. pp. 15, 17. n. 5, id.
fig. (1900); Hanc. l. c. pp. 40, 141, 159, pl. 3. f. 7 (1902).
9. **T. Nigra, Morse**, l. c. pp. 15, 18. n. 7, id.
fig. (1900); Hanc. l. c. pp. 40, 142, 159, pl. 3. f. 8 (1902).
10. **T. Tecta, Morse**, l. c. pp. 15, 17. n. 6 id.
(1900); Hanc. l. c. pp. 40, 142, 160 (1902).
11. **T. Scudderi, Bol.** l. c. pp. 189, 296, 299. Upper
n. 7 (1887). Amazons.
12. **T. Multicostata, Bol.** ll. cc. n. 8 (1887). Brazil.
13. **T. Exigua, Kirb.** (n. n.). Corrientes.
|| *T. Gracilis*, Brun. (nec Scudd.) 2nd Rep. Merchants' Locust Invest. Comm. B. Aires, p. 17 (1900).

14. **T. Cuspidata, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 277 (1875); Bol. l. c. pp. 189, 295, 296. n. 2 (1887). Peruvian Andes.
15. **T. Pulchella, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 669 (1905). British Guiana.
16. **T. Armata, Morse,** Journ. N. York Ent. Soc. iii. p. 107 (1895); Hanc. Tett. N. Amer. pp. 40, 139, 142, pl. 10. f. 6 (1902); Blatchl. l. c. p. 229. n. 25 (1903). United States.
T. Armata Depressa, Morse, l. c. p. 107 (1895); Hanc. l. c. pp. 40, 139, 142 (1902).
17. **T. Apiculata, Morse,** l. c. p. 16 (1895); Hanc. l. c. pp. 40, 139, 143, pl. 10. f. 2 (1902). New Orleans.
18. **T. Acuta, Morse,** l. c. p. 15 (1895); Hanc. l. c. pp. 40, 139, 144 (1902). New York.
19. **T. Prorsa, Scudd.** l. c. xix. p. 34 (1877); Bol. l. c. pp. 189, 295, 297. n. 3 (1887); Hanc. l. c. pp. 40, 140, 145, pl. 10. f. 1 (1902). Georgia.
Tettigidea Prorsa Elongata, Morse, l. c. p. 16 (1895); Hanc. l. c. pp. 40, 140, 146 (1902).
20. **T. Spicata, Morse,** l. c. p. 108 (1895); Hanc. l. c. pp. 40, 140, 144, pl. 10. f. 5 (1902). Florida, Georgia, Indiana.
21. **T. Trinitatis, Brun.** Journ. N. York Ent. Soc. xiv. p. 147. n. 47 (1906). Trinidad.
22. **T. Imperfecta, Brun.** l. c. n. 48 (1906). id.
23. **T. Gracilis, Scudd.** Dawson, Rep. 49th Parallel, p. 345 (1875). *C-43.* * Lake of the Woods.
- **24. **T. Ruficornis, Walk. (Tettix R.)** Cat. Derm. Salt. B. M. v. p. 817. n. 35 (1871). Santarem.

Genus 96. **Plectronotus.**

Morse, Biol. Centr.-Amer., Orth. ii. pp. 6, 14 (1900); Hanc. Tett. N. Amer. pp. 37, 40, 161 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 66, 69 (1906).

1. **P. Scaber, Morse,** l. c. n. 1, figs. (1900); Hanc. l. c. pp. 40, 161 (1902). Costa Rica.

* There is particularly no other sp. mentioned there at all. It was examined with original notes accompanying for this it is *Tettigidea aculeata* Scudd. with

Genus 97. **Scaria.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 301 (1887);
 Hanc. Tett. N. Amer. pp. 37, 40, 162 (1902); Gen. Ins.
 Orth., Acrid. Tetr. pp. 66, 69 (1906).

1. **S. Hamata, De Geer,** (*Acrydium Hamatum*) Mém. Ins. iii. p. 503. n. 22, pl. 42. f. 13 (1773); Oliv. Encycl. Méth., Ins. vi. p. 233. n. 78 (1791).
Tettix Hamatus, Stål, Recens. Orth. i. p. 146. n. 1 (1873).
Scaria Hamata, Bol. l. c. pp. 189, 301. n. 1 (1887); Hanc. Tett. N. Amer. pp. 40, 163 (1902).
2. **S. Lineata, Bol.** l. c. pp. 189, 301, 302. n. 2 (1887). Upper Amazons.
3. **S. Maculata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 35 (1898). Ecuador.
4. **S. Producta, Hanc.** Gen. Ins. Orth., Acrid. Tetr. p. 70. n. 4, pl. 4. f. 36 (1906). Peru.

Genus 98. **Batrachidea.** (*Type* no. 1.)

Serv. Ins. Orth. p. 764 (1839); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 299 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 66, 70 (1906).

1. **B. Mucronata, St. Farg. & Serv.** (*Tettix M.*) Encycl. Méth., Ins. x. p. 600. n. 5 (1825); Serv. Ins. Orth. p. 764. n. 9, pl. 13. f. 4 (1839).
Tettix Mucronatum, De Haan, Temminck, Verhandel., Orth. p. 166. n. 3 (1842).
B. Mucronata, Bol. l. c. pp. 189, 300. n. 2 (1887). Brazil, Peru.
2. **B. Flavonotata, Bol.** l. c. n. 1 (1887). N. Granada.
3. **B. Notata, Hanc.** Proc. U.S. Nat. Mus. xxx. p. 616 (1906). Paraguay.

Genus 99. **Paurotarsus.** (*Type* no. 1.)

Hanc. Psyche, ix. p. 42 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 67, 70 (1906).

1. **P. Amazonus**, **Hanc.** ll. cc. p. 42, ff. 1, | Amazons.
1 *a-d* (1900) : p. 71, n. 1, f. 26 (1906).
2. **P. Rugosus**, **Brun.** Journ. N. York Ent. | Trinidad.
Soc. xiv. p. 148, n. 49 (1906).

Genus 100. **Puiggaria.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 302 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 71 (1906).

1. **P. Antennata**, **Bol.** l. c. pp. 189, 302. | Brazil.
n. 1, pl. 5. ff. 26, 26 *a, b* (1887) ; Hanc.
l. c. pp. 71, 72, n. 1, f. 27 (1906).

Genus 101. **Saussurella.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 303 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 72 (1906).

1. **S. Cornuta**, **De Haan**, (*Acridium (Tettix)* | Java,
Cornutum) Temminck, Verhandel., Orth. | Pegu.
pp. 166, 167. n. 2 (1842).
S. Cornuta, **Bol.** l. c. pp. 189, 303. n. 1
(1887) ; Brunn. Ann. Mus. Genova,
xxxiii. p. 113. n. 1, pl. 5. f. 45
(1893).
- **2. **S. Cucullifera**, **Walk.** (*Tettix C.*) Cat. | Amoy.
Derm. Salt. B. M. v. p. 829. n. 67
(1871).
- *3. **S. Decurva**, **Brunn.** l. c. p. 113. n. 2, | Burma.
pl. 5. f. 46 (1893).
4. **S. Javanica**, **Bol.** Ann. Mus. Genova, | Java.
xxxix. p. 79. n. 25 (1898).
5. **S. Sumatrensis**, **Bol.** l. c. p. 80. n. 26 | Sumatra.
(1898).

Genus 102. **Phlæonotus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 303 (1887) ;
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 72 (1906).

- **1. **P. Jugatus**, **Walk.** (*Tettix Jugata*) Cat. | Natal.
Derm. Salt. B. M. v. p. 819. n. 39 (1871).
P. Natalensis, **Bol.** l. c. pp. 189, 304. n. 1,
pl. 5. ff. 27, 27 *a, b* (1887) ; Hanc. l. c.
pp. 72, 73. n. 1, f. 28 (1906).

2. **P. Humilis, Gerst.** (*Hymenotes H.*) Arch. Zanzibar.
 Naturg. xxxv. p. 220. n. 75 (1869) ; Von
 der Decken's Reisen, iii. (2) p. 47. n. 75,
 pl. 3. f. 7 (1873).
P. Humilis, Bol. l. c. pp. 189, 304. n. 2
 (1887) ; Karsch, Ent. Nachr. xvi. p. 26.
 n. 1 (1890).

SUBFAM. II.

PNEUMORINÆ.

Genus 103. **Bulla.** (Type no. 3.)

Gryllus Bulla, Linn. Syst. Nat. (ed. x.) i. p. 427 (1758).
Bulla, Stål, Rec. Orth. i. pp. 136, 137 (1873).

- *1. **B. Immaculata, Thunb.** (*Pneumora I.*) S. Africa.
 Vet.-Acad. Handl. xxxvi. p. 256. n. 1,
 pl. 7. f. 1 (1775) ; Vet.-Acad. Nya Handl.
 xxxi. pp. 57, 59. n. 3 (1810) ; Burm.
 Handb. Ent. ii. p. 663. n. 7 (1838) ; Serv.
 Ins. Orth. p. 716. n. 3 (1839) ; Guér. Icon.
 R. Anim., Ins. p. 339 (1844).
B. Immaculata, Stål, l. c. p. 138. n. 1
 (1873).
 || *Pneumora Inanis, Guér. (nec Fabr.)* Icon.
 R. Anim., Ins. pl. 54. f. 8 (1829) ; Gray,
 Griffith, Anim. Kingd. xv. p. 792, pl. 113.
 f. 8 (1832).
 Var. *Pneumora Rubens, pt., Thunb.* Vet.-
 Acad. Nya Handl. xxxi. pp. 57, 58. n. 1
 (1810).
Mantis Paradoxa, Stoll, Spectres, Mant.
 p. 74, pl. 25. f. 99 (1813).
Gryllus Locusta Vinaceus, Stoll, Spectres,
Saut. p. 37, pl. 20 b. f. 76 (1813).
Gryllus Locusta Pulicarius, Stoll, l. c. f. 77
 (1813).
 *2. **B. Longicornis, Stål, l. c.** p. 139. n. 2 Caffraria,
 (1873). Zululand.
 *3. **B. Unicolor, Linn.** (*Gryllus Bulla U.*) S. Africa.
 l. c. p. 427. n. 13 (1758) ; Mus. Ludov.
 Ulr. p. 119. n. 10 (1764).
B. Unicolor, Stål, l. c. p. 139. n. 3 (1873).

- Var. *Pneumora Rubens*, pt., Thunb. l. c. pp. 57, 58. n. 1, pl. 2. f. 1 (1810) ; Burm. l. c. p. 663. n. 4 (1838).
- *4. **B. Ocellata, Thunb.** (*Pneumora O.*) l. c. S. Africa.
pp. 57, 60. n. 4, pl. 2. f. 3 (1810) ; Burm. l. c. p. 662. n. 1 (1838).
B. Ocellata, Stål, l. c. p. 140. n. 4 (1873).
5. **B. Discolor, Thunb.** (*Pneumora D.*) l. c. id.
pp. 57, 59. n. 2, pl. 2. f. 2 (1810) ; Burm. l. c. p. 663. n. 3 (1838).
B. Discolor, Stål, l. c. p. 140. n. 5 (1873).
6. **B. Pupillata, Thunb.** (*Pneumora P.*) id.
l. c. pp. 57, 60. n. 5, pl. 2. f. 4 (1810) ; Burm. l. c. p. 663. n. 2 (1838).
B. Discolor, var. β , *Stål*, l. c. p. 141 (1873).
7. **B. Carinata, Linn.** (*Gryllus Bulla Carinatus*) ll. cc. p. 427. n. 16 (1758) ; p. 122. n. 13 (1764). id.
- *8. **B. Membracioides, Walk.** (*Pneumora M.*) Natal.
Cat. Derm. Salt. B. M. iv. p. 800. n. 8 (1870).
9. **B. Thunbergii, Kirb.** (n. n.). id.
|| *Pneumora Papillosa, Thunb.* (nec Fabr.) l. c. pp. 58, 61. n. 6, pl. 2. f. 5 (1810) ; Burm. l. c. p. 663. n. 6 (1838).
|| *B. Papillosa, Stål*, l. c. p. 141. n. 6 (1873).
10. **B. Serrata, Thunb.** (*Pneumora S.*) l. c. S. Africa.
p. 64, pl. 2. f. 8 (1810).
B. Serrata, Stål, l. c. p. 142. n. 7 (1873).

Genus 104. **Pneumora.** (Type no. 1.)

Thunb. Vet.-Acad. Handl. xxxvi. p. 254 (1775) ; Vet.-Acad. Nya Handl. xxxi. p. 54 (1810) ; Latr. Hist. Nat. Crust. Ins. iii. p. 281 (1802), xii. p. 146 (1804) ; Cuv. Règne Anim. (ed. 2) v. p. 185 (1829) ; St. Farg. & Serv. Enc. Méth., Ins. x. p. 163 (1825) ; Serv. Ann. Sci. Nat. xxii. p. 264 (1831) ; Ins. Orth. p. 710 (1839) ; Brullé, Hist. Ins. ix. p. 221 (1835) ; Burm. Handb. Ent. ii. p. 221 (1838) ; Blanch. Hist. Nat. Ins. iii. p. 40 (1840) ; Cuv. Règne Anim. xiii. p. 21 (1860) ; Stål, Rec. Orth. i. pp. 137, 143 (1873).

- *1. **P. Variolosa, Linn.** (*Gryllus Bulla Variolosus*) S. Africa.
Syst. Nat. (ed. x.) i. p. 427.

- n. 14 (1758); Mus. Ludov. Ulr. p. 120.
 n. 11 (1764).
Gryllus Variolosus, Fabr. Syst. Ent. p. 827 (1775).
Acrydium Variolosum, Oliv. Enc. Méth., Ins. vi. p. 218. n. 14 (1791).
Gryllus Locusta Variolosus, Stoll, Spectres, Saut. p. 38, pl. 20 b. f. 78 (1813).
P. Variolosa, Latr. l. c. iii. p. 281 (1802); (?) Brullé, l. c. p. 221 (pl. 21. ff. 1, 2, ined.) (1835); Serv. Ins. Orth. p. 717. n. 4 (1839); Blanch. ll. cc. p. 40. n. 2, pl. 10. f. 2 (1840), xiv. pl. 84. ff. 1, 1 a-d (1860); Stål, l. c. p. 143. n. 1 (1837).
P. Marmorata, Thunb. Vet.-Acad. Nya Handl. xxxi. pp. 58, 63. n. 9, pl. 2. f. 7 (1810); Burm. l. c. p. 663. n. 8 (1838).
 *2. **P. Maculata**, Thunb. l. c. pp. 58, 62. n. 8, pl. 2. f. 6 (1810); Burm. l. c. p. 663. n. 7 (1838); Stål, l. c. p. 143. n. 2 (1873). S. Africa.
 *3. **P. Spinulosa**, Thunb. l. c. p. 64, pl. 2. f. 9 (1810); Stål, l. c. p. 144. n. 3 (1873). id.
 4. **P. Papillosa, Fabr. (*Gryllus Papillosus*) Syst. Ent. p. 827 (1775). id.
Acrydium Papillosum, Oliv. Enc. Méth., Ins. vi. p. 217. n. 13 (1791).

Genus 105. **Physophorina.**

Westw. Thes. Ent. Oxon. p. 175 (1874).

1. **P. Livingstonii**, Westw. l. c. pl. 32. f. 5 | Zambesi.
 (1874).

Genus 106. **Prostalia.**

Bol., Bol. Soc. Españ. vi. p. 393 (1906).

|| *Pompholyx*, Stål (*nec Gosse*), Recens. Orth. i. pp. 137, 144 (1873).

1. **P. Granulata**, Stål, (*Pneumora G.*) Caffraria.
 Æfv. Vet.-Akad. Förh. xxx. (4) p. 53. n. 1 (1873).
Pompholyx Granulata, Stål, Recens. Orth. i. p. 144. n. 1 (1873).

Genus 107. **Cystocœlia.** (*Type* no. 1.)

Serv. Ins. Orth. p. 713 (1839);

Stål, Recens. Orth. i. pp. 137, 145 (1873).

- *1. **C. Inanis, Fabr.** (*Gryllus l.*) Syst. Ent. S. Africa.
p. 827 (1775).

Acrydium Inane, Oliv. Enc. Méth., Ins. vi.
p. 217. n. 12 (1791).

— *Pneumora Serpentina*, Thunb. Vet.-Acad.
Handl. xxxvi. p. 258. n. 3, pl. 7. f. 3
(1775); Vet.-Acad. Nya Handl. xxxi.
pp. 58, 61. n. 7 (1810); Burm. Handb.
Ent. ii. p. 664. n. 9 (1838); Serv. l. c.
p. 715. n. 2 (1839).

C. Serpentina, Stål, l. c. p. 145. n. 1
(1873).

♀. "*Pneumore Scutellaire*," Latr., Cuvier,
Règne Anim. (ed. ii.) iii. pl. xix. f. 1
(1830).

Pneumora Scutellaris, Burm. l. c. p. 664.
n. 10 (1838); Serv. l. c. p. 713. n. 1
(1839); Blanch. Hist. Nat. Ins. iii. p. 40.
n. 1 (1840).

Larva. *Pneumora Obliqua*, Thunb. l. c.
p. 65, pl. 2. f. 10 (1810).

- *2. **C. Obsidata, Karsch**, Stettin. Ent. Zeit. E. Africa.
lvii. p. 245. n. 4 (1896).

SUBFAM. III.

EUMASTACINÆ.

Genus 108. **Xiphicera.** (*Type* no. 1.)

Lam. Anim. sans Vertèbres, iv. p. 243 (1817).

Xiphicera, Latr. Cuv. Règne Anim. (ed. ii.) v. p. 186 (1829).

Chorotypus, Serv. Ins. Orth. p. 751 (1839). (*Type* no. 6.)

Choroetypus, De Haan, Temminck, Verhandel., Orth. p. 164
(1842); Stål, Öfv. Vet.-Akad. Förh. xxx. (3) p. 54 (1876);

Karsch, Ent. Nachr. xv. p. 8 (1889); Brunn. Ann. Mus.

- (Genova, xxxiii. p. 115 (1893); Abhandl. Senckenb. Ges. xxiv. p. 216 (1898); Burr, An. Soc. Españ. xxviii. pp. 87, 93, 96 (1899); Gen. Ins. Orth., Eumastac. p. 3 (1903); Sauss. Rev. Suisse Zool. xi. pp. 49, 61 (1903).
- *1. **X. Gallinaceus, Fabr.** (*Gryllus G.*) Ent. India,
Syst. ii. p. 48. n. 8 (1793). Singapore,
X. Gallinacea, Lam. l. c. p. 243. n. 1 (1817). Borneo.
2. **X. Monacha, Brunn.** (*Choroetypus Mon-* Java,
achus) Abh. Senckenb. Ges. xxiv. pp. 217, Borneo.
219. n. 6 (1898); Sauss. l. c. pp. 65, 70.
n. 4 (1903).
|| *Acridium (Chloroetypus) Gallinaceum* (pt.),
De Haan (nec Fabr.), Temminck, Ver-
handel., Orth. p. 165. n. 2, pl. 22. f. 5
(1842).
Choroetypus Gallinaceus, Burr, An. Soc.
Españ. xxviii. pp. 96, 97. n. 5 (1899).
- *3. **X. Mutilata, Brunn.** (*Choroetypus Mu-* iid.
tilatus) l. c. pp. 217, 219. n. 7 (1898);
Burr, l. c. pp. 96, 98. n. 6 (1899).
|| *Acridium (Choroetypus) Gallinaceum* (pt.),
De Haan (nec Fabr.), l. c. p. 165. n. 2,
pl. 22. f. 7 (1842).
4. **X. Burri, Kirb.** (n. n.). Borneo.
|| *Choroetypus Gallinaceus, Brunn. (nec*
Fabr.) l. c. pp. 217, 218. n. 3 (1898);
Burr, l. c. pp. 96, 97. n. 5 (1899); Sauss.
l. c. pp. 65, 68. n. 3, pl. 3. ff. 4, 4 a, 4 b
(1903).
5. **X. Biemarginata, Brunn.** (*Choroetypus* Java.
Biemarginatus) l. c. pp. 217, 218. n. 4
(1898); Burr, l. c. pp. 96, 97. n. 3
(1899); Sauss. l. c. pp. 65, 72. n. 6
(1903).
|| *Acridium (Choroetypus) Gallinaceum* (pt.),
De Haan (nec Fabr.), l. c. p. 165. n. 2,
pl. 22. f. 6 (1842).
- *6. **X. Fenestrata, Serv.** (*Choroetypus Fene-* India,
stratus) l. c. p. 753. n. 1 (1839). Borneo, &c.
Choroetypus Fenestratus, Sauss. l. c. pp. 65, (eadem?).
66. n. 1, pl. 3. f. 3 (1903).
- *7. **X. Brunneri, Kirb.** (n. n.). Borneo.
|| *Choroetypus Fenestratus, Brunn. (nec*
Serv.) l. c. p. 217. n. 1, pl. 17. ff. 26, 26 a

- (1898): Burr, l. c. pp. 96, 97. n. 1.
(1899).
8. **X. Haani, Brunn.** (*Choroetypus H.*) l. c. Borneo.
pp. 217, 218. n. 2 (1898); Burr, l. c.
pp. 96, 97. n. 2 (1899).
Choroetypus Haanii, Sauss. l. c. pp. 65, 67.
n. 2 (1903).
- [*Acridium* (*Choroetypus*) *Fenestratum*, De
Haan (pt.) (*nec Serv.*), l. c. p. 164. n. 1,
pl. 22. f. 4 (1842).
- *9. **X. Pusilla, Brunn.** (*Choroetypus Pusillus*) Java.
l. c. pp. 217, 219. n. 5 (1898); Burr, l. c.
pp. 96, 97. n. 4 (1899); Sauss. l. c.
pp. 65, 72. n. 5 (1903).

(Genus 109. **Phyllochoreia.** (*Type* no. 1.)

Westw. Mag. Nat. Hist. n. s. iii. p. 495 (1839); Burr, An.
Soc. Españ. xxviii. pp. 87, 93, 98 (1899); Gen. Ins. Orth.,
Eumastac. pp. 3, 4 (1903); Sauss. Rev. Suisse Zool. xi.
pp. 49, 53 (1903).

- *1. **P. Unicolor, Westw.** l. c. p. 495, p. 492. Malabar.
ff. 6, 6 a-c (1839); Burr, An. Soc. Españ.
xxviii. pp. 98, 301. n. 1 (1899); Sauss.
l. c. pp. 55, 58. n. 2 (1903).
Choroetypus Unicolor, Brunn. Abh. Senckenb.
Ges. xxiv. pp. 217, 219. n. 8 (1898).
P. Sulcata, Sauss. l. c. pp. 55, 59. n. 3
(1903).
- **2. **P. Equa, Burr,** l. c. p. 301. n. 2 (1899). Ceylon.
P. Equa, Sauss. l. c. pp. 55, 56. n. 1,
pl. 3. ff. 2, 2 a-g (1903).
3. **P. Asina, Burr,** l. c. pp. 301, 302. n. 3 id.
(1899).
4. **P. Whiteheadi, Kirb.** (n. n.). Borneo.
|| *Phyllochoreia Fenestrata*, Whitehead (*nec*
Serv.), Expl. Kina Balu, p. 50, pl. 4. f. 3
(1893).

Genus 110. **Scirtotypus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 216, 220 (1898); Burr, An. Soc. Españ. xxviii. pp. 87, 93, 99 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 4 (1903); Sauss. Rev. Suisse Zool. xi. pp. 49, 74 (1903).

- | | |
|---|-----------------------|
| 1. S. Aberrans , Brunn. l. c. p. 220, pl. 17.
ff. 27, 27 <i>a</i> (1898); Burr, An. Soc. Españ.
xxiv. p. 99. n. 1 (1899). | Borneo,
Kina Balu. |
| 2. S. Greeni , Burr, l. c. pp. 99, 100. n. 3
(1899). | Ceylon. |
| 3. S. Curtithorax , Karsch, (<i>Choroetypus</i>
<i>C.</i>) Ent. Nachr. xvi. p. 258. n. 2, f. 2
(1890); Burr, l. c. p. 99. n. 2 (1899). | W. Africa,
Kribi. |
| 4. S. Finoti , Sauss. l. c. p. 74. n. 1, pl. 3.
f. 5 (1903). | Gaboon. |

Genus 111. **Orchetypus.** (*Type* no. 2.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 216, 220 (1898); Burr, An. Soc. Españ. xxviii. pp. 87, 93, 101 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903).

- | | |
|---|---------|
| 1. O. Rotundatus , Brunn. l. c. p. 221. n. 1
(1898). | Ceylon. |
| 2. O. Subtruncatus , Brunn. l. c. n. 2,
pl. 17. ff. 28, 28 <i>a</i> (1898). | id. |
| 3. O. Ceylonicus , Karsch, (<i>Choroetypus</i> <i>C.</i>)
Ent. Nach. xv. p. 8 (1889); Burr, An.
Soc. Españ. xxviii. p. 300 (1899).
<i>O. Ceylonicus</i> , Sauss. Rev. Suisse Zool. xi.
p. 73. n. 1, pl. 3. ff. 6, 6 <i>a-g</i> (1903). | id. |
| 4. O. Ocreatus , Rehn, Proc. Acad. Nat.
Sci. Philad. liv. p. 670 (1905). | Congo. |

Genus 112. **Phaulotypus.**

Burr, Bull. Liverpool Mus. ii. p. 44 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903); Nat. Hist. Sokotra, p. 418 (1903).

- *1. **P. Granti**, Burr, ll. cc. p. 44. n. 5 (1899); Socotra.
p. 5. n. 1 (1903); p. 418. n. 15, pl. 25.
f. 7 (1903).

Genus 113. **Plagiotriptus.**

Karsch, Ent. Nach. xv. p. 8 (1889); Burr, An. Soc. Españ. xxviii. pp. 88, 93, 101 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903); Sauss. Rev. Suisse Zool. ii. pp. 49, 50 (1903).

- *1. **P. Hippiscus, Garst.** (*Choroctypus H.*) | E. Africa.
 Arch. Naturg. xxxv. p. 218. n. 66 (1869);
 Van der Decken, Reisen in Ost-Afrika.
 Ins. p. 42. n. 66, pl. 2. f. 8 (1873).
P. Hippiscus, Karsch, l. c. p. 9 (1889);
 Burr, ll. cc. p. 102. n. 1 (1899); p. 5.
 n. 1, pl. 1. f. 1 (1903); Sauss. l. c.
 p. 51. n. 1, pl. 3. ff. 1, 1 *a-c* (1903).

Genus 114. **Brachytypus.** (*Type* no. 1.)

Burr, Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903).

1. **B. Rotundifrons, Burr,** (*Plagiotriptus* Mombasa.
Rotundifrons) An. Soc. Españ. xxviii.
 pp. 102, 103. n. 2, pl. 8. f. 1 (1899);
 Sauss. Rev. Suisse Zool. xi. p. 49 (1903).
 2. **B. Insularis, Burr, (*Plagiotriptus I.*) Socotra.
 Bull. Liverpool Soc. ii. p. 44. n. 5
 (1899); An. Soc. Españ. xxviii. p. 302
 (1899); Nat. Hist. Sokotra, p. 417. n. 14,
 pl. 25. f. 6 (1903).

Genus 115. **Hemierianthus.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. pp. 412, 413 (1903); Rev. Suisse Zool. xi. p. 75 (1903); Burr, Gen. Ins. Orth., Eumastac. p. 6 (1903).

1. **H. Gabonicus, Sauss.** ll. cc. p. 413 Gaboon.
 (1903); p. 76, pl. 3. ff. 7, 7 *a-c* (1903).
 2. **H. Camerunensis, Bol.,** Bol. Soc. Españ. Cameroons.
 iii. p. 301 (1903).

Genus 116. **Erianthus.** (*Type* no. 3.)

Stål, Bih. Svensk. Handl. iii. (14) p. 36 (1875); Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 55 note (1876); Karsch, Ent. Nachr. xv. pp. 26, 29 (1889); Brunn. Ann. Mus. Genova, xxxiii. p. 115 (1893); Abhandl. Senckenb. Ges. xxiv.

p. 221 (1898); Burr, An. Soc. Españ. xxviii. pp. 88, 93, 103 (1899); Gen. Ins. Orth., Eumastac. pp. 6, 7 (1903); Sauss. Rev. Suisse Zool. xi. pp. 75, 77 (1903).

1. **E. Erectus, Karsch**, l. c. p. 29 (1889); Philippines.
Brunn. Abhandl. Senckenb. Ges. xxiv.
p. 222. n. 1, pl. 17. f. 29 (1898).
- *2. **E. Affinis, Westw.** (*Mustax A.*) Arcana Assam,
Ent. ii. p. 54 note (1843). Burma.
E. Acutecarinatus, Brunn. Ann. Mus.
Genova, xxxiii. p. 117. n. 3, pl. 5. f. 48
(1893); Abhandl. Senckenb. Ges. xxiv.
p. 222. n. 7 (1898); Sauss. l. c. pp. 78,
80. n. 3, pl. 3. f. 11 (1903).
- **3. **E. Guttatus, Westw.** (*Mustax Guttata*) Sumatra,
l. c. i. p. 100. n. 5, pl. 26. f. 3 (1841). Philippines,
E. Guttatus, Brunn. Abhandl. Senckenb. Burma.
Ges. xxiv. pp. 222, 223. n. 2 (1898).
4. **E. Flavoinflatus, Brunn.** l. c. pp. 222, Philippines.
223. n. 3 (1898).
- *5. **E. Versicolor, Brunn.** l. c. pp. 222, 224. Cambodia,
n. 4, pl. 17. f. 30 (1898); Burr, An. Soc. China,
Españ. xxviii. pp. 88, 104. n. 7 (1899); Burma.
Sauss. l. c. p. 78 (1903).
- *6. **E. Lugubris, Brunn.** l. c. pp. 222, 225. India.
n. 6 (1898); Burr, l. c. pp. 88, 104.
n. 7 (1899); Sauss. l. c. pp. 78, 83.
n. 6 (1903).
7. **E. Obtusus, Burr**, l. c. pp. 88, 104. n. 8 Borneo.
(1899).
8. **E. Defloratus, Brunn.** Ann. Mus. Burma.
Genova, xxxiii. p. 116. n. 2 (1893); Abh.
Senckenb. Ges. xxiv. pp. 222, 224. n. 5
(1898); Burr, l. c. pp. 88, 104. n. 6 (1899);
Sauss. l. c. pp. 78, 81. n. 4 (1903).
9. **E. Acutipennis, Sauss.** l. c. p. 78. n. 1, Khavi.
pl. 3. f. 8 (1903).
10. **E. Flavipes, Sauss.** l. c. pp. 78, 79, n. 2, Burma.
pl. 3. f. 10 (1903).
11. **E. Birmanicus, Sauss.** l. c. pp. 78, 82. id.
n. 5, pl. 3. f. 12 (1903).
12. **E. Humbertianus, Sauss.** l. c. pp. 78, Ceylon.
83. n. 7, pl. 3. f. 9 (1903).
13. **E. Malcolmii, Bol.**, Bol. Soc. Españ. iii. Malacca.
p. 302 (1903).
14. **E. Nipponensis, Rehn**, Proc. Acad. Japan.
Nat. Sci. Philad. liv. p. 672 (1905).

Genus 117. **Teichophrys.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 20 (1901);
 Burr, Gen. Ins. Orth., Eumastac. pp. 6, 7 (1903).

1. **T. Fusiformis**, Brun. l. c. pp. 20, 21. Lower
 n. 1, figs. (1901). California.

Genus 118. **Adrapetes.**

Karsch, Ent. Nachr. xv. pp. 26, 28 (1889); Brunn. Ann. Mus.
 Genova, xxxiii. p. 115 (1893); Burr, An. Soc. Españ.
 xxviii. pp. 88, 93, 105 (1899); Gen. Ins. Orth., Eumastac.
 pp. 6, 8 (1903).

1. **A. Serraticrus**, Karsch, l. c. p. 29. N. Guinea.
 (1889); Burr, An. Soc. Españ. xxviii. |
 pp. 88, 105. n. 1 (1899).

Genus 119. **Eupatrides.** (Type no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 225, 230 (1898);
 Burr, An. Soc. Españ. xxviii. pp. 88, 93, 106 (1899);
 Gen. Ins. Orth., Eumastac. pp. 6, 8 (1903).

1. **E. Cyclopterus**, De Haan, (*Acridium* Java,
 (*Mastac*) (*Cyclopterus*) Temminck, Ver- Borneo.
 handel., Orth. pp. 163, 164. n. 3, pl. 22.
 f. 1 (1842).
E. Cyclopterus, Brunn. l. c. p. 231. n. 1
 (1898).
2. **E. Excelsus**, Brunn. l. c. n. 2, pl. 18. Batchian.
 f. 33 (1898).

Genus 120. **Bennia.** (Type no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 88, 94, 106 (1899);
 Gen. Ins. Orth., Eumastac. pp. 6, 9 (1903).

1. **B. Innotata**, Walk. (*Mastac* l.) Cat. Yunnan.
 Derm. Salt. B. M. v. Suppl. p. 88 (1871).
2. **B. Oberthuri**, Bol., Bol. Soc. Españ. iii. Bhutan.
 p. 303 (1903).

Genus 121. **Gomphomastax.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 232 (1898); Burr, An. Soc. Españ. xxviii. pp. 89, 94, 107 (1899); Gen. Ins. Orth., Eumastac. p. 9 (1903); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 164, 175, 211 (1902).

Parerucius, Krauss, Ann. Mus. Zool. Pétersb. iii. p. 108 (1898).

1. **G. Antennatus**, Brunn. l. c. p. 232. Kashmir.
n. 1, pl. 18. f. 34 (1898).

G. Antennata, Burr, An. Soc. Españ. xxviii. pp. 89, 107, 108. n. 1 (1899); Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).

2. **G. Constrictus**, Brunn. l. c. p. 233. n. 2 Punjab.
(1898).

G. Constricta, Burr, l. c. pp. 89, 107, 108. n. 2 (1898).

3. **G. Clavatus**, Ostroumoff, (*Chrysochraon* Turkestan.
C.) Zool. Anz. iv. p. 597 (1881). ♂-915.

G. Clavata, Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).

G. Kraussi, Burr, l. c. pp. 89, 108. n. 3 (1899).

|| *Parerucius Antennatus*, Krauss (*nec* Brunn.).
l. c. p. 109. n. 74 (1898).

4. **G. Opacus**, Krauss, (*Parerucius O.*) l. c. Central
p. 110. n. 75 (1898). Asia.

G. Opaca, Burr, l. c. pp. 89, 108. n. 4 (1899); Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).

Genus 122. **Erucius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 36 (1875); Æfv. Vet.-Akad. Förh. xxxiii. (3) p. 55 note (1876); Karsch, Ent. Nachr. xv. p. 26 (1889); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 225 (1898); Burr, An. Soc. Españ. xxviii. pp. 94, 109 (1899); Gen. Ins. Orth., Eumastac. p. 10 (1903); Sauss. Rev. Suisse Zool. xi. p. 84 (1903).

- **1. **E. Apicalis**, Westw. (*Mastax A.*) Arcana Sumatra,
Ent. i. p. 100. n. 3, pl. 26. f. 1 (1841). Java,
E. Apicalis, Brunn. l. c. p. 226. n. 1 (1898); Borneo.
Burr, An. Soc. Españ. xxviii. pp. 89, 109.
n. 1 (1899); Sauss. l. c. p. 85 (1903).

Aceridium (*Mastac*) *Agrionoides*, *De Haan*,
Temminck, Verhandel., Orth. p. 163. n. 2.
pl. 22. f. 4 (1842).

- *2. **E. Vitreus**, **Westw.** (*Mastac Vitrea*) l. c. Java.
p. 100. n. 4, pl. 26. f. 2 (1841).
E. Vitreus, **Burr**, l. c. pp. 89, 109. n. 2
(1899); **Sauss.** l. c. p. 85 (1903).
- 3. **E. Magnificus**, **Rehn**, Proc. Acad. Nat. Labuan,
Sci. Philad. liv. p. 674 (1905). Borneo,
|| *E. Vitreus*, **Brunn.** (*nec Westw.*) l. c. Philippines
pp. 226, 227. n. 2 (1898). (eadem?).
- *4. **E. Dimidiatipes**, **Bol.** Ann. Mus. Genova, Sumatra.
xxxix. p. 81. n. 30 (1898); **Burr**, l. c.
pp. 89, 109. n. 3 (1899).
- 5. **E. Bifasciatus**, **Stål**, Öfv. Vet.-Akad. Philippines,
Förh. xxxiv. (10) p. 54 (1877); **Brunn.** Borneo.
l. c. pp. 226, 227. n. 3, pl. 17. f. 31 (1898);
Burr, l. c. pp. 89, 109. n. 4 (1899);
Sauss. l. c. p. 85 (1903).
- *6. **E. Tenuis**, **Brunn.** l. c. pp. 226, 228. n. 4 Java.
(1898); **Burr**, l. c. pp. 89, 109. n. 5
(1899).
- **7. **E. Javanus**, **Burr**, l. c. pp. 89, 109, 110. id.
n. 6 (1899); **Sauss.** l. c. p. 85 (1903).
- 8. **E. Pictus**, **Sauss.** l. c. pp. 84, 85. n. 1, Borneo.
pl. 3. f. 13 (1903).
- 9. **E. Nebulosus**, **Sauss.** l. c. p. 86. n. 2 id.
(1903).
- 10. **E. Bonzo**, **Burr**, l. c. p. 304 (1899). Siam.

Genus 123. **Mnesicles.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 54 (1877); **Karsch**,
Ent. Nachr. xv. p. 26 (1889); **Brunn.** Abhandl. Senckenb.
Ges. xxiv. pp. 225, 228 (1898); **Burr**, An. Soc. Españ.
xxviii. pp. 89, 94, 110 (1899); **Gen. Ins. Orth.**, Eumastac.
p. 10 (1903).

- 1. **M. Modestus**, **Stål**, l. c. p. 54. n. 1 Philippines,
(1877); **Brunn.** l. c. p. 229. n. 1 (1898). Amb., Gil.
- 2. **M. Crassipes**, **Karsch**, Ent. Nachr. xv. Luzon.
p. 28 (1889); **Brunn.** l. c. p. 229. n. 2
(1898).
- 3. **M. Roseosignatus**, **Brunn.** l. c. pp. 229, N. Celebes.
230. n. 3, pl. 18. f. 32 (1898).

4. **M. Strigatus**, **Bol.** Ann. Mus. Genova. Mentawai.
xxxix. p. 82. n. 31 (1898); Burr, l. c.
pp. 89, 110 (1899).
5. **M. Crenatus**, **De Haan**, (*Aceridium* (*Mastac*
tae) *Crenatum*) Temminck, Verhandel., Borneo.
Orth. pp. 163, 164. n. 4, pl. 22. f. 3 (1842).

Genus 124. **Mastacides.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 89, 94, 111 (1899); Gen. Ins.
Orth., Eumastac. pp. 10, 11 (1903); Bol. Ann. Soc. Ent.
France, lxx. p. 586 (1902); Sauss. Rev. Suisse Zool. xi.
p. 86 (1903).

1. **M. Pupæformis**, **Burr**, An. Soc. Españ. S. India.
xxviii. pp. 89, 111, 112. n. 1 (1899); Bol.
l. c. p. 587, pl. 9. ff. 27, 27 *a*, *b* (1902).
2. **M. Pterolepis**, **Burr**, l. c. pp. 89, 111, id.
112. n. 2 (1899); Bol. l. c. p. 588, pl. 9.
f. 28 (1902).
3. **M. Vaginalis**, **Sauss.** l. c. p. 87. n. 1 id.
(1903).

Genus 125. **Xanthomastax.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. p. 414 (1903); Rev. Suisse Zool. xi.
p. 99 (1903); Burr, Gen. Ins. Orth., Eumastac. p. 11
(1903).

1. **X. Crassipes**, **Sauss.** ll. cc. p. 414 N. Celebes.
(1903); p. 100. n. 1, pl. 3. f. 15 (1903).
2. **X. Furcatus**, **Sauss.** Rev. Suisse Zool. xi. New
p. 101. n. 2, pl. 3. f. 16 (1903). Guinea.

Genus 126. **Episactus.**

Episactus, **Brunn.** Ann. Mus. Genova, xxxiii. p. 115 (1893).
Episactus, **Burr**, An. Soc. Españ. xxviii. pp. 89, 94, 253 (1899);
Gen. Ins. Orth., Eumastac. p. 12 (1903); Brun. Biol.
Centr.-Amer., Orth. ii. pp. 20, 22 (1901).

1. **E. Brunneri**, **Burr**, An. Soc. Españ. Guatemala.
xxviii. pp. 89, 254. n. 1 (1899); Brun.
l. c. p. 22. no. 1, pl. 2. ff. 15, 15 *a*, 16,
16 *a*, *b* (1901).

Genus 127. **Malagassa.**

Sauss. Zool. Anz. xxvi. p. 414 (1903); Rev. Suisse Zool. xi. p. 88 (1903); Burr. Gen. Ins. Orth., Eumastac. p. 12 (1903).

1. **M. Coniceps, Sauss.** ll. cc. p. 415 (1903); Madagascar p. 89. n. 1 (1903).

Genus 128. **Parepisactus.** (*Type* no. 1.)

Giglio-Tos. Boll. Mus. Torino. xiii. (311) p. 36 (1898); Burr. An. Soc. Españ. xxviii. pp. 90, 94, 255 (1899); Gen. Ins. Orth., Eumastac. pp. 12, 13 (1903).

1. **P. Carinatus, Giglio-Tos,** l. c. p. 37 Ecuador. (1898); Burr. An. Soc. Españ. xxviii. pp. 90, 255. no. 1 (1899).
2. **P. Saltator, Sauss.** Rev. Suisse Zool. xi. Costa Rica, p. 88. n. 1 (1903). | Guatemala.

Genus 129. **Gymnotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 21 (1901); Burr. Gen. Ins. Orth., Eumastac. pp. 12, 13 (1903).

1. **G. Occidentalis, Brun.** l. c. p. 21. n. 1 British (1901). | Honduras.

Genus 130. **Thaumastax.**

Burr. An. Soc. Españ. xxviii. p. 299 (1899); Gen. Ins. Orth., Eumastac. p. 14 (1903).

1. **T. Monstrum, Burr,** ll. cc. p. 300 Colombia. (1899); p. 14. n. 1, pl. 1. f. 2 (1903).

Genus 131. **China.**

Burr. An. Soc. Españ. xxviii. pp. 90, 94, 256 (1899); Gen. Ins. Orth., Eumastac. p. 14 (1903).

- **1. **C. Mantispoides, Walk.** (*Mastax M.*) Cat. China, Derm. Salt. B.M. iv. p. 792. n. 8 (1870). Siam.
C. Mantispoides, Burr, An. Soc. Españ. |
xxviii. pp. 90, 256. n. 1 (1899).

Genus 132. **Biroella.**

Bol., Bol. Soc. Españ. ii. p. 304 (1903) ;
 Burr, Gen. Ins. Orth., Eumastac. p. 15 (1903).

1. **B. Dispar, Bol.** l. c. p. 304 (1903). [N. Guinea.

Genus 133. **Eumastax.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 90, 94, 257 (1899) ; Gen. Ins. Orth., Eumastac. p. 15 (1903) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 22 (1901).

|| *Mastax, Perty* (*nec Fisch.*), Del. Anim. Art. p. 122 (1830) ;
 Burm. Handb. Ent. ii. p. 652 (1838) ; Serv. Ins. Orth.
 p. 750 (1839) ; Westw. Arc. Ent. i. p. 99 (1841) ; Stål,
 Öf. Vet.-Akad. Förh. xxxiii. (3) p. 55 (1876) ; Karsch,
 Ent. Nachr. xv. p. 26 (1889).

- *1. **E. Tenuis, Perty**, (*Mastax T.*) l. c. p. 123, pl. 24. f. 3 (1830) ; Burm. l. c. p. 653 (1838) ; Serv. l. c. p. 750. n. 1 (1839) ; Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 46. n. 40 (1889).

Eumastax Tenuis, Burr, An. Soc. Españ. xxviii. pp. 90, 258, 259. n. 1, pl. 8. f. 4 (1899) ; Brun. l. c. p. 22. n. 1 (1901).

Mastax Virescens, Westw. l. c. p. 100. n. 1 (1841).

Mastax Minuta, Bol. An. Soc. Españ. x. p. 481 (1881) ; Viaje al Pacif., Artrop. p. 31 (1884) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 38 (1898).

2. **E. Vittata, Burr**, l. c. pp. 90, 258, 260. n. 2 (1899) ; Gen. Ins. Orth., Eumastac. p. 16. n. 2, pl. 1. f. 3 (1903). Bolivia.

3. **E. Poultoni, Burr**, An. Soc. Españ. xxviii. pp. 90, 258, 261. n. 3 (1899) ; Brun. l. c. pp. 22, 23. n. 2 (1901). Colombia.

4. **E. Plebeja, Gerst.** (*Mastax P.*) l. c. p. 47. n. 41 (1889). Fuente Boa.

E. Plebeja, Burr, l. c. pp. 90, 258, 261. n. 4 (1899).

5. **E. Semicæca, Brunn.** (*Mastax S.*) Sitz. zool.-bot. Ges. Wien, xxxix. p. 48 (1889). Amazons.

Mastax Semicæcus, Brunn. Obs. Color. Ins. p. 15, pl. 9. f. 118. a, b (1897).

- E. Semicata*, Burr, l. c. pp. 90, 258, 262. n. 5 (1899); Gen. Ins. Orth., Eumastac. p. 16. n. 5, pl. 1. f. 4 (1903); Brun. l. c. pp. 22, 23. n. 3 (1901).
6. **E. Collaris**, Gerst. (*Mastax C.*) l. c. p. 45. Upper Amazons.
n. 39 (1889).
E. Collaris, Burr, An. Soc. Españ. xxviii. pp. 90, 258, 263. n. 6 (1899).
7. **E. Surda**, Burr, l. c. pp. 90, 258, 264. n. 7 Panama.
(1899); Brun. l. c. pp. 22, 23. n. 4, pl. 2. Peru.
ff. 14, 14a (1901).
8. **E. Tipularia**, Gerst. (*Mastax T.*) l. c. Peru,
p. 41. n. 35 (1889). Upper
E. Tipularia, Burr, l. c. pp. 90, 258, 264. Amazons.
n. 8 (1899); Gen. Ins. Orth., Eumastac. p. 16. n. 8, pl. 1. f. 5 (1903).
9. **E. Pardalina**, Burr, An. Soc. Españ. Peru.
xxviii. pp. 90, 258, 265. n. 9, pl. 8. f. 5
(1899).
10. **E. Militaris**, Gerst. (*Mastax M.*) l. c. Upper
p. 42. n. 36 (1889). Amazons.
E. Militaris, Burr, l. c. pp. 90, 258, 267.
n. 12 (1899); Brun. l. c. pp. 22, 23. n. 6
(1901).
11. **E. Versicolor**, Burr, l. c. pp. 90, 258, Paraguay.
268. n. 13 (1899).
Masyntes Versicolor, Burr, Gen. Ins. Orth.,
Eumastac. p. 23, pl. 1. f. 6 (1903).
12. **E. Dentata**, Sauss. (*E. Dentatus*) Rev. Costa Rica.
Suisse Zool. xi. p. 91. n. 1 (1903).

Genus 134. **Paramastax.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 90, 94, 268 (1899); Gen. Ins. Orth., Eumastac. pp. 15, 16 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 23 (1901); Sauss. Rev. Suisse Zool. xi. p. 91 (1903).

- *1. **P. Nigra**, Scudd. (*Mastax N.*) Proc. Peru,
Boston Soc. Nat. Hist. xvii. p. 266. n. 17 Bolivia,
(1875). Ecuador.

P. Nigra, Burr, An. Soc. Españ. xxviii.
pp. 90, 269. n. 1, pl. 8. f. 7 (1899);
Sauss. l. c. p. 92 (1903).

2. **P. Gaudens**, Burr, l. c. pp. 90, 269, 270. Bolivia.
n. 2, pl. 9. f. 8 (1899); Sauss. l. c. p. 92
(1903).

3. **P. Vicina, Burr**, l. c. pp. 90, 269, 271. Bolivia.
n. 3 (1899) ; Sauss. l. c. p. 92 (1903).
- *4. **P. Magna, Giglio-Tos**, (*Mastax M.*) Boll. Mexico,
Mus. Torino, xiii. (311) p. 38 (1898). Ecuador,
P. Magna, Burr, l. c. pp. 90, 269, 271. n. 4 Peru.
(1899) ; Sauss. l. c. p. 92 (1903).
5. **P. Læta, Gerst.** (*Mastax L.*) Mitth. Ver. Upper
Neu-Vorpomm. xx. p. 44. n. 38 (1889). Amazons.
P. Læta, Burr, l. c. pp. 90, 269, 272. n. 5
(1899) ; Sauss. l. c. pp. 93, 94. n. 2
(1903).
6. **P. Personata, Bol.** (*Mastax P.*) An. Soc. Upper
Españ. x. p. 480 (1881) ; Viaje al Pacif., Amazons,
Artrop. p. 30 (1884). Peru,
P. Personata, Burr, l. c. pp. 90, 269, 272. Ecuador.
n. 6, pl. 9. f. 9 (1899) ; Sauss. l. c. pp. 93,
95. n. 3 (1903).
Mastax Imitatrix, Gerst. l. c. p. 43. n. 37
(1889).
7. **P. Brevipennis, Sauss.** l. c. pp. 92, 93. Peru.
n. 1, pl. 3. ff. 14, 14 a (1903).
8. **P. Tæniata, Sauss.** l. c. pp. 93, 96. n. 4 Brazil.
(1903).
9. **P. Facialis, Sauss.** l. c. pp. 93, 97. n. 5 Sarayacu.
(1903).

Genus 135. **Scirtomastax.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. p. 413 (1903) ; Rev. Suisse Zool. xi.
p. 97 (1903) ; Burr, Gen. Ins. Orth., Eumastac. pp. 15, 16
(1903).

1. **S. Cordilleræ, Sauss.** ll. cc. p. 414 (1903) ; Ecuador.
p. 98. n. 1 (1903).
2. **S. Surinama, Burr**, (*Eumastax S.*) An. Surinam.
Soc. Españ. xxviii. pp. 90, 258, 266. n. 10,
pl. 8. f. 6 (1899).
3. **S. Rosenbergii, Burr**, (*Eumastax R.*) Colombia.
ll. cc. n. 11 (1899).
- *4. **S. Mutilata, Serv.** (*Mastax M.*) Ins. Orth. id.
p. 751. n. 2, pl. 8. f. 4 (1839) ; Westw.
Arc. Ent. i. p. 100. n. 2 (1841).
Masquites Mutilata, Brun. Biol. Centr.-
Amer., Orth. ii. p. 24. n. 2 (1901).

Genus 136. **Masyntes.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 26, 31 (1889); Brunn. Ann. Mus. Genova, xxxiii. p. 115 (1893); Burr. An. Soc. Españ. xxviii. pp. 90, 95, 273 (1899); Gen. Ins. Orth., Eumastac. pp. 15, 17 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 24 (1901); Sauss. Rev. Suisse Zool. xi. p. 99 (1903).

1. **M. Gundlachii, Scudd.** (*Mastac G.*) Proc. Cuba.
Boston Soc. Nat. Hist. xvii. p. 266. n. 18
(1875); Bol. Mém. Soc. Zool. France, i.
p. 141. n. 74 (1888).
Masyntes Gundlachii, Karsch, l. c. p. 31
(1889).
Masyntes Gundlachi, Burr. An. Soc. Españ.
xxviii. pp. 90, 274. n. 1, pl. 9. f. 10 (1899);
Brun. l. c. p. 24. n. 1 (1901).
2. **M. Borellii, Giglio-Tos**, Boll. Mus. To-
rino, xii. (302) p. 17 note (1897); Burr,
An. Soc. Españ. xxviii. pp. 90, 274, 275.
n. 2 (1899); Rehn, Proc. Acad. Nat. Sci.
Philad. liv. p. 676 (1905). Paraguay.
3. **M. Tigris, Burr**, l. c. pp. 91, 274, 276. id.,
n. 3, pl. 9. f. 11 (1899); Gen. Ins. Orth., Brazil.
Eumastac. p. 17. n. 3, pl. 1. f. 7 (1903);
Rehn, l. c. p. 676 (1905).
4. **M. Saurus, Burr**, ll. cc. pp. 91, 274, 277. Brazil.
n. 4 (1899); p. 17. n. 4 (1903).
M. Versicolor, Burr, Gen. Ins. Orth.,
Eumastac. p. 23. n. 6, pl. 1. f. 6 (1903).

Genus 137. **Morsea.**

Scudd. Psyche, viii. p. 179 (1898); Burr, An. Soc. Españ. xxviii. pp. 91, 95, 277 (1899); Gen. Ins. Orth., Eumastac. pp. 15, 17 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 24 (1901).

1. **M. Californica, Scudd.** l. c. p. 179. n. 262 California.
(1898); Burr, An. Soc. Españ. xxviii.
pp. 91, 95, 278. n. 1 (1899); Brun. l. c.
p. 25. n. 1 (1901).

Genus 138. **Penichrotes.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 26, 32 (1889); Brunn. Ann. Mus. Genov. xxxiii. p. 116 (1893); Burr, An. Soc. Españ.

Genus 141. **Symbellia.** (*Type* no. 2.)

Burr, An. Soc. Españ. xxviii. pp. 91, 95, 286 (1899);
Gen. Ins. Orth., Eumastac. pp. 18, 19 (1903).

1. **S. Biplagiata**, Burr, An. Soc. Españ. W. Africa,
xxviii. pp. 91, 286. n. 1, pl. 10. ff. 19, | Asmara.
19 *a-d* (1899).
2. **S. Karschi**, Burr, l. c. pp. 91, 286, 287. Nossi Bé.
n. 2, pl. 10. f. 14 (1899).

Genus 142. **Thericles.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. iii. (14) p. 35 (1875); Æfv. Vet.-
Akad. Förh. xxxiii. (3) pp. 54, 55 note (1876); Karsch,
Ent. Nachr. xv. p. 27 (1889); Burr, An. Soc. Españ.
xxviii. pp. 91, 95, 288 (1899); Gen. Ins. Orth., Eumastac.
pp. 18, 19 (1903).

1. **T. Obtusifrons**, Stål, ll. cc. p. 36. n. 1 | Damara
(1875); p. 54. n. 1 (1876); Burr, ll. cc. | Land.
pp. 91, 288, 289. n. 1 (1899); p. 20. n. 1,
pl. 1. f. 8 (1903).
2. **T. Puberulus**, Stål, Æfv. Vet.-Akad. | id.
Förh. xxxiii. (3) p. 56. n. 3 (1876); Burr,
An. Soc. Españ. xxviii. pp. 91, 288, 290.
n. 2 (1899).
3. **T. Zebra**, Gerst. Mitth. Nat. Ver. Neu- | Cameroons,
Vorpomm. xx. p. 47. n. 42 (1889); Burr, | Gabon,
l. c. pp. 91, 289, 290. n. 3, pl. 10. ff. 16, | E. Africa.
16 *a* (1899); Gen. Ins. Orth., Eumastac.
p. 20. n. 3, pl. 1. f. 9 (1903).
4. **T. Carinifrons**, Karsch, l. c. p. 33 | E. Africa,
(1889); Burr, An. Soc. Españ. xxviii. | Kitui.
pp. 91, 291. n. 4 (1899).
5. **T. Gnu**, Karsch, Stettin. Ent. Zeit. lvii. | E. Central
p. 248. n. 7 (1896); Burr, l. c. pp. 91, | Africa,
292. n. 5 (1899); Rehn, Proc. Acad. Nat. | Congo.
Sci. Philad. lvi. p. 676 (1905).
6. **T. Vacca**, Karsch, l. c. p. 248. n. 8 | W. Africa.
(1896); Burr, l. c. pp. 91, 292. n. 6 (1899).
7. **T. Quagga**, Karsch, Berlin. Ent. Zeitschr. | Adeli.
xxxviii. p. 116. n. 86 (1893).
8. **T. Alticeps**, Bol. Mém. Soc. Ent. Belg. | "Panama"
xvi. p. 83. n. 1 (1908). | (Africa).
9. **T. Depressifrons**, Bol. l. c. n. 2 (1908). | "Popo-
cabacca."

Genus 143. **Parathericles.**

Burr, An. Soc. Españ. xxviii. pp. 92, 95, 293 (1899);
Gen. Ins. Orth., Eumastac. pp. 18, 20 (1903).

1. **P. Elephantulus**, Burr, l. c. pp. 92, 293. W. Africa,
n. 1, pl. 10. ff. 17, 17 a (1899). | San Thomé.

Genus 144. **Macromastax.**

Karsch, Ent. Nachr. xv. pp. 27, 34 (1889); Burr, An. Soc.
Españ. xxviii. pp. 92, 95, 294 (1899); Gen. Ins. Orth.,
Eumastac. pp. 18, 20 (1903).

1. **M. Infernalis**, Karsch, l. c. p. 34 (1889); | Madagascar
Burr, An. Soc. Españ. xxviii. p. 294. n. 1
(1899). |

Genus 145. **Pœedes.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 27, 34 (1889); Burr, Ann. Soc.
Españ. xxviii. pp. 92, 95, 295 (1899); Gen. Ins. Orth.,
Eumastac. pp. 18, 20 (1903).

1. **P. Appendiculatus**, Karsch, l. c. p. 35 | Madagascar
(1889); Burr, An. Soc. Españ. xxviii.
pp. 92, 295, 296. n. 1. (1899). |
2. **P. Cruciformis**, Bol. Ann. Soc. Ent. | Seychelles.
France, lxiv. p. 376 (1895); Burr, ll. cc.
n. 2, pl. 10. f. 18 (1899). |

Genus 146. **Euschmidtia.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 27, 35 (1889); Burr, An. Soc.
Españ. xxviii. pp. 92, 95, 297 (1899); Gen. Ins. Orth.,
Eumastac. pp. 18, 21 (1903); Sauss. Rev. Suisse Zool.
xi. p. 101 (1903).

1. **E. Sansibarica**, Karsch, l. c. p. 35 | Zanzibar,
(1889); Burr, An. Soc. Españ. xxviii. | Usambara,
pp. 92, 297, 298. n. 1, pl. 10. f. 15 (1899); | W. Africa.
Sauss. l. c. pp. 103, 104, 106. n. 2. |
2. **E. Guttatifrons**, Burr, l. c. pp. 92, 297, | E. Africa.
298. n. 2 (1899); Sauss. l. c. pp. 103, 110
(1903). |
3. **E. Hova**, Sauss. l. c. pp. 102-104. n. 1 | Madagascar
(1903). |

4. **E. Finoti, Sauss.** l. c. pp. 103, 104, 106. Madagascar
n. 3 (1903).
5. **E. Sakalava, Sauss.** l. c. pp. 103, 104, | id.
107, n. 4 (1903).
6. **E. Parvipennis, Sauss.** l. c. pp. 103, 104, | id.
108, n. 5 (1903).
7. **E. Lobipennis, Sauss.** l. c. pp. 103, 104, | id.
108, n. 6 (1903).
8. **E. Versicolor, Sauss.** l. c. pp. 103, 109. | id.
n. 7, pl. 3, ff. 17, 17 a (1903).

Genus 147. **Apteropeædes.**

Bol., Bol. Soc. Españ. iii. p. 305 (1903) ;

Burr. Gen. Ins. Orth., Eumastac. pp. 18, 21 (1903).

1. **A. Nigroplagiatus, Bol.** l. c. p. 306 Madagascar
(1903).

Genus 148. **Miraculum.**

Bol., Bol. Soc. Españ. iii. p. 306 (1903) ;

Burr. Gen. Ins. Orth., Eumastac. p. 23 (1903).

1. **M. Mirificum, Bol.** l. c. p. 307 (1903) ; Madagascar
Burr. l. c. p. 23, pl. 1. f. 10 a-c (1903).

SUBFAM. IV.

PROSCOPINÆ.

† Genus 149. **Prosarthria.** (*Type* n. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 93 (1890).

- *1. **P. Teretirostris, Brunn.** l. c. p. 93. S. America.
n. 1, pl. 3. f. 1 A-E (1890).

Genus 150. **Proscopia.** (*Type* no. 5.)

Klug. Hor. Phys. Berol. p. 17 (1820) ; St. Farg. & Serv.
Encycl. Méth., Ins. x. p. 211 (1825) ; Serv. Ann. Sci. Nat.
xxii. p. 265 (1831) ; Ins. Orth. p. 571 (1839) ; Burm.

Handb. Ent. ii. pp. 602, 603 (1838); Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 94 (1890).

- † *1. **P. Granulata, Klug**, l. c. p. 22. n. 7, Brazil.
 pl. 4. f. 7 (1820); St. Farg. & Serv. l. c. p. 212. n. 2 (1825); Burm. l. c. p. 604. n. 2 (1838); Serv. Ins. Orth. p. 575. n. 2 (1839); Brunn. l. c. pp. 94, 95. n. 1 (1890).
 ♂. *P. Ophiopsis, Klug*, l. c. p. 25. n. 14, pl. 4. f. 14 (1820); Burm. l. c. p. 605. n. 14 (1838).
- † ***P. Granosa, Walk.* Cat. Derm. Salt. B. M. iii. p. 487. n. 19 (1870).
 ***P. Subobtusa, Walk.* l. c. p. 488. n. 21 (1870).
 † ***P. Subvittata, Walk.* l. c. p. 489. n. 23 (1870).
- *2. **P. Brevicornis, Klug**, l. c. p. 21. n. 6, Bahia, Ega.
 pl. 4. f. 6 (1820); Burm. l. c. p. 604. n. 6 (1838).
- *†3. **P. Inæqualis, Walk.** l. c. p. 488. n. 20 Upper Amazons.
 (1870).
 ***P. Expandens, Walk.* l. c. n. 22 (1870).
 † *P. Latirostris, Brunn.* l. c. pp. 94, 96. n. 2, pl. 3. f. 2 A-C (1890).
- † 4. **P. Ingens, Brunn.** l. c. pp. 94, 96. n. 3 id.
 (1890).
- † 5. **P. Oculata, Klug**, l. c. p. 26. n. 15 Para.
 (1820); St. Farg. & Serv. l. c. p. 212. n. 3 (1825); Burm. l. c. p. 605. n. 15 (1838).
 ♀ (?). || *P. Gigantea, Brunn.* (♂ nec ♀) (nec *Klug*) l. c. p. 97. n. 4 (1890).
- † *6. **P. Scabra, Klug**, l. c. p. 19. n. 2, pl. 3. Brazil, Cayenne.
 f. 2 (1820); Burm. l. c. p. 604. n. 7 (1838); Serv. l. c. p. 574. n. 1 (1839); Brunn. l. c. pp. 95, 97. n. 5 (1890).
 ♂. *P. Rostrata, Klug*, l. c. p. 24. n. 12, pl. 4. f. 12 (1820); Burm. l. c. p. 605. n. 12 (1838); Serv. l. c. p. 576. n. 3 (1839).
 (?) || *P. Radula, Blanch.* (nec *Klug*) Cuvier. Règn. Anim. xiv. Ins. pl. 85. ff. 1, 1 a, b (1860).
 ***P. Parallela, Walk.* l. c. p. 490. n. 25 (1870).
- † 7. **P. Soror, Brunn.** l. c. pp. 95, 98. n. 6 Upper Amazons.
 (1890).

- + *8. **P. Pyramidalis**, **Brunn.** ll. cc. n. 7 | Upper
(1890). | Amazons.

— Genus 151. **Apioscelis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 99 (1890).

- *1. **A. Bulbosa**, **Scudd.** (*Proscopia B.*) Proc. | Peru.
Boston Soc. Nat. Hist. xii. p. 336. n. 13
(1869); xxvii. p. 209. n. 63 (1896).
***Proscopia Granulosa*, **Walk.** Cat. Derm.
Salt. B. M. iii. p. 492. n. 30 (1870).
+ 2. **A. Gracilis**, **Brunn.** l. c. p. 99. n. 1, | Upper
pl. 1. f. 3 A-C (1890). | Amazons,
Bolivia.
+ 3. **A. Tuberculata**, **Walk.** (*Proscopia T.*) | Archidona,
l. c. p. 491. n. 29 (1870). | Upper
A. Verrucosa, **Brunn.** l. c. pp. 99, 100. | Amazons.
n. 2 (1890).
4. **A. Colombica**, **Brunn.** (.1. *Columbica*) | Colombia.
l. c. pp. 99, 100. n. 3 (1890).
+ 5. **A. Compacta**, **Brunn.** l. c. pp. 99, 101. | Bogota.
n. 4 (1890).
6. **A. (?) Sajax**, **Scudd.** (*Proscopia S.*) Proc. | Peru.
Bost. Nat. Hist. xii. p. 336. n. 14 (1869);
xxvii. p. 209. n. 64 (1896).

— Genus 152. **Corynorhynchus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 101 (1890).

- + 1. **C. Radula**, **Klug**, (*Proscopia R.*) Hor. | Brazil.
Phys. Berol. p. 20. n. 4, pl. 3. f. 4
(1820); Burm. Handb. Ent. ii. p. 604.
n. 3 (1838).
C. Radula, **Brunn.** l. c. pp. 101, 102. n. 1,
pl. 4. f. 4 A-E (1890).
+ 3. *Proscopia Ruficornis*, **Klug**, l. c. p. 24.
n. 11, pl. 4. f. 11 (1820); Burm. l. c.
p. 605. n. 11 (1838).
+ 2. **C. Hispidus**, **Klug**, (*Proscopia H.*) l. c. | Bahia.
p. 20. n. 5, pl. 3. f. 5 (1820).
Proscopia Hospida, **Burm.** l. c. p. 604.
n. 4 (1838).
C. Hispidus, **Brunn.** l. c. p. 102. n. 2, pl. 4.
f. 4 F (1890).

- ♂. *Proscopia Brevirostris*, Klug, l. c. p. 25.
n. 13, pl. 4. f. 13 (1820); Burm. l. c.
p. 605. n. 13 (1838).
3. **C. Hispidulus**, Brunn. l. c. pp. 102, 103. Bahia, Per-
nambuco.
n. 3 (1890).
- † 4. **C. Latirostris**, Brunn. ll. cc. n. 4 Bahia.
(1890).
- † * 5. **C. Spinusus**, Klug, (*Proscopia Spinosa*) id.
l. c. p. 22. n. 8, pl. 4. f. 8 (1820); Burm.
l. c. p. 603. n. 1 (1838).
C. Spinusus, Brunn. l. c. pp. 102, 104. n. 5
(1890).

Genus 153. **Tetanorhynchus**. (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 104 (1890).

- * 1. **T. Punctatus**, Klug, (*Proscopia Punc-* Para,
tata) Hor. Phys. Berol. p. 19. n. 3, pl. 3. Santarem.
f. 3 (1820); Burm. Handb. Ent. ii. p. 604.
n. 5 (1838).
T. Punctatus, Brunn. l. c. pp. 104, 105.
n. 1, pl. 4. f. 5 D-E (1890).
- ** *Proscopia Subparallela*, Walk. Cat. Derm.
Salt. B. M. iii. p. 489. n. 24 (1870).
- † ♂. *Proscopia Acuminata*, Klug, l. c. p. 23.
n. 10, pl. 4. f. 10 (1820); Burm. l. c.
p. 605. n. 10 (1838).
- † Larva. *Proscopia Striata*, Klug, l. c. p. 23.
n. 9, pl. 4. f. 9 (1820); Burm. l. c. p. 605.
n. 9 (1838).
2. **T. Humilis**, Giglio-Tos, Boll. Mus. Argentina,
Torino, xii. (302) p. 18 (1897). Bolivia.
3. **T. Borellii** Giglio-Tos, l. c. (1897). iid.
- † 4. **T. Sublævis**, Brunn. l. c. p. 105. n. 2, Thereso-
pl. 4. f. 5 A-C (1890). polis.
- † 5. **T. Propinquus**, Brunn. l. c. pp. 105, Santa
106. n. 3 (1890). Catharina
6. **T. Incertus**, Brunn. ll. cc. n. 4 (1890). Brazil.
7. **T. Longirostris**, Brunn. l. c. pp. 105, id.
107. n. 5 (1890).
- † 8. **T. Angustirostris**, Brunn. ll. cc. n. 6 Argentina.
(1890).
9. **T. Bihastatus**, Rehn, Proc. Acad. Nat. Brazil.
Sci. Philad. lvi. p. 677 (1905).
10. **T. Smithi**, Rehn, l. c. p. 678 (1905). id.

Genus 154. **Stiphra.** (*Type* n. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 107 (1890).

- | | | |
|--------|---|----------|
| + 1. | S. Lobata, Brunn. l. c. p. 108. n. 1, pl. 4.
f. 6 (1890). | Bahia. |
| + * 2. | S. Tuberculata, Brunn. l. c. p. 108. n. 2
(1890). | Brazil. |
| + 3. | S. Gibbosa, Guér. (<i>Proscopia</i> G.) Icon.
R. Anim., Ins. p. 339 (1844).
<i>S. Gibbosa, Brunn.</i> l. c. pp. 108, 109. n. 3
(1890). | Bolivia. |

Genus 155. **Taxiarchus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 109 (1890).

- | | | |
|---------|---|----------------------|
| + 1. | T. Giganteus, Klug, (<i>Proscopia Gigantea</i>) Hor. Phys. Berol. p. 18. n. 1, pl. 3.
f. 1 (1820); St. Farg. & Serv. Encycl. Méth., Ins. x. p. 212. n. 1 (1825); Serv. Ann. Sci. Nat. xxii. p. 265. n. 1 (1831); Burm. Handb. Ent. ii. p. 604. n. 8 (1838); Brunn. (♀ nec ♂) l. c. pp. 95, 97. n. 4 (1890). | Brazil. |
| + * | <i>T. Superbus, Brunn.</i> l. c. p. 110. n. 1, pl. 4.
f. 7 a, b (1890). | |
| + 2. | T. Subgranulatus, Walk. (<i>Proscopia Subgranulata</i>) Cat. Derm. Salt. B. M. iii. p. 492. n. 31 (1870). | Colombia. |
| + 3. | T. Heteropoda, Stoll, (<i>Phasma</i> H.) Spectres, Phasm. p. 69, pl. 24. f. 90 (1813).
** <i>Proscopia Incisa, Walk.</i> l. c. p. 491. n. 28 (1870). | Surinam,
Para. |
| + ** 4. | T. Attenuatus, Walk. (<i>Proscopia Attenuata</i>) l. c. p. 491. n. 27 (1870).
<i>T. Paraensis, Rehn,</i> Ent. News, xvii. pp. 332, 333 fig. (1906). | Santarem,
Obydos. |
| + ** 5. | T. Sublævis, Walk. (<i>Proscopia S.</i>) l. c. p. 490. n. 26 (1870). | Villa Nova. |
| 6. | T. Septentrionalis, Rehn, l. c. xvi. p. 313 (1905). | Costa Rica. |

Genus 156. **Anchotatus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 110 (1890). 0-225.

- | | | |
|-------|--|-------------------|
| † *1. | A. Peruvianus, Brunn. l. c. pp. 110, 111. n. 1, pl. 5. f. 8 A-C (1890). | Peru,
Ecuador. |
| † *2. | A. Subapterus, Brunn. l. c. pp. 110, 111. n. 2 (1890). | id. |
| | 3. A. Camposi, Bol. Bull. Soc. Ent. France, 1897, p. 215. 0-1669. | Peru. |

Genus 157. **Epigrypa.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 112 (1890). 0-215.

- | | | |
|------|---|------------|
| † 1. | E. Variegata, Brunn. l. c. p. 112. n. 1 (1890). | Bogota. |
| † 2. | E. Curvicollis, Brunn. l. c. pp. 112, 113. n. 2. pl. 5. f. 9 A-B (1890). | Guayaquil. |

E. brevicauda S. Coll.

Genus 158. **Hybusa.** (*Type* no. 1.)

Erichs. Arch. Naturg. x. (2) p. 298 (1844);

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 113 (1890). 0-225.

- | | | |
|-------|---|--------|
| † *1. | H. Occidentalis, Westw. (<i>Proscopia</i> O.) Arc. Ent. ii. p. 53, pl. 63. f. 1 (1843); Erichs. l. c. p. 298 (1844).
<i>H. Occidentalis, Brunn.</i> l. c. p. 114. n. 1, pl. 5. f. 10 (1890). | Chile. |
| *2. | H. Coniceps, Blanch. (<i>Proscopia</i> C.) Gay, Faun. Chil. vi. p. 63. n. 4 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 238. n. 5 (1863). | id. |
| 3. | H. Reedi, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 679 (1905). | id. |

Genus 159. **Cephalocœma.** (*Type* no. 1.)

Serv. Ins. Orth. p. 577 (1839); Burm. Abhandl. Ges. Halle, xv. p. 3 (1880); Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 114 (1890). 0-225.

- | | | |
|-------|---|-----------------------|
| † *1. | C. Sica, Serv. (<i>Proscopia</i> S.) l. c. p. 577. n. 4, pl. 14. f. 1 (1839).
<i>C. Sica, Burm.</i> l. c. p. 8. n. 2 (1880); Brunn. l. c. p. 115. n. 1 (1890). | Brazil,
Argentina. |
| † *2. | C. Multispinosa, Brunn. l. c. pp. 115, 116. n. 2 (1890). | Brazil. |

3. **C. Costulata, Burm.** l. c. p. 9. n. 3, pl. 1.
ff. 3-7 (1880); Brunn. l. c. pp. 115, 116.
n. 3 (1890); Giglio-Tos, Boll. Mus.
Torino, xii. (302) pp. 19, 20 (1897);
Brun. 2nd Rep. Locust Comm. B. Aires,
p. 20, pl. 6 (1900); P. U.S. Nat. Mus.
xxx. p. 619, pl. 36. f. 1 (1906).

Brazil,
Argentina,
Paraguay.
4. **C. Calamus, Burm.** l. c. p. 11. n. 4
(1880); Brunn. l. c. pp. 115, 116. n. 4
(1890).

Argentina.
5. **C. Burmeisteri, Brun.** P. U.S. Nat.
Mus. xxx. p. 619 (1906).
Cephalocæma Calamus (?), Brun. l. c.
(1906).

Paraguay.
6. **C. Canaliculata, Guér.** (*Proscopia C.*)
Icon. R. Anim., Ins. p. 340 (1844).

Bolivia.
7. **C. Acuminata, Scudd.** Proc. Boston Soc.
Nat. Hist. xii. p. 337. n. 15 (1869),
xxvii. p. 206. n. 44 (1896); Brunn. l. c.
pp. 115, 117. n. 5 (1890).

Peru.
8. **C. Hastata, Scudd.** (*Astroma H.*) ll. cc.
xvii. p. 266. n. 16 (1875); xxvii. p. 206.
n. 2 (1896).

id.
8. **C. Borellii, Giglio-Tos,** (*Prosarthria B.*)
l. c. ix. (184) p. 4 (1894). o-231.
C. Borellii, Giglio-Tos, l. c. xii. (302)
p. 19 (1897). o-454.

Paraguay.
10. **C. Caizana, Giglio-Tos,** l. c. pp. 19, 20
(1897).

Bolivia.
11. **C. Teretiuscula, Brunn.** l. c. pp. 115, 117.
n. 6 (1890); Giglio-Tos, l. c. p. 20 (1897).

Brazil.
12. **C. Chapadensis, Rehn,** Proc. Acad. Nat.
Sci. Philad. lvi. p. 681 (1905).

id.,
Paraguay.
13. **C. Obtusa, Giglio-Tos,** l. c. p. 20 (1897).

Argentina.
14. **C. Magna, Giglio-Tos,** l. c. (1897).

id.
15. **C. Gigantea, Giglio-Tos,** l. c. p. 21 (1897)

id.
16. **C. Lancea, Burm.** l. c. p. 7. n. 1, pl. 1.
ff. 1, 2 (1880); Brunn. l. c. pp. 115, 118.
n. 7 (1890).

id.
17. **C. Lineata, Brunn.** ll. cc. n. 8, pl. 5.
f. 11 (1890).

La Plata.
18. **C. Flavirostris, Blanch.** (*Proscopia F.*)
Gay, Faun. Chil. vi. p. 61. n. 2 [Orth.
pl. 2. f. 5, ined.] (1852).

Chile.
19. **C. Australis, Phil.** (*Proscopia A.*)
Zeitschr. ges. Naturw. xxi. p. 238. n. 4
(1863).

id.

† Genus 160. **Astroma.** (*Type* n. 1.)

Charp. Orth. pl. 4 (1841);

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 119 (1890). 0-125.

- + *1. **A. Chloropterum, Charp.** l. c. pl. 4 (Chile,
(1841); Brunn. l. c. pp. 119, 120. n. 1 Patagonia.
(1890).

*Proscopia Scarspinosa, Phil. Zeitschr. ges.
Naturw. xxi. p. 237. n. 2 (1863).*

♂. *Proscopia (Astroma) Filiformis, Sauss.
Rev. Zool. (2) xiii. p. 313 (1861).*

*Proscopia Gracilis, Phil. l. c. p. 237. n. 3
(1863).*

*Proscopia Armaticollis, Blanch. Gay, Hist.
Chil., Zool. vi. p. 62. n. 3 [Orth. pl. 2.
ff. 6, 6 a-c, ined.] (1852).*

- + 2. **A. Striatum, Blanch.** (*Proscopia Striata*), Chile.
l. c. p. 60. n. 1 (1852); Phil. l. c. p. 237.
n. 1 (1863).

*A. Striatum, Brunn. l. c. pp. 119, 122.
n. 5 (1890).*

- + *3. **A. Compactum, Brunn.** l. c. pp. 119, id. *mex.*
120. n. 2, pl. 5. f. 12 A-B (1890).

- + 4. **A. Granulosum, Brunn.** l. c. pp. 119, id.
121. n. 3 (1890).

- + 5. **A. Foliatum, Brunn.** ll. cc. n. 4, pl. 5. id.
f. 12 c (1890).

6. **A. Subaptera, Westw.** (*Proscopia (Ce-
phalocœma) S.*) Arcana Ent. ii. p. 55,
pl. 63. f. 2 (1845). Brazil.

SUBFAM. V.

TRUXALINÆ.

Genus 161. **Acrida.** (*Type* no. 13.)

Gryllus Acrida, Linn. Syst. Nat. (ed. x.) p. 427 (1758).

*Acrida, Stål, Rec. Orth. i. pp. 88, 95 (1873); Bol. Ortópt.
Españ. pp. 100, 102 (1876); An. Soc. Españ. v. pp. 306,
308 (1876); Ann. Sci. Nat. Porto, iv. pp. 212, 221 (1897);
Kirb. & Burr, Trans. Ent. Soc. Lond. 1902, pp. 61, 149,
155; Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp.
pp. 164, 175, 213 (1902).*

Tryxalis, pt., *Fabr. Syst. Ent.* p. 279 (1775); *Leach, Edin. Encycl.* ix. p. 120 (1815); *Latr. Gen. Crust. Ins.* iii. p. 281 (1802), xii. p. 117 (1804); *Beauv. Ins. Afr. Amér.* p. 16 (1805); *Thunb. Mém. Acad. Pétersb.* v. pp. 217, 263 (1815); *Nova Acta Sci. Upsal.* ix. p. 76 (1827); *Burm. Handb. Ent.* ii. pp. 602, 606 (1838); *Serv. Ann. Sci. Nat.* xxii. p. 266 (1831); *Ins. Orth.* p. 578 (1839); *Finot, Orth. France*, pp. 40, 46 (1883); *Faune France, Orth.* pp. 100, 102 (1889); *Ann. Soc. Ent. France*, lxiv. pp. 409, 410 (1895).

Tryxalis, *Brullé, Hist. Nat. Ins.* ix. p. 216 (1835); *Fisch. Orth. Eur.* pp. 296, 298 (1853); *Friv. Ertsek. Termesz. Kör.* i. (12) pp. 134, 137 (1868); *Brunn. Syn. Eur. Orth.* pp. 83, 87 (1882); *Bol. Feuille Jeunes Nat.* xxiii. p. 161 (1893); *Tümp. Geradfl. Mitteleuropas*, pp. 216, 237 (1900).

Tryxalis, *Fisch.-Waldh. Orth. Ross.* iv. pp. 228, 229 (1846).

1. **A. Brunneriana, Bol.** (*Tryxalis B.*) Madagascar
l. c. pp. 161, 163. n. 2 (1893).
A. Brunneriana, Burr. Trans. Ent. Soc.
Lond. 1902, pp. 156, 158. n. 1.
A. Radama, Sauss. Abhandl. Senckenb.
Ges. xxi. p. 629. n. 1, pl. 38. ff. 29, 30
(1898).
 - *2. **A. Sanguinea, Sauss.** l. c. p. 629. n. 2 id.
(1898); *Burr, l. c.* pp. 156, 159. n. 2
(1902).
 - *3. **A. Liberta, Burr,** l. c. pp. 156, 160. n. 3 Slave Coast.
(1902).
 4. **A. Crocea, Bol.** (*Tryxalis C.*) *Jorn. Sci.* Angola,
Lisb. (2) i. p. 91. n. 52 (1889); *Feuille Natal,*
Jeunes Nat. xxiii. pp. 161, 163. n. 1 (1893). *Transvaal.*
A. Crocea, Burr, l. c. pp. 156, 160. n. 4
(1902).
 - **5. **A. Ensis, Burr,** *Bull. Liverpool Mus.* ii. Sokotra.
p. 43. n. 3 (1899); *Trans. Ent. Soc. Lond.*
1902, pp. 156, 161. n. 5; *Nat. Hist.*
Sokotra, p. 416. n. 12, pl. 25. ff. 4, 4a
(1903).
 6. **A. Intercalata, Burr,** *Trans. Ent. Soc.* Madagascar
Lond. (1902) pp. 156, 162. n. 6.
 - *7. **A. Acuminata, Stål,** l. c. p. 97. n. 8 (1873); S. & W.
Burr, l. c. pp. 157, 162. n. 7 (1902); *Africa.*
Karny, Sitz. Akad. Wiss. Wien, Math-
nat. Kl. cxvi. p. 107. n. 106, pl. 3. f. 53
(1907).
- Tryxalis Acuminata, Bol. Feuille Jeunes*
Nat. xxiii. pp. 162, 164. n. 1 (1893).

8. **A. Maxima, Karny**, l. c. p. 107. n. 107, pl. 3. ff. 54, 55 (1907). Soudan.
9. **A. Carinulata, Bol.** (*Tryxalis C.*) Journ. Sci. Lisbon. (2) i. p. 90. n. 51 (1889); Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 5 (1893). Cape Verdes.
A. Carinulata, Burr, l. c. pp. 157, 163. n. 8 (1902).
- *10. **A. Madecassa, Brancs.** (*Tryxalis M.*) Jahresh. Ver. Trencs. Com. xv.-xvi. p. 186 (1893). Madagascar
- *11. **A. Stæli, Bol.** (*Tryxalis Stali*) Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 8 (1893). W. Africa.
A. Ståli, Burr, l. c. pp. 157, 169. n. 12 (1902).
 || *A. Sulphuripennis, Stål (nec Gerst.)*, l. c. p. 95. n. 1 (1873).
- *12. **A. Sulphuripennis, Gerst.** (*Tryxalis S.*) Arch. f. Nat. xxxv. (1) p. 215. n. 50 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 33. n. 50, pl. 3. f. 1 (1873). E. Africa.
A. Sulphuripennis, Burr, l. c. pp. 157, 168. n. 11 (1902).
- *13. **A. Turrita, Linn.** (*Gryllus Acrida Turritus*) Syst. Nat. (ed. x.) p. 427. n. 12 (1758). Africa, S. Europe, W., S., & Central Asia.
A. Turrita, Stål, l. c. p. 96. n. 3 (1873); Kirb. Trans. Ent. Soc. Lond. 1902, p. 61. n. 10; Bol. Ortópt. Españ. p. 102. n. 1, pl. 2. ff. 14, 15 (1876); An. Soc. Españ. v. p. 308. n. 1, pl. 11. ff. 14, 15 (1876); Jacobs. & Bianchi, l. c. pp. 176, 214 (1902).
 || *Gryllus Acrida Nasutus, Linn.* Mus. Ludov. Ulr. (*nec Syst. Nat. ed. x.*) p. 118. n. 9 (1764).
 [Rösel, Ins.-Belust. ii. Locust. Ind. p. 23, pl. 4. f. 1 (1749).]
Gryllus Nasutus, Sulz. Kennz. Ins. pl. 8. f. 57 (*nec p. 20*) (1761); Blanch. Cuvier, Règne Anim., Ins. ii. Atlas, pl. 84. ff. 2, 2 a-f (1860).
 || *Truxalis Nasutus, Fabr. (nec Linn.)* Syst. Ent. p. 279. n. 1 (1775); Latr. l. c. xii. p. 147. n. 1, pl. 94. f. 5 (1804); Beauv.

- l. c. p. 16, pl. 2. ff. 1, 1a (1805); Thunb. ll. cc. p. 264 (1815); pp. 78, 85 (1827).
Truxalis Nasuta, *Charp.* Hor. Ent. p. 126 (1825); *Burm.* l. c. p. 606. n. 1 (1838); *Serv. Ins. Orth.* p. 580. n. 1 (1839); *Finot.* ll. cc. p. 46 (1883); p. 102, pl. 4. f. 59 (1889); p. 411 (1895).
Tryxalis Nasutus, *Brullé*, l. c. p. 217 [pl. 19. f. 1, ined.] (1835); *Fieb. Lotos*, iii. p. 97. n. 2 (1853); *Syn. Eur. Orth.* p. 8. n. 2 (1854).
Tryxalis Nasuta, *Fisch.* l. c. p. 299. n. 1, pl. 15. ff. 1, 1a, 1b, 2 (1853); *Friv.* l. c. p. 137. n. 1, pl. 6. f. 3 (1868); *Brunn.* l. c. p. 88. n. 1 (1882); *Bol. Feuille Jeunes Nat.* xxiii. pp. 163, 164. n. 10 (1893); *Tümp.* l. c. pp. 216, 237 (1900); *Jacobs. & Bianchi*, l. c. pl. 2 (1902).
Troxallis Nasutus, *Fisch.-Waldh.* l. c. p. 230 (pt.) (1846).
♂. *Truxalis Ungaricus*, *Herbst*, *Fuessly*, *Archiv Ins.* p. 192. n. 2, pl. 52. f. 7 (1786).
Truxalis Ungarica, *Fisch.-Waldh.* l. c. pl. 10. f. 2 (1846).
♂. *Truxalis Tenais*, *Beaur.* l. c. p. 17, *Orth.* pl. 2. f. 3 (1805).
Truxalis Pellucida, *Klug*, *Symb. Phys.* pl. 18. ff. 5-7, 9 (1830).
Truxalis Unicolor, *Thunb.* ll. cc. p. 263 (1815); pp. 78, 85 (1827).
A. Nasuta, *Burr.* l. c. pp. 157, 164. n. 9 (1902).
A. Nasuta, varr. *Straminea* & *Graminea*, *Shug.* Hor. Soc. Ent. Ross. xxxviii. p. 116 (1907).
*14. **A. Gigantea**, **Herbst** (*Truxalis Giganteus*), *Fuessly*, *Archiv. Ins.* p. 191. n. 1, pl. 52. f. 6 (1794).
[*Rösel*, l. c. p. 24, pl. 4. f. 2 (1749).]
A. Gigantea, *Kirb.* l. c. p. 62. n. 11 (1902).
¹¹ *Truxalis Hungaricus*, *Fabr.* (nec *Herbst*) *Ent. Syst.* ii. p. 27. n. 4 (1793).
Gryllus (Locusta) Obscurus, *Stoll*, *Spectres*, *Saut.* p. 19, pl. 8 b. f. 27 (1813).
¹¹ *Gryllus Acrida Nasutus*, pt., *Linn.* *Mus. Ulr.* (nec *Syst. Nat.* ed. x.) p. 118. n. 9 (1764).
¹¹ *Truxalis Nasuta*, *Fisch.-Waldh.* l. c. pl. 10. f. 1 (1846).

S. Europe,
 Africa,
 Asia.

- *15. **A. Rufescens, Beauv.** (*Truxalis R.*) l. c. W. Africa.
p. 17, Orth. pl. 2. f. 2 (1805).
A. Rufescens, Stål, Recens. Orth. i. p. 97.
n. 7 (1873); Burr, l. c. pp. 157, 167. n. 10
(1902).
A. Nasuta, var. *Rosacea*, *Shug.* l. c. p. 117
(1907).
16. **A. Lineata, Thunb.** (*Truxalis Lineatus*) Morocco,
ll. cc. p. 266 (1815); pp. 79, 85 (1827). Erythræa.
Tryxalis Lineata, Giglio-Tos. Boll. Mus.
Torino, xxii. (554) p. 5 (1907).
17. **A. Chinensis, Westw.** (*Truxalis C.*) China.
Donovan, Ins. China, p. 22, pl. 10. f. 1
(1842).
|| *Gryllus Nasutus, Don. (nec Linn.)* Ins.
China, pl. 10. f. 1 (1798).
|| *A. Lineata, Stål (nec Thunb.)*, l. c. p. 95.
n. 2 (1873).
|| *Tryxalis Lineata, Bol.* l. c. pp. 161, 163.
n. 3 (1893).
- *18. **A. Lata, Motsch.** (*Truxalis L.*) Bull. Sci. Japan,
Nat. Mosc. xxxix. (1) p. 181 (1866). China.
A. Lata, Jacobs. & Bianchi, l. c. p. 214
(1902).
19. **A. Csikii, Bol.** Zichy, 3tes Asiat. Forschungs- Pekin.
ungsreise, ii. p. 228. n. 7 (1901); Jacobs.
& Bianchi, l. c. pp. 176, 213 (1902).
20. **A. Bicolor, Thunb.** (*Truxalis B.*) ll. cc. Egypt (?).
p. 266 (1815); pp. 79, 87 (1827).
A. Bicolor, Stål, l. c. p. 97. n. 6 (1873).
Truxalis Pellucida, Klug (pt.), l. c. pl. 18.
f. 8 (1830).
21. **A. Cinerea, Thunb.** (*Truxalis Cinereus*) China,
ll. cc. p. 263 (1815); pp. 77, 79 (1827). Java.
♀. *Truxalis Testaceus, Thunb.* ll. cc. p. 265
(1815); pp. 78, 81 (1827).
A. Testacea, Stål, l. c. p. 96. n. 4 (1873).
- *22. **A. Exaltata, Walk.** (*Truxalis E.*) Ann. India,
Nat. Hist. (3) iv. p. 222 (1859). Ceylon.
Tryxalis Brevicollis, Bol. Feuille Jeunes
Nat. xxiii. pp. 162, 164. n. 9 (1893).
A. Brevicollis, Burr, l. c. pp. 157, 170. n. 14
(1902).
23. **A. Rendalli, Kirb.** l. c. p. 62. n. 12 Barberton.
(1902).
- **24. **A. Aspersata, Kirb.** l. c. p. 63. n. 13 Transvaal.
(1902).

- *25. **A. Lugubris**, Burr, l. c. pp. 157, 170. Ind., Ceyl.,
n. 13 (1902). Celebes.
- *26. **A. Propinqua**, Burr, l. c. pp. 157, 171. S. & W.
n. 16 (1902). Africa.
27. **A. Subtilis**, Burr, ll. cc. n. 15 (1902). Madagascar
- **28. **A. Conica**, Fabr. (*Truxalis Conicus*) Spec. Australia.
Ins. i. p. 352. n. 2 (1781); Thunb. Nova
Acta Upsal. ix. pp. 79, 87 (1827).
A. Conica, Stål, l. c. p. 98. n. 9 (1873).
Truxalis Interruptus, Thunb. Mém. Acad.
Pétersb. p. 269 (1815).
Truxalis Rafflesii, Blanch. Voy. Pôle Sud,
Zool. iv. p. 366 (1853).
|| *Truxalis Nasutus*, var., Blanch. (*nec* Linn.)
l. c. Atlas, Zool. Orth. pl. 2. ff. 3, 4 (1853).
Truxalis Rafflesii, Frogg. Agric. Gaz. N. S.
Wales, xv. p. 240, plate, f. 2 (1904).
** ♂. *Truxalis Scitula*, Walk. Cat. Derm. Salt.
B. M. iii. p. 496. n. 7 (1870).
29. **A. (?) Thrymmatoptera**, Karsch, Berlin. Adeli.
Ent. Zeitschr. xxxviii. pp. 55, 57, f. 1
(1893); Burr, Trans. Ent. Soc. Lond.
1902, pp. 158, 171. n. 17.

Genus 162. **Acridella**. (*Type* no. 3.) ^{not originally included.}
Bol. Feuille Jeunes Nat. xxiii. p. 163 (1893). ^{as nasuta, not a}
^{new subspecies.}

- *1. **A. Pharaonis**, Klug, (*Truxalis P.*) Symb. Egypt,
Phys. pl. 14 (1830). Nubia,
♂. *Truxalis Miniata*, Klug, l. c. pl. 18. Algeria,
ff. 1, 2 (1830); Serv. Ins. Orth. p. 583. Bagdad.
n. 4 (1839); Finot, Ann. Soc. Ent.
France, lxiv. pp. 411, 413 (1895).
Acrida Miniata, Jacobs. & Bianchi, Prem. i
Lozhn. Ross. Imp. pp. 176, 214 (1902).
- *2. **A. Grandis**, Klug, (*Truxalis G.*) l. c. Egypt,
pl. 15. f. 1 (1830). Nubia.
- *3. **A. Nasuta**, Linn. (*Gryllus Acrida Nasu-* S. Europe,
tus) Syst. Nat. (ed. x.) i. p. 427. n. 11 Africa,
(1758) (*nec* Linn. Mus. Ulr. 1764!); W. Asia.
Sulz. Gesch. Ins. p. 82, pl. 8. f. 5 (1776).
Acrida Nasuta, Stål, Rec. Orth. i. p. 99. n. 10
(1873); Elfv. Vet.-Akad. Förh. xxxiii.
(3) p. 46. n. 2 (1876); Bol. Ortópt. Españ.
pp. 102, 103. n. 2, pl. 2. f. 16 (1876); An.
Soc. Españ. vi. p. 309. n. 2, pl. 11. f. 16

- (1876); Ann. Sci. Nat. Porto, iv. p. 221. n. 1 (1897); Jacobs. & Bianchi, l. c. pp. 176, 214 (1902).
- Tryxalis Nasuta*, K^{irb}. Trans. Ent. Soc. Lond. 1902, p. 64. n. 18.
- Tryxalis Annulatus*, Thunb. Mém. Acad. Pétersb. v. p. 267 (1815); Nova Acta Upsal. ix. pp. 78, 81 (1827).
- Tryxalis Nebulosus*, Thunb. ll. cc. p. 267 (1815); pp. 78, 83 (1827).
- (?) *Acrida Nebulosa*, Stål, l. c. p. 96. n. 5 (1873).
- Tryxalis Bilineatus*, Thunb. ll. cc. p. 268 (1815); pp. 78, 82 (1827).
- Tryxalis Undatus*, Thunb. Nova Acta Upsal. ix. pp. 78, 82 (1827).
- Tryxalis Evimius*, Eichw. Zool. Spec. ii. p. 239. n. 2 (1830).
- Gryllus Brasiliensis*, Dru. Ill. Exot. Ent. ii. pl. 40. f. 1 (1773).
- Tryxalis Brasiliensis*, Westw. Drury, l. c. p. 85, pl. 40. f. 1 (1837).
- Tryxalis Erythropterus*, Latr. Gen. Crust. Ins. xii. p. 148. n. 2 (1804).
- Tryxalis Scalaris*, Klug, l. c. pl. 15. ff. 2-4 (1830).
- Tryxalis Miniata*, Klug, l. c. pl. 18. ff. 3, 4 (nec 1, 2) (1830).
- Tryxalis Variabilis*, Klug, l. c. pl. 17. ff. 3-6 (1830); Brullé, Hist. Ins. ix. p. 218 (1835); Burm. Handb. Ent. ii. p. 607. n. 2 (1838); Serv. l. c. p. 582. n. 2 (1839).
- Acrida Variabilis*, Burr, Trans. Ent. Soc. Lond. 1902, pp. 158, 172. n. 18.
- Tryxalis Proceræ*, Klug, l. c. pl. 16. ff. 2, 3 (1830).
- Tryxalis Conspurcata*, Klug, l. c. pl. 17. f. 1 (1830).
- Tryxalis Klugii*, Fieb. Lotos, iii. p. 97. n. 1 (1853), iv. p. 177. n. 1 (1854); Syn. Eur. Orth. p. 8. no. 1 (1854).
- Tryxalis Unguiculata*, Ramb. Faune Andal. ii. p. 72. n. 1 (1839); Finot, Ann. Soc. Ent. France, lxiv. pp. 411, 412 (1895).
- Tryxalis Unguiculata*, Fisch. Orth. Eur. p. 301. n. 2, pl. 15. ff. 3, 3 a, 4 (1853);

Bruun. Prodr. Eur. Orth. pp. 88, 90, n. 2.
pl. 4. f. 21 (1882).

4. **A. Indica, Bol.** (*Calanus* (*Calanilla*)) India.
Cannulata, var. *Indica*; Ann. Soc. Ent.
France, lxx. p. 589 (1902).

5. **A. Fuscofasciata, Bol.** (*Tegodis* F.) Angola.
J. Sci. Lisboa, (2) i. p. 93, n. 58 (1889);
Feuille Jeunes Nat. xxiii. pp. 163, 164
n. 14 (1893).

Acerida Fuscofasciata, Burr, l. c. pp. 158,
175. n. 19 (1902).

- *6. **A. Somalia, Burr**, l. c. pp. 158, 177. Somali.
n. 21 (1902).

- *7. **A. Serrata, Thunb.** (*Tegodis Serratus*) S. Africa.
Mem. Acad. Pétersb. v. p. 269 (1815);
Nova Acta Upsal. ix. pp. 78, 84 (1827).

Acerida Serrata, Stål, l. c. p. 100. n. 11
(1873); Burr, l. c. pp. 158, 176. n. 20
(1902).

Tryxalis Serrata, Bol. Feuille Jeunes Nat.
xxiii. p. 163. n. 13 (1893).

Tracalis Denticatus, Thunb. ll. cc. p. 270
(1815); pp. 79, 88 (1827).

Tracalis Constricta, Schumbr. Ber. Akad.
Wiss. Berlin, 1853, p. 778. n. 15; Peters,
Reise Mossamb., Ins. p. 129, pl. 7 A. f. 1
(1862).

**Tegodis Latissima*, Walk. Cat. Derm. Salt.
B. M. iii. p. 496. n. 8 (1870).

Genus 163. **Calanus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 596 (1870).

Cannula, Bol., Bol. Soc. Españ. vi. p. 391 (1906).

|| *Calamus*, Sauss. (nec Swains.) Ann. Soc. Ent. France, (4) i.
p. 476 (1861); Karsch, Berlin. Ent. Zeitschr. xxxviii.
pp. 52, 56 (1893); Burr, Trans. Ent. Soc. Lond. 1902,
pp. 154, 184.

- *1. **C. Linearis, Sauss.** (*Calamus* L.) l. c. Abyssinia.
p. 476. n. 6, pl. 11. f. 3 (1861); Griff.
Boll. Mus. Torino, xii. (290) p. 5. n. 3
(1897); Burr, l. c. p. 184. n. 32 (1902).
Cannula Linearis, Griff. Boll. Mus. Torino,
xxii. (554) p. 5 (1907).

- | | |
|--|--------|
| *2. C. Karschi, Kirb. (n. n.). | Adeli. |
| <i>Calamus Linearis, Karsch (nec Sauss.)</i> , l. c. pp. 56, 57. n. 3, f. 3 (1893); Burr (pt.). l. c. p. 185 (1902). | |
| 3. C. (?) Gracilis, Burm. (<i>Mesops G.</i>) | Cape. |
| Handb. Ent. iii. p. 610. n. 2 (1838). | |

Genus 164. **Oxyolena.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 52, 58 (1893);
Burr, Trans. Ent. Soc. Lond. 1902, p. 155.

- | | |
|---|--------|
| 1. O. Mucronata, Karsch , l. c. p. 58. n. 4, | Adeli. |
| p. 57. f. 2 (1893). | |

Genus 165. **Glyphoclonus.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 249 (1896).

- | | |
|--|--------|
| *1. G. Miripennis, Karsch , l. c. p. 250. | Nyasa. |
| n. 9, f. 2 (1896). | |
| 2. G. Nigrescens, Giglio-Tos , Boll. Mus. | Congo. |
| Torino, xxii. (554) p. 6 (1907). | |

Genus 166. **Parga.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. iii. p. 504 (1870).

|| *Amycus, Stål (nec Koch)*, Öfvers. Vet.-Akad. Förh. xii. p. 353 (1855); Recens. Orth. i. pp. 89, 100 (1873); Karsch, Berlin. Ent. Zeitschr. xxviii. pp. 52, 59 (1893); Burr, Trans. Ent. Soc. Lond. 1902, pp. 155, 185.

- | | |
|---|--|
| *1. P. Xanthoptera, Stål , (<i>Amycus Xanthopterus</i>) Öfvs. Vet.-Akad. Förh. xii. p. 353 (1855); Burr, l. c. p. 186. n. 34 (1902); (?) Bol. Jorn. Sci. Lisb. (2) i. p. 94. n. 59 (1889). | Natal,
Caffraria. |
| 2. P. Rhodiptera, Stål , (<i>Amycus Rhodipterus</i>) l. c. p. 353. n. 2 (1855); Karsch, l. c. p. 59. n. 5 (1893). | |
| 3. P. Tæniata, Bol. (<i>Machæridia T.</i>) Jorn. Sci. Lisb. (2) i. p. 94. n. 61 (1889). | Natal,
Transvaal,
Adeli.
W. Africa. |
| 4. P. Strigosa, Bol. (<i>Machæridia S.</i>) l. c. p. 95. n. 62 (1889). | |
| **5. P. Spatulata, Walk. l. c. p. 505. n. 1 (1870). | id.
Natal. |

6. **P. Achromoptera**, **Karsch**, (*Amycus Achromopterus*) Stettin. Ent. Zeit. lvii. p. 250. n. 10 (1893); Burr, l. c. p. 186. n. 35 (1902). Nyasa.

Genus 167. **Ocnocerus**. (*Type* no. 1.)

Bol. Journ. Sci. Lisb. (2) i. p. 98 (1889); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 53, 63 (1893).

- | | |
|---|-----------|
| 1. O. Bayaoi , Bol. l. c. p. 99. n. 71, pl. 1. | Braganza. |
| ff. 4, 4 a (1889). | |
| 2. O. Diabolicus , Karsch , l. c. pp. 63, 64. | Adeli. |
| n. 10, f. 5 (pt.) (1893). | |
| 3. O. Sulculatus , Karsch , ll. cc. n. 11, f. 5 | id. |
| (pt.) (1893). | |

Genus 168. **Acteana**.

Karsch, Stettin. Ent. Zeitschr. lvii. p. 255 (1896).

1. **A. Alazonica**, **Karsch**, l. c. p. 255. n. 17, Zanzibar. f. 7 (1896).

Genus 169. **Moraba**.

Walk. Cat. Derm. Salt. B. M. iii. p. 505 (1870).

- **1. **M. Serricornis**, **Walk.** l. c. n. 1 (1870). Australia.

Genus 170. **Amphicremna**. (*Type* no. 1.)

Karsch, Stettin. Ent. Zeitschr. lvii. p. 250 (1896); Burr, Trans. Ent. Soc. Lond. 1902, p. 154.

- | | |
|---|------------|
| 1. A. Scalata , Karsch , l. c. p. 251. n. 11, | W. Africa, |
| f. 3 (1896); Karny, Sitz. Akad. Wiss. | Gondokoro. |
| Wien, cxvi. p. 106. n. 104 (1907); Bol. | |
| Mém. Soc. Ent. Belg. xvi. p. 96. n. 59 | |
| (1908). | |
| 2. A. Tschoffeni , Bol. l. c. p. 95. n. 57 | Congo. |
| (1908). | |
| 3. A. Tæniata , Bol. l. c. p. 96. n. 58 | id. |
| (1908). | |

Genus 171. **Machæridia.** (*Type no. 1.*)

Stål, Recens. Orth. i. pp. 90, 100 (1873); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 52, 60 (1893); Burr, Trans. Ent. Soc. Lond. 1902, p. 155.

1. **M. Bilineata**, Stål, l. c. p. 100. n. 1 S. Leone.
(1873).
M. Bitoniata, Karsch, l. c. p. 60. n. 6
(1893).
2. **M. Conspersa**, Bol. Journ. Sci. Lisb. (2) Delagoa
i. p. 95. n. 63 (1869). Bay.
3. **M. (?) Macilenta**, Stål, Öfv. Vet.-Akad. Philippines.
Förh. xxxiv. (10) p. 53. n. 1 (1877).
4. **M. Cærulans**, Karny, Sitz. Akad. Wiss. Soudan.
Wien, cxvi. p. 105. n. 102 (1907).

Genus 172. **Wilverthia.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 96 (1908).

1. **W. Acuminata**, Bol. l. c. p. 97. n. 60 Congo.
(1908).

Genus 173. **Euthynous.**

Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 53 (1877).

1. **E. Cærulescens**, Stål, l. c. p. 54. n. 1 Philippines.
(1877).

Genus 174. **Odontomelus.** (*Type no. 1.*)

Bol. An. Soc. Españ. xix. p. 309 (1890); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 53, 61 (1893); Burr, Trans. Ent. Soc. Lond. 1902, p. 154.

- *1. **O. Brachypterus**, Gerst. (*Opomala Brachyptera*) Arch. Naturg. xxxv. (1) E. & W.
p. 216. n. 52 (1869); Von der Decken, Africa.
Reisen in Ost-Afrika, iii. (2) p. 34. n. 52,
pl. 2. ff. 5, 5 a (1873).
O. Brachypterus, Bol. l. c. p. 309, pl. 1.
ff. 6, 6 a (1890).
2. **O. Fullonius**, Karsch, Stettin. Ent. Chinchoxo.
Zeit. lvii. p. 251. n. 12 (1906); Bol.
Mém. Soc. Ent. Belge, xvi. p. 94. n. 55
(1908).

3. **O. Biafrensis**, **Bol.** Mem. Soc. Españ. i. | Biafra.
p. 219 (1905).
4. **O. Romi**, **Bol.** Mem. Soc. Ent. Belg. xvi. | Stanley
p. 94, n. 56 (1908). | Falls.

(Genus 175. **Psednura.** (*Type* no. 1.)

Burr, Gen. Ins. Orth., Eumastac. p. 22 (1903).

- *1. **P. Pedestris**, **Erichs.** (*Mesops Pedestris*) Australia,
Arch. Naturg. viii. p. 250, n. 217, pl. 5. Tasmania,
f. 10 (1842). New
Mesops Pedestris, *Mc Coy*, Prodr. Zool. Zealand.
Victoria, xiv. p. 152, pl. 139, ff. 5, 5 *a-g*,
6, 6 *a* (1887).
P. Pedestris, *Burr*, l. c. p. 22, n. 2 (1903).
2. **P. Viatica**, **Erichs.** (*Truvalis V.*) Arch. | Australia,
Naturg. viii. p. 250, n. 216 (1842). | Tasmania.
P. Viatica, *Burr*, l. c. p. 22, n. 1 (1903).

(Genus 176. **Rhadinotatum.**

Radinotatum, *McNeill*, Proc. Davenport Acad. Sci. vi. pp. 195,
199 (1897).

Rhadinotatum, *Scudd.* Guide N. Amer. Orth. p. 25 (1897);
Psyche, viii. pp. 232, 235 (1898); Burr, Trans. Ent. Soc.
Lond. 1902, p. 154; Brun. Biol. Centr.-Amer., Orth.
ii. pp. 26, 31 (1902, 1904).

|| *Trypalis*, *Thom.* (*nec Brullé*) Syn. Acrid. N. Amer. p. 57
(1873).

- *1. **R. Brevipenne**, **Thomas**, (*Trypalis* Florida,
Brevipennis) l. c. p. 58, pl. 1, f. 12 Mexico.
(1873).

Achurum Brevipenne, *Scudd.* Proc. Boston
Soc. N. H. xix. p. 88 (1877).

Radinotatum Brevipenne, *McNeill*, l. c.
p. 200, pl. 1, ff. 1, 1 *a*, 1 *b* (1897); Rehn
& Hebard, Proc. Acad. Nat. Sci. Philad.
lvi. p. 783 (1905).

Rhadinotatum Brevipenne, *Brun.* l. c. p. 31,
n. 1 (1904).

Genus 177. **Achurum.** (Type no. 1.)

Truxalis div. *Achurum*, *Sauss.* Rev. Zool. (2) xiii. p. 313 (1861); Thomas, Syn. Acrid. N. Amer. p. 195 (1873).

Achurum, *Stål*, Recens. Orth. i. pp. 89, 101 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 118 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 201 (1897); Scudd. Guide N. Amer. Orth. p. 25 (1897); Psyche, viii. p. 232 (1898); Burr, Trans. Ent. Soc. Lond. 1902, pp. 154, 178; Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 34 (1902, 1904).

1. **A. Sumichrasti**, **Sauss.** (*Truxalis* S.) Mexico,
l. c. p. 313 (1861); Thomas, l. c. p. 195
(1873). Arizona,
Guatemala.
A. Sumichrasti, *McNeill*, l. c. p. 202. n. 1,
pl. 1. ff. 2 a-c (1897); Burr, l. c. p. 178.
n. 23 (1902); Brun. l. c. p. 34. n. 1, pl. 1.
f. 6 (1904).
2. **A. Acridodes**, **Stål**, (*Truxalis* A.) Cefv. Mexico.
Vet.-Akad. Förh. xxx. (4) p. 52. n. 1
(1873).
A. Acridodes, *Stål*, Recens. Orth. i. p. 101.
n. 1 (1873); Thomas, Rep. Expl. W.
100th Merid. v. p. 865 (1875); Burr,
l. c. pp. 178, 179. n. 2 (1902); Brun.
l. c. pp. 34, 35. n. 2 (1904).
3. **A. Minimipenne**, **Caud.** Mus. Brooklyn Texas.
Inst. Sci. Bull. i. p. 110. n. 18, pl. 6.
ff. 3, 4 (1904).

Genus 178. **Pseudopomala.** (Type no. 2.)

Morse, Psyche, vii. pp. 325, 342 (1896); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 208 (1897); Scudd. Guide N. Amer. Orth. p. 40 (1897).

1. **P. Aptera**, **Scudd.** (*Opomala* A.) Trans. Pennsylv-
Amer. Ent. Soc. ii. p. 305 (1869);
Thomas, Syn. Acrid. N. Amer. p. 63
(1873).
P. Aptera, *McNeill*, l. c. p. 209. n. 1
(1897).
- *2. **P. Brachyptera**, **Scudd.** (*Opomala* B.) United
Boston Journ. Nat. Hist. vii. p. 454. n. 1 States.
(1862); Thomas, l. c. p. 63 (1873).
P. Brachyptera, *Morse*, Psyche, vii. pp. 325,
343. n. 6, pl. 7. ff. 6, 6 a, b (1896);

- McNeill, l. c. p. 209. n. 2. pl. 1. ff. 4, 4a, b (1897).
Mesops Carinatus, Walk. Cat. Derm. Salt. B. M. iii. p. 501. n. 7 (1870).
Opomida Carinata, Thom. l. c. p. 62 (1873).

Genus 179. **Acantherus.**

- Scudd. Proc. Davenport Acad. Sci. ix. p. 22 (1902);
 Brun. Biol. Centr.-Amer., Orth. ii. p. 36 (1904).

1. **A. Piperatus**, Scudd. l. c. p. 23, pl. 3. | New
 f. 3 (1902); Brun. l. c. p. 37, note | Mexico.
 (1904).

Genus 180. **Truxalis.** (Type no. 1.)

- Fabr. Syst. Ent. p. 279 (1775); Burm. Handb. Ent. ii. pp. 602, 606 (1838); Stål, Recens. Orth. i. pp. 92, 104 (1873);
 McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 210 (1897); Burr, Trans. Ent. Soc. Lond. 1902, p. 154; Brun. Biol. Centr.-Amer., Orth. ii. p. 35 (1904).
Metalepta, Brunn. Ann. Mus. Genova, xxxiii. p. 118 (1893);
 Brun. l. c. p. 26 (1902).
Trypocalis, Scudd. Guide N. Amer. Orth. p. 26 (1897); Psyche, viii. pp. 168, 232, 239 (1898).

- *1. **T. Brevicornis**, Linn. (*Gryllus* B.) America.

- Amœn. Acad. vi. p. 398. n. 37 (1764).
T. Brevicornis, Fabr. l. c. p. 279. n. 2 (1775); Thunb. Mém. Acad. Pétersb. v. p. 264 (1815); Nova Acta Soc. Upsal. ix. pp. 78, 84 (1827); Burm. l. c. p. 607. n. 3 (1838); Stål, l. c. p. 104. n. 1 (1873); McNeill, l. c. p. 211. n. 1, pl. 1. ff. 5, 5a, b (1897); Brun. l. c. p. 35. n. 1 (1904).
Pyraomorpha Brevicornis, Thomas, Syn. Acrid. N. Amer. p. 67 (1873).
Acrydium Ensicornu, De Geer, Mém. Ins. iii. p. 499. n. 16, pl. 42. f. 7 (1773).
Truxalis Notochlorus, Beauv. Ins. Afr. Amér. p. 80, pl. 3. f. 3 (1805).
Metalepta (Trypocalis) Notochloris, Brun. Bull. Lab. Nat. Hist. Iowa, iii. p. 63. n. 21 (1895).

Truxalis Viridulus, *Beauv.* l. c. p. 81, pl. 3. f. 4 (1805).

Truxalis Adpersa, *Blanch.*, D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216. n. 742, pl. 27. f. 2 (1837-1845).

These are
proposed. { *Opsomala Punctipennis*, *Serr.* Ins. Orth. p. 590. n. 5 (1839).
Pyrgomorpha Punctipennis, *Thomas*, l. c. p. 68 (1873).

Oxyccoryphus Burkhartianus, *Sauss.* Rev. Zool. (2) xiii. p. 314 (1861); *Thomas*, l. c. p. 202 (1873).

**Opomala Stenobothroides*, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 52 (1871); *Thomas*, l. c. p. 197 (1873).

2. **T. Angusticornis**, **Stål**, l. c. p. 105. n. 2 S. Carolina. (1873).

Genus 181. **Mermiria.** (Type no. 5.)

Stål, Recens. Orth. i. pp. 90, 102 (1873); *Thomas*, Rep. Geol. Surv. W. 100th Merid. v. Zool. p. 866 (1875); *McNeill*, Proc. Davenport Acad. Sci. vi. pp. 195, 203 (1897); *Scudd.* Guide N. Amer. Orth. p. 26 (1897); *Psyche*, viii. p. 232 (1898); *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 26, 37 (1902, 1904).

1. **M. Texana**, **Brun.** Proc. U.S. Nat. Mus. xii. p. 53, pl. 1. f. 11 (1890); *Biol. Centr. Amer.*, Orth. ii. p. 38. n. 1, pl. 1. ff. 19, 19 a (1904); *McNeill*, l. c. pp. 204, 206. n. 2 (1897); *Scudd.* Proc. Amer. Acad. Arts Sci. xxxv. pp. 41, 42 (1899).

Texas,
Arizona,
New Mex.,
Mexico.

2. **M. Maculipennis**, **Brun.** ll. cc. p. 54 (1890); pp. 38, 39. n. 2, pl. 1. f. 9 (1904).

Texas.

3. **M. Bivittata**, **Serv.** (*Opsomala B.*) Ins. Orth. p. 589. n. 4 (1838).

United
States.

Opomala Bivittata, *Glover*, Ill. N. Amer. Orth. pl. 6. f. 24, pl. 11. f. 7 (1872); *Thomas*, Syn. N. Amer. Orth. p. 64 (1873).

M. Bivittata, *McNeill*, l. c. pp. 204, 205. n. 1 (1897); *Scudd.* l. c. pp. 41, 42 (1899); *Brun.* l. c. pp. 38, 39. n. 3 (1904).

*4. **M. Intertexta**, **Scudd.** l. c. pp. 41, 42 (1899); *Brun.* l. c. pp. 38, 39. n. 4 (1904).

Georgia,
Texas.

5. **M. Neomexicana, Thomas**, (*Opomala* N.) Proc. Acad. Nat. Sci. Philad. 1870. New Mex., Wyoming, Texas, Mexico.
p. 77; Syn. Acrid. N. Amer. p. 65 (1873); Glover, l. c. pl. 16. f. 10 (1874).
- M. Neomexicana, Scudd.* Bull. U.S. Geol. Surv. ii. p. 262 (1876); Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 43 (1899); McNeill, l. c. pp. 205, 206. n. 4 (1897); Brun, l. c. pp. 38, 39. n. 5 (1904).
- M. Belfragii, Stål*, l. c. p. 102. n. 1 (1873); Thomas, Rep. Geol. Surv. W. 100th Merid. v. Zool. pp. 866, 900 (1875).
6. **M. Alacris, Scudd.** Proc. Boston Soc. Georgia, Texas.
Nat. Hist. xix. p. 30 (1877); Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 43 (1899); McNeill, l. c. pp. 205, 207. n. 5 (1897).
7. **M. Rostrata, McNeill**, l. c. pp. 206, 207. Indian Territory.
n. 6, pl. 1. f. 3 c, d (1897); Scudd. Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 44 (1899).
8. **M. Vigilans, Scudd.** l. c. pp. 42, 43 N. Carolina.
(1899).

Genus 182. **Hyalopteryx.** (*Type* no. 1.)

Charp. Orth. pl. 46 (1845); Burr, Trans. Ent. Soc. Lond. 1902, p. 154; Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 10 (1906); Brun, Proc. U.S. Nat. Mus. xxx. pp. 621, 622 (1906).

- *1. **H. Rufipennis, Charp.** l. c. pl. 46 (1845); Brazil.
Brun, l. c. p. 623 (1906).
2. **H. Lamellipes, Brun.** l. c. p. 623 (Feb. id.
1906).
H. Asiinus, Rehn, l. c. pp. 11-15, ff. 1-4 (May 1906).
- *3. **H. Specularis, Brun.** l. c. p. 623 (1906). Paraguay.
|| *H. Rufipennis, Rehn (nec Charp.)*, l. c. p. 11 (1906).
4. **H. Exaggeratus, Burr**, l. c. p. 183. n. 30 Brazil.
(1902); Brun, l. c. pp. 623, 625 (1906). Batavia.
5. **H. Rubripennis, Perty**, (*Truxalis* H.) Brazil.
Del. Anim. Art. p. 121. pl. 24. f. 1 (1832).

Genus 183. **Eutryxalis.** (*Type* no. 1.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 24 (1900);
Proc. U.S. Nat. Mus. xxx. pp. 621, 625 (1906).

- *1. **E. Gracilis, Giglio-Tos,** (*Hyalopteryx* | Argentina.
G.) Boll. Mus. Torino, xii. (302) p. 22
(1897); Brun. Proc. U.S. Nat. Mus. xxx.
pp. 623, 625 (1906).
E. Gracilis, Rehn, Proc. Acad. Nat. Sci.
Philad. lviii. p. 15 (1906).
|| *E. Minor, Brun. (nec Giglio-Tos)* 2nd Rep.
Locust Comm. B. Aires, p. 24 (1900).
2. **E. Strigata, Brun.** l. c. (1900). | id.

Genus 184. **Paropomala.** (*Type* no. 1.)

Scudd. Psyche, viii. p. 437 (1899);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 39 (1902, 1904).

1. **P. Calamus, Scudd.** l. c. p. 437 (1899); | California.
Brun. l. c. p. 40. n. 1 (1904).
2. **P. Wyomingensis, Thomas,** (*Opomula* | Wyoming,
W.) Rep. U.S. Geol. Surv. Montana, | Kansas,
p. 446, pl. 2. f. 8 (1871). | Nebraska.
Mesops Wyomingensis, Thomas, Proc. Acad.
Nat. Sci. Philad. 1871, p. 152; Syn.
Acrid. N. Amer. p. 59 (1873); Glover,
Ill. N. Amer. Orth. pl. 4. f. 9, pl. 11. f. 8
(1874).
P. Wyomingensis, Scudd. l. c. p. 437
(1899); Rehn & Uhl. Proc. Acad. Nat.
Sci. Philad. lviii. p. 399 (1906).
Mesops Cylindricus, Brun. Proc. U.S. Nat.
Mus. xii. p. 48 (1889).
P. Cylindrica, Scudd. l. c. p. 437 (1899).
3. **P. Pallida, Brun.** Biol. Centr.-Amer., | California.
Orth. ii. p. 40. n. 2 (1904).
4. **P. Dissimilis, Brun.** l. c. pp. 40, 41. n. 3 | id. (?).
(1904).
5. **P. Virgata, Scudd.** l. c. p. 437 (1899); | id. to
Brun. l. c. pp. 40, 41. n. 4 (1904). | New Mex.

Genus 185. **Papagoa.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 42 (1902, 1901).

1. **P. Arizonaensis, Brun.** l. c. p. 42. n. 1 | Arizona (?).
(1904).

Genus 186. **Syrbula.** (*Type* no. 2.)

Stål, Recens. Orth. i. pp. 90, 102 (1873); Thomas, Rep. Expl. W. 100th Merid. v. Zool. p. 869 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 220 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 233 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 42 (1902, 1904).

Ilerus, Rehn, Trans. Amer. Ent. Soc. xxviii. p. 91 (1900).
Type no. 6.

1. **S. Admirabilis, Uhl.** (*Stenobothrus A.*) | United
Proc. Ent. Soc. Philad. ii. p. 553 (1864); | States,
Glov. Ill. N. Amer. Orth. pl. 4. f. 13 | Mexico.
(1872); Thom. Syn. Acrid. N. Amer.
p. 84 (1873).
S. Admirabilis, McNeill, l. c. pp. 221, 222.
n. 2 (1897); Brun. l. c. pp. 43, 44. n. 1
(1904).
2. **S. Leucocerca, Stål**, l. c. p. 102. n. 2 | Mexico.
(1873).
S. Leucocerca, Thom. Rep. Expl. W. 100th
Merid. v. Zool. p. 869 (1873).
3. **S. Pacifica, Brun.** l. c. pp. 43, 44. n. 2 | id.
(1904).
4. **S. Montezuma, Sauss.** (*Oxyecoryphus M.*) | id.
Rev. Zool. (2) xiii. p. 316 (1861);
Thomas, Syn. Acrid. N. Amer. p. 204
(1873).
S. Montezuma, Stål, l. c. p. 102. n. 1
(1873); McNeill, l. c. pp. 221, 222. n. 1
(1897); Brun. l. c. pp. 43-45. n. 3
(1904).
5. **S. (?) Eslovæ, Rehn**, Trans. Amer. Ent. | id.
Soc. xxvii. p. 90 (1900); Brun. l. c.
pp. 44, 45. n. 5 (1904).
6. **S. (?) Valida, Rehn**, (*Syrbula (Ilerus)* | id.
V.) l. c. p. 91 (1900); Brun. l. c. pp. 43,
45. n. 4 (1904).

- *7. **S. Fuscovittata**, Thom. Rep. Expl. W. 100th Merid. v. Zool. p. 870, pl. 45. f. 7 (1875); McNeill, l. c. pp. 222, 223. n. 4 (1897); Brun. l. c. pp. 43-45. n. 6, pl. 1. ff. 25, 25 *a* (1904). Arizona, New Mex.
8. **S. Robusta**, Brun. l. c. pp. 43, 46. n. 7 (1904). Mexico.
9. **S. Acuticornis**, Brun. Proc. U.S. Nat. Mus. xii. p. 55 (1889); Biol. Centr.-Amer., Orth. ii. pp. 43, 44, 46. n. 8 (1904); McNeill, l. c. pp. 221, 223. n. 3, pl. 2. ff. 10, 10 *a, b* (1897). Texas, New Mex.
10. **S. Modesta**, Brun. Biol. Centr.-Amer., Orth. ii. pp. 43, 44, 46. n. 9 (1904). Arizona.

Genus 187. **Acrolophitus**. (*Type* no. 1.)

Thomas, Rep. U.S. Geol. Surv. Wyoming, p. 273 (1871); Syn. Acrid. N. Amer. p. 77 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1887); Scudd. Psyche, v. p. 435 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 25 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 47 (1904).

- *1. **A. Hirtipes**, Say, (*Gryllus* II.) Amer. Ent. ii. pl. 34. ff. 1, 1 *a* (1825). Southern United States.
- A. Hirtipes*, Thomas, l. c. pp. 266, 278 (1871); Glover, Ill. N. Amer. Orth. pl. 9. f. 7 (1874); Scudd. Psyche, v. p. 435 (1890); Brun. l. c. p. 47. n. 1 (1904); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 363 (1906).
2. **A. Variegatus**, Brun. l. c. pp. 47, 48. n. 2, pl. 1. f. 3 (1904). Texas.
3. **A. Uniformis**, Brun. l. c. p. 47. n. 3 (1904). Mexico.

Genus 188. **Pedioscirtetes**. (*Type* no. 1.)

Thom. Proc. Acad. Nat. Sci. Philad. 1873, p. 295; Syn. Acrid. N. Amer. p. 79 (1873); Scudd. Psyche, v. p. 438 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 26 (1897).

1. **P. Nevadensis**, Thom. (*Pedioscirtetes* N.) ll. cc. p. 295 (1873); p. 79 (1873); Wheeler, Rep. Expl. W. 100th Merid. v. Zool. p. 867, pl. 43. f. 4 (1876); Glover, Ill. N. Amer. Orth. pl. 15. f. 1 (1874). Nevada.
2. **P. Pulchella**, Brun. Proc. U.S. Nat. Mus. xii. p. 60 (1889). Idaho.

Genus 189. **Acrocara.**

Scudd. Psyche, v. p. 436 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 26 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 48 (1904).

1. **A. Maculipennis, Scudd.** l. c. p. 437 Mexico. (1890); Brun. l. c. p. 49, pl. 1. ff. 1, 1a (1904).

Genus 190. **Sinipta.** (Type no. 1.)

Stål, Eugénies Resa, Orth. pp. 340, 341 (1860); Recens. Orth. i. pp. 91, 103 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 31 (1900).

- *1. **S. Dalmani, Stål**, (*Gomphocerius (Sinipta)* Argentina, *D.*) Eugénies Resa, Orth. p. 340, n. 96 Paraguay, (1860). Uruguay.
S. Dalmani, Stål, Recens. Orth. i. p. 103. n. 1 (1873); Brun. l. c. pp. 31, 32. f. 8 (1900); Proc. U.S. Nat. Mus. xxx. p. 630, pl. 36. f. 3 (1906).
 2. **S. Purpurea, Thunb.** (*Geryllus Purpurus*) Hab. — ?
 Mém. Acad. Pétersb. v. p. 229 (1815); ix. pp. 394, 405 (1824).
S. Purpurea, Stål, l. c. p. 104, n. 2 (1873).

Genus 191. **Machærocera.** (Type no. 1.)

Sauss. Rev. Zool. (2) xi. p. 391 (1859); Thomas, Syn. Acrid. N. Amer. p. 201 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 49 (1904).

- *1. **M. Mexicana, Sauss.** l. c. p. 391 (1859); Mexico. Thomas, l. c. p. 201 (1873); Brun. l. c. pp. 49, 50. n. 1 (1904); Rehn, Trans. Amer. Ent. Soc. xxix. p. 9 (1902); Proc. Acad. Nat. Sci. Philad. lvi. p. 517 (1904).
 2. **M. Obscura, Brun.** l. c. pp. 49, 50. n. 2 id., Brit. (1904). Honduras.

- | | |
|---|---------|
| 3. M. Magna, Brun. l. c. pp. 50, 51. n. 3 | Mexico. |
| (1904). | |
| 4. M. Pacifica, Brun. l. c. pp. 49, 51. n. 4 | id. |
| (1904). | |
| 5. M. Sumichrasti, Thomas, Bull. U.S. | id. |
| Geol. Surv. Territ. ii. p. 70 (1874); | |
| Brun. l. c. pp. 50, 51. n. 5, pl. 1. ff. 7, 7 a | |
| (1904). | |

Genus 192. **Closteridea.**

Scudd. Bull. Mus. Zool. Harvard, xxv. p. 9 (1893).

1. **C. Bauri, Scudd.** l. c. pl. 1. ff. 4, 5 Galapagos.
(1893).

Genus 193. **Peruvia.**

Scudd. Psyche, v. p. 439 (1890).

1. **P. Nigromarginata, Scudd.** (*Machuro-cera N.*) Proc. Boston Soc. Nat. Hist.
xvii. p. 268. n. 21 (1875).

Genus 194. **Gymnes.**

Scudd. Psyche, v. p. 440 (1890), viii. p. 233 (1898); Guide
N. Amer. Orth. p. 26 (1897); Brun. Biol. Centr.-Amer.,
Orth. ii. p. 28 (1902).

1. **G. Punctatus, Scudd.** l. c. p. 440 (1890). | California.

Genus 195. **Bootettix.**

Brun. Proc. U.S. Nat. Mus. xii. p. 57 (1890); Biol. Centr.-Amer.,
Orth. ii. pp. 28, 52 (1902, 1904); McNeill, Proc. Davenport
Acad. Sci. vi. pp. 198, 255 (1897); Scudd. Guide N. Amer.
Orth. p. 26 (1897); Psyche, viii. p. 234 (1898).

- | | |
|---|-------------|
| *1. B. Argentatus, Brun. ll. cc. p. 58, pl. 1. | California, |
| ff. 4, 5 (1889); p. 52. n. 1, pl. 1. ff. 24, | New Mex., |
| 24 a, b (1904); McNeill, l. c. p. 256, | Texas, |
| pl. 5. ff. 23, 23 a, b (1897). | Arizona, |
| | Mexico. |

Genus 196. **Eritettix.** (*Type* no. 4.)

Brun. Proc. U.S. Nat. Mus. xii. p. 56 (1890); Biol. Centr.-Amer., Orth. ii. pp. 28, 52 (1902, 1904); McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 217 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 234 (1898).

1. **E. Virgatus, Scudd.** (*Gomphocerus* V.) Texas.
Proc. Boston Soc. Nat. Hist. xvii. p. 511.
n. 33 (1875).
E. Virgatus, McNeill, l. c. p. 218. n. 1,
pl. 2. ff. 9, 9 a, b (1897); Brun. Biol.
Centr.-Amer., Orth. ii. p. 53. n. 1 (1904).
E. Vernalis, Brun. Publ. Nebraska Acad.
Sci. iii. p. 22 (1893).
2. **E. Carinatus, Scudd.** (*Gomphocerus* C.) Middle
l. c. p. 511, note (1875). United
E. Carinatus, McNeill, l. c. pp. 218, 219. States.
n. 2 (1897).
3. **E. Brachypterus, Brun.** Biol. Centr.- Mexico.
Amer., Orth. ii. p. 53. n. 2 (1904).
4. **E. Variabilis, Brun.** Proc. U.S. Nat. New
Mus. xii. p. 56 (1890); Biol. Centr.- Mexico.
Amer., Orth. ii. pp. 53, 54. n. 4 (1904);
McNeill, l. c. pp. 218, 219. n. 3 (1897).
- *5. **E. Tricarinatus, Thomas,** (*Stenobothrus* Wyoming,
T.) Syn. Aerid. N. Amer. p. 84 (1873); Iowa.
McNeill, l. c. pp. 218, 219. n. 4 (1897).
6. **E. Simplex, Scudd.** (*Gomphocerus* S.) Delaware.
Proc. Amer. Ent. Soc. ii. p. 305 (1869);
Thomas, l. c. p. 97 (1873).
E. Simplex, McNeill, l. c. pp. 218, 219.
n. 5 (1897).
- *7. **E. Navicula, Scudd.** (*Gomphocerus* *Naviculus*) Colorado,
Wheeler's Ann. Rep. U.S. Surv. New Mex.,
W. 100th Merid. 1876, App. JJ, p. 286. Montana.
n. 27; Caud. Proc. U.S. Nat. Mus. xxvi.
p. 781 (1903).
E. Naviculus, McNeill, l. c. pp. 218, 220.
n. 6 (1897).
E. Navicula, Brun. l. c. pp. 53, 54. n. 3
(1904).
8. **E. Sylvestris, Blatchl.** Nature's Wooing N. America.
(1903).

Genus 197. **Eupedetes.**

Scudd. Proc. Davenport Acad. Sci. ix. p. 24 (1902) ;
 Brun. Biol. Centr.-Amer., Orth. ii. p. 54 note (1904).

1. **E. Carinatus**, Scudd. l. c. p. 25, pl. 1. New
 f. 2 (1902) ; Brun. l. c. p. 55 note, n. 1 Mexico.
 (1904).

Genus 198. **Mesochloa.** (Type no. 1.)

Scudd. Psyche, viii. pp. 234, 239 (1898) ;
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 28, 54 (1902, 1904).

1. **M. Abortiva**, Brun. (*Eritettix Abortivus*) Texas.
 Proc. U.S. Nat. Mus. xii. p. 56, pl. 1. ff. 8,
 9 (1890) ; McNeill, l. c. pp. 218, 220.
 n. 7 (1897).
M. Abortiva, Brun. l. c. p. 55. n. 1 (1904).
2. **M. Unicolor**, Hart, Ent. News, xvii. id.
 p. 157 (1906).

Genus 199. **Silvitettix.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 55 (1904).

1. **S. Communis**, Brun. l. c. p. 56. n. 1 Costa Rica.
 (1904).

Genus 200. **Ochrotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 56 (1902, 1904).

1. **O. Salinus**, Brun. l. c. p. 56. n. 1, pl. 1. Mexico.
 ff. 4, 4 a, 5, 5 a (1904).

Genus 201. **Leuconotus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 57 (1904).

1. **L. Biolleyi**, Brun. l. c. n. 1 (1904). Costa Rica.

Genus 202. **Amphitornus.** (*Type* no. 1.)

McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 223 (1897);
 Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii.
 p. 235 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29,
 58 (1902, 1904).

- *1. **A. Bicolor, Thomas,** (*Stenobothrus B.*) Wyoming,
 Rep. Geol. Surv. Montana, p. 465 (1872). | Colorado.
A. Bicolor, McNeill, l. c. p. 224. n. 1, pl. 3.
 ff. 11, 11 *a, b* (1897); Brun. l. c. p. 58.
 n. 2 (1904).
Stenobothrus Coloradus, Thomas, Syn. Acrid.
 N. Amer. pp. 81, 82 (1873).
Stenobothrus Coloradus, var. *Unicolor, Thom.*
 l. c. p. 83 (1873).
2. **A. Ornatus, McNeill**, l. c. pp. 224, 225. S.W.
 n. 2 (1897); Brun. l. c. p. 58. n. 1, pl. 1. United
 ff. 13, 13 *a* (1904). States,
 Mexico.

Genus 203. **Akentetus.** (*Type* no. 1.)

McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 225 (1897).
 † *Akentetus, Scudd. (nec Cab.)*, Guide N. Amer. Orth. p. 28
 (1897); Psyche, viii. p. 235 (1898).

1. **A. Unicolor, McNeill**, l. c. p. 225. n. 1. Colorado.
 pl. 3. ff. 12, 12 *a, b* (1897); Rehn, Proc.
 Acad. Nat. Sci. Philad. lviii. p. 364, ff. 1,
 2 (1906).
2. **A. Carinatus, Scudd.** (*Akentetus C.*) id.
 Proc. Amer. Acad. xxxv. p. 45 (1899).

Genus 204. **Opeia.** (*Type* no. 1.)

McNeill, Proc. Davenport Acad. Sci. vi. p. 214 (1897); Scudd.
 Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. pp. 235,
 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 58
 (1902, 1904).

‖ *Oreina, McNeill (nec Chevr.)*, l. c. p. 196 (1897).

- *1. **O. Obscura, Thomas,** (*Oxygoryphus* Wyoming.
Obscurus) Rep. Geol. Surv. Montana, Texas,
 p. 466 (1872); Syn. Acrid. N. Amer. Arizona,
 p. 73 (1873); Glover, Ill. N. Amer. New
 Orth. pl. 13. f. 13 (1872). Mexico.
- O. Obscura, McNeill*, l. c. p. 215. n. 1,
 pl. 2. ff. 7, 7 *a-c* (1897); Brun. l. c.
 p. 59. n. 1 (1904).

2. **O. Imperfecta**, Brun. l. c. p. 59. n. 2 (1904). Texas, Mexico.
3. **O. Pallida**, Brun. l. c. pp. 59, 60. n. 3 (1904). Mexico.
4. **O. Testacea**, Scudd. Proc. Amer. Acad. Sci. xxxv. p. 46 (1899); Brun. l. c. pp. 59, 60. n. 4 (1904). California.
5. **O. Mexicana**, Brun. ll. cc. n. 5, pl. 1. ff 15, 15 a (1904). Mexico.
6. **O. Palmeri**, Brun. l. c. pp. 59, 61. n. 6 (1904). id.
7. **O. Lineata**, Brun. ll. cc. n. 7 (1904). id.

Genus 205. **Macneillia**.

Scudd. Psyche, viii. pp. 235, 239 (1898).

|| *Pedeticum*, McNeill (*nec* Lap.), Proc. Davenport Acad. Sci. vi. pp. 196, 216 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. pp. 235, 239 (1898).

1. **M. Obscura**, Scudd. (*Chrysochraon Obscurus*) Proc. Boston Soc. Nat. Hist. xix. p. 88 (1877). Florida.
P. Obscurum, McNeill, l. c. p. 216. n. 1, pl. 2. ff. 8, 8 a-c (1897).

Genus 206. **Amblytropidia**. (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 93, 107 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 226 (1897); Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 235 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 62 (1902, 1904).

1. **A. Ferruginosa**, Stål, l. c. p. 107. n. 1 (1873); Brun. l. c. pp. 62, 63. n. 1 (1904); P. U.S. Nat. Mus. xxx. pp. 630, 631 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 18 (1906). Brazil, Paraguay.
 2. **A. Magna**, Brun. ll. cc. pp. 62, 63. n. 2 (1904); p. 630 (1906). Mexico, Guatemala.
 3. **A. Australis**, Brun. ll. cc. pp. 62, 64. n. 3. (1904); pp. 630, 631 (1906); Rehn, l. c. p. 18 (1906). Argentina.
- || *A. Ferruginosa*, Giglio-Tos (*nec* Stål), Boll. Mus. Torino, ix. (184) p. 13 (1894), xii. (302) p. 25 (1897).

4. **A. Vittata, Giglio-Tos**, l. c. ix. (184) Paraguay,
p. 13 (1894); Brun. ll. cc. pp. 62, 64. Brazil.
n. 4 (1904); pp. 630, 631 (1906); Rehn.
l. c. p. 18 (1906).
- *5. **A. Robusta, Brun.** Proc. U.S. Nat. Mus. Paraguay.
xxx. pp. 630, 631 (1906).
6. **A. Trinitatis, Brun.** Biol. Centr.-Amer., Trinidad,
Orth. ii. pp. 63, 65. n. 5 (1904); Proc. Demerara,
U.S. Nat. Mus. xxx. p. 630 (1906). Venezuela.
7. **A. Chapadensis, Rehn**, Proc. U.S. Nat. Brazil,
Mus. xxx. p. 371 (1906). Paraguay.
8. **A. Auriventris, McNeill**, l. c. p. 227. Mexico.
n. 2 (1897); Brun. ll. cc. pp. 63, 65.
n. 6. (1904); p. 631 (1906).
9. **A. Mysteca, Sauss.** (*Stenobothrus Myste-* id.
cus) Rev. Zool. (2) xiii. p. 317 (1861);
Thomas, Syn. Acrid. N. Amer. p. 205
(1873).
A. Mysteca, Rehn, Trans. Amer. Ent. Soc.
xxix. p. 9 (1902); Proc. Acad. Nat. Sci.
Philad. lvi. p. 518 (1904); Brun. ll. cc.
pp. 63, 66. n. 8, pl. 1. ff. 14, 14a (1904);
p. 631 (1906).
10. **A. Costaricensis, Brun.** ll. cc. pp. 63, Costa Rica,
66. n. 7 (1904); p. 631 (1906). Nicaragua.
? *A. Ferruginosa, Brun.* (nec Stal) Bull. Lab.
N. H. Iowa, iii. p. 64, pl. 3 (1895).
11. **A. Ingenita, Brun.** Biol. Centr.-Amer., Mexico.
Orth. ii. pp. 63, 67. n. 9 (1904); Proc.
U.S. Nat. Mus. xxx. p. 631 (1906); Rehn,
Proc. Acad. Nat. Sci. Philad. lvi. p. 518
(1904).
12. **A. Occidentalis, Sauss.** (*Stenobothrus* United
O.) l. c. p. 317 (1861); Thomas, l. c. States.
p. 92 (1873).
A. Occidentalis, McNeill, l. c. pp. 226, 227.
n. 1, pl. 3. ff. 13, 13a, b (1897); Brun.
ll. cc. pp. 63, 68. n. 11 (1904), p. 631
(1906); Rehn & Heb. Proc. Acad. Nat.
Sci. Philad. lvi. pp. 518, 784 (1904,
1905).
A. Subhyalina, Scudd. Proc. Boston Soc.
Nat. Hist. xvii. p. 511. n. 32 (1875).
- *13. **A. Subconspersa, Walk.** (*Stenobothrus* Florida.
Subconspersus) Cat. Derm. Salt. B. M.
iv. p. 755. n. 40 (1870); Thom. l. c. pp. 81,
86 (1873).

Genus 207. **Thyriptilon.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 68 (1902, 1904).

1. **T. Vitripenne**, Brun. l. c. p. 69. n. 1 | Mexico.
(1904).

Genus 208. **Sisantum.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 69 (1902, 1904).

1. **S. Notochloris**, Brun. l. c. p. 69. n. 1, | Mexico.
pl. 1. ff. 11, 11 a (1904).

Genus 209. **Cordillacris.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901) ; Brun. Biol. Centr.-Amer., Orth. ii. p. 70 (1904).

|| *Alpha*, Brun. (*nee* Sauss.) Ann. Mus. Genova, xxxiii. p. 121 (1893) ; McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 245 (1897) ; Scudd. Guide N. Amer. Orth. p. 28 (1897) ; Psyche, viii. p. 235 (1898) ; Brun. l. c. p. 29 (1902).

- * 1. **C. Occipitalis**, Thomas, (*Stenobothrus* | United
O.) Syn. Acrid. N. Amer. p. 81 (1873) ; States,
Glover, Ill. N. Amer. Orth. pl. 17. f. 13 | Mexico.
(1874).
Alpha Occipitalis, McNeill, l. c. p. 246.
n. 1, pl. 4. ff. 18, 18 a, b (1897).
C. Occipitalis, Brun. l. c. pp. 70, 71. n. 1
(1904).
2. **C. Cinerea**, Brun. (*Ochrilidia* (?) C.) | Nebraska,
Proc. U.S. Nat. Mus. xii. p. 52 (1889). | New
Alpha Cinerea, McNeill, l. c. pp. 246, 247. | Mexico.
n. 2 (1897).
C. Cinerea, Brun. Biol. Centr.-Amer.,
Orth. ii. pp. 70, 71. n. 2 (1904).
- * 3. **C. Crenulata**, Brun. (*Ochrilidia* (?) C.) | New
Proc. U.S. Nat. Mus. xii. p. 51 (1889). | Mexico,
Alpha Crenulata, McNeill, l. c. pp. 246, | Arizona.
247. n. 3 (1897).
C. Crenulata, Brun. Biol. Centr.-Amer.,
Orth. ii. pp. 70, 71. n. 3 (1904).

4. **C. Pima, Rehn**, Proc. Acad. Nat. Sci. | Arizona.
Philad. lix. p. 69 (1907).
5. **C. Affinis, Morse**, Psyche, x. p. 115 | Nebraska
(1903).

Genus 210. **Phlibostroma.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. pp. 516 (1875) ;
McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 247
(1897) ; Scudd. Guide N. Amer. Orth. p. 29 (1897) ;
Psyche, viii. pp. 236, 239 (1898) ; Brun. Biol. Centr.-
Amer., Orth. ii. pp. 29, 71 (1902, 1904).
|| *Beta, Brunn.* (nec *Sauss.*) Ann. Mus. Genova, xxxiii. p. 121
(1893).

- *1. **P. Quadrimaculatum, Thomas**, (*Stenobothrus Quadrimaculatus*) Rep. U.S. Geol. States,
Surv. Wyoming, p. 280 (1871) ; Syn. Mexico.
Acrid. N. Amer. p. 93 (1873).
P. Quadrimaculata, McNeill, l. c. p. 248.
n. 1, pl. 4. ff. 19, 19 a, b (1897).
P. Quadrimaculatum, Brun. l. c. p. 72. n. 1
(1904).
P. Pictum, Scudd. l. c. p. 517. n. 40 (1875).
P. Parvum, Scudd. Wheeler, Rep. U.S. Surv.
W. 100th Merid., App. JJ, p. 290. n. 36
(1876).
Stenobothrus Latus, Uhl. Bull. U.S. Geol.
Surv. Territ. iii. p. 792 (1877).

Genus 211. **Orphula.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 105 (1873) ; Brunn. Ann. Mus.
Genova, xxxiii. p. 119 (1893) ; Morse, Psyche, vii. pp. 326,
407 (1896) ; McNeill, Proc. Davenport Acad. Sci. vi.
pp. 197, 233 (1897) ; Brun. Biol. Centr.-Amer., Orth. ii.
pp. 30, 72 (1902, 1904).

- *1. **O. Pagana, Stål**, (*Gomphoceris (Heteropteryx) Paganus*) Eugénies Resa, Orth. Brazil,
p. 339. n. 93 (1860). Paraguay,
&c.
Truxalis Pagana, Stål, Recens. Orth. i.
p. 106. n. 3 (1873).
Orphula Pagana, Brun. l. c. pp. 72, 73.
n. 1 (1904) ; Rehn, Proc. Acad. Nat. Sci.
Philad. lviii. p. 16 (1906).

2. **O. Minor, Giglio-Tos,** (*Metaleptea Minor*) Boll. Mus. Torino, xii. (302) Argentina, Bolivia.
p. 23 (1897). *O. Minor, Rehn*, l. c. p. 17 (1906).
3. **O. Meridionalis, Brun.** l. c. p. 73. n. 2 Costa Rica.
(1904).
4. **O. Azteca, Sauss.** (*Orycoryphus Aztecus*) Mexico.
Rev. Zool. (2) xiii. p. 315 (1861);
Thomas, Syn. Acrid. N. Amer. p. 203
(1873).
O. Azteca, Brun. l. c. p. 73. n. 3, pl. 1. f. 23
(1904).
5. **O. Guatemalæ, Brun.** Ohio Nat. vii. Guatemala.
p. 10. n. 16 (1906).
- **6. **O. Filatus, Walk.** (*Chrysochroton F.*) Santarem.
Cat. Derm. Salt. B. M. iv. p. 785. n. 4
(1870).
7. **O. Jucunda, Bol.** Actas Soc. Españ. xxv. Amazons.
p. 15 (1896).

Genus 212. **Æonomus.**

Scudd. Proc. Amer. Acad. xxxv. p. 47 (1899).

1. **Æ. Altus, Scudd.** l. c. (1899). | California.

Genus 213. **Orphulina.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 8, 9 (1894);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 74 (1902, 1904).

1. **O. Pulchella, Giglio-Tos,** l. c. p. 10 Paraguay.
(1894); Brun. P. U.S. Nat. Mus. xxx.
p. 626 (1906).
- *2. **O. Balloui, Rehn,** (*Orphulella B.*) Ent. Barbados.
News, xvi. p. 178, pl. 8. ff. 2, 3
(1905).
Orphulina Balloui, Rehn, Proc. Acad. Nat.
Sci. Philad. lviii. p. 21 (1906).
3. **O. Veteratoria, Rehn,** l. c. pp. 21-23. Brazil.
ff. 5, 6 (1906).
4. **O. Acuta, Rehn,** l. c. pp. 23-25. ff. 7, 8 id.
(1906).

- **5. **O. Concinnula, Walk.** (*Stenobothrus Concinnulus*) Cat. Derm. Salt. B. M. iv. p. 759, n. 53 (1870). Para.
- **6. **O. Rugulosa, Walk.** (*Stenobothrus Rugulosus*) l. c. p. 760, n. 54 (1870). Santarem.

Genus 214. **Parorphula.** (*Type* no. 1.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 25 (1900).

1. **P. Graminea, Brun.** l. c. pp. 25, 26. f. 7 Buenos (1900); Proc. U.S. Nat. Mus. xxx. p. 626. Aires. pl. 36. f. 7 (1906).
2. **P. Pallidinota, Brun.** 2nd Rep. Locust Carcaraña. Comm. B. Aires, pp. 25, 26 (1900).
3. **P. Strigata, Brun.** l. c. pp. 25, 27 id. (1900).

Genus 215. **Orphulella.** (*Type* no. 18.)

Giglio-Tos, Boll. Mus. Torino. ix. (184) p. 10 (1894); Morse, Psyche, vii. p. 407 (1896); Scudd. Canad. Ent. xxxi. p. 177 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 74 (1902, 1904).

! *Orphula*, McNeill (*nee* Stal), Proc. Davenport Acad. Sci. vi. pp. 197, 233 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897); Psyche, viii. p. 236 (1898).

- *1. **O. Compta, Scudd.** Canad. Ent. xxxi. Texas, pp. 178, 180 (1899); Brun. l. c. pp. 75, Arizona, 78. n. 1 (1904). California
- *2. **O. Graminea, Brun.** ll. cc. n. 2 (1904). Arizona.
- *3. **O. Olivacea, Morse,** (*Stenobothrus Olivaceus*) Psyche, vi. pp. 477-479. ff. 1, 2 United States; (1893). Panama (eadem?).
Orphula Olivacea, Morse, l. c. vii. pp. 327, 411. n. 10, pl. 7. ff. 10, 10 a (1896); (?) Giglio-Tos, Boll. Mus. Torino, xii. (301) p. 2 (1897); McNeill, l. c. pp. 234, 239. n. 2, pl. 4. f. 17 b (1897).
Orphulella Olivacea, Scudd. l. c. pp. 179, 187 (1899); Brun. l. c. pp. 76, 78. n. 3 (1904).

- **4. O. Arctata, Walk.** (*Stenobothrus Arctatus*) Honduras.
 Cat. Derm. Salt. B. M. iv. p. 761. n. 55
 (1870); Thomas, Syn. Acrid. N. Amer.
 p. 208 (1873).
O. Arctata, Brun. l. c. pp. 76, 79. n. 4
 (1904).
- 5. O. Affinis, Scudd.** Canad. Ent. xxxi. California,
 pp. 178, 183 (1899). Mexico.
- (?) *Orphula Tepanica* et *Tepanicas*, McNeill
 (nec *Tepaneca*, Sauss.), l. c. pp. 235, 242.
 n. 5, pl. 4. f. 17 a (1897).
- 6. O. Pelidna, Burm.** (*Gomphocerus Pelidnus*) United
 States,
 Handb. Ent. ii. p. 650. n. 14 Cuba.
 (1838)
Stenobothrus Pelidnus, Thomas, Syn. Acrid.
 N. Amer. p. 95 (1873).
Orphula Pelidna, McNeill, l. c. pp. 234,
 235. n. 1 (1897).
Orphulella Pelidna, Scudd. l. c. pp. 179,
 187 (1899); Brun. l. c. pp. 76, 79. n. 6
 (1904); Rehn, Proc. Acad. Nat. Sci.
 Philad. lviii. p. 366 (1906).
Stenobothrus Maculipennis, Scudd. Boston
 Journ. Nat. Hist. vii. p. 458. n. 5 (1862);
 Thomas, l. c. pp. 81, 87 (1873); Glover,
 Ill. N. Amer. Orth. pl. 10. f. 14 (1872);
 Morse, Psyche, vi. pp. 478, 479. ff. 3, 4
 (1893), vii. p. 14 (1894).
Orphula Maculipennis, Morse, l. c. vii.
 pp. 326, 408. n. 8, pl. 7. ff. 8, 8a-e
 (1896).
Stenobothrus Propinquans, Scudd. l. c.
 p. 461. n. 8 (1862); Thomas, l. c. pp. 81,
 90 (1873); Prov. Faun. Ent. Canada, ii.
 pp. 42, 43. n. 3 (1883).
- 7. O. Patruelis, Bol.** (*Orphula P.*) Actas Amazons.
 Soc. Españ. xxv. p. 15 (1896).
- *8. O. Speciosa, Scudd.** (*Stenobothrus Speciosus*) United
 States.
 l. c. p. 458. n. 4 (1862); Thomas,
 l. c. p. 87 (1873).
Orphula Speciosa, McNeill, l. c. pp. 235,
 240. n. 4, pl. 4. f. 17 c (1897).
Orphulella Speciosa, Brun. l. c. pp. 75, 79.
 n. 7 (1904).
Stenobothrus Æqualis, Scudd. l. c. p. 459.
 n. 6 (1862); Thomas, l. c. pp. 81, 89

- (1873) : Morse, l. c. vi. p. 478, 479.
ff. 5, 6 (1893). vii. p. 14 (1894).
Orphula ~~*Equalis*~~, Morse, l. c. vii. pp. 326,
409. n. 9, pl. 7. ff. 9, 9 a-c (1896) ; Brun.
Ann. Rep. Nebraska State Board Agric.
1896, p. 128, f. 28 a-c (1897).
Stenobothrus Bilineatus, Scudd. l. c. p. 460.
n. 7 (1862) ; Thomas, l. c. p. 90 (1873).
Stenobothrus Gracilis, Scudd. Final Rep.
U.S. Geol. Surv. Nebraska, p. 250. n. 12
(1872) ; Thomas, l. c. pp. 81, 94 (1873).
9. **O. Desereta**, Scudd. Canad. Ent. xxxi. Utah.
pp. 178, 184 (1899).
- *10. **O. Picturata**, Scudd. l. c. pp. 178, 181 Texas.
(1899) ; Brun. Biol. Centr.-Amer., Orth.
ii. pp. 75, 79. n. 8 (1904).
11. **O. Obliquata**, Scudd. l. c. pp. 178, 181 id.,
(1899) ; Brun. l. c. pp. 75, 80. n. 9 Colorado.
(1904).
12. **O. Salina**, Scudd. l. c. pp. 179, 185 Colorado,
(1899). Utah.
- *13. **O. Pratorum**, Scudd. l. c. pp. 179, 186 Texas.
(1899) ; Brun. l. c. pp. 76, 80. n. 10
(1904).
14. **O. Aculeata**, Rehn, Trans. Amer. Ent. Mexico.
Soc. xxvii. p. 92 (1900) ; Brun. l. c.
pp. 76, 80. n. 12 (1904).
15. **O. Neglecta**, Rehn, l. c. p. 94 (1900) ; id.
Brun. l. c. pp. 76, 80. n. 11 (1904).
16. **O. Gracilis**, Giglio-Tos, Boll. Mus. Paraguay.
Torino, ix. (184) p. 11 (1894) ; Brun.
Bull. U.S. Nat. Mus. xxx. p. 627 (1906).
17. **O. Obscura**, Brun. l. c. (1906). id.
- *18. **O. Punctata**, De Geer, (*Acrydium Punc-* Mexico,
tatum) Mém. Ins. iii. p. 593. n. 21, pl. 42. Costa Rica,
f. 12 (1773). S. America,
Truxalis Punctata, Stål, Recens. Orth. i. Dominica.
p. 106. n. 6 (1873).
- Orphulella Punctata*, Giglio-Tos, l. c. ix.
(184) p. 12 (1894) ; Brun. Biol. Centr.-
Amer., Orth. ii. pp. 76, 80. n. 13 (1904) ;
Bull. U.S. Nat. Mus. xxx. pp. 627, 628
(1906) ; Rehn, Entom. News, xvi. p. 177,
pl. 8. f. 1 (1905) ; Proc. Acad. Nat. Sci.
Philad. lviii. p. 27 (1906).
- **|| *Stenobothrus Mexicanus*, Walk. (nec Sauss.)
l. c. iv. p. 756. n. 45 (1870).

- Orphulella Walkeri*, Brun. Biol. Centr.-Amer., Orth. ii. p. 78 (1904); Ohio Nat. vii. p. 11. n. 19 (1904).
- **19. **O. Viridissima, Walk.** (*Stenobothrus Viridissimus*) l. c. iv. p. 761. n. 56 (1870); Thomas, Syn. Acrid. N. Amer. p. 209 (1873). Honduras.
- **20. **O. Costalis, Walk.** (*Stenobothrus C.*) l. c. p. 759. n. 52 (1870). Brazil.
- **21. **O. Gratiola, Walk.** (*Stenobothrus Gratiolus*) l. c. p. 758. n. 50 (1870). Santarem.
- **22. **O. Expandens, Walk.** (*Stenobothrus E.*) l. c. n. 51 (1870). id.,
Argentina,
Paraguay.
O. Elegans, Giglio-Tos, l. c. ix. (184) p. 12 (1894); Brun. Bull. U.S. Nat. Mus. xxx. pp. 627, 629 (1906).
- **23. **O. Intricata, Stål**, (*Truxalis I.*) Recens. Orth. i. p. 106. n. 5 (1873). Buenos Aires.
- **24. **O. Decisa, Walk.** (*Stenobothrus Decisus*) l. c. p. 757. n. 47 (1870); Thomas, l. c. p. 207 (1873). St. Domingo.
25. **O. Mexicana, Sauss.** (*Oxycorephus Mexicanus*) Rev. Zool. (2) xiii. p. 314 (1861); Thomas, l. c. p. 202 (1873). Mexico.
O. Mexicana, Brun. Biol. Centr.-Amer., Orth. ii. pp. 76, 80. n. 14 (1904).
26. **O. Tolteca, Sauss.** (*Oxycorephus Toltecus*) l. c. p. 314 (1861); Thomas, l. c. p. 201 (1873). id.
O. Tolteca, Brun. l. c. pp. 77, 81. n. 15 (1904).
27. **O. Totonaca, Sauss.** (*Oxycorephus Totonacus*) l. c. p. 315 (1861); Thomas, l. c. p. 203 (1873). id.
28. **O. Viridescens, Scudd.** Canad. Ent. xxxi. pp. 179, 187 (1899); Brun. l. c. pp. 78, 81. n. 16 (1904). id.
29. **O. Tepaneca, Sauss.** (*Stenobothrus Tepanecus*) l. c. p. 319 (1861); Thomas, l. c. p. 206 (1873). id.
O. Tepaneca, Scudd. l. c. pp. 177, 180 (1899); Brun. l. c. pp. 77, 81. n. 17 (1904).
30. **O. Orizabæ, McNeill**, (*Orphula O.*) l. c. pp. 235, 243. n. 6, pl. 4. f. 17 (1897). id.,
Texas.
O. Orizabæ, Brun. l. c. pp. 77, 81. n. 18 (1904).

31. **O. Zapoteca, Sauss.** (*Orycoryphus Zapotecus*) l. c. p. 316 (1861); Thomas, l. c. p. 203 (1873).
O. Zapoteca, Brun. l. c. pp. 77, 81. n. 19 (1904). Mexico.
32. **O. Meridionalis, Brun.** ll. cc. n. 20 (1904). Costa Rica.
33. **O. Costaricensis, Brun.** l. c. p. 82. n. 21 (1904). id.
34. **O. Chipmani, Brun.** Journ. N. York Ent. Soc. xiv. p. 149. n. 53 (1906). Trinidad.
35. **O. Insularis, Brun.** l. c. p. 150. n. 54 (1906). id.
36. **O. Scudderi, Bol.** (*Orphula S.*) Mém. Soc. Zool. France, i. p. 142 (1888); McNeill, l. c. pp. 235, 244. n. 7 (1897). Cuba, I. Pines.
O. Scudderi, Scudd. l. c. pp. 179, 188 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 77, 82. n. 22 (1904).
37. **O. Prolinula, Brun.** ll. cc. n. 23 (1904). Mexico.
38. **O. Decora, McNeill,** (*Orphula D.*) l. c. pp. 235, 239. n. 3, pl. 4. f. 17 d (1897). Arkansas, Colorado, Texas.
O. Decora, Scudd. l. c. pp. 178, 181 (1899); Brun. l. c. pp. 75, 83. n. 24 (1904).
39. **O. Robusta, Brun.** l. c. pp. 77, 83. n. 25 (1904). Mexico.
40. **O. Abbreviata, Scudd.** (*Chrysochraon* (?) *Abbreviatum*) Journ. Bost. Soc. Nat. Hist. xii. p. 339. n. 21 (1869), xxvii. p. 206. n. 45 (1896). Peru.
41. **O. (?) Plebeia, Stål,** (*Gomphocerus* (*Hyalopteryx*) *Plebejus*) Eugenies Resa, Ins. Orth. p. 339. n. 94 (1860). Honolulu.
Truxalis Plebeia, Stål, Recens. Orth. i. p. 106. n. 4 (1873).

Genus 216. **Toxopterus.**

Bol. An. Soc. Españ. xix. p. 313 (1890);
 Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893).

- *1. **T. Miniatus, Bol.** l. c. p. 314 (1890); Peru.
 Rehn, Proc. Acad. Nat. Sci. Philad. | Ecuador.
 lviii. p. 30 (1906).

Genus 217. **Compsacris.**

Bol. An. Soc. Españ. xix. p. 314 (1890) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 121 (1893).

1. **C. Pulcher**, **Bol.** l. c. p. 315 (1890). | Peru.

Genus 218. **Parachloebata.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 83 (1902, 1904).

1. **P. Pratensis**, **Brun.** l. c. p. 84. n. 1, pl. 1. | Cuba.
 ff. 10, 10 *a* (1904).

Genus 219. **Linoceratium.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 84 (1902, 1904).

1. **L. Boucardi**, **Brun.** l. c. p. 84. n. 1 | Honduras,
 (1904). | Colombia.

Genus 220. **Clinocephalus.** (*Type* no. 1.)

Morse, Psyche, vii. pp. 326, 402 (1896) ; McNeill, Proc.
 Davenport Acad. Sci. vi. pp. 197, 232 (1897) ; Scudd.
 Guide N. Amer. Orth. p. 28 (1897) ; Psyche, viii. p. 236
 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 85
 (1902, 1904).

1. **C. Elegans**, **Morse**, l. c. pp. 326, 402, | United
 pl. 7. ff. B, Ba (1896) ; McNeill, l. c. | States.
 p. 233, pl. 3. ff. 16, 16 *a* (1897) ; Brun.
 l. c. p. 85. n. 1 (1904).
 2. **C. Pulcher**, **Rehn & Heb.** Proc. Acad. | Florida.
 Nat. Sci. Philad. lvii. p. 36, pl. 1. ff. 1, 2
 (1905), lix. p. 287 (1907).

Genus 221. **Dichromorpha.** (*Type* no. 1.)

Morse, *Psyche*, vii. p. 326 (1896); McNeill, *Proc. Davenport Acad. Sci.* vi. pp. 197, 230 (1897); Scudd. *Guide N. Amer. Orth.* p. 28 (1897); *Psyche*, viii. p. 237 (1898); Brun. *Biol. Centr.-Amer.*, *Orth.* ii. pp. 31, 85 (1902, 1904).

1. **D. Viridis, Scudd.** (*Chloraltis* V.) Boston N. America.
Journ. Nat. Hist. vii. p. 455. n. 2 (1862);
 Glover, *Ill. N. Amer. Orth.* pl. 6. f. 11,
 pl. 10. f. 5 (1872).
Chrysochraon Viridis, Thomas, Syn. Acrid.
N. Amer. pp. 74, 75 (1873).
D. Viridis, Morse, l. c. p. 326, pl. 7. ff. 7,
 7 a, b (1896); McNeill, l. c. p. 231. n. 1
 (1897); Brun. l. c. p. 86. n. 1 (1904)
Chloraltis Punctulata, Scudd. l. c. p. 455.
 n. 3 (1862).
Chrysochraon Punctulatum, Thomas, l. c.
 p. 77 (1873).
Ojomala Brevipennis, Thomas, Trans. Illinois
State Agric. Soc. v. p. 451 (1865).
Truxalis Angusticornis, Stal, Recens. Orth.
 i. p. 105. n. 2 (1873).
2. **D. Brunnea, Scudd.** (*Chloraltis* B.) Proc. Texas.
 Boston Soc. Nat. Hist. xvii. p. 510. n. 31
 (1875).
D. Brunnea, McNeill, l. c. pp. 231, 232.
 n. 2, pl. 3. ff. 15, 15 a, b (1897).
3. **D. Mexicana, Brun.** l. c. pp. 86, 87. Mexico.
 n. 2, pl. 1. ff. 18, 18 a (1904).
4. **D. Longipennis, Brun.** l. c. pp. 86, 87. id.
 n. 3 (1904).
5. **D. Australis, Brun.** 2nd Rep. Locust Argentina,
 Comm. B. Aires, p. 28 (1900); *Biol. Centr.-* Paraguay,
Amer., *Orth.* ii. pp. 86, 88. n. 4 (1904). | Bolivia.

Genus 222. **Phaneroturis.**

Brun. *Biol. Centr.-Amer.*, *Orth.* ii. pp. 31, 88 (1902, 1904).

1. **P. Cupido, Brun.** l. c. n. 1, pl. 1. f. 17 | Guatemala.
 (1904).

Genus 223. **Chloëaltis.** (*Type* no. 1.)

Harr. Ins. Injur. Veget. p. 148 (1841), (ed. 3) p. 184 (1862); (?) Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893); Morse, Psyche, vii. pp. 327, 419 (1896); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 227 (1897); Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 237 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 89 (1902, 1904).

- | | |
|--|---------------------------------------|
| <p>*1. C. Conspersa, Harr. (<i>Locusta</i> (<i>Chloëaltis</i>) <i>C.</i>) ll. cc. p. 149. n. 13 (1841), p. 184. n. 13 (1862).
 <i>C. Conspersa, Scudd.</i> Bost. Journ. Nat. Hist. vii. p. 455. n. 1 (1862); Rep. Ent. Soc. Ontario, xxiii. p. 75, ff. 50, 51 (1893); Glov. Ill. N. Amer. Orth. pl. 6. f. 10, pl. 10. f. 12 (1872); Morse, l. c. pp. 327, 419. n. 11, pl. 7. ff. 11, 11 a (1896); McNeill, l. c. p. 228. n. 1, pl. 3. ff. 14, 14 a, b (1897).
 <i>Chrysochraon Consersum, Thomas, Syn. Acrid. N. Amer.</i> p. 76 (1873).
 <i>Locusta</i> (<i>Chloëaltis</i>) <i>Abortiva, Harr.</i> ll. cc. p. 149. n. 14 (1841), p. 184. n. 14 (1862).
 <i>Stenobothrus Melanopleurus, Scudd.</i> Boston Journ. Nat. Hist. vii. p. 456. n. 2 (1862).</p> | <p>Canada,
United
States.</p> |
| <p>*2. C. Abdominalis, Thomas, (<i>Chrysochraon</i> A.) l. c. p. 74 (1873).
 <i>C. Abdominalis, McNeill,</i> l. c. pp. 228, 229. n. 2 (1896); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. pp. 367-369, ff. 3-5 (1906).</p> | <p>Rocky
Mountains.</p> |
| <p>3. C. Canadensis, Prov. Nat. Canad. viii. p. 135 (1876).</p> | <p>Quebec.</p> |

Genus 224. **Napaia.**

McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 212 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 237 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

- | | |
|---|--------------------|
| <p>1. N. Gracilis, McNeill, l. c. p. 213, pl. 2. ff. 6, 6 a-d (1897); Brun. l. c. p. 90. n. 1, pl. 1. ff. 2, 2 a (1904).</p> | <p>California.</p> |
|---|--------------------|

Genus 225. **Horesidotes.**

Scudd. Proc. Amer. Acad. xxxv. p. 49 (1899);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

1. **H. Cinereus**, Scudd. l. c. p. 49 (1899): California.
 Brun. l. c. p. 90, n. 1 (1904).

Genus 226. **Fenestra.** (*Type* no. 1.)

Brumm. Ann. Mus. Genova, xxxiii. p. 120 (1893): (?) Brun.
 2nd Rep. Locust Comm. B. Aires, pp. 22, 30 (1900).
Cocytotettix, Rehn, Proc. Acad. Nat. Sci. Philad. lviii. pp. 19,
 30 (1906). (*Type* no. 4.)

1. **F. Pulchripennis**, Brun. l. c. p. 30 Argentina.
 (1900).
2. **F. Intermedia**, Brun. l. c. pp. 30, 31 | id.
 (1900).
3. **F. Argentina**, Brun. ll. cc. (1900). | id.
4. **F. Linearis**, Rehn, (*Cocytotettix* C.) Proc. | Brazil.
 U.S. Nat. Mus. xxx. p. 374 (1906). |

Genus 227. **Dichroatettix.**

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 32 (1900).
Fenestra, Giglio-Tos (*nec* Brumm.), Zool. Jahrb. Syst. viii.
 p. 807 (1895); Rehn, Proc. Acad. Nat. Sci. Philad. lviii.
 p. 31 (1906).

- *1. **D. Bohlsii**, Giglio-Tos, (*Fenestra* B.) Argentina,
 l. c. p. 807 (1895); Rehn, l. c. p. 32 Paraguay.
 (1906).
D. Viridifrons, Brun. l. c. pp. 32, 33. ff. 9,
 10 (1900); Proc. U.S. Nat. Mus. xxx.
 p. 632, pl. 36. ff. 5, 6 (1906).

Genus 228. **Boöpedon.** (*Type* no. 2.)

Thomas, Proc. Acad. Sci. Philad. 1870, p. 83; Syn. Acrid. N. Amer. p. 140 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 249 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897); Psyche, viii. p. 238 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 94 (1902, 1904).

1. **B. Flavofasciatum, Thomas**, ll. cc. p. 84 (1870); p. 141 (1873); McNeill, l. c. pp. 250, 251. n. 2 (1897); Brun. l. c. p. 95. n. 1 (1904). Montana, New Mexico, Texas.
Boöpidon Flavofasciatum, Gilmer, Ill. N. Amer. Orth. pl. 8. f. 10 (1872).
2. **B. Nubilum, Say**, (*Grallus Nubilus*) Journ. Acad. Nat. Sci. Philad. iv. p. 308 (1825). Colorado, New Mexico, Kansas.
B. Nubilum, Thomas, Syn. Acrid. N. Amer. p. 341, pl. 1. f. 11 (1873); McNeill, l. c. p. 250. n. 1, pl. 4. ff. 20, 20 *a*, *b* (1897); Brun. l. c. pp. 95, 96. n. 2 (1904).
B. Nigrum, Thomas, Proc. Acad. Nat. Sci. Philad. 1870, p. 83.
3. **B. Hoagi, Rehn**, Proc. Acad. Nat. Sci. Philad. lvi. p. 519 (1904). Mexico.
4. **B. Gracile, Rehn**, l. c. p. 520 (1904). id.
5. **B. Fuscum, Brun.** l. c. pp. 95, 96. n. 3 (1904). Arizona.
6. **B. Savannarum, Brun.** l. c. pp. 95, 97. n. 4 (1904). Nebraska.
7. **B. Auriventris, McNeill**, Canad. Ent. xxxi. p. 54 (1899); Brun. l. c. pp. 95, 97. n. 5 (1904). Arkansas, Texas.
8. **B. Diabolicum, Brun.** l. c. pp. 95, 98. n. 6, pl. 1. ff. 21, 21 *a* (1904). Mexico.
9. **B. Flaviventris, Brun.** l. c. pp. 95, 98. n. 7 (1904). id.

Genus 229. **Coloradella.**

Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893).

1. **C. Brunnea, Brun.** Ann. Rep. Nebraska Board Agric. 1896, p. 129 (1897). Nebraska.

Genus 230. **Eupnigodes.**

McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide N. Amer. Orth. p. 30 (1897); Psyche, viii. pp. 238, 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 102 (1902, 1904).
Pnigodes, McNeill (nec Leconte), Proc. Davenport Acad. Sci. vi. pp. 198, 266 (1897).

1. **E. Megacephala**, McNeill, (*Pnigodes*) California. *M.* l. c. p. 267. n. 1, pl. 6. ff. 28, 28 *a, b* (1897).

Genus 231. **Zapata.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 103 (1902, 1904).

1. **Z. Brevipennis**, Brun. l. c. p. 103. n. 1 Mexico. (1904) (? nec *Z.*).
Aulocara Brevipennis, Brun. l. c. pl. 1. ff. 22, 22 *a* (1904).

Genus 232. **Psoloessa.** (Type no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 512 (1875); Guide N. Amer. Orth. p. 32 (1897); Psyche, viii. p. 236 (1898); McNeill, Proc. Davenport Acad. Sci. vi. pp. 199, 272 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 104 (1902, 1904).

1. **P. Texana**, Scudd. l. c. p. 512. n. 34 Texas, (1875); Brun. l. c. p. 104. n. 1 (1904). | California.
Stirapleura Texana, McNeill, l. c. pp. 271, 272. n. 3, pl. 6. f. 30 *c* (1897).
2. **P. Buddiana**, Brun. P. U.S. Nat. Mus. iid., xii. p. 61. pl. 1. f. 6 (1889); Biol. Centr.-Amer., Orth. ii. p. 104. n. 2, pl. 1. ff. 8, 8 *a* (1904); McNeill, l. c. pp. 273, 274. n. 3 (1897). | Arizona.
- *3. **P. Maculipennis**, Scudd. l. c. p. 513. iid. n. 36 (1875); McNeill, l. c. p. 273. n. 1, pl. 6. f. 31 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 104. n. 3 (1904).
4. **P. Ferruginea**, Scudd. l. c. p. 513. n. 35 Texas. (1875); McNeill, l. c. pp. 273, 274. n. 2, | Arizona.
 pl. 6. f. 31 *a, b* (1897); Brun. l. c. pp. 104, 105. n. 4 (1904).

Genus 233. **Stirapleura.** (Type no. 2.)

Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 290; Canad. Ent. xxix. p. 76 (1897); Guide N. Amer. Orth. p. 31 (1897); Psyche, viii. p. 238 (1898); Proc. Amer. Acad. xxxv. p. 51 (1899); McNeill, Proc. Davenport Acad. Sci. vi. pp. 199, 269 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 105 (1902, 1905).
Pseudostauronotus, Brun. Ann. Mus. Genova, xxiii. p. 123 (1893).

1. **S. Ornata, Scudd.** (*Docicstaurus Ornatus*) New Mexico.
 Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 287. n. 28.
S. Ornata, McNeill, l. c. pp. 270, 271. n. 1 (1897); Brun. l. c. pp. 105, 106. n. 1 (1905).
- *2. **S. Decussata, Scudd.** l. c. p. 290. n. 35 Southern United States, Mexico.
 (1876); McNeill, l. c. p. 271. n. 2, pl. 6. ff. 30, 30 *a*, *b* (1897); Brun. l. c. pp. 105, 106. n. 2 (1905).
Psoloessa Coloradensis, Thomas, Proc. Davenport Acad. Sci. i. p. 252, pl. 36. ff. 3, 4 (1876).
3. **S. Delicatula, Scudd.** (*Scyllina D*) Bull. Colorado, Southern California.
 U.S. Geol. Surv. ii. p. 263 (1876); Riley, N. Amer. Fauna, vii. p. 252, pl. 2 (1893).
Stirapleura Delicatula, McNeill, l. c. pp. 271, 272. n. 4 (1897).
4. **S. Eurotiæ, Brun.** (*Psoloessa* (?) *E.*) Laramie River.
 Proc. U.S. Nat. Mus. xii. p. 62 (1889).
S. Eurotiæ, McNeill, l. c. pp. 271, 272. n. 5 (1897).
- *5. **S. Pusilla, Scudd.** Proc. Amer. Acad. Mex. & New Mexico, Arizona, California.
 xxxv. p. 52 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 105, 106. n. 3 (1905).
6. **S. Salina, Brun.** l. c. pp. 106, 107. n. 4 Mexico.
 (1905).
7. **S. Meridionalis, Brun.** ll. cc. n. 5 (1905). id.
8. **S. Tenuicarina, Scudd.** Proc. Amer. Texas.
 Acad. xxxv. p. 53 (1899); Brun. l. c. pp. 106, 108. n. 6 (1905).
9. **S. Mescalero, Rehn,** Proc. Acad. Nat. New Mexico.
 Sci. Philad. liv. p. 719 (1902); Brun. l. c. pp. 106, 108. n. 7 (1905).
10. **S. Brachyptera, Brun.** l. c. pp. 105, Mexico.
 108. n. 8 (1905).

11. **S. Variabilis, Brun.** 2nd Rep. Locust Argentina.
Comm. B. Aires, pp. 34, 36, f. 12 (1900).
12. **S. Signatipennis, Blanch.** (*Edipoda S.*) Chile.
Gay, Hist. Chile, Zool. vi. p. 79. n. 3
(1851).
S. Signatipennis, Rehn, Proc. Acad. Nat.
Sci. Philad. lviii. p. 49 (1906).
13. **S. Chilensis, Sauss.** (*Stenobothrus C.*) id.
Rev. Zool. (2) xiii. p. 318 (1861).
14. **S. Bruneri, Rehn**, l. c. p. 49 (1906). Argentina,
|| *S. Signatipennis, Brun.* (*nec Blanch.*) l. c. Uruguay.
p. 34 (1900).
15. **S. Humilis, Blanch.** (*Edipoda H.*) l. c. Chile.
p. 79. n. 4 (1851).
S. Humilis, Rehn, l. c. p. 50 (1906).
16. **S. Pallida, Brun.** l. c. p. 35, f. 11 Argentina.
(1900).
17. **S. Obscura, Brun.** l. c. p. 36 (1900). id.
18. **S. Brunnea, Rehn**, Proc. U.S. Nat. Mus. Brazil.
xxx. p. 390 (1906).

Genus 234. **Brunneria.**

|| *Brunneria, McNeill* (*nec Sauss.*), Proc. Davenport Acad. Sci.
vi. pp. 198, 264 (1897).
Brunneria, McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide
N. Amer. Orth. p. 30 (1897); Psyche, viii. pp. 238, 239
(1898).

- *1. **B. Shastana, Scudd.** (*Gomphocerus Shas-* California.
tanus) Rep. U.S. Ent. Comm., ii. App.
p. 25, pl. 17. ff. 15, 18 (1880).
Brunneria Shastana, McNeill, Proc. Daven-
port Acad. Sci. vi. p. 265. n. 1, pl. 5.
ff. 26, 26 a, b (1897).

Genus 235. **Melanotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

1. **M. Dibelonus, Brun.** l. c. p. 91. n. 1, Mexico.
pl. 1. ff. 16, 16 a (1904).

Genus 236. **Euplectrotettix.** (*Type* no. 2.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 23, 38 (1900).

1. **E. Ferrugineus, Brun.** l. c. p. 39 (1900); Paraguay.
Rehn, Proc. Acad. Nat. Sci. Philad. lviii.
p. 40 (1906).
2. **E. Conspersus, Brun.** l. c. pp. 39-41, Mendoza.
f. 14 (1900).
3. **E. Schulzi, Brun.** l. c. pp. 39, 41 (1900). Cordoba.
4. **E. Prasinus, Brun.** l. c. pp. 39, 42 (1900). id.

Genus 237. **Scyllina.** (*Type* no. 7.)

Stål, Recens. Orth. i. pp. 94, 112 (1873); Rehn, Proc. Acad.
Nat. Sci. Philad. lviii. p. 40 (1906); Brun. Biol. Centr.-
Amer., Orth. ii. p. 99 (1904).

|| *Pseudostauronotus, Giglio-Tos (nec Brunn.)*, Zool. Jahrb. Syst.
viii. p. 808 (1894).

|| *Plectrophorus, McNeill (nec Fér.)*, Proc. Davenport Acad. Sci.
vi. pp. 198, 251 (~~1900~~). 1897

Plectrotettix, McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide
N. Amer. Orth. p. 29 (1897); Psyche, viii. pp. 238, 239
(1898); Brun. Biol. Centr.-Amer., Orth. pp. 33, 99 (1902,
1904). (*Type* no. 16.)

1. **S. Uniformis, Rehn**, P. U.S. Nat. Mus. Brazil.
xxx. p. 384 (1906).
2. **S. Instabilis, Rehn**, Proc. Acad. Nat. id.
Sci. Philad. lviii. pp. 42-45, ff. 14, 15
(1906).
3. **S. Gregaria, Sauss.** (*Stenobothrus Gregarius*) Rev. Zool. (2) xiii. p. 318 (1861); St. Thomas,
Thomas, Syn. Acrid. N. Amer. p. 206 Haiti.
(1873).
Plectrotettix Gregarius, Brun. l. c. p. 100
(1904).
4. **S. Cyanipes, Fabr.** (*Gryllus C.*) Syst. America.
Ent. p. 292. n. 25 (1775).
- *5. **S. Pratensis, Brun.** (*Plectrotettix P.*) Pernam-
l. c. p. 100 (1904). buco.
S. Pratensis, Rehn, l. c. p. 45 (1906).
- *6. **S. Brasiliensis, Brun.** (*Plectrotettix B.*) Brazil,
l. c. p. 100 (1904). Paraguay.
S. Brasiliensis, Rehn, l. c. p. 46 (1906).

7. **S. Peragrans, Stål**, (*Gomphocerus* (*Eptacromia*) *P.*) *Eugenies Resa*, Orth. p. 343. n. 101 (1860). Puna.
S. Peragrans, Stål, Recens. Orth. p. 112. n. 1 (1873); Brun. l. c. p. 100 (1904).
- *8. **S. Conspersa, Brun.** (*Plectrotettix* *C.*) Paraguay.
l. c. p. 100 (1904).
S. Conspersa, Rehn, l. c. p. 47 (1906).
- *9. **S. Picta, Brun.** (*Plectrotettix Pictus*) 2nd Argentina.
Rep. Locust Comm. B. Aires, pp. 37, 38, f. 13 (1900); Biol. Centr.-Amer., Orth. ii. p. 100 (1904); Proc. U.S. Nat. Mus. xxx. p. 636, pl. 36, f. 8 (1906).
- *10. **S. Brunneri, Giglio-Tos**, (*Pseudostauronotus* *B.*) Zool. Jahrb. Syst. viii. p. 809 (1894). id.,
Uruguay,
Paraguay,
Bolivia,
Brazil.
Plectrotettix Brunneri, Brun. Biol. Centr.-Amer., Orth. ii. p. 100 (1904).
S. Brunneri, Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 45 (1906); P. U.S. Nat. Mus. xxx. pp. 385, 635, 636 (1906).
11. **S. Borellii, Giglio-Tos**, Boll. Mus. Torino. Paraguay.
ix. (184) p. 14 (1894).
Plectrotettix Borellii, Brun. Biol. Centr.-Amer., Orth. ii. p. 100 (1904); Rehn, P. U.S. Nat. Mus. xxx. p. 636 (1906).
12. **S. Suffusa, Rehn**, l. c. p. 385 (1906). Brazil.
- *13. **S. Varipes, Brun.** (*Plectrotettix* *V.*) Ent. Paraguay.
News, xvi. p. 214 (1905).
S. Varipes, Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 47 (1906).
14. **S. Smithi, Rehn**, P. U.S. Nat. Mus. xxx. Brazil.
p. 387 (1906).
- *15. **S. Schistocercoides, Rehn**, l. c. p. 388 id.
(1906).
16. **S. Viatorius, Sauss.** (*Stenobothrus Viatorius*) Rev. Zool. (2) xiii. p. 317 (1861); Mexico.
Thomas, l. c. p. 206 (1873).
S. Viatorius, Stål, Recens. Orth. i. p. 112. n. 2 (1873).
Plectrophorus Viatorius, McNeill, Proc. Davenport Acad. Sci. vi. pp. 252, 253. n. 1, pl. 4. ff. 21, 21 a-c (1897).
Plectrotettix Viatorius, Brun. l. c. pp. 100, 101. n. 1 (1904).

17. **S. Calida, Brun.** (*Plectrotettix Calidus*) Mexico,
l. c. p. 101. n. 2 (1904).
S. Calida, Rehn, Proc. Acad. Nat. Sci.
Philad. lviii. p. 48 (1906). Nicaragua,
Costa Rica.
- **18. **S. Nobilis, Walk.** (*Stenobothrus N.*) Mexico.
Cat. Derm. Salt. B. M. v. Suppl. p. 79
(1871) ; Thomas, l. c. p. 209 (1873).
Plectrotettix Nobilis, Brun. l. c. pp. 101,
102. n. 3 (1904).
19. **S. Excelsa, Brun.** (*Plectrotettix Excelsus*) id.
l. c. pp. 101, 102. n. 4 (1904).
S. Excelsa, Rehn, l. c. p. 48 (1906).
- *20. **S. Macneilli, Brun.** (*Plectrotettix M.*) l. c. id.
pp. 101, 102. n. 5, pl. 1. ff. 12, 12 a, b
(1904).
21. **S. Patriæ, Scudd.** (*Plectrotettix P.*) Proc. Cali-
Davenport Acad. Sci. viii. pp. 27, 95, fornia (?),
pl. 3. f. 2 (1901) ; Brun. l. c. pp. 101, Uruguay.
102. n. 6 (1904).
22. **S. (?) Physopoda, Navás,** Bol. Soc. Himalaya.
Aragon, iii. p. 133 (1904).
23. **S. (?) Rubripes, Navás,** l. c. iv. p. 53 id.
(1905).

Genus 238. **Ageneotettix.** (Type no. 2.)

McNeill, Psyche, viii. p. 71 (1897) ; Scudd. Guide N. Amer.
Orth. p. 31 (1897) ; Psyche, viii. pp. 238, 239 (1898) ;
Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 108 (1902,
1905).

|| *Eremnus, McNeill (nec Schönh.)*, Proc. Davenport Acad. Sci.
vi. pp. 199, 267 (1897).

- *1. **A. Scudder, Brun.** (*Aulocara S.*) Proc. U. States.
U.S. Nat. Mus. xii. p. 63 (1889).
Eremnus Scudder, McNeill, l. c. pp. 268,
269. n. 2 (1897).
A. Scudder, Brun. Biol. Centr.-Amer.,
Orth. ii. p. 109. n. 1 (1905).
|| *Phlibostroma Parva, McNeill (nec Scudd.)*,
Psyche, vi. p. 64 (1891).
2. **A. Deorum, Scudd.** (*Chrysochraon D.*) New
Bull. U.S. Geol. Surv. Territ. ii. p. 262 Mexico.
(1870).
Eremnus Deorum, McNeill, l. c. p. 268.
n. 1. pl. 6. ff. 29, 29 a, b (1897).

- A. Deorum*, Brun. l. c. pp. 109, 110. n. 2 (1905); Rehn. Proc. Acad. Nat. Sci. Philad. lviii. p. 371 (1906).
3. **A. Australis**, Brun. l. c. pp. 109, 110. n. 3 (1905). Arizona.
4. **A. Curtipennis**, Brun. l. c. p. 109 (1905). Colorado.
- *5. **A. Occidentalis**, Brun. l. c. p. 109. n. 4 (1905); Bull. Agric. Exper. Stat. Colorado. xciv. p. 58 (1904). id.
6. **A. Arenosus**, Hancock, Ent. News, xvii. p. 253 (1906). Illinois.

Genus 239. **Aulocara**. (Type no. 2.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 266 (1876); Guide N. Amer. Orth. p. 31 (1897); Psyche, viii. pp. 238, 239 (1898); Proc. Amer. Acad. xxxv. p. 54 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 34, 110 (1902, 1905); Caud. Canad. Ent. xxxv. p. 302 (1903).

Edocara, Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876. App. JJ. p. 289; Sauss. Mém. Soc. Genève, xxviii. pp. 41, 78 (1884).

1. **A. Rufum**, Scudd. Proc. Amer. Acad. xxxv. pp. 54, 55 (1899). Colorado. Kansas.

Helvastus Guanieri, Caud. Proc. U.S. Nat. Mus. xxvi. p. 794, n. 80, pl. 55. f. 3 (1903).

2. **A. Elliotti**, Thomas, (*Stauronotus E.*) Colorado.

Proc. Acad. Nat. Sci. Philad. 1870, p. 82; Syn. Acrid. N. Amer. p. 139 (1873).

Edocara Elliotti, Sauss. l. c. p. 79. n. 1 (1884).

A. Elliotti, Brun. Canad. Ent. xvii. p. 10 (1885); Biol. Centr.-Amer., Orth. ii. pp. 110, 111. n. 1 (1905); Scudd. Proc. Amer. Acad. xxxv. pp. 55, 56 (1899); Caud. Proc. U.S. Nat. Mus. xxvi. p. 785. n. 32 (1903).

A. Cæruleipes, Scudd. Bull. U.S. Surv. Territ. ii. p. 266 (1876).

A. Decens, Scudd. l. c. p. 267 (1876).

Edocara Strangulatum, Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ. p. 289.

Ædocara Strangulum, Sauss. l. c. p. 79.
n. 2 (1884).

3. **A. Femoratum**, Scudd. Proc. Amer. Acad. xxxv. pp. 54, 55 (1899); Brun. Biol. Centr.-Amer., Orth. ii. p. 111. n. 2 (1905); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 372 (1906). Montana,
Colorado,
Arizona,
Mexico.
4. **A. Parallelum**, Scudd. l. c. pp. 55, 57 (1899); Rehn, l. c. pp. 372, 373, ff. 6, 7 (1906). Utah,
Colorado.
5. **A. Brevipenne**, Brun. Biol. Centr.-Amer., Orth. ii. p. 111. n. 3 (1905). Mexico.
Zapata Brevipennis (♂ nec ♀), Brun. l. c. p. 103. n. 1 (1904).

Genus 240. **Ligurotettix**. (Type no. 1.)

McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 257 (1897);
Scudd. Guide N. Amer. Orth. p. 26 (1897); Psyche, viii.
p. 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 34,
112 (1902, 1905).

1. **L. Coquilleti**, McNeill, l. c. p. 258, pl. 5. California,
ff. 24, 24 a-c (1897). | Arizona.
2. **L. Kunzei**, Caud. Proc. Ent. Soc. Wash- Arizona.
ington, v. p. 162 (1903).

Genus 241. **Goniatron**.

Brun. Biol. Centr.-Amer., Orth. ii. p. 112 (1905).

1. **G. Planum**, Brun. l. c. p. 113. n. 1, pl. 1. Mexico.
ff. 20, 20 a, b (1905).

Genus 242. **Calephorus**. (Type no. 1.)

Fieb. Lotos, iii. p. 97 (May 1853); Syn. Eur. Orth. p. 8
(1854).

Oxycorephus, Fisch. Orth. Eur. p. 311 (1853); Bol. Ortópt.
Españ. pp. 101, 106 (1876); An. Sci. Españ. v. pp. 307,
312 (1876); Ann. Sci. Nat. Porto, iv. pp. 213, 223 (1897);
Brunn. Prodr. Eur. Orth. pp. 83, 92 (1882); Ann. Mus.
Genova, xxxiii. p. 120 (1893); Finot, Orth. Françè.
pp. 40, 46 (1883); Faune France, Orth. pp. 100, 103
(1890).

- *1. **C. Compressicornis, Latr.** (*Acrydium* C.) S. France,
Hist. Nat. Crust. Ins. xii. p. 155. n. 12
(1804). Spain,
Oxyoryphus Compressicornis, Fisch. l. c.
p. 311. n. 1, pl. 16. ff. 4, 4 *a, b* (1853);
Canaries,
Bol. ll. cc. p. 106. n. 1, pl. 3. f. 21 (1876); N. & W.
Africa,
p. 312. n. 1, pl. 12. f. 21 (1876); p. 223.
Syria.
n. 1 (1897); Brunn. l. c. p. 93. n. 1, pl. 4.
Gryllus Dubius, Ramb. Faun. Andal. ii.
f. 23 A-C (1882); Finot, ll. cc. p. 46
(1883); p. 103, pl. 4. f. 60 (1890).
p. 90. n. 16, pl. 7. ff. 4, 5 (1839).
C. Elegans, Fieb. ll. cc. iii. p. 97. n. 1
(1853); p. 8. n. 1 (1854).
C. Dubius, Fieb. ll. cc. iii. p. 98. n. 2 (1853),
iv. p. 177. n. 2 (1854); p. 9. n. 2 (1854).
Trycalis Tereticornis, Brullé, Webb. Hist.
Nat. Canar., Ins. p. 76. n. 24 (1838).
2. **C. Venustus, Walk.** (*Oxyoryphus* L.) Cairo.
Zoologist. (2) v. p. 2302 (1870).
- **3. **C. (??) Tibialis, Walk.** (*Oxyoryphus* T.) Mexico.
Cat. Derm. Salt. B. M. iv. p. 787. n. 9
(1870); Thom. Syn. Acrid. N. Amer.
p. 204 (1873).

Genus 243. **Lobopoma.**

Karsch, Stett. Ent. Zeit. lvii. p. 253 (1896).

- *1. **L. Ambages, Karsch,** l. c. n. 15, f. 5 | E. Africa.
(1896).

Genus 244. **Phlæoba.** (*Type* no. 1.)

Stål, Eugenes Resa, Orth. p. 340 (1860); Recens. Orth. i.
pp. 92, 107 (1873); Bihang Vet.-Akad. Handl. iv. (5)
p. 21 (1876); Brunn. Ann. Mus. Genova, xxxiii. p. 121
(1893).

- *1. **P. Fumosa, Serv.** (*Opsomala* F.) Ins. Java.
Orth. p. 593. n. 11 (1839).
Gomphocerus (Phlæoba) Rusticus, Stål,
Eugenes Resa, Orth. p. 340. n. 95
(1860).
- ** *Opomala Javanica, Walk.* Cat. Derm. Salt.
B. M. v. Suppl. p. 52 (1871).
- *2. **P. Antennata, Brunn.** l. c. p. 125. n. 2. Burma,
pl. 5, f. 49 (1893). Singa. &c.

- **3. **P. Tenebrosa**, Walk. (*Opomala T.*) l. c. p. 53 (1871). Yunnan.
 — *4. **P. Infumata**, Brunn. l. c. p. 124. n. 1 Burma.
 (1893).
 5. **P. Fumida, Walk. (*Xiphocera F.*) l. c. iii. p. 528. n. 24 (1870). Corea,
 Hongkong.
 || *Xiphocera Fumosa*, Walk. (nec Serr.) l. c. iii. p. 528. n. 23 (1870); Jacobs. &
 Bianchi, Prem. i Lozhn. Ross. Imp.
 pp. 199, 293 (1902).
 6. **P. Walhousei, Kirb. (n. n.). S. India.
Xiphocera Fumida, var., Walk. l. c. v.
 Suppl. p. 54 (1871).
 — 7. **P. Panteli**, Bol. Ann. Soc. Ent. France, lxx. p. 589 (1902). Madura.
 — 8. **P. Angustidorsis**, Bol. l. c. p. 590 Kodai-
 (1902). kanal.
 9. **P. Galeata, Walk. (*Opomala G.*) l. c. iii. Hongkong.
 p. 513. n. 29 (1870).
 10. **P. Simplex, Walk. (*Stenobothrus S.*) l. c. v. Suppl. p. 82 (1871). Bombay.

Genus 245. **Zygophlæoba**. (Type no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 591 (1902).

- | | |
|--|-----------|
| 1. Z. Sinuatocollis , Bol. l. c. (1902). | S. India. |
| 2. Z. Truncaticollis , Bol. l. c. (1902). | id. |

Genus 246. **Phlæobida**.

Bol. Ann. Soc. Ent. France, lxx. p. 592 (1902).

- | | |
|---|-----------|
| 1. P. Angustipennis , Bol. l. c. pp. 592, 593,
pl. 9. f. 30 (1902). | S. India. |
|---|-----------|

Genus 247. **Paraphlæoba**. (Type no. 1.)

Bol. Ann. Soc. Ent. France, lxx. pp. 592, 593 (1902).

- | | |
|---|------------------|
| 1. P. Platyceps , Bol. l. c. p. 593, pl. 9. f. 29
(1902). | Kodai-
kanal. |
| 2. P. Carinata , Bol. l. c. pp. 593, 594 (1902). | Madura. |
| 3. P. Simoni , Bol. ll. cc. (1902). | Ceylon. |

Genus 248. **Duronia.** (Type no. 2.)

Stål, Bihang Vet.-Akad. Handl. iv. (5) p. 21 (1876) ; Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 54 (1893).
Paracomacris, Karsch, Ent. Nachr. xxvi. pp. 275, 276 (1900) ;
 Bol. Mém. Soc. Ent. Belg. xvi. p. 99 (1908).
Pseudocomacris, Bol. l. c. note (1908).

1. **D. Stenoptera, Schaum**, (*Chrysochraon Stenopterus*) Ber. Akad. Wiss. Berlin, 1853, p. 779. n. 18 ; Peters, Reise Mosamb. v. p. 133, pl. 7 A. f. 4 (1862). Mozambique.
2. **D. Deceptor, Karsch** (*Paracomacris D.*) Ent. Nachr. xxvi. p. 275 (1900).
 || *Chrysochraon Semicarinatus*, Stål (nec Gerst.), l. c. p. 21 (1876).
Duronia Semicarinata, Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 73. n. 21 (1893).

Genus 249. **Rodunia.** (Type no. 1.)

Bol. Mém. Soc. Ent. Belg. xiv. p. 99 note (1908).

- **1. **R. Basalis, Walk.** (*Opomala B.*) Cat. S. & E.
 Derm. Salt. B. M. iii. p. 510. n. 20 (1870). Africa.
Phleoba Chloronota, Stål, Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 1 (1876).
 || *Duronia Viridula*, Karsch (nec Beauv.), Berlin. Ent. Zeitschr. xxxviii. p. 74. n. 22 (1893).
- **2. **R. Interlineata, Walk.** (*Opomala I.*) Natal,
 l. c. p. 510. n. 21 (1870). Nyasa
Phleoba Interlineata, Kirb. Trans. Ent. Soc. Land.
 Lond. 1902, p. 66. n. 22.
Phleoba Viridula, var. *Liturata*, Bol. J. Sci. Lisboa, (2) i. p. 98 (1889).
- *3. **R. Angustata, Bol.** (*Phleoba A.*) l. c. Braganza,
 p. 97. n. 67 (1889). Nyasa.
- *4. **R. Sanguinolenta, Bol.** (*Phleoba S.*) Caconda,
 l. c. p. 96. n. 66 (1889). Nyasa.
5. **R. Læta, Bol.** (*Phleoba L.*) An. Soc. Ashanti,
 Españ. xix. p. 310 (1890). Madag.
- **6. **R. Rufescens, Kirb.** (*Phleoba R.*) Proc. Baringo.
 Zool. Soc. Lond. 1902, p. 95. n. 10

- *7. **R. Schulthessi Kirb.** (n. n.).
 || *Phleoba Antennata*, Schulth. (nec Brunn.)
 Ann. Mus. Genova, xxxix. p. 185, pl. 2.
 f. 8 (1898). Arabia,
 Somali.
- **8. **R. Producta, Walk.** (*Stenobothrus Pro-*
ductus) l. c. iv. p. 763. n. 60 (1870). W. Africa.
Duronia Pooensis, Bol. Mem. Soc. Españ.
 i. p. 221 (1905).
9. **R. Tricarinata, Bol.** (*Duronia T.*) An.
 Soc. Españ. xix. p. 312 (1890). Ashanti.
10. **R. Insipida, Karsch,** (*Duronia I.*) Stettin.
 Ent. Zeit. lvii. p. 252. n. 13 (1906). 1896. E. Africa.
11. **R. Duria, Karsch,** (*Duronia D.*) l. c.
 n. 14 (1906). W. Africa.
12. **R. Mossambicensis, Brancs.** (*Phleoba M.*)
 Jahresb. Ver. Trencs. Com. xvii.-xviii.
 p. 249, pl. 8. f. 1 (1897). Mozam-
 bique.
- **13. **R. Inclyta, Walk.** (*Stenobothrus Inclytus*)
 l. c. v. Suppl. p. 83 (1871). Hab. — ?
- **14. **R. Recta, Walk.** (*Stenobothrus Rectus*)
 l. c. (1871). Hab. — ?
15. **R. Tricolor, Karny,** (*Phleoba T.*) Sitz.
 Akad. Wiss. Wien, Math.-nat. Cl. cxvi.
 (1) p. 368. n. 97, pl. 3. f. 50 (1907). Soudan.
16. **R. Elegans, Karny,** (*Phleoba E.*) l. c.
 pp. 368, 369. n. 98, pl. 3. f. 51 (1907). Gondokoro.
17. **R. Pharaonis, Karny,** (*Phleoba P.*)
 ll. cc. n. 99, pl. 3. f. 52 (1907). Soudan.
Phleoba Pharaonis, var. *Aterrima*, Karny,
 l. c. p. 370 (1907).

Genus 250. **Duroniella.** (Type no. 2.)

Bol. Mém. Soc. Ent. Belg. xiv. p. 100 note (1908).

|| *Duronia*, Jacobs. & Bianchi (nec Stål), Prem. i Lozhn. Ross.
 Imp. pp. 165, 176, 215 (1904).

1. **D. Savignyi, Krauss,** (*Duronia S.*) Verh.
 zool.-bot. Ges. Wien, xl. p. 259 (1890); Egypt.
 Jacobs. & Bianchi, Prem. i Lozhn. Ross.
 Imp. pp. 176, 215 (1904).

[Savigny, Hist. Égypte, Orth. pl. 6. f. 9.]

- *2. **D. Lucasii, Bol.** (*Phleoba (Duronia) L.*)
 An. Soc. Españ. x. p. 502 (1881). Algeria,
 Tunis,
Duronia Lauræ, Borm. Ann. Mus. Genov.
 xxii. p. 103. n. 16. fig. (1885). Egypt,
 Syria.

Duronia Fracta, Krauss, l. c. p. 260 (1890);
Jacobs. & Bianchi, l. c. pp. 176, 215
(1904).

3. **D. Kalmyka, Adel.** (*Duronia K.*) Mater. Turgai.
Faun. Flor. Ross. Imp. vi. p. 84. n. 6
(1906).

Genus 251. **Comacris.**

Bol. An. Soc. Españ. xix. p. 312 (1890);
Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893).

1. **C. Semicarinatus, Gerst.** (*Chrysocraon* Zanzibar.
S.) Arch. Naturg. xxxv. p. 218. n. 60
(1869); Von der Decken, Reisen in Ost-
Afrika, Ins. p. 39. n. 60 (1873).
C. Sansibaricus, Bol. l. c. p. 313 (1890).

Genus 252. **Diablepia.**

Kirb. Trans. Ent. Soc. Lond. 1902, p. 68.

1. **D. Viridis, Kirb.** l. c. p. 69. n. 28 A | Pretoria.
(1902).

Genus 253. **Orthochtha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 177 note (1891);
xxxviii. pp. 53, 62 (1893).

- *1. **O. Dasyncnemis, Gerst.** (*Chrysocraon D.*) Zanzibar.
Arch. Naturg. xxxv. p. 217. n. 59 (1869); Abyssinia.
Von der Decken, Reisen in Ost-Afrika,
iii. (2) p. 38. n. 59, pl. 3. f. 2 (1873). |
2. **O. Bisulcata, Krauss,** (*Phlebot B.*) Senegal.
Sitz. Akad. Wiss. Wien, Math.-nat. Cl.
lxxxvi. (1) p. 52. n. 2 (1877). |
3. **O. Brachyncnemis, Karsch,** l. c. xxxviii. Adeli.
p. 62. n. 9, p. 63. f. 4 (1893). |
4. **O. Grossa, Bol.** Mém. Soc. Ent. Belge, W. Africa.
xvi. p. 98. n. 64 (1908). |

Genus 254. **Cymochtha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 68 (1893).

1. **C. Nigricornis**, Karsch, l. c. p. 69. n. 16, | Adeli.
f. 7 (1893).

Genus 255. **Zacompsa.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 74 (1893).

1. **Z. Festa**, Karsch, l. c. p. 74. n. 23, p. 73. | Adeli.
f. 11 (1893).

Genus 256. **Chirista.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 75 (1893).

1. **C. (?) Socia**, Stål, (*Gomphocerus* (*Epacromia*) *Socius*) Eugénies Resa, Orth. p. 342. n. 100 (1860).
Epacromia Socia, Stål, Recens. Orth. i. p. 112. n. 3 (1873).
- **2. **C. Compta**, Walk. (*Stenobothrus Comp- W. & E.*
tus) Cat. Derm. Salt. B. M. iv. p. 762. | Africa.
n. 59 (1870).
Duronio Virgula, Bol. An. Soc. Españ. xix. p. 310 (1890).
C. Virgula, Bol. Mem. Soc. Españ. i. p. 221 (1905); Mém. Soc. Ent. Belg. xvi. p. 101. n. 70 (1908).
Gymnobothrus Varians, Karsch, l. c. xxxvi. p. 178. n. 4 (1891).
C. Varians, Karsch, l. c. xxxviii. p. 76. n. 24, p. 73. f. 12 (1893).
3. **C. Virgata**, Karsch, l. c. pp. 76, 77. | Adeli.
n. 25 (1893).
4. **C. Flavolineata**, Karsch, ll. cc. n. 26 | id.
(1893).
5. **C. Manca**, Karsch, l. c. pp. 76, 78. n. 27 | id.
(1893).

6. **C. Flexuosa, Schulth.** (*Duronio F.*) Ann. Somali.
Mus. Genova, xxxix. p. 186. n. 1, pl. 2.
f. 9 (1898).
7. **C. Interrupta, Karsch,** Stettin. Ent. Zeit. Zanzibar.
lvii. p. 264. n. 26 (1896).

Genus 257. **Holopercna.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 176 (1891).

- *1. **H. Gerstaeckerii, Bol.** (*Duronio G.*) An. Ashanti,
Soc. Españ. xix. p. 311 (1890). Gaboon,
H. Celestis, Karsch, l. c. xxxvi. p. 177. Cameroons.
n. 2 (1891).

Genus 258. **Paracinema.** (*Type* no. 1.)

Fisch. Orth. Eur. pp. 296, 312 (1853); Stål, Recens. Orth. i.
pp. 91, 103 (1873); Bol. Or. Opt. Españ. pp. 100, 104
(1876); An. Soc. Españ. v. pp. 306, 310 (1876); Ann.
Sci. Nat. Porto, iv. pp. 213, 223 (1897); Brunn. Prodr.
Eur. Orth. pp. 83, 96 (1882); Finot, Orth. France,
pp. 41, 48 (1883); Faune France, Orth. pp. 100, 106
(1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 237
(1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
pp. 165, 177, 217 (1902).

- *1. **P. Tricolor, Thunb.** (*Gryllus Tricolor*) S. Europe,
Mém. Acad. Pétersb. v. p. 254 (1815); W. Asia,
ix. pp. 398, 419. n. 72 (1824). Africa,
P. Tricolor, Stål, l. c. p. 103. n. 1 (1873); Madagascar
Bol. ll. cc. p. 105. n. 1, pl. 2. f. 17 (1876);
p. 311. n. 1, pl. 11. f. 17 (1876); Mem.
Soc. Españ. i. p. 223 (1905); Mém. Soc.
Ent. Belge, xvi. p. 100. n. 68 (1908);
Brunn. l. c. p. 97. n. 1, pl. 4. f. 26 (1882);
Finot, ll. cc. p. 48 (1883); p. 106 (1889);
Tümpel, l. c. pp. 216, 238 (1900); Jacobs.
& Bianchi, l. c. pp. 177, 217 (1902).
Gryllus Bisignatus, Charp. Hor. Ent. p. 133
(1825); Ramb. Faun. Andal. ii. p. 92.
n. 17 (1839); Herr.-Schäff. Panz. Faun.
Germ. fasc. clvii. pl. 20 (1838?).
Cedipoda Bisignata, Serv. Ins. Orth. p. 738.
n. 23 (1839); Charp. Orth. pl. 53 (1845).

- Acridium Bisignatum*, Costa, Faun. Nap., Ortott. p. 33. n. 15, pl. v. f. 3 A, b, c (1836).
- P. Bisignatum*, Fisch. l. c. p. 313. n. 1, pl. 16. ff. 5, 5 a, b (1853).
- Mecostethus Bisignatus*, Fieb. Lotos, iii. p. 99. n. 1 (1853), iv. p. 179. n. 1; Syn. Eur. Orth. p. 10. n. 1 (1854).
- Acridium Viridulum*, Costa, l. c. p. 35. n. 16, pl. 5. f. 4 A, b, c (1836).
- Edipoda Virescens*, Luc. Expl. Alg. iii. p. 37. n. 62, iv. pl. 4. f. 4 (1849).
- Gryllus Sylvestris*, Thunb. ll. cc. p. 255 (1815); ix. pp. 398, 420. n. 73 (1824).
- P. Sylvestre*, Stål, l. c. p. 103. n. 2 (1873).
2. **P. Luculenta**, Karsch, Stett. Ent. Zeit. Togo. lvii. p. 254. n. 16, f. 6 (1896).
3. **P. Superba**, Bol. Mem. Soc. Españ. i. E. Africa. p. 223 (1905).
4. **P. Terminale**, Bol. Mém. Soc. Ent. W. Africa. Belge, xvi. p. 100. n. 69 (1908).

Genus 259. **Ceracris**. (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 790 (1870).

- ** 1. **C. Nigricornis**, Walk. l. c. p. 791. n. 1 Darjeeling. (1870).
2. **C. Versicolor**, Brunn. (*Duronia* V.) Burma. Ann. Mus. Genova, xxxiii. p. 126. n. 1 (1893).
3. **C. Deflorata**, Brunn. (*Duronia* D.) l. c. id. n. 2 (1893).

Genus 260. **Mecostethus**. (Type no. 1.)

- Fieb. Kelch, Orth. Oberschles. p. 1 (1852); Lotos, iii. p. 99 (1853); Syn. Eur. Orth. p. 10 (1854).
- Parapleurus*, Fisch. Orth. Eur. pp. 297, 363 (1853); Friv. Érték. Termész. Kör. i. (12) pp. 136, 168 (1867); Stål, Recens. Orth. i. p. 91 (1873); Bol. Ortópt. Españ. p. 101 (1876); An. Soc. Españ. v. p. 307 (1876); Brunn. Prodr. Eur.

Orth. pp. 83, 95 (1882); Finot, Orth. France, pp. 41, 47 (1853); Faune France, Orth. pp. 100, 105 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 238 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 176, 216 (1902). (*Nom. spec.*; *type* no. 1.)

- *1. **M. Alliaceus, Germ.** (*Gryllus* A.) Faun. Central & E. Europe, Asia.
 Ins. Eur. xi. pl. 19 (1817).
Parapleurus Alliaceus, Brunn. l. c. p. 96. n. 1, pl. 4. f. 25 A, B (1882); Finot, ll. cc. p. 47 (1883); p. 105, pl. 4. ff. 62, 63, 63 bis (1889); Tümpel, l. c. p. 238, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 176, 217, pl. 4 (1902).
Gryllus Parapleurus, Hagenb. Symb. Ins. Helvet. p. 34, f. 21 (1822); Charp. Hor. Ent. p. 152 (1825).
Gomphoceris Parapleurus, Burm. Handb. Ent. ii. p. 651. n. 18 (1838).
Edipoda Parapleura, Serv. Ins. Orth. p. 739. n. 24 (1838); Fisch.-Waldh. Orth. Ross. p. 303. n. 21, pl. 23. ff. 1, 2 (1846).
Parapleurus Typus, Fisch. l. c. p. 364. n. 1, pl. 16. ff. 1, 1 a, b (1853); Friv. l. c. p. 168. n. 1 (1867).
2. **M. Fasciatus, Brunn.** Ann. Mus. Genova, Burma. xxxiii. p. 127. n. 1 (1893). ^{*see in Parapleurus*}
3. **M. Fastigiatus, Rehn,** (*Parapleurus* F.) Japan.
 Proc. Acad. Nat. Sci. Philad. liv. p. 629 (1902). **o-193.**

Genus 261. **Chrysochraon.** (*Type* no. 1.)

Fisch. Orth. Eur. pp. 296, 307 (1853); Friv. Érték. Termész. Kör. i. (12) pp. 135, 138 (1867); Stål, Recens. Orth. i. p. 93 (1873); Bol. Ortópt. Españ. p. 101 (1876); An. Soc. Españ. v. p. 307 (1876); Ann. Sci. Nat. Porto, iv. pp. 213, 223 (1897); Brunn. Prodr. Eur. Orth. pp. 84, 97 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 41, 48 (1883); Faune France, Orth. pp. 100, 106 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 238 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 177, 218 (1902).

- *1. **C. Dispar, Germ.** (*Podisma* D.) Faun. Central Europe, Tomsk, Amur.
 Ins. Eur. fasc. 17, pl. 7 (1835?); Fisch.-Waldh. Orth. Ross. p. 249. n. 4, pl. 31. f. 5 (1846).

Acridium Dispar, *Bris.* Bull. et Ann. Soc. Ent. France, (2) vi. pp. xxxviii, liv, 423 (1848).

C. Dispar, *Fisch.* l. c. p. 308. n. 1, pl. 16. ff. 6, 6* (1853); *Friv.* l. c. p. 139. n. 1 (1867); *Brunn.* l. c. p. 98. n. 1, pl. 4. f. 27 A-D (1882); *Finot*, ll. cc. pp. 48, 49 (1883); p. 107, pl. 4. ff. 65-67 (1889); *Tümpel*, l. c. pp. 216, 238 (1900); *Jacobs. & Bianchi*, l. c. pp. 177, 218 (1902).

Chorthippus Dispar, *Fieb.* Lotos, iii. p. 118. n. 38 (1853); *Syn. Eur. Orth.* p. 18. n. 38 (1854).

Gryllus Platypterus, *Ocsk.* Nova Acta Acad. Leop.-Carol. xvi. (2) p. 960 (1832).

Edipoda Smilacea, *Fisch.-Waldh.* l. c. p. 363, pl. 33. ff. 13, 14 (1846).

Acridium Smilaceum, *Bris.* Bull. Soc. Ent. France, (2) v. p. lxxxvi (1847), (2) vi. p. xxxviii (1848).

|| *Gomphocerus Parallellus*, *Barm. (nec Zett.)* Handb. Ent. ii. p. 650. n. 16 (1838).

Acridium Decurtatum, *Herr.-Schäff.* Nomencl. Ent. ii. p. 9 (1840).

*2. **C. Brachypterus**, **Ocsk.** (*Gryllus B.*) Europe, Siberia, Amur.
Nova Acta Acad. Leop.-Car. xiii. (1) p. 409 (1826).

C. Brachypterus, *Fisch.* l. c. p. 309. n. 2, pl. 16. ff. 7, 7*, 7**, 7 a, b (1853); *Friv.* l. c. p. 139. n. 2 (1867); *Brunn.* l. c. pp. 98, 99. n. 2 (1882); *Finot*, ll. cc. p. 49 (1883); pp. 107, 108 (1889); *Tümpel*, l. c. pp. 216, 238, pl. 16 (1900); *Jacobs. & Bianchi*, l. c. pp. 177, 218, pl. 4 (1902).

Acridium Smaragdulum, *Herr.-Schäff.* l. c. p. 9 (1840).

Acridium Abbreviatum, *Herr.-Schäff.* l. c. (1840).

Podisma Longicrus, *Fisch.-Waldh.* l. c. p. 251. n. 5 (1846).

Edipoda Longicrus, *Fisch.-Waldh.* l. c. pl. 22. ff. 3, 4 (1846).

Chorthippus Ocskayi, *Fieb.* ll. cc. p. 118. n. 39 (1853); p. 18. n. 39 (1854).

Edipoda Leucoptera, *Fisch.-Waldh.* l. c. p. 362, pl. 33. f. 12 (1846).

- Edipoda Homoptera*, *Evversm.* Addit. Fisch.-Waldh. Orth. Ross. p. 14. n. 14, pl. A. f. 8 (1818).
- C. Brachypterus*, var. *Intermedia*, *Bol.* Ann. Sc. Nat. Porto, iv. p. 224 (1897); *Jacobs. & Bianchi*, l. c. p. 218 (1902).
3. **C. Japonicus**, *Bol.* Ann. Mus. Genova, xxxix. p. 82. n. 32 (1898); *Jacobs. & Bianchi*, l. c. p. 219 (1902). Japan.
4. **C. Clavatus**, *Ostr.* Zool. Anz. iv. p. 597 (1881). 0-7/5. Turkestan (*Apterus* sp.)
5. **C. Poppiusi**, *Miram*, Öfvers. Finska Vet. Soc. Förh. xlix. (6) p. 3 (1907). N. Russia, Siberia.
6. **C. Levipes**, *Karsch*, Stettin. Ent. Zeit. lviii. p. 255. n. 18 (1896). Kilimanjaro.

Genus 262. **Podismopsis.**

Zub. Hor. Soc. Ent. Ross. xxxiv. p. 2 (1900); *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 177, 219 (1902).

1. **P. Altaica**, *Zub.* l. c. p. 2. n. 3 (1900). Altai. ^{n.w.} Chin. a.)
Chrysoschraon Altaicus, *Jacobs. & Bianchi*, l. c. pp. 177, 219 (1902).

Genus 263. **Rhabdoplea.** (Type no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 69 (1893).

1. **R. Munda**, *Karsch*, l. c. pp. 70, 71. n. 17, f. 8 (1893). Adeli.
2. **R. Mira**, *Karsch*, ll. cc. n. 18, f. 9 (1893). id.
3. **R. Angustula**, *Karsch*, l. c. pp. 70, 72. n. 19, f. 9, pt. (1893). id.

Genus 264. **Coryphosima.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 72 (1893).

1. **C. Brevicornis**, *Karsch*, l. c. pp. 72, 73. n. 20, f. 10 (1893). Adeli.

Genus 265. **Amesotropis**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 66 (1893).

1. **A. Valga**, **Karsch**, l. c. p. 67. n. 15, f. 6 | Adeli.
(1893).

Genus 266. **Phlocerus**.

Fisch.-Waldh. Notice sur le Phlocerus, p. 15 (1833) ; Silbermann's Rev. Ent. ii. p. 250 (1834) ; Orth. Ross. p. 343 (1846) ; Serv. Ins. Orth. p. 748 (1839) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 184, 239 (1902).

1. **P. Menetriesii**, **Fisch.-Waldh.** ll. cc. | Caucasus.

7/ p. 17, plate (1833) ; p. 252, pl. 31 (1834) ;
p. 345. n. 1, pl. 17. ff. 1, 1 a-e (1846) ;
Serv. l. c. p. 749. n. 1 (1839) ; Jacobs. &
Bianchi, l. c. pp. 184, 239 (1902).

Genus 267. **Gymnbothrus**. (*Type* no. 1.)

Bol. Journ. Sci. Lisb. (2) i. p. 100 (1889) ;
Brunn. Ann. Mus. Genova, xxxiii. p. 122 (1893).

- | | |
|--|-----------------------|
| *1. G. Linea-alba , Bol. l. c. p. 100. n. 75
(1889). | Angola &c. |
| ** <i>Calantops Vittata</i> , <i>Kirb.</i> Trans. Ent. Soc.
Lond. 1902, p. 106. n. 111. | |
| 2. G. Anchietæ , Bol. l. c. p. 101. n. 76
(1889). | Angola. |
| 3. G. Scapularis , Bol. l. c. n. 77 (1889). | Lorenzo
Marques. |
| 4. G. Cruciatus , Bol. l. c. n. 78 (1889). | Angola. |
| 5. G. Oberthuri , Bol. An. Soc. Españ. xix.
p. 315 (1890) | Unyan-
yembe. |
| 6. G. Indicus , Bol. Ann. Soc. Ent. France,
lxx. p. 596, pl. 9. f. 31 (1902). | S. India ;
Madura. |

Genus 268. **Madurea**.

Bol. Ann. Soc. Ent. France, lxx. p. 596 (1902).

1. **M. Cephalotes**, **Bol.** l. c. p. 597, pl. 9. | Madura.
f. 32 (1902).

Genus 269. **Ochrilidia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 92, 104 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 22 (1876); Brunn. Prodr. Eur. Orth. pp. 83, 91 (1882); Bol. Ortópt. Españ. p. 100 (1876); An. Soc. Españ. v. p. 306 (1876).
Brachyrotaphus, Krauss, Sitzungsab. Akad. Wiss. Wien, lxxvi. (1) p. 47 (1877). (*Type* no. 1.)

1. **O. Tryxalicera, Fisch.** (*Opomala T.*) Sicily,
 Orth. Eur. p. 305. n. 1, pl. 15. f. 8 Turkey,
 (1853). Nubia,
Ochrilidia Tryxalicera, Stål. Recens. Orth. Senegal,
 i. p. 104. n. 1 (1873); Brunn. l. c. p. 91. Syria.
 n. 1 (1882); Karny, Sitz. Akad. Wiss.
 Wien, cxvi. p. 100. n. 94 (1907).
Ochrilidia (Opomala) Tryxalicera, Krauss,
 Verh. zool.-bot. Ges. Wien, xxxviii.
 p. 571. n. 6 (1888).
Platypterna Tryxalidocera, Jacobs. & Bianchi,
 Prem. i Lozhn. Ross. Imp. pp. 176, 216.
 (1902).
Brachyrotaphus Steindachneri, Krauss, l. c.
 p. 48. n. 1, pl. 2. ff. 15, 15 A (1877).
2. **O. Buettneri, Karsch,** (*Brachyrotaphus* W. Africa,
Büttneri) Stettin. Ent. Zeit. lvii. pp. 261, Togo.
 262. n. 24, ff. 9, 9 b (1896).
3. **O. Stuhlmanni, Karsch,** (*Brachyero-* iid.
taphus S.) l. c. p. 262. n. 25, f. 9 a
 (1896).
4. **O. Longiceps, Bol.** Ann. Soc. Ent. France, S. India :
 lxx. p. 595 (1902). Madura.

Genus 270. **Platypterna.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 98 (1853); Syn. Eur. Orth. p. 9 (1854);
 Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 176,
 215 (1902).

1. **P. Tibialis, Fieb.** ll. cc. p. 98. n. 1 N. Africa,
 (1853); p. 9. n. 1 (1854); Jacobs. & Spain,
 Bianchi, l. c. pp. 176, 216 (1902). Greece,
Ochrilidia Tibialis, Brunn. Prodr. Eur. Asia Minor,
 Orth. p. 91. n. 2, pl. 4. f. 22 A-C (1882). Syria.

2. **P. Longicornis**, Fieb. (*Opsomala* L.) Greece,
ll. cc. p. 98. n. 2 (1853); p. 9. n. 2 Egypt.
(1854).
3. **P. Boscæ**, Caz. (*Ochrilidia* B.) An. Soc. Spain.
Españ. xv. p. 112 (1886).
4. **P. Pruinosa**, Brunn. (*Ochrilidia* P.) l. c. Rhodes,
pp. 91, 92. n. 3 (1882). Palestine.
Platypterna Pruinosa, Jacobs. & Bianchi,
l. c. pp. 176, 216 (1902).
5. **P. Gracilis**, Krauss, Verh. zool.-bot. Algerian
Ges. Wien, lii. p. 236. n. 11, f. 2 (1902). Sahara.
6. **P. Filicornis**, Krauss, l. c. p. 237. n. 12, id.
f. 3 (1902).
7. **P. (?) Brevipes**, Stål, (*Ochrilidia* B.) Damara-
Æfv. Vet.-Akad. Förh. xxxiii. (3) p. 47 land.
n. 1 (1876).
8. **P. Costulata**, Caz. (*Ochrilidia* C.) l. c. Angola.
p. 114 (1886).
9. **P. Latipes**, Bol. Mem. Soc. Españ. i. Fernando
p. 222 (1905). Po.
10. **P. Bitæniata**, Bol. (*Ochrilidia* B.) Mém. Congo (?).
Soc. Ent. Belg. xvi. p. 97. n. 61 (1907).

Genus 271. **Eleutherotheca.** (Type no. 2.)

Karny, Sitz. Akad. Wiss. Wien. Math.-nat. Cl.
cxvi. (1) p. 360 (1907). ♀-7♂♂.

1. **E. Elegans**, Karny, l. c. pp. 360, 361. Kordofan,
n. 1, pl. 3. f. 49 (1907). Gondokoro.
2. **E. Concolor**, Karny, l. c. p. 361. n. 2, Mongalla,
pl. 3. f. 48 (1907). Sudan.

Genus 272. **Pnorisa.** (Type no. 1.)

Gomphocerus (*Pnorisa*), Stål, Eugénies Resa, Orth. p. 341
(1860).

Pnorisa, Stål, Recens. Orth. i. pp. 93, 107 (1873); Æfvers.
Vet.-Akad. Förh. xxxiii. (3) p. 47 (1876); Karsch, Berlin.
Ent. Zeitschr. xxxviii. pp. 53, 64 (1893); Brunn. Ann.
Mus. Genova, xxxiii. p. 122 (1893).

- *1. **P. Squalus**, Stål, (*Gomphocerus* (*Pno-* S. Africa.
risa) S.) Eugénies Resa, Orth. p. 341.
n. 97 (1860).

P. Squalus, Stål, Recens. Orth. i. p. 107. n. 1 (1873); Öfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 1 (1876).

P. Squalus, var. *Biterniata*, Bol. Journ. Sci. Lisb. (2) i. p. 99. n. 72 (1889).

2. **P. Capensis**, Walk. (*Stenobothrus* ()) S. Africa. Cat. Derm. Salt. B. M. iv. p. 764. n. 62 (1870).

3. **P. Tricarinata**, Stål, Öfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 2 (1876); Karsch, Stettin. Ent. Zeit. lvii. p. 257. f. 8 (1896). 0-565. Oyambo.

4. **P. Bifoveolata**, Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 65. no. 12 (1893). Adeli.

5. **P. Invenusta**, Karsch, l. c. n. 13 (1893). id.

6. **P. Vittigera**, Karsch, l. c. pp. 65, 66. id. n. 14 (1893).

7. **P. Fungosa**, Bol. l. c. p. 99. n. 73 (1889). Angola.

8. **P. Grossa**, Bol. l. c. p. 100. n. 74 (1889). Caconda.

Genus 273. **Rhaphotittha**. (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 256 (1896).

1. **R. Levis**, Karsch, l. c. p. 257. n. 19 (1896). Delagoa Bay.

2. **R. Subtilis**, Karsch, l. c. n. 20 (1896). Zanzibar.

3. **R. Milanjica**, Karsch, l. c. p. 258. n. 21 (1896). Nyasa.

Genus 274. **Dnopherula**.

Karsch, Stettin. Ent. Zeit. lvii. p. 259 (1896).

1. **D. Callosa**, Karsch, l. c. n. 22 (1896). Nyasa.

Genus 275. **Ogmothela**.

Karsch, Stettin. Ent. Zeit. lvii. p. 260 (1896).

1. **O. Rimulata**, Karsch, l. c. n. 23 (1896). Mombasa.

Genus 276. **Dociostaurus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 118 (June 1853); Syn. Eur. Orth. p. 18 (1854).

Stauronotus, *Fisch.* Orth. Eur. pp. 297, 351 (Nov. 1853); Friv. Érték. Termész. Kör. i. (12) pp. 135, 161 (1867); Stål, Rec. Orth. i. pp. 94, 111 (1873); Bol. Ortópt. Españ. pp. 101, 134 (1876); An. Soc. Españ. v. pp. 307, 341 (1876); Ann. Sci. Nat. Porto, iv. p. 214 (1897), v. p. 13 (1898); Brunn. Prodr. Eur. Orth. pp. 84, 135 (1882); Ann. Mus. Genova, xxxiii. p. 123 (1893); Finot, Orth. France, pp. 42, 65 (1883); Faune France, Orth. pp. 101, 134 (1889); Tümpel, Geradtl. Mitteleuropas, pp. 214, 218, 245 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 184, 239 (1902). (*Type* no. 1.)

- * 1. **D. Maroccanus**, **Thunb.** (*Gryllus* *M.*) S. Europe,
Mém. Acad. Pétersb. v. p. 244 (1815), N. Africa,
ix. pp. 399, 425. n. 91 (1824). Madeira,
Stauronotus Maroccanus, *Stål*, l. c. p. 111. W. & Centr.
n. 1 (1873); Bol. ll. cc. p. 135. n. 1, Asia.
pl. 3. f. 20, pl. 1. f. 1 (1876); p. 341. n. 1,
pl. 12. f. 20, pl. 6. f. 1 (1876); v. p. 13.
n. 1 (1898); Brunn. Prodr. Eur. Orth.
p. 136. n. 1 (1882); Finot, l. c. p. 65
(1883); p. 135 (1889); Jacobs. & Bianchi,
l. c. pp. 184, 240, pl. 10 (1902).
Gryllus Cruciatum, *Charp.* Hor. Ent. p. 137
(1825).
Acrydium Cruciatum, *Costa*, Faun. Nap.,
Acrid. p. 37. n. 17, pl. 5. f. 1 A, b, c
(1836).
Ædipoda Cruciatum, *Brullé*, Expéd. Morée,
Ins. p. 92. n. 63, pl. 30. f. 2 (1832).
Dociostaurus Cruciatum, *Fieb.* ll. cc. p. 118.
n. 1 (1853); p. 18. n. 1 (1854).
Stauronotus Cruciatum, *Fisch.* l. c. p. 352.
n. 1, pl. 17. ff. 11, 11 a-d (1853).
Ædipoda Vastator, *Fisch.-Waldh.* Orth.
Ross. p. 312. n. 30, pl. 14. f. 1 (1846).
Var. *Gryllus Crucigerus*, *Ramb.* Faun. Andal. Malaga.
ii. p. 86. n. 13 (1838).
Stauronotus Crucigerus, *Fisch.* l. c. p. 356.
n. 5 (1853).

2. **D. Hauensteini, Bol.** (*Stauronotus H.*) Asia Minor,
 Rev. Biol. Nord France, v. p. 480 (1893); Syria,
 Giglio-Tos, Boll. Mus. Torino, ix. (191) Trans-
 p. 2 (1894); Krauss, Zool. Jahrb. Syst. caucasia.
 ix. p. 562, n. 9, pl. 8. f. 3 (1896); Jacobs.
 & Bianchi, l. c. pp. 184, 240 (1902).
3. **D. Kraussi, Ingen.** (*Stauronotus K.*) Hor. S. Russia,
 Soc. Ent. Ross. xxxi. p. 63, pl. 7 (1897); Siberia.
 Jacobs. & Bianchi, l. c. pp. 184, 241 (1902).
4. **D. Brevicollis, Eversm.** (*Edipoda B.*) Madrid,
 Addit. Fisch.-Waldh. Orth. Ross. p. 11, S.E.
 pl. A. f. 4 (1848). Europe,
Stauronotus Brevicollis, Friv. l. c. p. 162, n. 1, Asia Minor,
 pl. 6. f. 10 (1867); Bol. Ann. Sci. Nat. Siberia.
 Porto, v. pp. 13, 14. n. 2 (1898); Brunn.
 l. c. pp. 136, 137. n. 2, pl. 5. f. 30 A, B
 (1882); Krauss, l. c. p. 561. n. 8 (1896);
 Tümpel, l. c. pp. 218, 245, pl. 18 (1900);
 Jacobs. & Bianchi, l. c. pp. 184, 241, pl. 5
 (1902).
 || *Stauronotus Cruciatas, Eversm. (nec Charp.)*
 Bull. Mosc. xxxii. (1) p. 137 (1859).
 || *Stauronotus Genci, Türk, (nec Oesk.)* Wien.
 Ent. Mon. iv. p. 86. n. 3 (1860).
Stauronotus Annulipes, Türk, l. c. vi. p. 81
 (1862).
Stauronotus Brevicollis, var. Hispanicus, Bol.
 l. c. p. 14 (1898).
5. **D. Histrio, Fisch.-Waldh.** (*Edipoda H.*) Tauria,
 Orth. Ross. p. 311. n. 29, pl. 32. f. 6 Siberia.
 (1846).
- *6. **D. Crassiusculus, Pantel,** (*Stauronotus*
C.) An. Soc. Españ. xv. p. 237, pl. 2. f. 1 Spain.
 (1886); Bol. l. c. pp. 13, 14. n. 3 (1898);
 Navás, Bol. Soc. Españ. ii. p. 335. n. 3
 (1902).
7. **D. Anatolicus, Krauss,** (*Stauronotus A.*) Trans-
 l. c. p. 560. n. 7, pl. 8. f. 1 (1896); caucasia,
 Jacobs. & Bianchi, l. c. pp. 184, 241 Asia Minor,
 (1902); Adel. Hor. Soc. Ent. Ross. xxxviii. Syria.
 p. 49. n. 9 (1907).
Stauronotus Anatolicus, var. Castaneopicta,
 Krauss, l. c. p. 561. n. 7a, pl. 8. ff. 2, 2 A, B
 (1896); Adel. l. c. p. 51. n. 10, pl. 1. f. 2
 (1907).
Stauronotus Anatolicus, var. Castaneopictus,
 Jacobs. & Bianchi, l. c. p. 242 (1902).

- *8. **D. Genei, Ocskay**, (*Gryllus G.*) Acta Acad. Leop.-Carol. xvi. (2) p. 961 (1832). S. Europe, N. Africa, W. Asia.
Stauronotus Genei, Fisch. l. c. p. 355. n. 4 (1853); Bol. Ortópt. Españ. pp. 135, 137. n. 2 (1876); An. Soc. Españ. v. pp. 341, 343. n. 2 (1876); Ann. Sci. Nat. Porto, v. pp. 13, 14. n. 4 (1898); Brunn. Prodr. Eur. Orth. pp. 136, 137. n. 3 (1882); Finot, ll. cc. p. 65 (1883); p. 136, pl. 7. f. 97 (1889); Jacobs. & Bianchi, l. c. pp. 184, 242 (1902).
9. **D. Albicornis, Eversm.** (*Stauronotus A*) S. Russia, Siberia.
 Addit. Fisch.-Waldh. Orth. Ross. p. 10. n. 6, pl. A. f. 3 (1848); Bull. Soc. Nat. Mosc. xxxii. (1) p. 137 (1859).
Stauronotus Albicornis, Brunn. l. c. pp. 136, 138. n. 4 (1882); Jacobs. & Bianchi, l. c. pp. 185, 242 (1902).
10. **D. Australis, Bol.** (*Stauronotus A.*) Jorn. Caconda.
 Sci. Lisb. (2) i. p. 102. n. 79 (1889).
- **11. **D. Apicalis, Walk.** (*Stenobothrus A.*) Bombay.
 Cat. Derm. Salt. B. M. v. Suppl. p. 80 (1871).
- ***12. **D. Turbatus, Walk.** (*Stenobothrus T.*) id.
 l. c. p. 81 (1871).

Genus 277. **Eremogryllus.**

Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 238 (1902).

1. **E. Hammadæ, Krauss**, l. c. p. 239. n. 14, | Algeria.
 ff. 4-6 (1902).

Genus 278. **Notopleura.**

Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 240 (1902).

1. **N. Saharica, Krauss**, l. c. n. 15, ff. 7-9 | Algeria.
 (1902).

Genus 279. **Gomphocerus.** (*Type* no. 7.)

Thunb. Mém. Acad. Pétersb. v. p. 221 (1815): Sam. Ent.
 Comp. p. 219 (1819); Steph. Ill. Brit. Ent., Mand. vi.

pp. 19, 29 (1835); Serv. Ann. Sci. Nat. xxii. p. 290 (1831); Ins. Orth. p. 745 (1839); Burm. Handb. Ent. ii. pp. 602, 645 (1838); Fisch.-Waldh. Orth. Ross. pp. 228, 334 (1846); Stål. Recens. Orth. i. pp. 93, 108 (1873); Thomas, Synops. Acrid. N. Amer. p. 95 (1873); Bol. Ortópt. Españ. pp. 101, 107 (1876); An. Soc. Españ. v. pp. 307, 313 (1876), vii. p. 425 (1878); Ann. Sci. Nat. Porto, iv. p. 214 (1897), v. p. 12 (1898); Brunn. Prodr. Eur. Orth. pp. 84, 128 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 42, 62 (1883); Faune France, Orth. pp. 101, 131 (1889); McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 265 (1897); Burr, Brit. Orth. pp. 33, 39 (1897); Lugg. Orthopt. Minnesota, pp. 204, 220 (1897); Auriv. Ent. Tidskr. xxi. pp. 240, 244 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 214, 218, 243 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 182, 235 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 92 (1902, 1904).

- *1. **G. Sibiricus, Linn.** (*Gryllus Locusta* S.) S. & Centr.
Syst. Nat. (ed. xii.) i. (2) p. 701. n. 51 Europe,
(1767). W., Centr.,

Gryllus Locusta Sibiricus, Stoll, Spectres. & E. Asia.
Saut. p. 23, pl. 10 b. f. 35 (1813).

Gryllus Sibiricus, Pall. Reise, i. p. 467.
n. 48 (1771); Panz. Faun. Germ. fasc. 23,
pl. 20 (1794); Charp. Hor. Ent. p. 167
(1825).

Acrydium Sibiricum, Oliv. Enc. Méth., Ins.
vi. p. 226. n. 48 (1791); Latr. Hist. Nat.
Crust. Ins. xii. p. 160. n. 20 (1801).

Gomphocerus Sibiricus, Thunb. l. c. p. 222
(1815); Steph. l. c. p. 32. n. 7 (1835);
Serv. ll. cc. p. 290. n. 1 (1831); p. 746.
n. 1 (1839); Burm. l. c. p. 649. n. 9 (1838);
Motsch. Bull. Mosc. 1840, pp. 171, 172,
pl. 4. ff. c, c'; Fisch.-Waldh. l. c. p. 336.
n. 1, pl. 17. f. 2 (1846); Stål, l. c. p. 108.
n. 3 (1873); Bol. ll. cc. pp. 110, 114. n. 2,
pl. 3. ff. 2, 3 (1876); v. pp. 316, 320. n. 2,
pl. 12. ff. 2, 3 (1876), vii. p. 426. n. 2
(1878); v. p. 12. n. 1 (1898); Brunn.
Prodr. Eur. Orth. p. 129. n. 1 (1882);
Finot, ll. cc. p. 63 (1883); p. 131 (1889);
Burr, l. c. p. 39, pl. 3. f. 8 (1897);
Tümpel, l. c. pp. 218, 244 (1900); Jacobs.
& Bianchi, l. c. pp. 183, 235, pl. 10 (1902).

- Stenobothrus (Gomphocerus) Sibiricus*, Fisch.
Orth. Eur. p. 350. n. 27, pl. 17. ff. 8,
8a (1853).
- Chorthippus Sibiricus*, Fieb. Lotos, iii. p. 101.
n. 2 (1853), iv. p. 180. n. 2 (1854); Syn.
Eur. Orth. p. 12. n. 2 (1854).
- Gryllus Clavimanus*, Pall. Spic. Zool. ix.
p. 21, pl. 1. f. 11 (1772).
2. **G. Caucasicus**, Motsch. l. c. p. 171, pl. 4.
ff. 6, 6' (1840); Fisch.-Waldh. l. c. p. 339.
n. 3 (1846); Jacobs. & Bianchi, l. c. p. 235
(1902). Caucasus.
- Chorthippus Caucasicus*, Fieb. ll. cc. p. 101.
n. 3 (1853), p. 180. n. 3 (1854); p. 12.
n. 3 (1854).
- G. Sibiricus*, var. *Caucasicus*, Adel. Ann. Mus.
Zool. Pétersb. xii. p. 129. n. 10 (1907).
3. **G. Reuteri**, Miram, Efvers. Finska Vet.
Soc. Förh. xlix. (6) p. 6 (1907). Jenissei.
4. **G. Przewalskii**, Zub. Ann. Mus. Zool.
Pétersb. i. p. 150 (1896); Jacobs. &
Bianchi, l. c. pp. 183, 235 (1902). Mongolia.
5. **G. Barbipes**, Fisch.-Waldh. l. c. p. 339.
n. 3 (1846); Jacobs. & Bianchi, l. c.
p. 236 (1902). Lake Baikal.
6. **G. Variegatus**, Fisch.-Waldh. l. c. p. 341.
n. 5, pl. 26. f. 5 (1846); Jacobs. &
Bianchi, l. c. pp. 183, 236 (1902). French
Alps,
Caucasus,
Siberia.
- G. Livoni*, Azam, Ann. Soc. Ent. France,
lxii. p. 190 (1893).
- *7. **G. Rufus**, Linn. (*Gryllus Locusta* R.) Syst.
Nat. (ed. x.) i. p. 433. n. 57 (1758). Europe,
Siberia.
- Gryllus Rufus*, Linn. Faun. Suec. p. 239.
n. 876 (1761); Latr. l. c. iii. p. 284
(1803); Charp. Hor. Ent. p. 168 (1825);
Zett. Ins. Lapp. p. 249. n. 6 (1840).
- Aerydium Rufum*, Oliv. l. c. p. 230. n. 66
(1791); Latr. l. c. xii. p. 160. n. 21
(1804); Wesm. Bull. Acad. Sci. Brux.
v. p. 596. n. 7 (1838).
- Gomphocerus Rufus*, Thunb. l. c. p. 221
(1815); Sam. l. c. p. 219 (1819); Steph.
l. c. p. 30. n. 1, pl. 28. f. 6 (1835); Serv.
ll. cc. p. 290. n. 2 (1831); p. 747. n. 2
(1839); Burm. l. c. p. 649. n. 11 (1838);
Fisch.-Waldh. l. c. p. 337. n. 2, pl. 17.

- f. 3 *a, b* (1846); Borek. Skand. Rätv. Ins. p. 135. n. 12 (1848); Stål, l. c. p. 108. n. 1 (1873); Finot, ll. cc. p. 63 (1883); pp. 131, 132, pl. 7. f. 95 (1889); Burr, l. c. p. 39, pl. 3. f. 9 (1897); Auriv. l. c. p. 245. n. 2 (1900); Tümp. l. c. pp. 218, 244, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 183, 236, pl. 5 (1902).
Chorthippus Rufus, Fieb. ll. cc. p. 101. n. 4 (1853), p. 180. n. 4 (1854); p. 12. n. 4 (1854).
Stenobothrus (Gomphocerus) Rufus, Fisch. l. c. p. 348. n. 25, pl. 17. ff. 9, 9 *a* (1853).
Stenobothrus Rufus, Friv. Ertek. Termész. Kör. i. (12) p. 158. n. 19 (1867).
Acrydium Claricorne, De Geer, Mém. Ins. iii. p. 482. n. 10, pl. 23. f. 13 (1773).
8. **G. Escalerai**, Bol. Ann. Soc. Ent. Belg. xliii. p. 590 (1899); Jacobs. & Bianchi, l. c. pp. 183, 237 (1902). Asia Minor.
9. **G. Dispar**, Fisch.-Waldh. l. c. p. 340. n. 4 (1846); Jacobs. & Bianchi, l. c. p. 237 (1892). Caucasus.
Chorthippus Dispar, Fieb. ll. cc. p. 101. n. 5 (1853), p. 180. n. 5 (1854); p. 12. n. 5 (1854).
- *10. **G. Antennatus**, Fieb. (*Chorthippus A.*) ll. cc. iii. p. 101. n. 6 (1853); p. 12. n. 6 (1854). Austria-Hungary, S. Russia.
Stenobothrus Antennatus, Friv. l. c. p. 159. n. 20, pl. 6. f. 9 (1847).
G. Antennatus, Tümp. l. c. pp. 218, 244, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 183, 237, pl. 5 (1902).
G. Deserticola, Eversm. Bull. Mosc. xxxii. p. 136 (1859).
 || *Stauronotus Genei*, Türk, (nec Ocsk.) Wien. Ent. Mon. iv. p. 86. n. 3 (1860).
11. **G. Palpalis**, Zub. Hor. Soc. Ent. Ross. xxxiv. p. 13. n. 24 (1900); Jacobs. & Bianchi, l. c. pp. 183, 238 (1902). Siberia, Mongolia.
- *12. **G. Maculatus**, Thunb. l. c. p. 221 (1815); Stål, l. c. p. 108. n. 2 (1873); Bol. Ortópt. Españ. pp. 110, 114. n. 1, pl. 3. f. 1 (1876); An. Soc. Españ. v. pp. 316, 320. n. 1, pl. 12. f. 1 (1876), vii. p. 426. n. 5 Europe, W., Centr., & E. Asia.

- (1878); Ann. Sci. Nat. Porto, v. p. 12. n. 2 (1898); Brunn. l. c. pp. 129, 132. n. 4 (1882); Finot, l. c. pp. 63, 64 (1883); pp. 131, 133 (1889); Burr, l. c. pp. 39, 40, pl. 3. f. 10 (1897); Auriv. l. c. p. 245. n. 1 (1900); Tümp. l. c. pp. 218, 244, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 183, 238, pl. 5 (1902).
- || *Gryllus Biguttulus*, Panz. (nec Linn.) Faun. Ins. Germ. fasc. 33, pl. 6 (1796).
- || *Gryllus Rufus*, Zett. (nec Linn.) Orth. Suec. p. 99. n. 13 (1821).
- Gryllus Biguttatus*, Charp. Hor. Ent. p. 166 (1825); Phil. Orth. Berol. p. 39. n. 18 (1830); Germ. Faun. Ins. Eur. fasc. xx. pls. 22, 23 (1838).
- Gomphocerus Biguttatus*, Serv. ll. cc. p. 290. n. 3 (1831); p. 748. n. 3 (1839); Burm. Handb. Ent. ii. p. 649. n. 10 (1838); Steph. l. c. p. 30. n. 2 (1835); Fisch.-Waldh. l. c. p. 342. n. 6, pl. 17. f. 4 (1846); Borek, l. c. p. 136. n. 13 (1848).
- Acrydium Biguttatum*, Wesm. l. c. p. 595. n. 6 (1838).
- Stenobothrus* (*Gomphocerus*) *Biguttatus*, Fisch. l. c. p. 346. n. 24, pl. 17. ff. 10, 10 a (1853).
- Stenobothrus Antennatus*, Friv. l. c. p. 159. n. 20, pl. 6. f. 9 (1867).
- Chorthippus Antennatus*, Fieb. Lotos, iii. p. 101. n. 6 (1853); Syn. Eur. Orth. p. 12. n. 6 (1854).
- Gomphocerus Annulatus*, Fisch.-Waldh. Bull. Mosc. vi. p. 388. n. 3 (1833).
- Var. *Gomphocerus Elegans*, Steph. l. c. p. 31. n. 3 (1835).
- Var. *Gomphocerus Ericetarius*, Steph. l. c. n. 4 (1835).
- Var. *Gomphocerus Calidoniensis*, Steph. l. c. p. 32. n. 5 (1835).
- || *Ædipoda Pulla*, Fisch.-Waldh. (nec Phil.) l. c. p. 329. n. 43, pl. 22. f. 9 (1846).
- Stenobothrus Saussurii*, Seane, Mitth. Schw. Ent. Ges. v. p. 486 (1879).
13. **G. Pallidus**, Brunn. l. c. pp. 129, 134. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 183, 239 (1902).

S. Russia,
Siberia.

14. **G. Brevipennis, Bris.** (*Acridium Brevipenne*) Bull. Soc. Ent. France, (2) vi. p. lxxxiii (1848). Pyrenees.
Stenobothrus (Gomphocerus) Brevipennis, Fisch. l. c. p. 349. n. 26 (1853).
Gomphocerus Brevipennis, Bol. ll. cc. pp. 110, 115. n. 3 (1876); pp. 316, 321. n. 3 (1876); p. 426. n. 6 (1878); p. 12. n. 3 (1898); Finot, ll. cc. pp. 62, 64 (1883); pp. 131, 134 (1889).
15. **G. (?) Evanesens, Stål,** (*Gomphocerus (Stenobothrus) Evanesens*) Eugenies Resa, HongKong.
 Orth. p. 342. n. 99 (1860).
Gomphocerus Evanesens, Stål, Recens. Orth. i. p. 111. n. 13 (1873).
16. **G. Clepsydra, Scudd.** Dawson's Rep. N. America.
 Geol. 49th Parallel, p. 344 (1875); Wheeler's Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 288. n. 26; McNeill, l. c. pp. 265, 266. n. 2, pl. 6. ff. 27, 27 a, b (1897); Brun. l. c. pp. 92, 93. n. 1 (1904).
17. **G. Clavatus, Thom.** l. c. p. 96 (1873); id.
 Glov. Ill. N. Amer. Orth. pl. 16. f. 8 (1874); Brun. Publ. Nebraska Acad. Sci. iii. p. 22 (1893); Biol. Centr.-Amer., Orth. ii. pp. 92, 93. n. 2 (1904); McNeill, l. c. p. 265. n. 1 (1897); Lugg. l. c. pp. 220, 221. f. 76 (1897); Caud. Proc. U.S. Nat. Mus. xxvi. p. 783 (1903).
18. **G. Carpenterii, Thom.** Bull. U.S. Geol. Rocky
 Surv. Territ. i. p. 65 (1874); Wheeler's Mountains.
 Rep. Expl. W. 100th Merid. v. Zool. pp. 871, 901, pl. 44. f. 5 (1875); Glover, Ill. N. Amer. Orth. pl. 16. f. 2 (1874); Scudd. Appalachia, viii. p. 305, pl. 41. ff. 1, 2 (1898).
Stenobothrus Carpenterii, Thom. Proc. Davenport Soc. i. p. 251. n. 5 (1876).
G. Carpenterii, Brun. Biol. Centr.-Amer., Orth. ii. p. 93. n. 3 (1904).
19. **G. Meridionalis, Brun.** l. c. n. 4 (1904). Mexico.
20. **G. Semicolor, Burm.** Handb. Ent. ii. Brazil.
 p. 651. n. 19 (1838).

Genus 280. **Meloscirtus.**

Brunn. P. U.S. Nat. Mus. xxx. pp. 622, 634 (1906).

1. **M. Australis**, Brun. l. c. p. 635 (1906). | Paraguay.

Genus 281. **Stenobothrus.** (*Type* no. 6.)

Fisch. Orth. Eur. pp. 296, 313 (1853); Friv. Érték. Termész. Kör. i. (12) pp. 135, 140 (1867); Thomas, Syn. Acrid. N. Amer. pp. 50, 80 (1873); Bol. An. Soc. Españ. vii. p. 426 (1878); Ann. Sci. Nat. Porto, iv. pp. 214, 224 (1897); Brunn. Prodr. Eur. Orth. pp. 84, 100 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 42, 49 (1883); Faune France, Orth. pp. 101, 108 (1889); Burr, Brit. Orth. pp. 33, 34 (1897); McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 259 (1897); Lugg. Orthopt. Minnesota, pp. 204, 217 (1897); Auriv. Ent. Tidskr. xxi. pp. 240, 241 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 239 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 177, 219, 220 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 91 (1902, 1904).

- | | |
|---|--|
| <p>*1. S. Crassipes, Charp. (<i>Gryllus C.</i>) Hor. Ent. p. 174 (1825); Oeskey, Nova Acta Acad. Nat. Cur. xiii. p. 407 (1826).
 <i>Ædipoda Crassipes</i>, Fisch.-Waldh. Orth. Ross. p. 328. n. 42 (1846).
 <i>Chorthippus Crassipes</i>, Fieb. Lotos, iii. p. 117. n. 31 (1853), iv. p. 182. n. 31 (1854); Syn. Eur. Orth. p. 17. n. 31 (1854).
 <i>S. Crassipes</i>, Fisch. l. c. p. 324. n. 8 (1853); Friv. l. c. p. 145. n. 5 (1867); Brunn. l. c. pp. 101, 103. n. 1 (1882); Tümp. l. c. pp. 216, 243 (1900); Jacobs. & Bianchi, l. c. pp. 177, 220 (1902).
 <i>Gomphocerus Crassipes</i>, Bol. An. Soc. Españ. vii. p. 426. n. 7 (1878).</p> | <p>Austria-Hungary,
 Bosnia,
 Servia,
 Caucasus,
 Palestine.</p> |
| <p>*2. S. Stigmaticus, Ramb. (<i>Gryllus S.</i>) Faune Andal. ii. p. 93. n. 19 (1839).
 <i>S. Stigmaticus</i>, Fisch. l. c. p. 327. n. 10, pl. 17. ff. 2, 2 a (1853); Friv. l. c.</p> | <p>S. & Central Europe,
 W. Asia.</p> |

p. 149. n. 9 (1867); Brunn. l. c. pp. 101, 106. n. 4, pl. 5. f. 28 B (1882); Finot, ll. cc. pp. 50, 55 (1883); pp. 109, 113, pl. 5. f. 70 (1889); Pant. An. Soc. Españ. xv. p. 267 (1886); Bol. Ann. Sci. Nat. Porto, iv. pp. 225, 228. n. 4 (1897); Tümp. l. c. pp. 217, 242, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 178, 220, pl. 4 (1902).

Gomphocerus Stigmaticus, Bol. Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 14 (1878).

Gomphocerus (Stenobothrus) Stigmaticus, Bol. ll. cc. p. 119. n. 8, pl. 3. f. 9 (1876); v. p. 325. n. 8, pl. 12. f. 9 (1876).

Chorthippus Ramburi, Fieb. Kelch, Orth. Oberschles. p. 5 (1852); Lotos, iii. p. 116. n. 26 (1853); Syn. Eur. Orth. p. 16. n. 26 (1854).

Aceridium Parvulus et Parvulum, Herr.-Schäff. Nomencl. Ent. ii. pp. 10, 11 (1840).

3. **S. Zubowskyi**, Bol. Ann. Soc. Ent. Belg. xliii. p. 588 (1899); Jacobs. & Bianchi, l. c. pp. 178, 221 (1902).

Asia Minor.

4. **S. Nigromaculatus**, Herr. - Schäff. (*Aceridium Nigromaculatum*) Nomencl. Ent. ii. Orth. pp. 10, 11 (1840).

S. & E.
Europe,
Asia Minor,
Siberia.

Gomphocerus Nigromaculatus, Bol. Ortópt. Españ. p. 110 (1876); An. Soc. Españ. v. p. 316 (1876), vii. p. 427. n. 11 (1878).

Gomphocerus (Stenobothrus) Nigromaculatus, Bol. Ortópt. Españ. p. 117. n. 6, pl. 3. ff. 5-7 (1876); An. Soc. Españ. v. p. 323. n. 6, pl. 12. ff. 5-7 (1876).

S. Nigromaculatus, Friv. l. c. p. 148. n. 8, pl. 6. f. 7 (1867); Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 477. n. 28, pl. 1. ff. 4, 4 A-C (1878); Brunn. l. c. pp. 101, 105. n. 3, pl. 5. f. 28 a (1882); Finot, ll. cc. pp. 50, 54 (1883); pp. 109, 112 (1889); Tümpel, l. c. pp. 217, 242 (1900); Jacobs. & Bianchi, l. c. pp. 178, 221 (1902).

S. Lineatus, var., Fisch. l. c. p. 326 (1853).

|| *Aceridium Stigmaticum*, Bris. (nec Ramb.) Ann. Soc. Ent. France, (2) vi. p. 416 (1848).

- || *Chorthippus Stigmaticus*, Fieb. Kelch, Orthopt. Oberschles. p. 4 (1852); Fieb. Lotus, iii. p. 116. n. 25 (1853); Syn. Eur. Orth. p. 15. n. 25 (1854).
Ædipoda Luteicornis, Fisch.-Waldh. l. c. p. 330. n. 44 (1846).
S. Luteicornis, Eversm. Bull. Mosc. xxxii. (1) p. 134 (1859).
5. **S. Istriana, Krauss**, (*S. Nigromaculatus*, Hungary, var. *Istriana*) l. c. p. 479, pl. 1. ff. 5, Istria, 5 a, b (1878); Brunn. l. c. p. 106 (1882); Bosnia, Jacobs. & Bianchi, l. c. p. 221 (1902). Croatia.
- *6. **S. Lineatus, Panz.** (*Gryllus L.*) Faun. Europe, Ins. Germ. fasc. xxxiii. f. 9 (1796); Siberia. Latr. Hist. Nat. Crust. Ins. xii. p. 159 (1804); Charp. l. c. p. 156 (1825); Phil. Orth. Berol. p. 35. n. 12 (1830); Ramb. l. c. p. 92. n. 18 (1839).
Ædipoda Lineata, Germ. Faun. Ins. Eur. fasc. 20, pls. 18, 19 (1838); Fisch.-Waldh. l. c. p. 319. n. 35 (1846).
Acrydium Lineatum, Wesm. Bull. Acad. Sci. Brux. v. p. 595. n. 4, plate, f. 5 a-c (1838).
Locusta Lineata, Steph. Ill. Brit. Ent., Mand. vi. p. 26. n. 17 (1835).
Chorthippus Lineatus, Fieb. Lotus, iii. p. 115. n. 24 (1853); Syn. Eur. Orth. p. 15. n. 24 (1854).
Gomphocerus Lineatus, Burm. l. c. p. 648. n. 4 (1838); Bol. Ortópt. Españ. p. 110 (1876); An. Soc. Españ. v. p. 316 (1876), vii. p. 426. n. 10 (1878).
Gomphocerus (Stenobothrus) Lineatus, Bol. ll. cc. p. 116. n. 5, pl. 3. f. 8 (1876), v. p. 322. n. 5, pl. 12. f. 8 (1878).
S. Lineatus, Fisch. l. c. p. 325. n. 9, pl. 17. ff. 1, 1 a (1853); Türk, Wien. Ent. Mon. ii. p. 375. n. 8 (1858); Friv. l. c. p. 146. n. 6 (1867); Brunn. l. c. pp. 101, 104. n. 2 (1882); Finot, ll. cc. pp. 50, 54 (1883); pp. 109, 111, pl. 5. ff. 68, 69 (1889); Bol. Ann. Sci. Nat. Porto, iv. pp. 225, 226. n. 1 (1897); Burr. l. c. p. 35, pl. 3. f. 2 (1897); Tümpel, l. c. pp. 217, 241, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 178, 221, pl. 4 (1902).

- S. Lineatus*, var. *Violacea*, *Shug.* Hor. Soc. Ent. Ross. xxxviii. p. 117. n. 19 (1907).
Gryllus Locusta Tenellus, *Stoll*, *Spectres*, *Saut.* p. 27, pl. 12 b. f. 45 (1813).
Aceridium Megacephalum, *Seidl.* *Weitenweber*, *Beitr. Natur- u. Heilk.* i. p. 219 (1837).
7. **S. Fischeri, Eversm.** (*Edipoda F.*) *Addit.* *Fisch.-Waldh. Orth.* Ross. p. 11. n. 8, pl. A. f. 5 (1848). Spain,
 Austria,
 S. Russia,
 Asia Minor.
- S. Luteicornis*, **γ. Fischeri, Eversm.** *Bull.* *Mosc.* xxxii. (1) p. 135 (1859).
S. Fischeri, *Bol. Ann. Sci. Nat. Porto*, iv. pp. 225, 227. n. 3 (1897); *Jacobs. & Bianchi*, l. c. pp. 178, 222 (1902).
S. Nigrogeniculatus, *Krauss*, l. c. p. 477. n. 28, pl. 1. ff. 4, 4 A-C (1878); *Brunn.* l. c. pp. 101, 107. n. 5 (1882); *Tümp.* l. c. pp. 217, 241, pl. 16 (1900); *Jacobs. & Bianchi*, l. c. pl. 4 (1902).
- **S. Fischeri*, var. *Glaucescens*, *Bol.* l. c. p. 227 (1897).
8. **S. Eurasius, Zub.** *Ann. Mus. Zool. Pétersb.* iii. p. 75. n. 9 (1898); *Jacobs. & Bianchi*, l. c. pp. 178, 222 (1902). Vienna,
 S. Russia,
 Siberia.
9. **S. Newskii, Zub.** *Hor. Soc. Ent. Ross.* xxxiv. p. 9. n. 19 (1900). Altai.
S. Newskyi, *Jacobs. & Bianchi*, l. c. pp. 178, 223 (1902).
10. **S. Werner, Adel.** *Hor. Soc. Ent. Ross.* xxxviii. p. 43. n. 6, pl. 1. f. 1 (1907). Trans-
 caucasia.
11. **S. Pyrenæus, Saulcy**, *Bull. Soc. Metz*, (2) xvii. p. 83 (1887). Pyrenees.
12. **S. Broelemanni, Azam**, (*S. Brölemanni*) *Bull. Soc. Ent. France*, 1906, p. 128. id.
- *13. **S. Rubicundus, Germ.** (*Gryllus R.*) *Reise Dalm.* p. 256 (1817). Central &
 S.E.
 Europe.
S. Rubicundus, *Jacobs. & Bianchi*, l. c. pp. 178, 179. f. 26, p. 223 (1902).
Gryllus Miniatus, *Charp.* *Hor. Ent.* p. 155 (1825); *Germ. Faun. Ins. Eur.* fasc. 20, pls. 16, 17 (1838).
Gomphocerus Miniatus, *Burm.* l. c. p. 648. n. 6 (1838); *Stål*, *Recens. Orth.* i. p. 109. n. 6 (1873); *Bol. An. Soc. Españ.* vii. p. 427. n. 12 (1878).

- Chorthippus Miniatus*, *Fieb.* Lotos, iii. p. 115. n. 23 (1853), iv. p. 181. n. 23 (1854); *Syst. Eur. Orth.* p. 15. n. 23 (1854).
- S. Miniatus*, *Fisch.* l. c. p. 339. n. 21, pl. 17. ff. 3, 3 a (1853); *Friv.* l. c. p. 149. n. 10 (1867); *Brunn.* l. c. pp. 101, 108. n. 8, pl. 5. f. 28 c (1882); *Finot*, ll. cc. pp. 50, 55 (1883); pp. 109, 113, pl. 5. f. 71 (1889); *Tümp.* l. c. p. 216. f. 83, pp. 217, 241, pl. 16 (1900); *Jacobs. & Bianchi*, l. c. p. 4 (1902).
14. **S. Carbonarius, Eversm.** (*Ædipoda Carbonaria*) *Addit. Fisch.-Waldh. Orth. Ross.* p. 12. n. 9, pl. A. f. 6 (1846). Sarepta,
Kirghis
Steppes.
- S. Carbonarius*, *Fisch.* l. c. p. 337. n. 18 (1853); *Eversm. Bull. Mosc.* xxxii. (1) p. 133 (1859); *Jacobs. & Bianchi*, l. c. pp. 178, 224 (1902).
15. **S. Festivus, Bol.** *An. Soc. Españ.* xvi. p. 94 (1887); *Ann. Sci. Nat. Porto*, iv. pp. 226, 228 (1897). Spain.
16. **S. Grammicus, Cazorro**, *An. Soc. Españ.* xvii. p. 457 (1888); *Bol. Ann. Sci. Nat. Porto*, iv. pp. 226, 228. n. 5 (1897). id.
- *17. **S. Bolivarii, Brunn.** (*Gomphocerus B.*) *Bol. Ortópt. Españ.* p. 111 (1876); *An. Soc. Españ.* v. p. 317 (1876), vii. p. 427. n. 17 (1878). id.
- Gomphocerus (Stenobothrus) Bolivarii*, *Bol.* ll. cc. p. 121. n. 10, pl. 3. f. 10 (1876); v. p. 327. n. 10, pl. 12. f. 10 (1876).
- S. Bolivari*, *Brunn.* l. c. pp. 101, 107. n. 6 (1882); *Pant. An. Soc. Españ.* xv. p. 266 (1886); *Bol. Ann. Sci. Nat. Porto*, iv. pp. 226, 229. n. 8 (1897).
18. **S. (?) Discoidalis, Eversm.** (*Ædipoda D.*) *Addit. Fisch.-Waldh. Orth. Ross.* p. 13. n. 11 (1846); *Jacobs. & Bianchi*, l. c. p. 234 (1902). Ural.
- Stenobothrus (Ædipoda) Discoidalis*, *Fisch.* l. c. p. 346 (1853).
19. **S. (?) Lorata, Fisch.-Waldh.** (*Ædipoda L.*) l. c. p. 307. n. 25 (1846); *Jacobs. & Bianchi*, l. c. p. 234 (1902). S. Russia.
20. **S. (?) Macrocera, Fisch.-Waldh.** (*Ædipoda (?) M.*) l. c. p. 331. n. 45 (1846); *Jacobs. & Bianchi*, l. c. p. 234 (1902). Tiflis.

- | | |
|--|-----------------|
| 21. S. Limosus, Walk. Zoologist, (2) v. p. 2302 (1870). | Hor
Tamanib. |
| 22. S. Lætus, Walk. l. c. (1870). | Cairo. |
| **23. S. Ornatus, Walk. Cat. Derm. Salt. B. M. iv. p. 764. n. 63 (1870). | Madagascar |
| **24. S. Mundus, Walk. l. c. v. Suppl. p. 79 (1871). | Bombay. |
| **25. S. Decisus, Walk. l. c. p. 80 (1871). | id. |
| **26. S. Epacromoides, Walk. l. c. p. 81 (1871). | id. |
| **27. S. Luteipes, Walk. l. c. p. 82 (1871). | id. |
| **28. S. Vittifrons, Walk. l. c. iv. p. 765. n. 67 (1870). | Australia. |
| **29. S. Lativittatus, Walk. l. c. p. 766. n. 68 (1870). | id. |
| **30. S. Propinquus, Walk. l. c. n. 69 (1870); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1106 (1903). | id. |
| **31. S. Subrufescens, Walk. l. c. v. Suppl. p. 83 (1871). | Hab. — ? |
| **32. S. Umbrifer, Walk. l. c. p. 84 (1871). | Hab. — ? |
| **33. S. Chilensis, Sauss. Rev. Zool. (2) xiii. p. 318 (1861). | Chile. |
| **34. S. Biroi, Kuthy, Ann. Mus. Hungar. v. p. 554 (1907). | Crete. |

Genus 282. **Ramburiella.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 393 (1906).

|| *Ramburia*, Bol. (*nec* Rob.-Desc.) Actas Soc. Españ., May 1897, p. 168; Ann. Sci. Nat. Porto, iv. p. 215 (Oct. 1897), v. p. 16 (1898).

- | | |
|---|----------------------------------|
| 1. R. Hispanica, Ramb. (<i>Gryllus Hispanicus</i>) Faune Andal. ii. p. 88. n. 15, pl. 7. ff. 6, 7 (1838). | Spain,
S. France,
Algeria. |
| <i>Ædipoda Hispanica, Serr.</i> Ins. Orth. p. 733. n. 18 (1839). | |
| <i>Stenobothrus Hispanicus, Fisch.</i> Orth. Eur. p. 316. n. 2, pl. 16. ff. 9, 9 a (1853). | |
| <i>Gomphocerus Hispanicus, Bol.</i> Orthopt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 31 (1878). | |
| <i>Gomphocerus (Stenobothrus) Hispanicus, Bol.</i> ll. cc. p. 132. n. 21 (1876); v. p. 338. n. 21 (1876). | |

Stethophyma Hispanicum, Brunn. Prodr.
Eur. Orth. p. 139. n. 1 (1882); Finot,
Orth. France, p. 66 (1883); Faune
France, Orth. p. 137 (1889).

Ramburia Hispanica, Bol. Ann. Sci. Nat.
Porto, v. p. 16. n. 1 (1898).

2. **R. Signata, Fisch.-Waldh.** (*Ædipoda* Kharkoff.
S.) Orth. Ross. p. 286. n. 9, pl. 16. f. 6
(1846); Jacobs. & Bianchi, Prem. i Lozhn.
Ross. Imp. p. 245 (1902).

Genus 283. **Staurorhectus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino. xii. (302) p. 25 (1897); Rehn,
Proc. Acad. Nat. Sci. Philad. lviii. p. 33 (1906); Proc.
U.S. Nat. Mus. xxx. p. 376 (1906).

- *1. **S. Longicornis, Giglio-Tos**, l. c. p. 26 Bolivia,
(1897); Rehn, ll. cc. p. 33 (1906); p. 376 Argentina,
(1906). Paraguay.
2. **S. Variegatus, Rehn**, (*S. Longicornis*
Variegatus) Proc. U.S. Nat. Mus. xxx. Brazil,
pp. 376, 377 (1906). Matto
Grosso.
3. **S. Glaucipes, Rehn**, Proc. Acad. Nat. Paraguay.
Sci. Philad. lviii. pp. 34-36. ff. 9, 10
(1906); Proc. U.S. Nat. Mus. xxx.
p. 376.
4. **S. Brevipennis, Rehn**, Proc. U.S. Nat. Matto
Mus. xxx. pp. 376, 377 (1906). Grosso.

Genus 284. **Amblyscapheus.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 622, 632 (1906).

1. **A. Lineatus, Brun.** l. c. p. 633 (1906). | Paraguay.

Genus 285. **Isonyx.**

Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 36 (1906).

1. **I. Paraguayensis, Rehn**, l. c. pp. 36-39. Paraguay.
ff. 11-13 (1906).

Genus 286. **Borellia.**

Rehn, Proc. U.S. Nat. Mus. xxx. p. 379 (1906).

1. **B. Carinata, Rehn**, l. c. (1906). | Matto
| Grosso.

Genus 287. **Stereotettix.**

Rehn, Proc. U.S. Nat. Mus. xxx. p. 381 (1906).

1. **S. Paralogistes, Rehn**, l. c. (1906). | Brazil.

Genus 288. **Stethophyma.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 297 (1853).

Stethophyma, Fisch. l. c. p. 357 (1853) : Friv. Érték. Termész. Kör. i. (12) pp. 136, 165 (1867) ; Stål, Recens. Orth. i. pp. 93, 108 (1873) ; Bol. Ortópt. Españ. pp. 101, 139 (1876) ; An. Soc. Españ. v. pp. 307, 345 (1876).

McCotethus, pt., Fisch. Kelch, Orth. Oberschles. p. 1 (1852) ; Lotos, iii. p. 99 (1853) ; Syn. Eur. Orth. p. 10 (1854) ; Brunn. Prodr. Eur. Orth. pp. 83, 94 (1882) ; Ann. Mus. Genova, xxxiii. p. 123 (1893) ; Finot, Orth. France, pp. 40, 47 (1883) ; Faune France, Orth. pp. 100, 104 (1889) ; Bol. Ann. Sci. Nat. Porto, iv. p. 215 (1897), v. p. 18 (1898) ; Burr, Brit. Orth. p. 33 (1897) ; Auriv. Ent. Tidskr. xxi. pp. 240, 241 (1900) ; Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 237 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 186, 247 (1902).

- *1. **S. Grossum, Linn.** (*Locusta Gryllus* | Europe,
Grossus) Syst. Nat. (ed. x.) i. p. 433. | Siberia.
n. 58 (1758).

Gryllus Grossus, Linn. Faun. Suec. (ed. 2)
p. 239. n. 877 (1761) ; Panz. Faun. Ins.
Germ. fasc. 33, pl. 7 (1796) ; Zett. Orth.
Suec. p. 80. n. 4 (1821) ; Charp. Hor. Ent.
p. 151 (1825) ; Phil. Orth. Berol. p. 32.
n. 7 (1830).

Acrydium Grossum, Latr. Hist. Nat. Crust.
Ins. xii. p. 155. n. 13 (1804).

Ædipoda Grossa, Serv. Ins. Orth. p. 741.
n. 26 (1839) ; Fisch.-Waldh. Orth. Ross.
p. 304. n. 22, pl. 23. f. 5 (1846).

- Mecostethus Grossus*, *Fieb.* ll. cc. p. 1. n. 2 (1852); p. 99. n. 4 (1853); p. 10. n. 4 (1854); *Brunn.* Prodr. Eur. Orth. p. 94. n. 1, pl. 4. f. 24 A, B (1882); *Finot.* ll. cc. p. 47 (1883); p. 104, pl. 4. f. 61 (1889); *Burr.* l. c. p. 33, pl. 3. f. 1 (1897); *Auriv.* l. c. p. 241. n. 1 (1900); *Tümpel.* l. c. pp. 216, 237, pl. 16 (1900); *Jacobs.* & *Bianchi.* l. c. pp. 186, 248, pl. 4 (1902).
- Stetheophyma Grossum*, *Fisch.* l. c. p. 357. n. 1, pl. 16. ff. 3, 3 a (1853); *Friv.* l. c. p. 165. n. 1 (1867); *Bol.* Ortópt. Españ. p. 140. n. 1 (1876); *An. Soc. Españ.* v. p. 346. n. 1 (1876).
- Aerydium Rubripes*, *De Geer*, *Mém. Ins.* iii. p. 477. n. 5 (1773).
- Gryllus Locusta Germanicus*, *Stoll*, *Spectres*, *Saut.* p. 41, pl. 23 b. f. 89 (1813).
- Gryllus Flavipes*, *Gmel.* *Syst. Nat.* i. (4) p. 2088. n. 230 (1788); *Don.* *Brit. Ins.* xi. p. 87, pl. 391 (1806).
- Locusta Flavipes*, *Steph.* *Ill. Brit. Ent.*, *Mand.* vi. p. 21. n. 5 (1835).
2. **S. Bolivari, Kuthy**, *Ann. Mus. Hungar.* v. p. 431 (1907). Asia Minor.

Genus 289. **Pallasiella** (Kirb. n. n.). (*Type* no. 1.)

|| *Stethophyma*, *Bol.* (*nec Fisch.*) *Actas Soc. Españ.*, May 1897, p. 169.

1. **P. Turcomana, Fisch.-Waldh.** (*Ædipoda* T.) *Orth. Ross.* pl. 13. f. 2 (1846). S.E. Europe, W. & Central Asia.
- Stauronotus Turcomanus*, *Eversm.* *Bull. Mosc.* xxxii. (1) p. 138 (1859).
- Chorthippus Turcomanus*, *Fieb.* *Lotos*, iii. p. 101. n. 8 (1853), iv. p. 180. n. 8 (1854); *Syn. Eur. Orth.* p. 12. n. 8 (1854).
- Stethophyma Turcomanum*, *Brunn.* *Verh. zool.-bot. Ges.*, Wien, xi. p. 304, pl. 16. f. 21 (1861); *Prodr. Eur. Orth.* pp. 139, 140. n. 2 (1882).
- Ædipoda Truchmana*, *Fisch.-Waldh.* l. c. p. 313. n. 31 (1846).

- Arcyptera Truchmana*, Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. pp. 185, 243
(1902).
Stenobothrus Formosus, Becker, Bull. Mosc.
xxxvii. (1) p. 488 (1864).
2. **P. Carvalhoi**, Bol. (*Arcyptera C.*) Ann. E. Africa.
Soc. Españ. xix. p. 316 (1890).

Genus 290. **Arcyptera.** (Type no. 1.)

Serv. Ins. Orth. p. 743 (1839); Fisch.-Waldh. Orth. Ross. p. 332
(1846); Friv. Érték. Termész. Kör. i. (12) pp. 135, 162
(1867); Bol. Syn. Eur. Orth. pp. 101, 137 (1876); An.
Soc. Españ. v. pp. 307, 343 (1876); Actas Soc. Españ.,
May 1897, p. 168; Ann. Sci. Nat. Porto, iv. p. 214 (1897),
v. p. 14 (1898); Prov. Faune Canad. ii. p. 44 (1883);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 185,
242 (1902).

Arcyoptera, Agass. Nomencl. Zool. Ind. Univ. p. 32 (1846);
Fieb. Lotos, iii. p. 99 (1853), iv. p. 178 (1854); Syn. Eur.
Orth. p. 10 (1854).

Stetheophyma, pt., Fisch. Orth. Eur. p. 357 (1853); Thom. Syn.
Acrid. N. Amer. pp. 98, 210 (1873).

Stethophyma, pt., Fisch. l. c. p. 297 (1853); Brunn. Prodr. Eur.
Orth. pp. 84, 138 (1882); Ann. Mus. Genova, xxxiii.
p. 123 (1893); Finot, Orth. France, pp. 42, 66 (1883);
Faune France, Orth. pp. 101, 136 (1889); Tümpel, Geradfl.
Mitteleuropas, pp. 214, 219, 245 (1900).

|| *Mecosterthus*, McNeill (nec Fieb.), Proc. Davenport Acad. Sci.
vi. pp. 198, 253 (1897).

1. **A. Fuscus**, Pall. (*Gryllus Locusta F.*) S. Europe,
Reise, ii. p. 727. n. 77 (1773). | Siberia.

Stetheophyma Fuscum, Eversm. Bull. Mosc.
xxxii. (1) p. 138 (1859).

Stethophyma Fuscum, Brunn. l. c. pp. 139,
141. n. 3 (1882); Finot, ll. cc. pp. 66, 67
(1883); p. 137, pl. 7. ff. 98, 99 (1889);
Porch. Hor. Soc. Ent. Ross. xx. p. 117,
pl. 12. f. 1 (1886); Tümpel. l. c. pp. 219, 245
pl. 18 (1900); Jacobs. & Bianchi, l. c. pl. 5
(1902).

Arcyptera Fusca, Bol. Ann. Sci. Nat. Porto,
v. p. 15. n. 1 (1898); Jacobs. & Bianchi,
l. c. pp. 185, 243 (1902).

Gryllus Locusta Variegatus, Sulz. Gesch.
Ins. p. 84, pl. 9. f. 4 (1776).

Gryllus Variegatus, Herbst, Fuessly, Archiv,
p. 194. n. 4, pl. 53. f. 3 (1786).

- Arcyoptera Variegata*, Fieb. ll. cc. p. 99. n. 1 (1853), p. 178. n. 1 (1854); p. 10. f. 1 (1854).
- Arcyptera Variegata*, Friv. l. c. p. 164. n. 2 (1867); Bol. Ortópt. Españ. p. 136. n. 1 (1876); An. Soc. Españ. v. p. 344. n. 1 (1876).
- Stetheophyma Variegatum*, Fisch. l. c. p. 358. n. 2, pl. 16. ff. 2, 2 a-c (1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 305, pl. 16. f. 22 (1861).
- Stetheophyma Variegata*, Thom. Syn. Acrid. N. Amer. p. 210 (1873).
- Gryllus Versicolor*, Gmel. Syst. Nat. i. (4) p. 2082. n. 170 (1788).
- Gryllus Cothurnatus*, Creutz. Ent. Versuche, p. 129. n. 20, pl. 3. f. 32 a-c (1799); Charp. Hor. Ent. p. 171 (1825).
- Œdipoda Cothurnata*, Serv. Ins. Orth. p. 743. n. 28 (1839).
- Arcyptera Cothurnata*, Fisch.-Waldh. l. c. p. 333, pl. 22. ff. 1, 2 (1846).
- Gomphocerus Cothurnatus*, Burm. Handb. Ent. ii. p. 647. n. 2 (1838).
- Gryllus Locusta Nympha*, Stoll, Spectres, Saut. p. 23, pl. 10 b. f. 36 (1813).
- Arcyoptera Stollii*, pt., Fieb. Lotos, iii. p. 99. n. 2 (1883); Syn. Eur. Orth. p. 10. n. 2 (1854).
- *2. **A. Tornosi**, Bol. C. R. Soc. Ent. Belg. xxviii. p. civ (1884); An. Soc. Españ. xvi. p. 97, pl. 4. f. 9 (1887); An. Sci. Nat. Porto, v. pp. 15, 16. n. 2 (1898). Spain, Portugal.
- *3. **A. Brevipennis**, Brunn. (*Stetheophyma Variegatum*, var. *genubus posticis pallidis* et var. *Brevipennis*) Verh. zool.-bot. Ges. Wien, xi. pp. 305, 306 (1861). Italy, S.E. Europe.
- Stetheophyma Brevipenne*, Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 483. n. 44, pl. 1. ff. 3, 3 A (1879); Brunn. Prodr. Eur. Orth. pp. 139, 142. n. 4, pl. 5. f. 31 A-D (1882); Tümp. l. c. pp. 219, 246 (1900).
- Arcyptera Brevipennis*, Jacobs. & Bianchi, l. c. pp. 185, 244 (1902).
4. **A. Labiatum**, Brullé, (*Podisma Labiata*) Expl. Morée, Ins. p. 95. n. 68, pl. 30. f. 6 (1832). Greece, Asia Minor,

- Stauronotus Labiatus*, Fisch. l. c. p. 354. n. 3, pl. 17. ff. 13, 13 a (1853). Transcaucasia.
- Arcyoptera Labiata*, Fieb. Lotos, iv. p. 179. n. 3 (1854).
- Stethophyma Labiatum*, Braum. Prodr. Eur. Orth. pp. 139, 143. n. 5 (1882).
- Arcyptera Labiata*, Jacobs. & Bianchi, l. c. pp. 185, 244 (1902).
- Arcyoptera Tibialis*, Fieb. l. c. iii. p. 99. n. 3 (1853); Syn. Eur. Orth. p. 10. n. 3 (1854).
- *5. **A. Flavicosta**, Fisch. (*Stauronotus F.*) l. c. p. 353. n. 2, pl. 17. ff. 12, 12 a (1853); Türk, Wien. Ent. Mon. ii. p. 376. n. 19 (1861). S. Europe, Siberia.
- Arcyptera Flavicosta*, Friv. l. c. p. 163. n. 1, pl. 6. f. 11 (1867); Bol. Ortópt. Españ. pp. 138, 139. n. 2 (1876); An. Soc. Españ. v. pp. 344, 345. n. 2 (1876); Ann. Sci. Nat. Porto, v. pp. 15, 16. n. 3 (1878); Jacobs. & Bianchi, l. c. p. 166. f. 23, pp. 185, 244 (1902).
- S. Flavicosta*, var. *Crassiuscula*, Zub. Ann. Mus. Pétersb. iii. p. 35. n. 39 (1898).
- S. Flavicosta*, var. *Turgaica*, Adel. Mater. Faun. Flor. Ross. Imp. vi. p. 85. n. 10 (1906).
- || *Gryllus Cruciatu*s, Phil. (nec Charp.) Orth. Berol. p. 34. n. 11 (1830).
- Gomphocerus Cruciatu*s, Burm. Handb. Ent. ii. p. 647. n. 3 (1838).
- Ædipoda Cruciatu*s, Fisch.-Waldh. l. c. p. 315. n. 32, pl. 10. f. 6 (1846).
- Arcyoptera Stollii*, pt., Fieb. Lotos, iii. p. 99. n. 2 (1853); Syn. Eur. Orth. p. 10. n. 2 (1854).
6. **A. Kheili**, Azam, Bull. Soc. Ent. France, p. 82 (1900). France.
7. **A. Magister**, Rehn, (*Mecostethus M.*) Proc. Acad. Nat. Sci. Philad. liv. p. 631 (1902). Japan.
8. **A. Amabile**, Krauss, (*Stethophyma A.*) l. c. lxxvi. (1) p. 55. n. 1, pl. 1. ff. 8, 8 A (1877). Senegal.
9. **A. (?) Morio**, Fabr. (*Gryllus M.*) Mant. Ins. i. p. 238. n. 32 (1787); Ent. Syst. ii. p. 56. n. 38 (1793). Africa.

- | | |
|--|-------------------------------|
| <p>10. A. Lineata, Scudd. Bost. Journ. Nat. Hist. vii. p. 462. n. 1 (1862); Prov. l. c. p. 44 (1883).
 <i>Stetheophyma Lineata</i>, Thomas, Syn. Acrid. N. Amer. p. 98 (1873).
 <i>Mecostethus Lineatus</i>, Morse, Psyche, vii. p. 327. n. 13, pl. 7. ff. 13, 13 a, b (1896); McNeill, Proc. Davenport Acad. Sci. vi. p. 254. n. 1, pl. 5. ff. 22, 22 a, b (1897).</p> | <p>United States, Canada.</p> |
| <p>11. A. Gracilis, Scudd. l. c. p. 463. n. 3 (1862).
 <i>Stetheophyma Gracilis</i>, Thomas, l. c. p. 99 (1873).
 <i>Mecostethus Gracilis</i>, Morse, l. c. p. 327. n. 14, pl. 7. f. 14 (1896); McNeill, l. c. pp. 254, 255. n. 2 (1897).</p> | <p>iid.</p> |
| <p>12. A. Platyptera, Scudd. l. c. p. 463. n. 2 (1862).
 <i>Stetheophyma Platyptera</i>, Thomas, l. c. p. 99 (1873).
 <i>Mecostethus Platypterus</i>, Morse, l. c. p. 327. n. 15, pl. 7. ff. 15, 15 a, b (1896); McNeill, l. c. pp. 254, 255. n. 3 (1897).</p> | <p>New England.</p> |
| <p>13. A. Doranii, Goding, (<i>Stetheophyma D.</i>) Ent. Amer. vi. p. 13 (1890).</p> | <p>Tennessee.</p> |

Genus 291. **Omocestus.** (Type no. 14.)

Bol. An. Soc. Españ. vii. p. 427 (1878); Ann. Sci. Nat. Porto, iv. p. 229 (1897); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 179, 224 (1902).

- | | |
|--|---|
| <p>*1. O. Amœnus, Bris. (<i>Acridium Amœnum</i>) Bull. Soc. Ent. France, (2) viii. p. lvi (1850).
 <i>Ædipoda Cruentata</i>, Luc. pt. (nec Brullé) Expl. Alg. iii. p. 38. n. 65 (1849).</p> | <p>Algeria.</p> |
| <p>2. O. Bonneti, Bol. (<i>Stenobothrus B.</i>) Le Nat. vii. p. 116 (1885); An. Soc. Españ. xvi. p. 93 (1887).</p> | <p>Tunis.</p> |
| <p>*3. O. Hæmorrhoidalis, Charp. (<i>Gryllus H.</i>) Hor. Ent. p. 165 (1825).
 <i>Ædipoda Hæmorrhoidalis</i>, Fisch.-Waldh. Orth. Ross. p. 326. n. 40, pl. 16. f. 1 (1846).
 <i>Stenobothrus Hæmorrhoidalis</i>, Fisch. Orth. Eur. p. 334. n. 15, pl. 16. ff. 17, 17a (1853);</p> | <p>S. & Centr. Europe, Siberia.</p> |

- Friv. Érték. Termész. Kör. i. (12) p. 155. n. 16 (1867); Brunn. Prodr. Eur. Orth. pp. 102, 114. n. 13 (1882); Finot, Orth. France, pp. 52, 57 (1883); Faune France, Orth. pp. 109, 117, pl. 6. f. 79 (1889); Bol. Ann. Sci. Nat. Porto, iv. pp. 230, 232. n. 8 (1897); Tümpel, Geradfl. Mitteleuropas, pp. 218, 240, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225, pl. 5 (1902).
- Gomphocerus Hæmorrhoidalis*, Bol. Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 18 (1878).
- Gomphocerus (Stenobothrus) Hæmorrhoidalis*, Bol. Ortópt. Españ. p. 120. n. 9 (1876); An. Soc. Españ. v. p. 326. n. 9 (1876).
- Chorthippus Hæmorrhoidalis*, Fieb. Lotos, iii. p. 103. n. 15 (1853); Syn. Eur. Orth. p. 14. n. 15 (1854).
- Stenobothrus Hæmorrhoidalis*, var. *Nebulosa*, Brunn. l. c. p. 115 (1882); Bol. Ann. Sci. Nat. Porto, iv. pp. 230, 232. n. 8 (1897).
4. **O. Raymondi, Yers.** (*Stenobothrus R.*) S. France, Spain, Algeria.
Ann. Soc. Ent. France, (4) iii. p. 289, pl. 7. f. 7 a-c (1863); Pant. An. Soc. Españ. xv. p. 268 (1886), xxv. p. 89 (1896); Bol. l. c. iv. p. 230 (1897), v. p. 1. n. 9 (1898).
- Gomphocerus Raymondi*, Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876).
- Gomphocerus (Stenobothrus) Raymondi*, Bol. ll. cc. p. 122. n. 11 (1876); p. 328. n. 11 (1876).
- Stenobothrus Hæmorrhoidalis*, var. *Raymondi*, Brunn. l. c. p. 115 (1882); Finot, ll. cc. p. 57 (1883); p. 118 (1889).
5. **O. Petræus, Bris.** (*Acridium Petræum*) S. & Central Europe, Siberia, Asia Minor, Syria.
l. c. (3) iii. p. cxiv (1855).
- Stenobothrus Petræus*, Friv. l. c. p. 156. n. 17, pl. 6. ff. 8, 8 a, 9 (1867); Brunn. l. c. pp. 102, 115. n. 14 (1882); Finot, ll. cc. pp. 52, 58 (1883); pp. 110, 118 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 230 (1897), v. p. 1. n. 10 (1898); Tümp. l. c. pp. 218, 241 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225 (1902).

6. **O. Minuta, Brullé**, (*Edipoda M.*) Expl. Morée, Ins. p. 94. n. 67, pl. 30. f. 5 (1832). Morea.
7. **O. Simonyi, Krauss**, (*Stenobothrus S.*) Zool. Anz. xv. p. 166. n. 25 (1892). Canaries.
- *8. **O. Minutissimus, Bol.** (*Gomphocerus (Omocestus) M.*) An. Soc. Esp. vii. p. 424 (1878). Spain.
Gomphocerus Minutissimus, Bol. l. c. p. 428. n. 21 (1878); Brunn. l. c. p. 116 (1882).
Stenobothrus Minutissimus, Pant. An. Soc. Españ. xxv. p. 87. n. 23 (1896); Bol. Ann. Sci. Nat. Porto, iv. p. 230 (1897), v. p. 1. n. 11 (1898).
9. **O. Uhagonii, Bol.** (*Gomphocerus U.*) Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 13 (1878). id.
Gomphocerus (Stenobothrus) Uhagonii, Bol. ll. cc. p. 118. n. 7, pl. 3. f. 12 (1876); v. p. 324. n. 7, pl. 12. f. 12 (1876).
Stenobothrus Uhagonii, Brunn. l. c. pp. 101, 108. n. 7 (1882); Bol. Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 12 (1898).
- *10. **O. Ventralis, Zett.** (*Gryllus V.*) Orth. Suec. p. 89. n. 8 (1821). Europe,
Acridium Ventræle, Bris. Ann. Soc. Ent. Asia Minor,
 France, (2) vi. p. 419 (1848). Siberia,
Gryllus Rufipes, Zett. l. c. p. 90. n. 9 (1821); Charp. Hor. Ent. p. 161 (1825). Algeria.
Gomphocerus Rufipes, Borch. Skand. Rätv. Ins. p. 124. n. 7, pl. 4. ff. 4, 5 (1848); Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876), vii. p. 427. n. 16 (1878).
Gomphocerus (Stenobothrus) Rufipes, Bol. ll. cc. p. 124. n. 13, pl. 3. f. 11 (1876); v. p. 330. n. 13, pl. 12. f. 11 (1876).
Acridium Rufipes, Herr.-Schäff. Nomencl. Ent. ii. p. 11 (1840).
Locusta Rufipes, Steph. Ill. Brit. Ent., Mand. vi. p. 25. n. 14 (1835).
Edipoda Rufipes, Fisch.-Waldh. Orth. Ross. p. 324. n. 38 (1846).
Stenobothrus Rufipes, Fisch. l. c. p. 331. n. 12 a, pl. 16. ff. 16, 16 a (1853); Friv. l. c. p. 151. n. 12 (1867); Brunn. l. c. pp. 102, 113. n. 12 (1882); Finot, ll. cc.

pp. 51, 56 (1883); pp. 109, 116, pl. 5. ff. 77, 78 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 13 (1898); Burr. Brit. Orth. pp. 35, 36, pl. 3. ff. 4, 4 a, b (1897); Auriv. Ent. Tidskr. xxi. pp. 242, 244. n. 7 (1900); Tümpel, l. c. pp. 218, 240, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225, pl. 4 (1902).

Acridium Viridulum, Wesm. (nec Linn.) Bull. Acad. Belg. v. p. 595. n. 2, plate, f. 3 a, b (1838).

Chorthippus Zetterstedtii, Fieb. Lotos, iii. p. 116. n. 27 (1853); Syn. Eur. Orth. p. 16. n. 27 (1854).

Acridium Abdominale, Herr.-Schöff. l. c. p. 11 (1840).

Edipoda Crantata, Brullé, l. c. p. 93. n. 65, pl. 30. f. 3 (1832).

Edipoda Geniculata, Brullé, l. c. p. 94, n. 66, pl. 30. f. 4 (1832).

|| *Locusta Miniata*, Steph. (nec Charp.) l. c. p. 25. n. 16 (1835).

11. **O. Chloodes, Karny**, (*Chorthippus* (*Omocestus*) *C.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 96 (1907). Soudan.
12. **O. Lucasii, Bris.** (*Acridium* *L.*) Bull. Soc. Ent. France, (2) viii. p. lxiii (1850). Algeria.
Stenobothrus Lucasii, Borm. Ann. Mus. Genova, xxii. pp. 105, 106. n. 19, fig. (1885).
|| *Edipoda Biguttula*, pt., Luc. (nec Linn.) Expl. Alg. iii. p. 39. n. 67 (1849).
- *13. **O. Panteli, Bol.** (*Stenobothrus* *P.*) An. Soc. Españ. xvi. p. 95 (1887); Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 14 (1898). Spain, Portugal.
|| *Gomphoceris Stigmaticus*, pt., Bol. (nec Ramb.) An. Soc. Españ. vii. p. 427. n. 14 (1878); Pant. An. Soc. Españ. xv. p. 267 (1886).
Stenobothrus Panteli, var. *Meridionalis*, Bol. Ann. Sci. Nat. Porto, v. p. 3 (1898).
- *14. **O. Viridulus, Linn.** (*Gryllus Locusta* *V.*) Syst. Nat. (ed. x.) i. p. 433. n. 55 (1758). N. & Centr. Europe, Siberia, Amur.
Gryllus Viridulus, Linn. Faun. Suec. (ed. ii.) p. 238. n. 874 (1761); Thunb. Mém. Acad.

- Pétersb. v. p. 252 (1815), ix. pp. 398, 420. n. 75 (1824); Zett. l. c. p. 86. n. 7 (1821); Ins. Lapp. p. 247. n. 3 (1840); Charp. Hor. Ent. p. 159 (1825); Phil. Orth. Berol. p. 36. n. 13 (1830); Borek, l. c. p. 122. n. 6 (1848).
- Ædipoda Viridula*, Fisch.-Waldh. l. c. p. 322. n. 37 (1846).
- Gomphocerus Viridulus*, Burm. Handb. Ent. ii. p. 648. n. 5 (1838); Stål, Recens. Orth. i. p. 109. n. 7 (1873); Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876), vii. p. 427. n. 15 (1878).
- Stenobothrus Viridulus*, Fisch. l. c. p. 329. n. 12, pl. 16. ff. 15, 15 a (1853); Friv. l. c. p. 152. n. 13 (1867); Brunn. l. c. pp. 102, 111. n. 11, pl. 5. f. 28 E (1882); Finot, ll. cc. pp. 51, 56 (1883); pp. 109, 116, pl. 5. figs. 75, 76 (1889); Burr, l. c. p. 35, pl. 3. f. 3 (1897); Auriv. l. c. pp. 242, 243. n. 6, p. 244. f. 11 b (1900); Bol. Ann. Sci. Nat. Porto, iv. p. 232 (1897), v. p. 3. n. 15 (1898); Tümpel, l. c. pp. 218, 240, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 179, 224, pl. 4 (1902).
- Chorthippus Viridulus*, Fieb. Lotos, iii. p. 116. n. 28 (1853), iv. p. 181. n. 28 (1854); Syn. Eur. Orth. p. 16. n. 28 (1854).
- Gomphocerus (Stenobothrus) Viridulus*, Bol. Ortópt. Españ. p. 123. n. 12 (1876); An. Soc. Españ. v. p. 329. n. 12 (1876).
- Locusta Viridula*, Steph. l. c. p. 24. n. 11 (1835).
- Gryllus Rubicundus*, Gmel. Syst. Nat. i. (4) p. 2070. n. 125 (1788).
- Locusta Rubicunda*, Steph. l. c. p. 24. n. 12 (1835).
- Locusta Aprica*, Steph. l. c. n. 13 (1835).
- Acrydium Rufomarginatum*, De Geer, Mém. Ins. iii. p. 481. n. 8 (1773).
- Acrydium Nigroterminatum*, De Geer, l. c. p. 481. n. 9 (1773).
- Gryllus Dimidiatus*, Thunb. Mém. Acad. Pétersb. v. p. 250 (1815), ix. pp. 398, 420. n. 76 (1824).

Gryllus Marginalis, Thunb. ll. cc. p. 252
(1815), pp. 398, 421. n. 78 (1824).

15. **O. Antigai, Bol.** (*Stenobothrus A.*) Ann. Barcelona.
Sci. Nat. Porto. iv. p. 232 (1897), v.
p. 3. n. 16 (1898).

Genus 292. **Stauroderus.** (Type no. 1.)

Bol. Ann. Sci. Nat. Porto. iv. p. 224 (1897), v. p. 4 (1898);
Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 179,
225 (1902).

- *1. **S. Scalaris, Fisch.-Waldh.** (*Edipoda S.*) Europe.

Orth. Ross. p. 317. n. 34, pl. 16. f. 5 (1846).

| *Gryllus Morio*, Charp. (nec Fabr.) Hor.
Ent. p. 170, pl. 2. f. 1 (1825).

Chorthippus Morio, Fieb. Lotos, iii. p. 115.
n. 22 (1853), iv. p. 181. n. 22 (1854);
Syn. Eur. Orth. p. 15. n. 22 (1854).

Stenobothrus Morio, Brunn. Syn. Eur. Orth.
p. 109. n. 9 (1882); Finot, Orth. France,
pp. 51, 55 (1883); Faune France, Orth.
pp. 109, 114, pl. 5. f. 72 (1889); Bol.
Ann. Sci. Nat. Porto, v. pp. 4, 6. n. 17
(1898); Auriv. Ent. Tid-kr. xxi. pp. 242,
243. n. 1, f. 10 (1) (1900); Tümpel,
Geradfl. Mitteleuropas, pp. 217, 242,
pl. 16 (1900); Jacobs. & Bianchi, l. c.
pp. 179, 226, pl. 4 (1902).

Gomphocerus Melanopterus, Borck, Skand.
Rätv. Ins. p. 120. n. 5, pl. 4. f. 7 (1848);
Stål, Recens. Orth. i. p. 109. n. 4 (1873);
Bol. Ortópt. Españ. p. 110 (1876); An.
Soc. Españ. v. p. 316 (1876), vii. p. 426.
n. 8 (1878).

Stenobothrus Melanopterus, Fisch. Orth.
Eur. p. 340. n. 22, pl. 17. ff. 4, 4 a (1853);
Friv. Értek. Termész. Kör. i. (12) p. 150.
n. 11 (1867).

Gomphocerus (Stenobothrus) Melanopterus,
Bol. Ortópt. Españ. p. 116. n. 4, pl. 3.
f. 4 (1876); An. Soc. Españ. v. p. 322.
n. 4, pl. 12. f. 4 (1876).

2. **S. Apricarius, Linn.** (*Gryllus Locusta* N. & Central
A.) Syst. Nat. (ed. x.) p. 433. n. 54 Europe,
(1758). Siberia.

- Gryllus Apricarius*, Linn. Faun. Suec. (ed. ii.) p. 238. n. 873 (1761); Zett. Orth. Suec. p. 91. n. 10 (1821); Charp. Hor. Ent. p. 169 (1825); Phil. Orth. Berol. p. 38. n. 16, pl. 2. ff. 7, 8 (1830).
- Gomphocerus Apricarius*, Bork. Skand. Rätv. Ins. p. 127. n. 8 (1848); Stal. Recens. Orth. i. p. 109. n. 5 (1873); Bol. An. Soc. Españ. vii. p. 426. n. 9 (1878).
- Edipoda Apricaria*, Fisch.-Waldh. l. c. p. 325. n. 39 (1846).
- Chorthippus Apricarius*, Fieb. Lotos, iii. p. 103. n. 16 (1853); Syn. Eur. Orth. p. 14. n. 16 (1854).
- Stenobothrus Apricarius*, Fisch. l. c. p. 333. n. 14, pl. 17. ff. 6, 6 a (1853); Friv. l. c. p. 154. n. 15 (1867); Brunn. l. c. pp. 102, 110. n. 10, pl. 5. f. 28 D, D 1, 2 (1882); Finot, ll. cc. pp. 51, 56 (1883); pp. 109, 115, pl. 5. ff. 72, 74, 74 bis (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 4, 7. n. 18 (1898); Auriv. l. c. pp. 242, 243. n. 2 (1900); Tümpel, l. c. pp. 217, 242 (1900); Jacobs. & Bianchi, l. c. pp. 179, 226 (1902).
- Stenobothrus Finoti*, Sauley, Bull. Soc. Metz, (2) xvii. p. 82 (1887); Finot, Faune France, Orth. pp. 110, 121, pl. 6. ff. 82, 82 bis, ter, 4° (1889).
3. **S. Hammarstroemi, Miram,** (*Stenobothrus H.*) Öfv. Finska Vet. Soc. Förh. xlix. (6) p. 5 (1907). Yenisei. (*Russia*)
 4. **S. Lesinensis, Krauss,** (*Stenobothrus L.*) Wien. Ent. Zeit. vii. p. 117 (1888); Jacobs. & Bianchi, l. c. pp. 180, 226 (1902). Dalmatia.
 5. **S. Sangiorgii, Finot,** (*Stenobothrus S.*) Bull. Soc. Ent. France, 1902, pp. 53-56, figs. 1-4; Jacobs. & Bianchi, l. c. pp. 180, 227 (1902). Cephalonia.
 6. **S. Horvathi, Bol.** (*Stenobothrus H.*) Zichy, 3ter Asiat. Forschungsreise, ii. p. 231 (1901); Jacobs. & Bianchi, l. c. pp. 180, 227 (1902). Mongolia.
 7. **S. Azami, Bol.** (*Stenobothrus A.*) Bull. Soc. Ent. France, 1901, p. 189; Jacobs. & Bianchi, l. c. pp. 180, 227 (1902). Cyprus.
 8. **S. Ingenitzkyi, Zub.** (*Stenobothrus I.*) Ann. Mus. Pétersb. iii. p. 82. n. 16 (1898); Jacobs. & Bianchi, l. c. pp. 180, 228 (1902). Central Asia.

9. **S. Ehnbergi, Miram.** (*Stenobothrus E.*) Yenisei.
l. c. xlix. (6) p. 5 (1907).
- *10. **S. Pullus, Phil.** (*Gryllus P.*) l. c. p. 38.
n. 17, pl. 2. f. 9 (1830).
Stenobothrus Pullus, *Herm.* Verh. Mitth. Siebenb. xxi. p. 34, plate (1871); Brunn. l. c. pp. 102, 117. n. 16, pl. 5. f. 28 f (1882); Bol. An. Soc. Españ. vii. p. 428. n. 22 (1878); Tümp. l. c. pp. 218, 243 (1900); Jacobs. & Bianchi, l. c. pp. 180, 228 (1902).
Edipoda Geniculata, *Fisch.-Waldh.* l. c. p. 327. n. 41, pl. 17. ff. 10, 11 (1846).
Gomphocerus Abruptipennis, *Borek*, l. c. p. 134. n. 11, pl. 4. f. 6 (1848).
Stenobothrus Abruptipennis, *Fisch.* l. c. p. 337. n. 17, pl. 16. f. 19 (1853).
11. **S. Binotatus, Charp.** (*Gryllus B.*) Hor. France,
Ent. p. 158 (1825). Spain,
Gomphocerus Binotatus, *Bol.* Ortópt. Españ. Portugal.
p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428. n. 25 (1878).
Gomphocerus (Stenobothrus) Binotatus, *Bol.* ll. cc. pp. 127. n. 16 (1876); v. p. 333. n. 16 (1876).
Stenobothrus Binotatus, *Fisch.* l. c. p. 338. n. 20 (1853); Brunn. l. c. pp. 102, 116. n. 15 (1882); Finot, ll. cc. pp. 52, 58 (1883); pp. 110, 119 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 5, 7. n. 19 (1898).
12. **S. Saulcyi, Krauss.** (*Stenobothrus S.*) S. France,
Verh. zool.-bot. Ges. Wien, xxxviii. N. Spain.
p. 573, pl. 15. ff. 4, 4 a, b (1888); Finot, Faune France, Orth. pp. 110, 120 (1889); Bol. l. c. pp. 5, 7. n. 20 (1878).
Stenobothrus Saulcyi, var. *Daimei*, *Azam*, Basses-Alpes.
Ann. Soc. Ent. France, lxii. p. 189. n. 33 (1893).
13. **S. Cazorroi, Bol.** (*Stenobothrus C.*) l. c. Spain.
pp. 5, 8. n. 21 (1898).
14. **S. Hyalinus, Yers.** (*Stenobothrus H.*) id.
Ann. Soc. Ent. France, (4) iii. p. 286, pl. 7. f. 6 a-d (1863).
15. **S. Apicalis, Herr-Schäff.** (*Acridium Apicale*). Nomencl. Ent. ii. p. 10 (1840). Spain,
Stenobothrus Apicalis, *Fisch.* l. c. p. 333. Portugal,
n. 13, pl. 17. ff. 5, 5 a, b (1853); Brunn. Greece.

- l. c. pp. 103, 117, n. 17 (1882); Bol. l. c. pp. 6, 9, n. 22 (1878); Jacobs. & Bianchi, l. c. pp. 181, 229 (1902).
- Gomphocerus Apicalis*, Bol. Orthópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428, n. 26 (1878).
- Gomphocerus (Stenobothrus) Apicalis*, Bol. ll. cc. p. 127, n. 17, pl. 3. ff. 13, 14 (1876); v. p. 333, n. 17, pl. 12. ff. 13, 14 (1876).
- Chorthippus Kollarii*, Fieb. Lotos, iii. p. 102, n. 10 (1853); Syn. Eur. Orth. p. 13, n. 10 (1854).
- *16. **S. Vagans, Eversm.** (*Edipoda* V.) Addit. Fisch.-Waldh. Orth. Ross. p. 12, n. 10 (1848). Central & S. Europe, Siberia, Amur.
- Stenobothrus Vagans*, Fisch. l. c. p. 328, n. 11, pl. 16. ff. 14, 14a (1853); Friv. l. c. p. 153, n. 14 (1867); Brunn. l. c. pp. 103, 118, n. 18 (1882); Finot, Orth. France, pp. 53, 58 (1883); Faune France, Orth. pp. 110, 120, pl. 6. f. 81 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 6, 9, n. 23 (1878); Tümpel, Geradfl. Mitteleuropas, pp. 218, 243, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 181, 229, pl. 4 (1902).
- Gomphocerus Vagans*, Bol. Orthópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428, n. 23 (1878).
- Gomphocerus (Stenobothrus) Vagans*, Bol. ll. cc. p. 126, n. 15 (1876); v. p. 332, n. 15 (1876).
- Gomphocerus Subsiniatus*, Fisch. Jahresh. Mannh. Ver. Naturh. xv. p. 42 (1849).
17. **S. Nigrovittatus, Krauss**, (*Stenobothrus Epacromioides*, var. *Nigrovittata*) Zool. Anz. xv. p. 166, n. 25 (1892). Tenerife, Senegal.
- || *Stenobothrus Epacromioides*, Krauss (nec Walk.), Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 54, n. 1 (1877).
18. **S. Xanthus, Karny**, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. pp. 363, 364, n. 91 (1907). Gondokoro.
19. **S. Wernerianus, Karny**, ll. cc. n. 92 (1907). id.
- S. Wernerianus*, var. *Ustulata*, Karny, l. c. p. 365 (1907). Kordofan.

20. **S. Ypsilon, Karny**, l. c. pp. 363, 365. Gondokoro.
n. 93 (1907).
21. **S. Simplex, Eversm.** (*Stenobothrus S.*) S.E. Europe,
Bull. Mosc. xxxii. (1) p. 133 (1859); Asia Minor,
Brunn. l. c. pp. 103, 119. n. 19 (1882); Syria,
Jacobs. & Bianchi, l. c. pp. 181, 229 Siberia.
(1902).
22. **S. Cognatus, Fieb.** (*Stenobothrus C.*) Sarepta,
Lotos, iii. p. 103. n. 12 (1853); Syn. Eur. Caucasus,
Orth. p. 14. n. 12 (1854). Siberia,
Stenobothrus Cognatus, Brunn. l. c. pp. 103, Amur.
119. n. 20 (1882); Jacobs. & Bianchi,
l. c. pp. 181, 229 (1902); Adel. Ann.
Mus. Zool. Pétersb. xii. p. 124. n. 8
(1907).
Stenobothrus Cognatus, var. *Fallax*, Zub.
Hor. Soc. Ent. Ross. xxxiv. p. 7. n. 9 (1900);
Jacobs. & Bianchi, l. c. p. 230 (1902).
23. **S. Dubius, Zub.** (*Stenobothrus D.*) Ann. id.
Mus. Zool. Pétersb. iii. p. 85. n. 20 (1898);
Jacobs. & Bianchi, l. c. pp. 181, 230 (1902).
24. **S. Latipennis, Bol.** (*Stenobothrus L.*) Corea,
Ann. Mus. Genova, xxxix. p. 83. n. 33 Japan.
(1898); Jacobs. & Bianchi, l. c. pp. 181,
230 (1902).
25. **S. Æthalinus, Zub.** (*Stenobothrus Æ.*) Tomsk.
Hor. Soc. Ent. Ross. xxxii. p. 600 (1898);
Jacobs. & Bianchi, l. c. pp. 181, 231 (1902).
|| *Stenobothrus Fuliginosus*, Zub. (*nec Ivan.*)
Ann. Mus. Zool. Pétersb. i. p. 87 (1896).
- *26. **S. Bicolor, Charp.** (*Gryllus B.*) Hor. Europe,
Ent. p. 161 (1825); Phil. Orth. Berol. N. Africa,
p. 36. n. 14 (1830). Asia Minor,
Stenobothrus Bicolor, Bris. Ann. Soc. Ent. Siberia,
France, (3) iv. p. 748, note (1856); Mongolia,
Brunn. l. c. pp. 103, 120. n. 21, pl. 5. Corea,
f. 28 a, g 1 (1882); Finot, Orth. France, Japan,
pp. 53, 59 (1883); Faune France, Orth. Burma.
pp. 110, 122, pl. 6. ff. 83, 83 bis (1889);
Krauss, Verh. zool.-bot. Ges. Wien,
xxxvi. pp. 141-147, pl. 5. ff. 5, 5 A-E
(1886); Burr, Brit. Orth. pp. 35, 37,
pl. 3. f. 5 (1897); Bol. Ann. Sci. Nat.
Porto, v. pp. 6, 10. n. 25 (1898); Auriv.
Ent. Tidskr. xxi. pp. 242-244. n. 9, f. 10
(3), f. 11 c (1900); Tümpel, l. c. pp. 218,
242, pl. 16 (1900); Jacobs. & Bianchi,

- l. c. pp. 181, 231. pl. 4 (1902); Adel. Ann. Mus. Zool. Pétersb. xii. p. 127. n. 9 (1907).
- Ædipoda Bicolor*, Fisch.-Waldh. l. c. p. 310. n. 28 (1846).
- Gryllus Mollis*, Charp. l. c. p. 164 (1825).
- Locusta Mollis*, Steph. Ill. Brit. Ent., Mand. vi. p. 27. n. 19 (1835).
- || *Locusta Biguttula*, Steph. (nec Linn.) l. c. p. 26. n. 18 (1836).
- Locusta Vittata*, Steph. l. c. p. 25. n. 15 (1836).
- || *Locusta Hemorrhoidalis*, Steph. (nec Charp.) l. c. p. 27. n. 20 (1836).
- Locusta Rhomboidea*, Steph. l. c. p. 28. n. 21 (1836).
- Locusta Varipes*, Steph. l. c. n. 22 (1836).
- || *Locusta Venosa*, Steph. (nec Linn.) l. c. n. 23 (1836).
- *27. **S. Biguttulus, Linn.** (*Gryllus Locusta* B.) Europe,
Syst. Nat. (ed. x.) i. p. 433. n. 56 (1758). N. Africa,
Gryllus Biguttulus, Linn. Faun. Suec. N. Asia.
(ed. ii.) p. 239. n. 875 (1761); Thunb.
Mém. Pétersb. v. p. 253 (1815), ix.
pp. 399, 427. n. 98 (1824); Zett. Orth.
Suec. p. 94. n. 11 (1821); Charp. Hor.
Ent. p. 163 (1825); Phil. Orth. Berol.
p. 37. n. 15 (1830); Ramb. Faune Andal.
ii. p. 94. n. 20 (1838).
- Acrydium Biguttulum*, De Geer, Mém. Ins.
iii. p. 479. n. 6 (1773); Oliv. Enc. Méth.
vi. p. 229. n. 61 (1791); Latr. Hist. Nat.
Crust. Ins. xii. p. 158. n. 17 (1804);
Wesm. Bull. Acad. Sci. Brux. v. p. 595.
n. 5, pl. 1. f. 6 a, b (1838).
- Acridium Biguttulum*, Costa, Faun. Nap.
Ort. p. 29. n. 13, pl. 4. f. 1A, b, c. d
(1836).
- Ædipoda Biguttula*, Serv. Ann. Sci. Nat.
xxii. p. 289. n. 10 (1831); Ins. Orth.
p. 742. n. 27 (1839); Fisch.-Waldh.
Orth. Ross. p. 320. n. 36 (1846).
- Stenobothrus Biguttulus*, Eversm. l. c. xxxii.
(1) p. 135 (1859); Friv. l. c. p. 157.
n. 18 (1867); Brunn. l. c. pp. 103, 121.
n. 22 (1882); Finot, ll. cc. pp. 53, 59
(1883); pp. 111, 123, pl. 6. ff. 84, 85

- (1889) : Krauss, l. c. pp. 141-147. pl. 5. ff. 4, 4 A-E (1886); Bol. Ann. Sci. Nat. Porto, v. pp. 6, 9. n. 24 (1898); Auriv. l. c. pp. 242-244. n. 8, f. 10 (4) (1900); Tümp. l. c. pp. 218, 243 (1900); Jacobs. & Bianchi, l. c. pp. 182, 232 (1902).
- Gryllus Mutabilis*, Panz. Syst. Nomencl. Schäffer's Abbild. p. 211 (1804).
- Edipoda Mutabilis*, Fisch.-Waldh. l. c. p. 316. n. 23 (1846).
- Chorthippus Variabilis*, Fieb. Kelch, Orth. Oberschles. p. 1. n. 4 (1852); Lotos, iii. p. 102. n. 11 (1853); Syn. Eur. Orth. p. 13. n. 11 (1854).
- Stenobothrus Variabilis*, Fisch. l. c. p. 342. n. 23, pl. 17. ff. 7, 7 a-d (1853); Krauss, Sitz. Akad. Wiss. Wien. Math.-nat. Cl. lxxviii. (1) p. 481. n. 36 (1879).
- Gryllus Lunulatus*, Scop. Ent. Carn. p. 110. n. 328 (1763).
- Gryllus Notatus*, Thunb. ll. cc. v. p. 249 (1815); pp. 399, 426. n. 95 (1824).
- Gryllus Brunneus*, Thunb. ll. cc. p. 256 (1815); pp. 397, 415. n. 56 (1824).
- Gomphocerus Arvalis*, Burm. Handb. Ent. ii. p. 649. n. 12 (1838).
- Gryllus Aureolus*, Zett. Orth. Suec. p. 97. n. 12 (1821).
- Gomphocerus Aureolus*, Seidl. Weitenweber, Beitr. Naturk. Heilwiss. i. p. 137 (1837); Borek, Skand. Rätv. Ins. p. 132. n. 10 (1848).
- Gomphocerus Biguttulus*, Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876), vii. p. 428. n. 24 (1878).
- Gomphocerus* (*Stenobothrus*) *Biguttulus*, Bol. ll. cc. p. 125. n. 14 (1876); v. p. 331. n. 14 (1876).
28. **S. (?) Campestris, Stål**, (*Gomphocerus* (*Stenobothrus*) *C.*) Eugenies Resa, Orth. p. 341. n. 98 (1860). Rio Janeiro.
- *29. **S. (?) Costistriga, Walk.** (*Epacromia* *C.*) Cat. Derm. Salt. B. M. iv. p. 767. n. 4 (1870). Santarem.

Genus 293. **Meloscirtus.**

(Duplicate. See on p. 160).

Brun. Proc. U.S. Nat. Mus. xxx. p. 634 (1906).

- 1.
- M. Australis**
- , Brun. l. c. p. 635 (1906). | Paraguay.

Genus 294. **Chorthippus.** (Type no. 3.)

Fieb. Kelch, Orth. Oberschles. p. 1 (1852); Lotos, iii. p. 100 (1853); Syn. Eur. Orth. p. 11 (1854); Bol. An. Soc. Españ. vii. p. 428 (1878); Ann. Sci. Nat. Porto, iv. p. 224 (1897), v. p. 10 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 182, 232 (1902); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 362 (1907).

- *1. **C. Jucundus**, Fisch. (*Stenobothrus J.*) S. France, Spain.
Orth. Eur. p. 315. n. 1, pl. 16. ff. 8, 8 a (1853); Brunn. Prodr. Eur. Orth. pp. 103, 123. n. 23 (1882); Finot, Orth. France, pp. 53, 60 (1883); Faune France, Orth. pp. 111, 124, pl. 6. f. 86 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 26 (1898).

Gomphocerus Jucundus, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 32 (1878).

Gomphocerus (Stenobothrus) Jucundus, Bol. ll. cc. p. 133. n. 22, pl. 3. ff. 17-19 (1876); v. p. 339. n. 22, pl. 12. ff. 17-19 (1876).

- *2. **C. Pulvinatus**, Fisch.-Waldh. (*Edipoda Pulvinata*) Orth. Ross. p. 305. n. 23, pl. 23. f. 4 (1846). Central & S. Europe, Siberia, N. Africa.

Chorthippus Pulvinatus, Fieb. Lotos, iii. p. 117. n. 33 (1853), iv. p. 182. n. 33 (1854); Syn. Eur. Orth. p. 17. n. 33 (1853).

Stenobothrus Pulvinatus, Eversm. Bull. Mosc. xxxii. (1) p. 132 (1859); Brunn. l. c. pp. 103, 123. n. 24 (1882); Finot, ll. cc. pp. 53, 60 (1883); pp. 111, 125, pl. 6. ff. 87, 88 (1889); Bol. l. c. pp. 10, 11. n. 27 (1898); Tümpel, Geradfl. Mitteleuropas, pp. 217, 239 (1900); Jacobs. & Bianchi, l. c. pp. 182, 232 (1902).

Acridium Declivum, Bris. Ann. Soc. Ent. France, (2) vi. p. 420 (1848).

Stenobothrus Declivus, Fisch. l. c. p. 317. n. 3, pl. 10. ff. 10, 10 a-c (1853); Friv. l. c. p. 141. n. 1, pl. 6. ff. 4, 4 a (1867).

- Gomphocerus Declivus*, Bol. Ortópt. Españ. p. 113 (1876) ; An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 30 (1878).
- Gomphocerus* (*Stenobothrus*) *Declivus*, Bol. ll. cc. p. 131. n. 20 (1876) ; v. p. 337. n. 20 (1876).
- Ædipoda Albolineata*, Luc. Expl. Alg. iii. p. 38. n. 66, iv. pl. 4. f. 6 (1849).
- *3. **C. Albomarginatus, De Geer**, (*Acrydium Albomarginatum*) Mém. Ins. iii. p. 480. n. 7 (1773). Europe, N.&W.Asia.
- Stenobothrus Albomarginatus*, Auriv. Ent. Tidskr. xxi. pp. 242-244, f. 10 (2), f. 11 a (1900) ; Jacobs. & Bianchi, l. c. p. 182. f. 29, p. 232 (1902).
- Stenobothrus Elegans*, var. *Fuliginosus*, Jean. Trud. Chark. Univ. xxi. p. 336 (1883).
- Stenobothrus Albomarginatus*, var. *Fuliginosus*, Jacobs. & Bianchi, l. c. p. 233 (1902).
- Gryllus Elegans*, Charp. Hor. Ent. p. 153 (1825) ; Phil. Orth. Berol. p. 33. n. 9 (1830) ; Ramb. Faun. Andal. ii. p. 87. n. 14 (1838).
- Ædipoda Elegans*, Germ. Faun. Ins. Eur. fasc. xx. pls. 20, 21 (1838) ; Fisch.-Waldh. l. c. p. 308. n. 26, pl. 22. f. 5 (1846).
- Gomphocerus Elegans*, Borck, Skand. Rätv. Ins. p. 112. n. 2, pl. 4. ff. 1, 2 (1848) ; Bol. ll. cc. p. 113 (1876) ; v. p. 319 (1876), vii. p. 429. n. 29 (1878).
- Stenobothrus* (*Gomphocerus*) *Elegans*, Bol. ll. cc. p. 130. n. 19 (1876) ; v. p. 336. n. 19 (1876).
- Chorthippus Elegans*, Fieb. ll. cc. iii. p. 117. n. 32 (1853) ; p. 17. n. 32 (1854).
- Locusta Elegans*, Steph. Ill. Brit. Ent., Mand. vi. p. 22. n. 6 (1835).
- Stenobothrus Elegans*, Fisch. l. c. p. 318. n. 4, pl. 1 b. ff. 11, 11 a, b (1853) ; Friv. l. c. p. 142. n. 2, pl. 6. f. 1 (1867) ; Brunn. l. c. pp. 103, 125. n. 25, pl. 5. f. 28 H, H 1 (1882) ; Finot, ll. cc. pp. 54, 61 (1883) ; pp. 111, 126, pl. 7. ff. 89, 90 (1889) ; Burr, Brit. Orth. pp. 35, 37, pl. 3. f. 6 (1897) ; Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 28 (1898) ; Tümpel, l. c. pp. 218, 240 (1900).

- Locusta Tricarinata*, Steph. l. c. p. 23. n. 10 (1835).
Gryllus Blandus, Fisch.-Waldh. l. c. p. 309 (1846).
Edipoda Dichroua, Eversm. l. c. p. 132 (1859).
4. **C. Chlorophanus, Fisch.-Waldh.** (*Edipoda Chlorophana*) l. c. pl. 16. ff. 2, 3 (1846). Siberia (?).
- *5. **C. Dorsatus, Zett.** (*Gryllus D.*) Orth. Suec. p. 82. n. 5 (1821); Charp. Hor. Ent. p. 153 (1825); Phil. Orth. Berol. p. 32. n. 8 (1830). Europe, W. Asia, Siberia.
Acrydium Dorsatum, Wesm. Bull. Acad. Brux. v. p. 595. n. 3, pl. 1. f. 4 a, b (1838).
Edipoda Dorsata, Fisch.-Waldh. l. c. p. 306. n. 24 (1846).
Chorthippus Dorsatus, Fieb. Kelch, Orth. Oberschles. p. 2. n. 14 (1852); Lotos, iii. p. 117. n. 29 (1853); Syn. Eur. Orth. p. 16. n. 29 (1854).
Gomphocerus Dorsatus, Borek, Skand. Rätv. Ins. p. 115. n. 3 (1848); Bol., Bol. Soc. Españ. vii. p. 429. n. 28 (1878).
Stenobothrus Dorsatus, Fisch. l. c. p. 320. n. 5, pl. 16. ff. 12, 12 a (1853); Friv. l. c. p. 143. n. 3 (1867); Brunn. l. c. pp. 103, 126. n. 26 (1882); Finot, ll. ce. pp. 54, 61 (1883); pp. 111, 127, pl. 7. ff. 91, 92 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 29 (1898); Auriv. l. c. pp. 242, 243. n. 4 (1900); Tümpel, l. c. pp. 218, 239 (1900); Jacobs. & Bianchi, l. c. pp. 182, 233 (1902).
Edipoda Moderata, Eversm. Addit. Fisch.-Waldh. Orth. Ross. p. 14. n. 13, pl. A. f. 7 (1848).
Stenobothrus Moderatus, Eversm. Bull. Mosc. xxxii. (1) p. 132 (1859).
- *6. **C. Parallelus, Zett.** (*Gryllus P.*) l. c. p. 85. n. 6 (1821); Charp. l. c. p. 171 (1825); Phil. l. c. p. 34. n. 10, pl. 2. f. 3 (1830). Europe, N. & W. Asia.
Gomphocerus Parallelus, Borek, l. c. p. 116. n. 4, pl. 4. f. 3 (1848).
Edipoda Parallela, Fisch.-Waldh. l. c. p. 309. n. 27 (1846); Serv. Ins. Orth. p. 744. n. 29 (1839).

- Locusta Parallela*, Steph. l. c. p. 23. n. 8 (1835).
- Stenobothrus Parallelus*, Brunn. l. c. pp. 103, 127. n. 27 (1882); Finot, l. c. pp. 54, 62 (1883); pp. 111, 129, pl. 7. f. 94 (1889); Burr, l. c. pp. 35, 38, pl. 3. f. 7 (1897); Bol. l. c. p. 11. n. 30 (1898); Auriv. l. c. pp. 242, 243. n. 5 (1900); Tümpel, l. c. pp. 217, 239 (1900); Jacobs. & Bianchi, l. c. pp. 182, 233 (1902).
- Gryllus Montanus*, Charp. l. c. p. 173 (1825).
- Locusta Montana*, Steph. l. c. p. 23. n. 9 (1835).
- Gomphocerus Montanus*, Burm. l. c. p. 650. n. 15 (1838); Borek, l. c. p. 119, note (1848).
- Stenobothrus Parallelus*, var. *Montanus*, Finot, ll. cc. p. 62 (1883); p. 129 (1889).
- Podisma Tennis*, Brullé, Expéd. Morée, Ins. p. 96. n. 69, pl. 30. f. 7 (1832).
- Podisma Dimidiata*, Brullé, l. c. n. 70, pl. 30. f. 8 (1832).
- Chorthippus Pratorum*, Fieb. ll. cc. pp. 2, 5. n. 15 (1852); p. 117. n. 30 (1853); p. 16. n. 30 (1854).
- Stenobothrus Pratorum*, Fisch. l. c. p. 321. n. 6, pl. 16. ff. 13, 13 a-d (1853); Friv. l. c. p. 144. n. 4 (1867).
- Gomphocerus Pratorum*, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876); vii. p. 429. n. 27 (1878).
- Gomphocerus* (*Stenobothrus*) *Pratorum*, Bol. ll. cc. p. 129. n. 18, pl. 3. ff. 15, 16 (1876); p. 335. n. 18, pl. 12. ff. 15, 16 (1896).
- Var. *Stenobothrus Nigrolineatus*, Ivan. l. c. p. 338 (1883).
7. **C. Longicornis**, Latr. (*Acrydium Longicorne*) Hist. Nat. Crust. Ins. xii. p. 159. n. 19 (1804). France, Belgium.
- Gryllus Longicornis*, Hagenb. Symb. Faun. Ins. Helvet. p. 36, ff. 22, 23 (1822); Finot, Faune France, Orth. pp. 111, 128, pl. 7. f. 93 (1889); Jacobs. & Bianchi, l. c. pp. 182, 234 (1902).
8. **C. Acutus**, Morse, (*Stenobothrus* A.) Psyche, x. p. 115 (1903). Nevada.

- *9. **C. Curtipennis, Harr.** (*Locusta* (*Chloë-altis*) *C.*) Rep. Ins. Mass. p. 149. n. 15 (1841); (ed. iii.) p. 184. n. 15, pl. 3. f. 1 (1862). Northern U. States, Canada.
Stenobothrus Curtipennis, Scudd. Journ. Boston Soc. N. H. vii. p. 456. n. 1 (1862); Glov. Ill. N. Amer. Orth. pl. 6. f. 15, pl. 7. f. 10, pl. 10. f. 4, pl. 12. f. 18 (1872); Thom. Syn. Acrid. N. Amer. p. 91 (1873); Prov. Faun. Ent. Canad. ii. pp. 42, 43. n. 1 (1877); McNeill, Proc. Davenport Acad. Sci. vi. p. 260. n. 1 (1897).
S. Longipennis, Scudd. l. c. p. 457. n. 3 (1862); Glov. l. c. pl. 5. f. 15 (1872); Prov. l. c. pp. 42, 43. n. 2 (1873).
10. **C. Coloradensis, McNeill,** (*Stenobothrus C.*) l. c. pp. 260, 262. n. 2, pl. 5. ff. 25 a, b (1897). Colorado.
11. **C. Oregonensis, Scudd.** (*Stenobothrus O.*) Proc. Amer. Acad. xxxv. p. 50 (1899). Oregon, California.
12. **C. Occipitalis, Thom.** (*Stenobothrus O.*) l. c. p. 81 (1873); Glover, l. c. pl. 17. f. 13 (1874). Colorado.

Genus 295. **Platybothrus.** (*Type* no. 1.)

Scudd. Psyche, viii. pp. 237, 239 (1898).

1. **P. Brunneus, Thom.** (*Stenobothrus B.*) Rep. U.S. Geol. Surv. Wyoming, p. 280 (1871); Syn. Acrid. N. Amer. p. 93 (1873); Glov. l. c. pl. 18. f. 12 (1874); McNeill, Proc. Davenport Acad. Sci. vi. pp. 260, 263. n. 3 (1897). Western States.
2. **P. Alticola, Rehn,** Ent. News, xvii. p. 284 (1906). Utah.
3. **P. Olivaceus, Morse,** (*Stenobothrus O.*) Psyche, vi. p. 477 (1893). Connecticut.
4. **P. Sordidus, McNeill,** (*Stenobothrus S.*) l. c. pp. 260, 263. n. 4, pl. 5. f. 25 c (1897). Idaho.

(Genus 296. **Aulacobothrus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 597 (1902).

- | | |
|---|-----------------|
| 1. A. Strictus , Bol. l. c. p. 598 (1902). | Kodaikanal. |
| 2. A. Socius , Bol. l. c. p. 599 (1902). | id.,
Madura. |
| 3. A. Infernus , Bol. l. c. (1902). | Kodaikanal. |
| 4. A. Tæniatus , Bol. l. c. p. 600 (1902). | id. (?). |

Genus 297. **Primnia.**

Stål, Recens. Orth. i. pp. 94, 113 (1873).

1. **P. Sanctæ-Helenæ**, Stål, (*Acridium* St. Helena.
(*Tinaria*) S.) Eugenes Resa, Orth.
p. 338. n. 92 (1860).
P. Sanctæ-Helenæ, Stål, Recens. Orth. i.
p. 113. n. 1 (1873).

Genus 298. **Tinaria.** (*Type* no. 1.)

Acridium (*Tinaria*), Stål, Eugenes Resa, Orth. p. 338 (1860).
Tinaria, Stål, Recens. Orth. i. pp. 94, 113 (1873).

- | | |
|--|-------------|
| *1. T. Calcarata , Stål, (<i>Acridium</i> (<i>Tinaria</i>)
<i>Calcaratum</i>) Eugenes Resa, Orth. p. 338.
n. 91 (1860).
<i>Acridium Calcaratum</i> , Stål, l. c. pl. 5. f. 8
(1860).
<i>T. Calcarata</i> , Stål, Recens. Orth. i. p. 113.
n. 1 (1873).
<i>Stenobothrus Annulicornis</i> , Walk. Melliss,
St. Helena, p. 169 (1875). | St. Helena. |
| 2. T. Undulifera , Walk. (<i>Stenobothrus Un-
dulifer</i>) l. c. p. 170 (1875). | id. |
| *3. T. Vittifera , Walk. (<i>Stenobothrus Vitti-
fer</i>) l. c. p. 170 (1875). | id. |
| **4. T. Viridipes , Walk. (<i>Stenobothrus V.</i>)
l. c. p. 169 (1875). | id. |
| 5. T. Obumbrata , Walk. (<i>Ædipoda</i> O.)
l. c. p. 168 (1875). | id. |

Genus 299. **Æolopus.** (Type no. 2.)

Aiolopus, Fieb. Lotos, iii. p. 100 (May 1853) ; Syn. Eur. Orth. p. 11 (1854).

Epacromia, Fisch. Orth. Eur. pp. 296, 360 (Nov. 1853) ; Friv. Értek. Termész. Kör. i. (12) pp. 135, 166 (1867) ; Stål, Rec. Orth. i. pp. 99, 111 (1873) ; Bol. Ortópt. Españ. pp. 101, 141 (1876) ; An. Soc. Españ. v. pp. 307, 347 (1876) ; Ann. Sci. Nat. Porto, iv. p. 215 (1897) ; v. p. 16 (1898) ; Brunn. Prodr. Eur. Orth. pp. 84, 144 (1882) ; Ann. Mus. Genova, xxxiii. pp. 123, 128 (1893) ; Finot, Orth. France, pp. 41, 67 (1883) ; Faune France, Orth. pp. 100, 139 (1889) ; Tümpel, Geradfl. Mitteleuropas, pp. 214, 219, 246 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 185, 245 (1902). (Type no. 2.)

- *1. **Æ. Strepens, Latr.** (*Acrydium* S.) Hist. S. Europe,
Nat. Crust. Ins. xii. p. 154. n. 11 (1804). N. Africa,
Aiolopus Strepens, Fieb. Lotos, iii. p. 100. Asia Minor.
n. 2 (1853), iv. p. 179. n. 2 (1854) ;
Syn. Eur. Orth. p. 11. n. 2 (1854).
Epacromia Strepens, Bol. ll. cc. p. 142. n. 2
(1876) ; v. p. 348. n. 2 (1876) ; v. p. 17.
n. 4 (1898) ; Brunn. Prodr. Eur. Orth.
p. 145. n. 1 (1882) ; Finot, ll. cc. pp. 67,
68 (1883) ; p. 140, pl. 7. f. 100 (1889) ;
Tümpel, l. c. pp. 219, 246, pl. 18 (1900) ;
Jacobs. & Bianchi, l. c. pp. 185, 246,
pl. 5 (1902).
|| *Gryllus Thalassinus*, ♂, Charp. (nec Fabr.)
l. c. p. 138, pl. 4. f. 3 (1825) ; Ramb.
Faune Andal. ii. p. 85. n. 11 (1838).
|| *Aceridium Thalassinum*, pt., Brullé, Berthelot
& Webb. Hist. Nat. Canar. ii. (2) p. 78.
n. 30, pl. 5. f. 8 (1842).
|| *Edipoda Thalassina*, pt., Serv. Ins. Orth.
p. 740. n. 25 (1839).
|| *Epacromia Thalassina*, Fisch. l. c. p. 361.
n. 1 (1853).
Aceridium Vittatum, Brullé, l. c. p. 78. n. 31,
pl. 5. f. 7 (1842).
*2. **Æ. Thalassinus, Fabr.** (*Gryllus* T.) Europe,
Spec. Ins. i. p. 367. n. 31 (1781) ; Rossi, N. Africa,
Faun. Etr. i. p. 270. n. 654 (1790) ; Charp. W. Asia.
(♀ nec ♂) l. c. p. 138, pl. 2. f. 6 (1825) ;
Ramb. (pt.) l. c. p. 85. n. 11 (1838).

- Acrydium Thalassinum*, *Oliv.* Encycl. Méth.,
Ins. vi. p. 225. n. 43 (1791) ; Latr. Hist.
Nat. Crust. Ins. xii. p. 156. n. 14 (1804).
Gomphocerus Thalassinus, *Burm.* Handb.
Ent. ii. p. 647. n. 1 (1838).
Edipoda Thalassina, *Serr.* l. c. p. 740.
n. 25 (1839) ; Fisch.-Waldh. Orth. Ross.
p. 301. n. 20, pl. 23. f. 6 (1846).
Epacromia Thalassina (pt.), *Fisch.* l. c.
p. 361. n. 1 (1853) ; Friv. l. c. p. 166. n. 1
(1867) ; Bol. ll. cc. p. 141. n. 1 (1876) ; v.
p. 347. n. 1 (1876) ; v. p. 17. n. 3 (1898) ;
Krauss. Sitz. Akad. Wiss. Wien. Math.-
nat. Cl. lxxviii. (1) p. 486. n. 47 (1879) ;
Brunn. l. c. pp. 145, 146. n. 2 (1882) ;
Finot, ll. cc. p. 68 (1883) ; pp. 140, 141,
pl. 7. ff. 101, 102 (1889) ; Tümpel, l. c.
pp. 219, 246, pl. 18 (1900) ; Jacobs. &
Bianchi, l. c. pp. 186, 246, pl. 5 (1902).
Aiolopus Thalassinus, *Fieb.* Lotos, iii. p. 100.
n. 1 (1853) ; Syst. Eur. Orth. p. 11. n. 1
(1854).
Gryllus Prasinus, *Thunb.* Mém. Acad.
Petersb. v. p. 239 (1815), ix. p. 402
(1824).
Gryllus Prasinus, *Thunb.* l. c. ix. p. 393. n. 5
(1824).
Epacromia Thalassina, var., *Stål*, Recens.
Orth. i. p. 112. n. 2 (1873) ; Œfv. Vet.-
Akad. Förh. xxxiii. (3) p. 49. n. 1 (1876).
Epacromia Thalassina, var. *Approximans*,
Ret. Ber. Senckenb. Ges. 1889, p. 219.
Acrydium Grossum, *Costa*, Faun. Nap.,
Ortott. p. 25. n. 11, pl. 3. f. 4 A, b, c, d
(1836).
Edipoda Pulverulenta, *Fisch.-Waldh.* l. c.
p. 299. n. 18, pl. 32. f. 2 (1846).
Aiolopus Pulverulentus, *Fieb.* Lotos, iii.
p. 100. n. 4 (1853), iv. p. 179. n. 4 (1854) ;
Syn. Eur. Orth. p. 11. n. 4 (1854).
Gryllus Flavovirens, *Herr.-Schäff.* Panzer,
Faun. Ins. Germ. fasc. 157. pl. 19 (1840).
Acridium Latum, *Brullé*, Berthelot &
Webb, Hist. Nat. Canar., Ins. p. 77, pl. 5.
f. 10 (1842).
Epacromia Angustifemur, *Ghil.* Bull. Ent.
Ital. i. p. 179 (1869).

3. **Æ. Tergestinus, Charp.** (*Gryllus T.*) S. France, Switzerland, S.E. Europe, Central Asia, China.
 l. c. p. 139 (1825).
Aiolopus Tergestinus, Fieb. ll. cc. p. 100.
 n. 3 (1853), p. 179. n. 3 (1854); p. 11. n. 3 (1854).
Epacromia Tergestina, Krauss, l. c. p. 487.
 n. 48 (1879); Brunn. l. c. pp. 145, 147.
 n. 3, pl. 5. f. 32 A, B (1882); Finot, Faune France, Orth. pp. 139, 142 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 17. n. 2 (1898); Tümpel, l. c. pp. 219, 246, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 186, 247, pl. 5 (1902).
 || *Epacromia Thulassina, Fisch.,* var. (*nec Fabr.*) l. c. p. 361. n. 1, pl. 17. ff. 14, 14 a, b (1853).
Epacromia Tergestina, var. Viridis, Mab. Ann. Soc. Ent. France, lxxv. p. 41 (1906).
4. **Æ. Platypygia, Pant.** (*Epacromia P.*) Spain.
 An. Soc. Españ. xv. p. 241, pl. 2. f. 2 (1886); Bol. Ann. Sci. Nat. Porto, v. pp. 16, 17. n. 1 (1898).
- *5. **Æ. Tamulus, Fabr.** (*Gryllus T.*) Ent. Persia, Burma, Japan, Australia, Java, Celebes.
 Syst. Suppl. p. 195 (1798).
Epacromia Tamulus, Jacobs. & Bianchi, l. c. pp. 186, 247 (1902).
Acridium (Gomphocerus) Tamulus, De Haan, Temminck, Verhandel., Orth. p. 162 (1842).
Gryllus Dorsalis, Thunb. Mém. Acad. Pétersb. v. p. 229 (1815), ix. pp. 394, 405. n. 18 (1824).
Epacromia Dorsalis, Stål, Recens. Orth. i. p. 111. n. 1 (1873).
Gomphocerus Tricoloripes, Burm. Handb. Ent. ii. p. 649. n. 13 (1838).
- **6. **Æ. Rufostriatus, Kirb.** (*Epacromia Rufostriata*) Proc. Zool. Soc. Lond. 1888, p. 550; Mon. Christmas I. p. 152. n. 23, pl. 13. f. 2 (1900). Christmas Island.
7. **Æ. Affinis, Bol.** (*Epacromia A.*) Ann. Madura.
 Soc. Ent. France, lxx. p. 600 (1902).
8. **Æ. Lurida, Brancs.** (*Epacromia L.*) Zambesi.
 Jahresh. Ver. Trencs. Comm. xvii.-xviii. p. 250 (1897).
9. **Æ. Sansibara, Karsch,** (*Epacromia S.*) Zanzibar.
 Stettin. Ent. Zeit. lvii. p. 264. n. 27 (1896).

(Genus 300. **Chortoicetes**. (*Type* no. 18.)

Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893).

1. **C. Fallax, Karny**, Sitz. Akad. Wiss. Gondokoro,
Wien, Math.-nat. Cl. cxvi. p. 359. n. 87 Zanzibar.
(1907).
2. **C. Acutangulus, Karny**, l. c. n. 88 Soudan.
(1907).
3. **C. Plena, Walk.** (*Epacromia P.*) Cat. S. Africa.
Derm. Salt. B. M. iv. p. 769. n. 8
(1870).
Acridium (*Edipoda*) *Caliginosum*, var. *b.*
De Haan, Temminck, Verhandel., Orth.
p. 162 (1842).
4. **C. Interruptus, Kirb.** Trans. Ent. Soc. Pretoria.
Lond. 1902, p. 232. n. 31 A.
- **5. **C. Pallida, Walk.** (*Epacromia P.*) l. c. W. Africa.
p. 772. n. 12 (1870).
- *6. **C. Temporalis, Stål**, (*Epacromia T.*) id.
(Efvers. Vet.-Akad. Förh. xxxiii. (3)
p. 49. n. 2 (1876).
- **7. **C. Minusculus, Walk.** (*Stenobothrus M.*) S. Africa.
l. c. p. 703. n. 61 (1870).
- **8. **C. Prasina, Walk.** (*Epacromia* (?) *P.*) id.
l. c. p. 770. n. 9 (1870).
- **9. **C. Rodericensis, Butl.** (*Epacromia R.*) Rodriguez.
Ann. Nat. Hist. (4) xvii. p. 410 (1876);
Phil. Trans. clxviii. (extra vol.) p. 548,
pl. 54. ff. 3, 3 a (1879).
10. **C. Obscurella, Blanch.** (*Edipoda O.*) Banda.
Voy. Pôle Sud, Zool. iv. p. 375 (1853).
Edipoda Obscura, Blanch. l. c. pl. 3. f. 10
(1853).
11. **C. Guineensis, Blanch.** (*Edipoda G.*) New
l. c. p. 375, pl. 3. f. 11 (1853). Guinea.
- **12. **C. Oceanica, Walk.** (*Epacromia O.*) Sandwich
l. c. p. 779. n. 26 (1870). Isles (?).
- **13. **C. Australis, Walk.** (*Hyaloptyera* (?) *A.*) Australia.
l. c. p. 788. n. 4 (1870); Frogg. Agric.
Gaz. N. S. Wales, xiv. p. 1110, pl. 1. f. 4
(1903).
- **14. **C. Pusilla, Walk.** (*Epacromia P.*) l. c. id.
p. 778. n. 24 (1870).
Chortoicetes Pusilla, Frogg. l. c. p. 1106
(1903).

- C. Jungi*, Brancs. Jahresh. Ver. Trencs. Com. xix.-xx. p. 70 (1897).
15. **C. Frater**, Brancs. l. c. p. 71 (1897). Yorktown.
16. **C. Affinis**, Rehn, Bull. Amer. Mus. Nat. Hist. xxiii. pp. 445-447, f. 3 (1907). N. S. Wales.
17. **C. Pusillulus**, Rehn, l. c. p. 447, f. 4 (1907). Victoria.
- * 18. **C. Terminifera**, Walk. (*Epaeromia* T.) l. c. p. 777, n. 22 (1870). Australia
- C. Terminifera*, Frogg. l. c. pp. 1108 (1903).
- C. Yorktownensis*, Brancs. l. c. xvii.-xviii. p. 249, pl. 8, f. 2 (1895).
- C. Yorktownensis*, var. *Fuscus*, Brancs. l. c. p. 250 (1895).

Genus 301. **Brancsikellus.**

Berg, Com. Mus. Buenos Aires, i. p. 78 (1899).

Acamptus, Brancs. (nec Leconte) Jahresh. Ver. Trencs. Com. xix.-xx. p. 71 (1897).

1. **B. Gracilis**, Brancs. (*Acamptus* G.) l. c. Madagascar p. 72 (1897).

SUBFAM. VI.

LOCUSTINÆ.

Genus 302. **Arphia.** (*Type* no. 32.)

Stål, Recens. Orth. i. pp. 113, 119 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 42, 64 (1884), xxx. (1) p. 14 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 296, 312 (1894); Lugger, Orthopt. of Minnesota, pp. 224, 226 (1897); Scudd. Guide N. Amer. Orth. p. 33 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 252, 254 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 114, 119 (1905).

Tomonotus, pt., Sauss. Rev. Zool. (2) xiii. pp. 320, 321 (1861); Thomas, Acrid. N. Amer. pp. 104, 211 (1873).

1. **A. Carinata**, Scudd. (*Edipoda* C.) Trans. Amer. Ent. Soc. ii. p. 306 (1869). Western United States
- Tomonotus Carinatus*, Thomas, l. c. p. 106 (1873).

- Arphia Carinata*, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 65, 67. n. 1 (1884); Lugg. l. c. p. 229 (1897); Brun. l. c. pp. 120, 124. n. 1 (1905).
2. **A. Crepusculum**, Sauss. l. c. pp. 65, 67. Texas, n. 2 (1884); Brun. l. c. pp. 120, 124. Nebraska. n. 2 (1905).
3. **A. Xanthoptera**, Burm. (*Edipoda* A.) N. America. Handb. Ent. ii. p. 613. n. 12 (1838).
Tomonotus Xanthopterus, Thomas, l. c. p. 105 (1873).
Arphia Xanthoptera, Sauss. l. c. pp. 65, 67. n. 3 (1884); Beut. l. c. pp. 297, 312. pl. 8. f. 11 (1894); Lugg. l. c. p. 228 (1897); Blatchl. l. c. pp. 255, 256. n. 39. f. 49 (1903); Brun. l. c. pp. 120, 124. n. 3 (1905).
4. **A. Difficilis**, Brun. ll. cc. n. 1 (1905). Mexico.
5. **A. Granulata**, Sauss. l. c. pp. 65, 67. Florida. n. 4 (1884); Brun. l. c. pp. 120, 125. n. 5 (1905).
6. **A. Fallax**, Sauss. l. c. pp. 66, 69. n. 8 id., (1884); Brun. l. c. pp. 120, 125. n. 6 Guatemala. (1905).
7. **A. Truculenta**, Rehn, Proc. Acad. Nat. Mexico. Sci. Philad. lvi. p. 522 (1904); Brun. l. c. pp. 120, 125. n. 7 (1905).
8. **A. Aurantipennis**, Brun. ll. cc. n. 8 id. (1905).
9. **A. Saussureana**, Brun. Proc. U.S. Nat. California. Mus. xii. p. 63 (1890); Biol. Centr.-Amer., Orth. ii. pp. 120, 126. n. 9 (1905).
10. **A. Imperfecta**, Brun. Biol. Centr.-Amer., Mexico. Orth. ii. pp. 121, 126. n. 10 (1905).
11. **A. Nietana**, Sauss. (*Tomonotus Nietanus*) id. Rev. Zool. (2) xiii. p. 321 (1861); Thomas, l. c. p. 212 (1873).
Arphia Nietana, Sauss. Ann. Soc. Genève, xxviii. (9) pp. 66, 70. n. 12 (1884).
12. **A. Calida**, Brun. l. c. pp. 121, 127. id. n. 12 (1905).
13. **A. Ovaticeps**, Sauss. l. c. xxx. (1) p. 165. Colorado, n. 2 (1888); Brun. l. c. pp. 121, 127. Mexico. n. 13 (1905).
A. Tenebrosa, Sauss. (*Arche Scudl.*) l. c. xxviii. (9) pp. 65, 68. n. 7 (1884).

- *14. **A. Pseudonietana, Thomas** (*Tomonotus Pseudonietanus*) Proc. Acad. Nat. Sci. Philad. 1870, p. 82. Nebraska, S.W. States, Mexico.
- A. Pseudonietana, Caud.* Proc. U.S. Nat. Mus. xxvi. p. 786. n. 36 (1903); Brun. l. c. pp. 121, 127. n. 14 (1905).
- Edipoda Tenebrosa, Scudd.* Hayden, Final Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 20 (1872); Glover, Ill. N. Amer. Orth. pl. 9. f. 2 (1872).
- Tomonotus Tenebrosus, Thomas*, Syn. Acrid. N. Amer. p. 107 (1873); Wheeler's Rep. Expl. W. 100th Merid. v. Zool. p. 874, pl. 43. f. 3 (1875).
- Arphia Tenebrosa, Sauss.* l. c. xxx. (1) p. 165. n. 1 (1888); Lugg, l. c. pp. 230-232, ff. 81, 82 (1897).
- A. Sanguinaria, Stål*, Recens. Orth. i. p. 119. n. 2 (1873); Sauss. l. c. xxviii. (9) pp. 65, 68. n. 6 (1884).
15. **A. Crassa, Brun.** l. c. pp. 121, 128. n. 15 (1905). Arizona, New Mex.
16. **A. Conspersa, Scudd.** Proc. Bost. Soc. Nat. Hist. xvii. p. 514. n. 38 (1875); Sauss. l. c. xxviii. (9) pp. 66, 70. n. 10 (1884); Brun. l. c. pp. 121, 128. n. 16 (1905). Mexico.
17. **A. Townsendi, Brun.** l. c. pp. 122, 129. n. 17 (1905). California, Ariz., Mex.
18. **A. Aberrans, Brun.** ll. cc. n. 18 (1905); Caud. P. U.S. Nat. Mus. xxviii. p. 467 (1905). Arizona.
19. **A. Canora, Rehn**, Proc. Acad. Nat. Sci. Philad. lvi. p. 564 (1904); Brun. l. c. pp. 122, 130. n. 19 (1905). id., Utah, New Mexico.
20. **A. Arcta, Scudd.** Bull. U.S. Geol. Surv. Territ. ii. p. 263. n. 17 (1876); Sauss. l. c. pp. 66, 69. n. 9 (1884); Lugg. l. c. p. 233 (1897); Brun. l. c. pp. 122, 130. n. 20 (1905). Arizona, New Mexico, &c.
21. **A. Pulchripennis, Brun.** l. c. pp. 122, 131. n. 21 (1905). California.
22. **A. Teporata, Scudd.** Ann. Rep. Chief of Engineers, 1876, p. 508. n. 31; Sauss. l. c. p. 72 (1884); Brun. l. c. pp. 122, 131. n. 22 (1905). Texas, New Mexico.

23. **A. Pallidipennis, Brun.** l. c. pp. 122, 131. n. 23 (1905). Mexico.
24. **A. Luteola, Scudd.** Proc. Bost. Soc. Nat. Hist. xvii. p. 515. n. 39 (1875); Sauss. l. c. xxviii. (9) pp. 66, 71. n. 14 (1884); Brun. l. c. pp. 122, 132. n. 24 (1905). Texas.
A. Simplex, var. *a*, Sauss. l. c. p. 71 (1884).
25. **A. Decepta, Brun.** l. c. pp. 123, 132. n. 25 (1905). Mexico.
A. Simplex, var. *c*, Sauss. l. c. p. 71 (1884).
26. **A. Simplex, Scudd.** l. c. p. 514. n. 37 (1875); Sauss. l. c. pp. 66, 70. n. 13 (1884); Brun. l. c. pp. 123, 132. n. 26 (1905). id.,
Texas,
Nebraska,
&c.
27. **A. Infernalis, Sauss.** l. c. pp. 66, 70. n. 11 (1884); Brun. l. c. pp. 123, 133. n. 27 (1905). Texas.
28. **A. Ramona, Rehn,** Canad. Ent. xxxiv. p. 142 (1902); Brun. l. c. pp. 123, 133. n. 28 (1905). California.
A. Simplex, var. *b*, Sauss. l. c. p. 71 (1884).
29. **A. Koebeleii, Brun.** l. c. pp. 123, 133. n. 29 (1905). id.
- *30. **A. Frigida, Scudd.** Dawson's Rep. Geol. 49th Parallel, p. 344. n. 10 (1875); Brun. l. c. pp. 123, 134. n. 30 (1905). N.W. and
Arctic
America.
31. **A. Behrensi, Sauss.** l. c. pp. 66, 71. n. 16 (1884); Brun. l. c. pp. 123, 134. n. 31 (1905). California,
Mexico.
- *32. **A. Sulphurea, Fabr.** (*Gryllus Sulphureus*) Spec. Ins. i. p. 369. n. 39 (1781). N. America.
Acrydium Sulphureum, Oliv. Encycl. Méth. vi. p. 227. n. 51 (1791).
Acridium Sulphureum, Beauv. Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 2 (1805).
Ædipoda Sulphurea, Burm. Handb. Ent. ii. p. 643. n. 13 (1838); Scudd. Bost. Journ. Nat. Hist. vii. p. 470. n. 6 (1862); Glover, Ill. N. Amer. Orth. pl. 5. f. 6 (1872).
Locusta Sulphurea, Harr. Rep. Ins. Mass. p. 143. n. 3 (1841), ed. 3, p. 177. n. 3, pl. 1. f. 6 (1862).
Tomonotus Sulphureus, Thomas, Acrid. N. Amer. p. 105 (1873).
Ædipoda (Arphia) Sulphurea, Prov. Faune Ent. Can. ii. p. 39. n. 3 (1883).

A. Sulphurea, Stål, l. c. p. 119. n. 1 (1873);
 Sauss. l. c. pp. 66, 71. n. 15 (1884);
 Beut. l. c. pp. 296, 312, pl. 8. f. 10
 (1894); Lugg, l. c. pp. 226-228, f. 78
 (1897); Blatchley, l. c. p. 255. n. 38
 (1903); Brun. l. c. pp. 123, 134. n. 32
 (1905).

33. **A. Differentialis**, Riley, (*Ædipoda Dif-* Missouri (?).
ferentialis) Rep. Ins. Missouri, v. p. 14,
 f. 8 (1873).
 34. **A. Hesperiphila**, Rehn, Canad. Ent. California.
 xxxiv. p. 143 (1902).

Genus 303. **Chortophaga.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 43, 72 (1884), xxx. (1)
 p. 15 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 295,
 312 (1894); Lugg. Orthopt. Minnesota, pp. 225, 233 (1897);
 Scudd. Guide N. Amer. Orth. p. 33 (1897); Blatchl. Rep.
 Indiana Dept. Geol. xxvii. pp. 253, 257 (1903); Brun.
 Biol. Centr.-Amer., Orth. ii. pp. 115, 135 (1905).

|| *Tragocephala*, Harr. (nec Dupont) Rep. Ins. Mass. p. 146
 (1841), (ed. 3) p. 181 (1862); Scudd. Proc. Bost. Soc.
 Nat. Hist. vii. p. 461 (1862), xvii. p. 480 (1875); Thomas,
 Syn. Acrid. N. Amer. p. 100 (1873); Stål, Recens. Orth.
 i. pp. 114, 119 (1873); Prov. Faune Ent. Can. ii. pp. 34,
 41 (1883).

- *1. **C. Viridifasciata**, De Geer, (*Acrydium* N. America,
Viridifasciatum) Mém. Ins. iii. p. 498. Mexico.
 n. 15, pl. 42. f. 6 (1773).

Locusta (*Tragocephala*) *Viridifasciata*,
 Harr. ll. cc. p. 147. n. 11 (1841), p. 182.
 n. 11, pl. 3. f. 2 (1862).

Tragocephala Viridifasciata, Scudd. ll. cc.
 p. 461. n. 2 (1862), p. 481. n. 1 (1875);
 Glov. Ill. N. Amer. Orth. pl. 5. f. 9 (1872),
 pl. 18. f. 10 (1874); Thomas, l. c. p. 103,
 pl. 1. f. 3 (1872); Stål, l. c. p. 119. n. 1
 (1873); Riley, Rep. Ins. Missouri, viii.
 p. 149, f. 46 (1876); Prov. l. c. pp. 41,
 42. n. 2 (1883).

C. Viridifasciata, Sauss. l. c. xxxviii. (9)
 p. 72. n. 1 (1884); Beut. l. c. pp. 295, 312,
 pl. 8. f. 9 (1894); Lugg. l. c. p. 234
 (1897); Blatchl. l. c. p. 258. n. 40, f. 50
 (1903); Brun. l. c. p. 135. n. 1 (1905).

- Cirellus Virginianus*, Fabr. Syst. Ent. p. 291. n. 21 (1775).
Aerydium Virginianum, Oliv. Encycl. Méth. vi. p. 225. n. 41 (1791).
Edipoda Virginiana, Burm. Handb. Ent. ii. p. 645. n. 18 (1838).
C. Viridifasciata, form *Virginiana*, Lugg. l. c. pp. 234, 235. ff. 83, 84 (1897).
Cirellus Locusta Chrysomelas, Gmel. Syst. Nat. i. (4) p. 2086. n. 212 (1788).
Aerydium Marginatum, Oliv. l. c. p. 229. n. 60 (1791).
Aerydium Hemipterum, Beaur. Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 3 (1805).
 Var. *Locusta* (*Tragocephala*) *Infuscata*, Harr. ll. cc. p. 147. n. 10 (1841), p. 181. n. 10 (1862).
Tragocephala Infuscata, Scudd. Bost. Journ. Nat. Hist. vii. p. 461. n. 1 (1862); Glov. l. c. pl. 10. f. 10 (1872); Prov. l. c. p. 41. n. 1 (1883); Thomas, l. c. p. 102 (1873).
Tragocephala Viridifasciata, var. *Infuscata*, Thomas, l. c. pl. 1. f. 7 (1873).
C. Viridifasciata, var. *Infuscata*, Beut. l. c. pp. 295, 312 (1894); Lugg. l. c. pp. 234-237, f. 85 (1897).
Tomonotus Zimmermanni, Sauss. Rev. Zool. (2) xiii. p. 320 (1861).
 Var. *Locusta* (*Tragocephala*) *Radiata*, Harr. ll. cc. p. 148. n. 12 (1841), p. 181. n. 10 (1862).
 2. **C. Meridionalis**, Brun. l. c. pp. 135, 136. Costa Rica.
 n. 2 (1905).
 3. **C. Brevipennis**, Scudd. (*Tragocephala* B.) Proc. Boston Soc. Nat. Hist. xvii. California.
 p. 483. n. 2 (1875).
C. Brevipennis, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 72, 73. n. 2 (1884); Brun. l. c. pp. 135, 136. n. 3 (1905).
 4. **C. Cubensis**, Scudd. (*Tragocephala* C.) Cuba.
 l. c. pp. 480, 483. n. 3 (1875).
C. Cubensis, Sauss. l. c. pp. 72, 74. n. 3 (1884); Brunn. l. c. pp. 135, 137. n. 4 (1905).

Genus 304. **Chimarocephala.** (*Type* no. 1)

Scudd., Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 288 (1876); Guide N. Amer. Orth. p. 34 (1897); Sauss. Ann. Soc. Genève, xxviii. (9) pp. 43, 74 (1884), xxx. (1) p. 15 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 137 (1905); Caud. Proc. Ent. Soc. Washington, vii. p. 123 (1905).

1. **C. Pacifica, Thomas,** (*Tragocephala P.*) California.

Syn. Acrid. N. Amer. p. 101 (1873);
Glov. Ill. N. Amer. Orth. pl. 16. f. 9
(1874); Scudd. Proc. Boston Soc. Nat.
Hist. xvii. p. 484. n. 4 (1875).

C. Behrensi, Sauss. l. c. xxviii. (9) p. 75.
n. 2 (1884); Brun. l. c. p. 137. n. 2
(1905).

C. Pacifica, var. *Incisa*, Caud. l. c. p. 124
(1905).

|| *C. Pacifica*, Sauss. (*nec Thom.*) l. c. p. 75.
n. 1 (1884); Brun. l. c. p. 137. n. 1
(1905).

C. Pacifica, var. *Obtusa*, Caud. l. c. p. 124
(1905).

2. **C. Otomita, Sauss.** (*Tomonotus Otomitus*) Mexico.

Rev. Zool. (2) xiii. p. 322 (1861); Thomas,
l. c. p. 212 (1873).

C. Otomita, Sauss. Mém. Soc. Genève,
xxviii. (9) p. 75. n. 3 (1884); Brun. l. c.
pp. 137, 138. n. 3 (1905).

Genus 305. **Encoptolophus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 478 (1885); Guide
N. Amer. Orth. p. 34 (1897); Sauss. Mém. Soc. Genève,
xxviii. (9) pp. 43, 76 (1884), xxx. (1) p. 15 (1888); Beut.
Bull. Amer. Mus. Nat. Hist. vi. pp. 296, 312 (1894);
Lugg. Orthopt. Minnesota, p. 237 (1897); Blatchl. Rep.
Indiana Dept. Geol. xxvii. pp. 253, 260 (1903); Brun.
Biol. Centr.-Amer., Orth. ii. pp. 115, 138 (1905).

*1. **E. Sordidus, Burm.** (*Ædipoda Sordida*) N. America.

Handb. Ent. ii. p. 643. n. 14 (1838);
Glov. Ill. N. Amer. Orth. pl. 10. f. 11
(1872); Thomas, Syn. Acrid. N. Amer.
p. 116 (1873).

- Tragocephala Sordida*, Stål, Recens. Orth. i. p. 119. n. 2 (1873).
- E. Sordidus*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 479. n. 1 (1875); Sauss. l. c. xxviii. (9) p. 77. n. 1 (1884); Beut. l. c. pp. 296, 312. pl. 10. f. 2 (1894); Lugg. l. c. pp. 237, 238. f. 86 (1897); Blatchl. l. c. pp. 260, 261. n. 41, f. 51 (1903); Brun. l. c. pp. 138, 139. n. 1 (1905).
- Ædipoda Sordida*, Pror. Faun. Ent. Canad. ii. p. 39. n. 6 (1883).
- || *Ædipoda (Encyptolopha) Pellucida*, Pror. (nec Scudd.) l. c. p. 41. n. 6 (1883).
- Locusta Nebulosa*, Harr. Rep. Ins. Mass. p. 146. n. 9 (1841), (ed. 3) p. 181. n. 9 (1862); Emmons, Agric. of N. York, v. p. 146, pl. 9. f. 7 (1854).
2. **E. Coloradensis**, Brun. Bull. Agric. Colorado. Exper. Stat. Colorado, xcix. p. 58 (1904); Biol. Centr.-Amer., Orth. ii. pp. 138, 140. n. 2 (1905).
- E. Coloradensis*, Rehn, Proc. Acad. Nat. Sci. Philad. lviii. pp. 374, 375. ff. 8, 9 (1906).
3. **E. Costalis**, Scudd. (*Ædipoda C.*) Bost. Journ. Nat. Hist. vii. p. 473. n. 14 (1862); Thomas, l. c. p. 112 (1873).
- Tragocephala Costalis*, Stål, l. c. p. 119. n. 3 (1873).
- E. Costalis*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 480. n. 2 (1875); Sauss. l. c. p. 77. n. 2 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 138, 140. n. 3 (1905).
4. **E. Parvus**, Scudd. l. c. pp. 479, 480. n. 3 (1875); Sauss. l. c. pp. 77, 78. n. 3 (1884); Brun. l. c. pp. 138, 140. n. 4 (1905).
5. **E. Montanus**, Brun. l. c. pp. 139, 140. n. 5 (1905).
- || *E. Sordidus*, Cooley (nec Burm.), Bull. Agric. Exper. Stat. Mont. li. p. 238, pl. 6. f. 4 (1904).
6. **E. Fuliginosus**, Brun. l. c. pp. 139, 141. n. 6 (1905).
7. **E. Herbaceus**, Brun. ll. cc. n. 7, pl. 2. f. 13 (1905).

Colorado.

Southern
United
States,
Mexico.

Texas,
Mexico.

Montana.

Mexico.

id.

8. **E. Californicus**, Brun. l. c. pp. 139, 142. California.
n. 8 (1905).
9. **E. Texensis**, Brun. ll. cc. n. 9 (1905). S.W. States,
Mexico.
10. **E. Subgracilis**, Caud. Proc. Ent. Soc. Arizona,
Washington, v. p. 163 (1903); Rehn, California,
Proc. Acad. Nat. Sci. Philad. lvi. p. 566 Mexico.
(1904); Brun. l. c. pp. 139, 143. n. 10
(1905).
11. **E. Pallidus**, Brun. N. Amer. Faun. vii. California.
p. 266 (1893); Biol. Centr.-Amer., Orth.
ii. pp. 139, 143. n. 11 (1905).

Genus 306. **Tetramerotropis**.

Sauss. Mém. Soc. Genève, xxx. (1) pp. 15, 25 (1888).

1. **T. Cruciata**, Sauss. l. c. p. 26. n. 1, Darnley I. *Quercus*
pl. 1. ff. 2, 2a, b (1888). *Quercus*

Genus 307. **Hippopedon**.

Sauss. Rev. Zool. (2) xiii. p. 322 (1861); Mém. Soc. Genève, xxviii. (9) pp. 44, 80 (1884), xxx. (1) p. 16 (1888); Thomas, Syn. Acrid. N. Amer. p. 218 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 143 (1905).

1. **H. Saltator**, Sauss. l. c. (2) xiii. p. 323 Mexico.
(1861), xxviii. (9) p. 80. n. 1 (1884);
Thomas, l. c. p. 218 (1873); Brun. l. c.
p. 143. n. 1 (1905).

Genus 308. **Camnula**.

Stal. Recens. Orth. i. pp. 114, 120 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 45, 81 (1884); Lugger, Orthopt. Minnesota, p. 238 (1897); Scudd. Guide N. Amer. Orth. p. 34 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 261 (1903); Brun. Biol. Centr.-Amer., Orth. ii. p. 143 (1905).

Camnula, Sauss. l. c. xxx. (1) p. 16 (1888).

Camnulla, Brun. l. c. p. 115 (1905).

- *1. **C. Pellucida**, Scudd. (*Edipoda* P.) Bost. California,
Journ. Nat. Hist. vii. p. 472. n. 12 (1862); Arizona,
Glov. Ill. N. Amer. Orth. pl. 12. f. 20 New
(1872); Thom. Syn. Acrid. N. Amer. Mexico.
p. 137 (1873); Prov. Faun. Ent. Canad.
ii. p. 39. n. 5 (1883).

- C. Pallucida*, Scudd. Hitchcock, Geol. N. Hampshire, i. p. 378. n. 37 (1874); Sauss. l. c. xxviii. (9) p. 81. n. 1 (1884); Lugg. l. c. pp. 238-240, ff. 87, 88 (1897); Blatchl. l. c. pp. 262, 263, f. 52 *a-c* (1903); Brun. Nebraska State Board Agric. Rep. Ent. pp. 108, 123, ff. 25, 26 (1897); U.S. Dept. Agric. Bull. Ent. xxviii. pp. 33-36, f. 18 (1893); Biol. Centr.-Amer., Orth. ii. p. 144. n. 1 (1905).
- Edipoda (Camilla) Pallucida*, Prov. l. c. p. 40. n. 5 (1883).
- C. Tricarinata*, Stål, l. c. p. 120. n. 1 (1873).
- Edipoda Atrov*, Scudd. Final Rep. U.S. Geol. Surv. Nebraska, p. 253 (1872); Glov. l. c. pl. 8. f. 3 (1872); Thom. l. c. p. 136 (1873).
- Stenobothrus Obicinus*, Thom. Rep. U.S. Geol. Surv. Wyoming, pp. 266, 279 (1871).
- Tragocephala Obicina*, Thom. Syn. Acrid. N. Amer. p. 100 (1873); Glov. l. c. pl. 17. f. 2 (1874).

Genus 309. **Hippiscus.** (Type no. 6.)

Sauss. Rev. Zool. (2) xiii. p. 398 (1861); Mém. Soc. Genève, xxviii. (9) pp. 45, 82, 83 (1884), xxx. (1) p. 16 (1888); Stål, Recens. Orth. i. pp. 115, 121 (1873); Thomas, Syn. Acrid. N. Amer. p. 200 (1873); Scudd. Psyche, vi. pp. 265, 266, 274 (1892); Guide N. Amer. Orth. p. 34 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 144 (1905); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 297, 312 (1894); Lugg. Orthopt. Minnesota, pp. 225, 240 (1897); Blatchl. Rep. Indiana Dept. Geol. pp. 253, 263 (1903).

- * 1. **H. Rugosus**, Scudd. (*Edipoda Rugosa*) United Bost. Journ. Nat. Hist. vii. p. 469. n. 4 States. (1862); Glover, Ill. N. Amer. Orth. pl. 12. f. 8 (1872); Thomas, l. c. p. 132 (1873).
Hippiscus Rugosus, Sauss. l. c. xxviii. (1) pp. 83, 85. n. 2 (1884); Scudd. Psyche, vi. pp. 268, 287 (1892); Lugg. l. c. p. 240 (1897); Morse, Psyche, viii. p. 81.

- n. 22, pl. 2. f. 22 (1897); Blatch. l. c. pp. 264, 270. n. 46, p. 271. f. 56 (1903); Brun. l. c. pp. 146, 152. n. 5 (1905).
 Var. *H. Variegatus*, Scudd. l. c. pp. 268, 301 (1892); Lugg. l. c. p. 247, f. 94 (1897); Blatch. l. c. p. 272 (1903).
2. **H. Immaculatus, Morse**, Psyche, xiii. Texas.
 p. 119 (1906); Furth. Res. N. Amer. Acrid. p. 34 (1907).
3. **H. Compactus, Scudd.** l. c. pp. 268, 288 Carolina,
 (1892). Maryland.
4. **H. Citrinus, Scudd.** Canad. Ent. xxxiii. Alabama.
 p. 88 (1901).
- *5. **H. Suturalis, Scudd.** Psyche, vi. pp. 268, Illinois.
 301 (1892).
 || *H. Rugosus, McNeill (nec Scudd.)*, Psyche, vi. p. 63. n. 54 (1891).
6. **H. Ocelote, Sauss.** (*Edipoda (Hippiscus)* Mexico.
O.) Rev. Zool. (2) xiii. p. 398 (1861).
H. Ocelote, Thomas, l. c. p. 200 (1873);
 Sauss. Mém. Soc. Genève, xxviii. (9)
 pp. 83, 84. n. 1 (1884), xxx. (1) p. 26.
 n. 1 (1888); Scudd. Psyche, vi. pp. 268,
 302 (1892); Brun. l. c. pp. 146, 153. n. 6
 (1905).
- *7. **H. Transtrigatus, Walk.** (*Edipoda* id.
Transtrigata) Cat. Derm. Salt. B. M. iv.
 p. 733. n. 36 (1870); Thom. l. c. p. 217
 (1873).
8. **H. Sierra, Rehn**, Ent. News, xviii. p. 350 California.
 (1906).

Genus 310. **Sticthippus.** (*Type* no. 1.)

Scudd. Psyche, vi. pp. 269, 317 (1892);
 Brun. Biol. Centr.-Amer., Orth. ii. p. 147 (1905).

1. **S. Californicus, Scudd.** (*Hippiscus* California.
(Sticthippus) C.) l. c. pp. 269, 317 (1892).
Hippiscus Californicus, Brun. l. c. pp. 147,
 154. n. 9 (1905).
2. **S. Marmoratus, Scudd.** (*Hippiscus* id.
(Sticthippus) M.) l. c. pp. 269, 318
 (1892).

Genus 311. **Cratypedes.** (*Type* no. 1.)

Scudd. Bull. U.S. Surv. Territ. ii. p. 267 (1876) ;
 Thomas, Proc. Davenport Acad. Sci. i. p. 257 (1876).

1. **C. Neglectus, Thomas,** (*Edipoda Neglecta*) Proc. Acad. Nat. Sci. Philad. 1870, p. 81 ; Syn. Acrid. N. Amer. p. 128 (1873) ; Wheeler's Rep. Expl. W. 100th Merid. v. p. 881, pl. 44. f. 3 (1875). Western United States.
Arphia Neglecta, Thomas, Proc. Davenport Acad. Sci. i. p. 254. n. 11 (1876).
Hippiscus (Xanthippus) Neglectus, Scudd. Psyche, vi. pp. 273, 360 (1892).
Xanthippus Neglectus, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 90, 94. n. 10 (1884).
Hippiscus Neglectus, Brun. Biol. Centr.-Amer., Orth. ii. pp. 151, 156. n. 24 (1905).
C. Putnami, Thomas, l. c. p. 257. n. 18, pl. 36. f. 6 (1876) ; Rep. U.S. Ent. Comm. ii. p. 257 (1880) ; Canad. Ent. xii. p. 223 (1880).
Hippiscus Lineatus, Scudd. Proc. Boston Soc. N. H. xix. p. 31. n. 65 (1877) ; Sauss. l. c. pp. 83, 87. n. 5 (1884).
2. **C. (?) Australis, Brun.** (*Hippiscus A.*) l. c. pp. 151, 157. n. 25 (1905). Mexico.
3. **C. (?) Montanus, Thomas,** (*Edipoda Montana*) Rep. U.S. Geol. Surv. Montana, p. 462 (1872) ; Synops. Acrid. N. Amer. p. 129 (1873) ; Glover, Ill. N. Amer. Orth. pl. 12. f. 12 (1872). Western N. America.
Hippiscus Montanus, Sauss. l. c. xxx. (1) p. 170. n. 1 (1888) ; Brun. l. c. pp. 151, 158. n. 26 (1905).
Hippiscus (Xanthippus) Montanus, Scudd. Psyche, vi. pp. 273, 361 (1892).
4. **C. (?) Croceus, Scudd.** (*Hippiscus C.*) Canad. Ent. xxxiii. p. 91 (1901). Idaho.

Genus 312. **Pardalophora.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) p. 83 (1884).

- *1. **P. Phœnicoptera, Burm.** (*Edipoda P.*) Southern & Middle
Handb. Ent. ii. p. 643. n. 8 (1838). United States.
Hippiscus Phœnicopterus, Sauss. l. c. pp. 84, 87. n. 6 (1884); Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 298, 312, pl. 9. f. 4 (1894); Scudd. Psyche, vi. pp. 267, 274 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264, 267. n. 44 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 145, 152. n. 1 (1905).
Edipoda Discoides, pt., Serv. Ins. Orth. p. 724. n. 5 (1839); Thomas, Syn. Acrid. N. Amer. p. 133 (1873).
Edipoda Discoides, Glover, Ill. Orth. N. Amer. pl. 3. ff. 3, 7 (1872),
Hippiscus Discoides, Stål, Recons. Orth. p. 121. n. 1 (1873); Brun. Bull. Washb. Coll. i. p. 132. n. 49 (1886).
2. **P. Pantherina, Scudd.** (*Hippiscus Pantherinus*), l. c. pp. 267, 285 (1892); Brun. Biol. Centr.-Amer., Orth. ii. pp. 146, 152. n. 2 (1905). Texas.
3. **P. Haldemanii, Scudd.** (*Edipoda H.*) United States.
Final Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 21 (1872); Glov. l. c. pl. 13. f. 3 (1872).
Hippiscus Haldemanii, Scudd. Psyche, vi. pp. 267, 286 (1892); Lugger, Orth. Minnesota, p. 246, f. 93 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264, 268-270. n. 45, f. 55 (1903); Brun. l. c. pp. 146, 152. n. 3 (1905).
|| *Edipoda Paradoxa*, Glov. (nec Thom.) l. c. pl. 18. f. 14 (1874).
|| *Hippiscus Nanus*, Sauss. (nec Thom.) l. c. pp. 83, 86. n. 4 (1884).
|| *Edipoda Neglecta*, Thom. (nec olim) Key Illin. Orth. p. 3 (1875); Bull. Illin. Mus. Nat. Hist. i. p. 64. n. 26 (1876).
4. **P. Saussurei, Scudd.** (*Hippiscus S.*) Texas.
Psyche, vi. pp. 268, 302 (1892); Brun. l. c. pp. 147, 153. n. 7 (1905).
|| *Edipoda Haldemanii*, Thom. (nec Scudd.) Syn. Acrid. N. Amer. p. 130 (1873).

- Hippiscus Haldmanni*, Sauss. l. c. pp. 83, 85, n. 3 (1884).
5. **P. Texana**, Scudd. (*Hippiscus Texanus*) Texas.
l. c. pp. 267, 286 (1892); Brun. l. c. pp. 146, 152, n. 4 (1905).
- *6. **P. Tuberculata**, Beauv. (*Aceridium Tuberculatum*; *nee Fabr.*) Ins. Afr. Amer. N. America, Mexico.
p. 145, Orth. pl. 4, f. 1 (1905).
- Hippiscus Tuberculatus*, Sauss. l. c. xxviii. (9) pp. 84, 87, n. 7 (1884), xxx. (1) p. 27, n. 7 (1888); Scudd. l. c. pp. 269, 303 (1892); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 297, 312, pl. 10, f. 3 (1894); Lugg. Orthopt. Minnesota, pp. 243, 245, ff. 89-91 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264-267, n. 43, ff. 53, 54 (1903); Brun. Ann. Rep. Nebraska State Board Agric. 1896, p. 131, f. 31 (1897); Biol. Centr.-Amer., Orth. ii. pp. 147, 153, n. 8 (1905).
- Edipoda Obliterata*, Burm. Handb. Ent. ii. p. 643, n. 9 (1838); Thom. Rep. U.S. Ent. Comm. ii. p. 257 (1880); Canad. Ent. xii. p. 222 (1880).
- Locusta Corallina*, Harr. Rep. Ins. Mass. p. 142, n. 2 (1841), (ed. 3) p. 176, n. 2 (1862).
- | *Edipoda Phanicoptera*, Glor. (*nee Burm.*) l. c. pl. 5, f. 4 (1872).
- Edipoda Phanicoptera*, Thom. Syn. Acrid. N. Amer. p. 135 (1873). (*not new*).
- Hippiscus Phanicopterus*, Thom. Rep. Ent. Illin. ix. pp. 95, 117, f. 18 (1880).

Genus 313. **Xanthippus**. (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 46, 88 (1884), xxx. (1) p. 16 (1888); Scudd. Psyche, vi. pp. 269, 318 (1892); Brun. Biol. Centr.-Amer., Orth. ii. p. 147 (1905).

- *1. **X. Corallipes**, Hald. (*Edipoda* C.) Utah,
Stansbury, Exped. Utah, p. 371, pl. 10, f. 2 (1852); Thom. Syn. Acrid. N. Amer. Texas,
p. 130 (1873). New Mexico,
Edipoda Corallipes, Glor. Ill. N. Amer. Arizona.
Orth. pl. 3, f. 8 (1872).

- Hippiscus Corallipes*, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 264. n. 20 (1876); Brun. l. c. pp. 148, 154. n. 10 (1905).
X. Corallipes, Sauss. l. c. xxviii. (9) pp. 89, 90. n. 1 (1884).
Hippiscus (Xanthippus) Corallipes, Scudd. Psyche, vi. pp. 270, 318 (1892).
 Larva. *Ephippigera Trivavensis*, Hald. l. c. p. 371, pl. 10. f. 3 (1852).
Ephippigera Tschivavensis, Thom. l. c. p. 250 (1873).
2. **X. Zapotecus**, Sauss. l. c. pp. 89, 91. n. 3 (1884).
Hippiscus (Xanthippus) Zapotecus, Scudd. l. c. pp. 270, 319 (1892).
Hippiscus Zapotecus, Brun. l. c. pp. 148, 154. n. 11 (1905).
 Kansas, New Mexico, Mexico.
3. **X. Conspicuus**, Scudd. (*Hippiscus (Xanthippus) C.*) l. c. pp. 270, 319 (1892).
Hippiscus Conspicuus, Brun. l. c. pp. 149, 154. n. 12 (1905).
 Kansas, New Mexico, Mexico.
4. **X. Eremitus**, Scudd. (*Hippiscus (Xanthippus) E.*) l. c. pp. 271, 320 (1892).
Hippiscus Eremitus, Brun. l. c. pp. 149, 155. n. 13 (1905).
 Arizona.
- *5. **X. Pardalinus**, Sauss. (*Edipoda Pardalina*) Rev. Zool. (2) xiii. p. 324 (1861); Thom. Syn. Acrid. N. Amer. p. 213 (1873).
Xanthippus Pardalinus, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 89, 90. n. 2 (1884).
Hippiscus (Xanthippus) Pardalinus, Scudd. l. c. pp. 271, 333 (1892).
Hippiscus Pardalinus, Brun. l. c. pp. 149, 155. n. 14 (1905).
 Southern United States, Mexico, W. India, Venezuela.
6. **X. Maculatus**, Scudd. (*Hippiscus (Xanthippus) M.*) l. c. pp. 271, 333 (1892).
Hippiscus Maculatus, Brun. l. c. pp. 149, 155. n. 15 (1905).
 Colorado, Arizona, Mexico.
7. **X. Tigrinus**, Scudd. (*Hippiscus (Xanthippus) T.*) l. c. pp. 271, 334 (1892).
Hippiscus Tigrinus, Lugger, Orth. Minnesota, pp. 241, 242, f. 92 (1897); Brun. l. c. pp. 150, 155. n. 16 (1905).
 Nebraska to Arizona.
8. **X. Leprosus**, Sauss. l. c. pp. 89, 92. n. 5 (1884).
 New Mexico.

- Hippiscus (Xanthippus) Leprosus*, Scudd. Montana.
l. c. pp. 271, 334 (1892). Nevada.
- Hippiscus Leprosus*, Brun. l. c. pp. 150,
155. n. 17 (1905).
9. **X. Paradoxus**, Thom. (*Edipoda Para-* S.W.
doxa) Rep. U.S. Geol. Surv. Territ. v. United
Montana, p. 457 (1872), vi. p. 720 (1873); States.
Syn. Acrid. N. Amer. p. 132 (1873).
Hippiscus (Xanthippus) Paradoxus, Scudd.
l. c. pp. 271, 335 (1892).
Hippiscus Paradoxus, Brun. l. c. pp. 150,
156. n. 18 (1905).
10. **X. Affrictus**, Scudd. (*Hippiscus (Xan-* id.
thippus) A.) l. c. pp. 272, 336 (1892).
Hippiscus Affrictus, Brun. l. c. pp. 150, 156.
n. 19 (1905).
11. **X. Toltecus**, Sauss. l. c. pp. 89, 91. n. 4 Utah,
(1884). Wyoming,
Hippiscus (Xanthippus) Toltecus, Scudd. Montana,
l. c. pp. 272, 347 (1892). Mexico.
Hippiscus Toltecus, Brun. l. c. pp. 150,
156. n. 20 (1905).
12. **X. Altivulus**, Scudd. (*Hippiscus (Xan-* Colorado.
thippus) A.) l. c. pp. 272, 347 (1892).
Hippiscus Altivolans, Rehn, Proc. Acad.
Nat. Sci. Philad. lviii. p. 376, f. 10
(1906).
13. **X. Cupidus**, Scudd. (*Hippiscus (Xan-* Arizona,
thippus) C.) l. c. pp. 272, 348 (1892). Coloradoc.
Hippiscus Cupidus, Rehn, l. c. lvi. p. 566
(1904); Brun. l. c. pp. 150, 156. p. 21
(1905).
14. **X. Pumilus**, Scudd. (*Hippiscus (Xan-* iid.,
thippus) P.) l. c. pp. 272, 349 (1892). New
Hippiscus Pumilus, Brun. l. c. pp. 150, Mexico.
156. n. 22 (1905).
15. **X. Albulus**, Scudd. (*Hippiscus (Xan-* Arizona.
thippus) A.) l. c. pp. 273, 350, 359 (1892).
Hippiscus Albulus, Brun. l. c. pp. 151, 156.
n. 23 (1905).
16. **X. Latefasciatus**, Scudd. (*Hippiscus* Manitoba
(*Xanthippus) L.*) l. c. pp. 273, 359 to Missouri.
(1892).
17. **X. Obscurus**, Scudd. (*Hippiscus (Xan-* British
thippus) O.) ll. cc. (1892). Columbia.
18. **X. Glaucipes**, Scudd. (*Hippiscus G.*) California.
Canad. Ent. xxxiii. p. 89 (1901).

19. **X. Lateritius, Sauss.** l. c. pp. 90, 92. Nevada.
n. 6 (1884).
Hippiscus (Xanthippus) Lateritius, Scudd.
Psyche, vi. pp. 274, 361 (1892).
20. **X. Calthulus, Sauss.** l. c. pp. 90, 93. id.,
n. 7 (1884). California.
- Hippiscus (Xanthippus) Calthulus, Scudd.*
l. c. pp. 274, 361 (1892).
21. **X. Validus, Scudd.** (*Hippiscus V.*) Canad. Idaho.
Ent. xxxiii. p. 90 (1901).
22. **X. Croceus, Scudd.** (*Hippiscus C.*) l. c. id.
p. 91 (1901).
23. **X. Griseus, Scudd.** (*Hippiscus (Xanthippus) G.*) Psyche, vi. pp. 274, 362 Utah.
(1892).
24. **X. Vitellinus, Sauss.** l. c. pp. 90, 94. n. 9 Nevada,
(1884). Oregon,
Hippiscus (Xanthippus) Vitellinus, Scudd. Idaho.
l. c. pp. 274, 362 (1892).
25. **X. Aurilegulus, Scudd.** (*Hippiscus (Xanthippus) A.*) ll. cc. (1892). California.
26. **X. Stigmatosus, Scudd.** (*Hippiscus (Xanthippus) S.*) l. c. pp. 274, 363 (1892). id.,
Nevada.

Genus 314. **Leprus.** (Type no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 398 (1861); Mém. Soc. Genève, xxviii. (9) pp. 46, 95 (1884), xxx. (1) pp. 16, 20, 29 (1888); Thomas, Syn. Acrid. N. Amer. p. 219 (1873); Scudd. Guide N. Amer. Orth. p. 34 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 158 (1905).

1. **L. Elephas, Sauss.** (*Ædipoda (Leprus) E.*) Rev. Zool. (2) xiii. p. 398 (1861). Mexico,
Leprus Elephas, Thom. l. c. p. 219 (1873); Texas.
Sauss. Mém. Soc. Genève, xxviii. (9)
p. 95. n. 1 (1884); Brun. l. c. pp. 158,
159. n. 1 (1905).
- *2. **L. Corpulentus, Sauss.** l. c. xxviii. (9) Mexico.
pp. 95, 96. n. 2 (1884), xxx. (1) p. 29.
n. 2 (1888); Brun. l. c. pp. 158, 159.
n. 2 (1905).
3. **L. Intermedius, Sauss.** l. c. xxviii. (9) California.
pp. 95, 96. n. 3 (1884); Brun. l. c.
pp. 158, 159. n. 3 (1905).

4. **L. Wheeleri, Thomas** (*Edipoda* W.) Colorado,
Rep. Expl. W. 100th Merid. v. p. 879,
pl. 44. f. 1 (1875). New
Mexico.
Leprus Wheeleri, Sauss. l. c. xxx. (1)
p. 169. n. 10 (1888); Cockerell, Ent.
News, xiii. p. 305 (1902); Brun. l. c.
pp. 158, 159. n. 4 (1905).
5. **L. Interior, Brun.** l. c. pp. 158, 160. Utah.
n. 5 (1905); Rehn, Proc. Acad. Nat. Sci.
Philad. lviii. p. 377 (1906).
- *6. **L. Cyaneus, Cockerell,** l. c. p. 305 Colorado,
(1902); Caud. Proc. U.S. Nat. Mus.
xxvi. p. 788. n. 46 (1903); Brun. l. c. New
Mexico,
pp. 159, 160. n. 6 (1905). Texas.
|| *Leprus Wheeleri, Towns. (nec Thom.)* Ins.
Life, vi. p. 31 (1893); Scudd. Psyche,
ix. p. 75 (1900).
7. **L. Glaucipennis, Scudd.** l. c. p. 76 California,
(1900); Cockerell, l. c. p. 307 (1902); Mexico.
Brun. l. c. pp. 159, 160. n. 7 (1905).

Genus 315. **Papipappus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 48, 101 (1884);
Brun. 2nd Rep. Locust Comm. B. Aires, p. 43 (1900).
Pappipapus, Sauss. l. c. xxx. (1) p. 16 (1888).

1. **P. Clarazianus, Sauss.** l. c. p. 101. n. 1, Patagonia.
pl. 1. f. 13 (1884).

Genus 316. **Pappus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 48, 100 (1884), xxx. (1)
p. 17 (1888); Brun. 2nd Rep. Locust Comm. B. Aires,
p. 43 (1900).

1. **P. Patagonus, Sauss.** l. c. xxviii. (9) Patagonia.
p. 100. n. 1 (1884).

Genus 317. **Tristira.** (*Type* no. 3.)

Brun. Com. Mus. Nac. B. Aires, i. p. 235 (1900).
|| *Phrynotettix, Sauss. (nec Glover)* Mém. Soc. Genève, xxviii.
(9) pp. 47, 99 (1884), xxx. (1) pp. 17, 29 (1888); Brun.
2nd Rep. Locust Comm. B. Aires, p. 43 (1900).

1. **T. Rana, Sauss.** (*Phrynotettix R.*) ll. cc. | Chile.
p. 99. n. 1 (1884), xxx. (1) p. 29. n. 1,
pl. 2. ff. 7, 7 *a-c* (1888).
2. **T. Peruviana, Sauss.** (*Phrynotettix P.*) | Peru.
l. c. xxx. (1) pp. 29, 30, pl. 2. ff. 8, 8 *a, b*
(1888).
3. **T. Magellanicus, Brun.** (*Phrynotettix* | Magellan,
M.) l. c. p. 44 (1900). | Fuegia.
T. Bergi, Brun. l. c. p. 236, fig. (Oct.
1900).

Genus 318. **Agymnastus.**

Scudd. Canad. Ent. xxix. p. 75 (1897);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 160 (1905).

1. **A. Ingens, Scudd.** (*Leprus I.*) Proc. California.
Boston Soc. Nat. Hist. xix. p. 32. n. 67
(1877).
Agymnastus Ingens, Scudd. Canad. Ent.
xxix. p. 75 (1897); Brun. l. c. p. 161.
n. 1 (1905).
Xanthippus (?) Ingens, Sauss. Mém. Soc.
Genève, xxviii. (9) p. 93. n. 8 (1884).

Genus 319. **Tropidolophus.**

Thomas, Syn. Acrid. N. Amer. p. 138 (1873); Sauss. Mém.
Sci. Genève, xxviii. (9) pp. 49, 104 (1884), xxx. (1) p. 17
(1888); Scudd. Guide N. Amer. Orth. p. 35 (1897); Brun.
Biol. Centr.-Amer., Orth. ii. pp. 116, 161 (1905).
Cyrtolopha, Stål, Recens. Orth. i. p. 118 note (1873).

1. **T. Formosus, Say,** (*Gryllus F.*) Amer. | Arkansas,
Ent. ii. pl. 34. f. 2 (1825); Glov. Ill. N. | S.W.
Amer. Orth. pl. 9. f. 5 (1872). | States,
T. Formosus, Thom. l. c. p. 138 (1873); | Mexico.
Sauss. ll. cc. xxviii. (9) p. 104. n. 1. (1884),
xxx. (1) p. 166. n. 3 (1888); Brun. l. c.
p. 161. n. 1 (1905).

Genus 320. **Ostracina.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 16, 27 (1888).

1. **O. Terrea, Sauss.** l. c. p. 27. n. 1 (1888). | Cape.

Genus 321. **Psophus.**

Fieb. Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 22 (1854); Stal, Recens. Orth. pp. 115, 121 (1873); Bol. Ortópt. Españ. pp. 146, 148 (1876); An. Soc. Españ. v. pp. 352, 354 (1876); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 18 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 174 (1882); Finot, Orth. France, pp. 44, 76 (1883); Faune France, Orth. pp. 101, 156 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 49, 102 (1884), xxx. (1) p. 17 (1888); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 249 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 249 (1902).

*1. **P. Stridulus, Linn.** (*Gryllus Locusta* Europe,
S.) Syst. Nat. (ed. x.) i. p. 432. n. 50 Siberia,
(1858). Mongolia.

[Rösel, Ins. Belust. ii. front.; Locust.
Germ. p. 130, pl. 21. f. 1-3.]

Gryllus Stridulus, Linn. Faun. Suec. (ed. 2)
p. 238. n. 872 (1761); Scop. Ent. Carn.
p. 110. n. 326 (1763); Panz. Faun. Ins.
Germ. fasc. 87, pl. 12 (1805); Zett. Orth.
Suec. p. 76. n. 2 (1821); Phil. Orth.
Berol. p. 29 (1821); Charp. Hor. Ent.
p. 150 (1825).

Aerydium Stridulum, Latr. Hist. Nat.
Crust. Ins. xii. p. 151. n. 4 (1804).

Acridium Stridulum, Hahn. Icon. Orth.
pl. B. f. 5 (1836).

Ædipoda Stridula, Burm. Handb. Ent. ii.
p. 644. n. 15 (1838); Serv. Ins. Orth.
p. 732. n. 16 (1839); Fisch.-Waldh.
Orth. Ross. p. 283. n. 6, pl. 13. f. 1, pl. 21.
f. 5 (1846); Borek, Skand. Rätv. Ins.
p. 93. n. 1, pl. 3. f. 3 (1848); Fieb. ll. cc.
p. 122. n. 2 (1853); p. 22. n. 2 (1854).

Pachytylus Stridulus, Fisch. Orth. Eur.
p. 399. n. 4, pl. 18. f. 15 (1853); Friv.
Ertek. Termész. Kör. i. (12) p. 182. n. 4
(1867).

Psophus Stridulus, Bol. ll. cc. p. 148. n. 1
(1876); v. p. 354. n. 1 (1876); v. p. 18. n. 1
(1898); Brunn. l. c. p. 175. n. 1, pl. 6. f. 40
A, B (1882); Finot, ll. cc. p. 76 (1883);
p. 157, pl. 8. f. 109 (1889); Sauss. l. c.

xxviii. (9) p. 102. n. 1 (1884); Tümp. l. c. pp. 219, 250, pl. 19 (1900); Jacobs. & Bianchi, l. c. pp. 186, 249, pls. 6 & 10 (1902).

Acrydium Rubripenne, *De Geer*, Mém. Ins. iii. p. 472. n. 2. (1773).

Acrydium Fuliginosum, *Oliv.* Encycl. Méth., Ins. vi. p. 223. n. 36 (1791).

Genus 322. **Pyrgodera.**

Pyrgodera, *Fisch.-Waldh.* Orth. Ross. p. 272 (1846); *Fieb.* Lotos, iii. p. 122 (1853); *Syn.* Eur. Orth. p. 21 (1854); *Bol.* Ortópt. Españ. pp. 146, 151 (1876); *An. Soc. Españ.* v. pp. 352, 357 (1876); *Brunn.* Prodr. Eur. Orth. pp. 85, 174 (1882); *Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 49, 103 (1884), xxx. (1) p. 17 (1888); *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 250 (1902).

Pyrgodera, *Fisch.-Waldh.* l. c. p. 228 (1846).

*1. **P. Armata, Fisch.-Waldh.** (*Acrydium Armatum*) Entom. Russ. i. p. 37. n. 1; Orth. pl. 1. f. 1 a, b (1820).

P. Armata, *Fisch.-Waldh.* Orth. Ross. p. 273. n. 1, pl. 21. ff. 1, 2 (1846); *Krauss*, Zool. Jahrb. Syst. ix. p. 563. n. 14, pl. 8. f. 4 (1896); *Jacobs. & Bianchi*, l. c. pp. 186, 250 (1902).

Ædipoda Armata, *Fieb.* ll. cc. p. 122. n. 1 (1853); p. 22. n. 1 (1854).

Pachytylus (Pyrgodera) Armatus, *Fisch.* Orth. Eur. p. 401. n. 4, pl. 18. f. 16 (1853).

Pyrgodera Cristata, *Eversm.* Bull. Mosc. xxxii. (1) p. 139 (1859); *Brunn.* l. c. p. 174. n. 1, pl. 6. f. 39 A, B (1882); *Sauss.* l. c. xxviii. (9) p. 103. n. 1 (1884).

S.E. Russia,
Caucasus,
Siberia,
Persia,
Asia Minor,
Syria.

Genus 323. **Brunnerella.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 17, 31 (1888); *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 250 (1902).

1. **B. Mirabilis, Sauss.** l. c. p. 31. n. 1, pl. 2. f. 1 (1888); *Jacobs. & Bianchi*, l. c. pp. 186, 250 (1902).

Armenia.

Genus 324. **Humbe.** (*Type* no. 8.)

Bol. J. Sci. Lisboa, viii. p. 117 (1881); Karsch, Ent. Nachr. xxvi. p. 276 (1900).

Humbella, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 50, 105 (1884), xxx. (1) pp. 17, 32 (1888).

*1. **H. Tenuicornis, Schaum**, (*Pachytylus* T.) E., W., & S.

Monatsber. Akad. Berl. 1853, p. 779. n. 20; Africa.

Peters, Reise Mossamb. v. Zool. p. 137.

n. 20 pl. 7 a. f. 6 (1862).

Humbella Tenuicornis, Sauss. ll. cc. p. 106.

n. 1 (1884), p. 32 (1888).

Humbe Tenuicornis, Karsch, l. c. p. 277 (1900).

Humbe Tenuicornis, var. *Minor*, Sauss. l. c.

xxx. (1) p. 33. n. 1 (1888).

Pachytylus (*Edaleus*) *Punctifrons*, Stål,

Cefv. Vet.-Akad. Förh. xxxiii. (3) p. 50.

n. 2 (1876).

*2. **H. Gracilis, Schulth.** (*Chlæbora* G.) Somali.

Zool. Jahrb. Syst. viii. p. 74. n. 2, pl. 4.

f. 3 a, b (1894).

*3. **H. Flava, Linn.** (*Gryllus Locusta Flarus*) W. Africa.

Syst. Nat. (ed. x.) i. p. 433. n. 53 (1758);

Mus. Ludov. Ulr. p. 149. n. 39 (1764);

Thunb. Mém. Acad. Petersb. v. p. 232

(1815), ix. pp. 395, 410. n. 37 (1824).

Edipoda Flava, Burm. Handb. Ent. ii.

p. 643. n. 10 (1838).

Pachytylus (*Edaleus*) *Flarus*, Stål, Recens.

Orth. i. p. 125. n. 6 (1873).

Humbella Flava, Sauss. ll. cc. xxviii. (9)

pp. 106, 107. n. 2 (1884), xxx. (1) p. 32

(1888).

4. **H. Hyalodes, Karsch**, Stett. Ent. Zeit. Zanzibar.

lvii. p. 265. n. 28 (1896); Ent. Nachr.

xxvi. p. 277 (1900).

*5. **H. Kelleri, Schulth.** (*Chlæbora* K.) l. c. Somali.

p. 73. n. 1. pl. 4. f. 2 a, b (1894).

6. **H. Thalassina, Kirb. (*Chlæbora* T.) Ruwenzori.

Proc. Zool. Soc. Lond. 1902, p. 96.

7. **H. Miniatipennis, Karsch**, ll. cc. p. 265. Zanzibar.

n. 29 (1896); p. 276 (1900).

8. **H. Pachytyloide[s], Bol.** l. c. p. 117. n. 40 Angola.

(1881).

- Humbella Pachytygloides*, Sauss. ll. cc. pp. 106, 107. n. 3 (1884), p. 32 (1888).
9. **H. Procera, Gerst.** (*Edaleus* (*Humbella* *Procerus*) Mitth. Nat. Ver. Neuorpomm. xx. p. 48. n. 43 (1889). | Gold Coast.
- *10. **H. Galinieri, Reiche & Fairm.** (*Edipoda* G.) Voy. Abyss. iii. p. 432. n. 2, Zool. pl. 28 f. 3 (1847). | Abyssinia, Arabia, Transvaal.
- Pycnodietya Galinieri*, Sauss. ll. cc. pp. 145, 146. n. 2 (1884), p. 50. n. 2 (1888).

Genus 325. **Chlœbora.** (Type no. 6.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 132 (1884), xxx. (1) pp. 18, 19, 33 (1888).

1. **C. Grossa, Sauss.** ll. cc. xxviii. (9) p. 132. n. 1 (1884), xxx. (1) p. 33. n. 1 (1888); Bol. Ann. Soc. Ent. France, lxx. p. 604 (1902). | India.
2. **C. Bramina, Sauss.** ll. cc. p. 132. n. 2 (1884), p. 33. n. 2 (1888). | id. (?)
- *3. **C. Crassa, Walk.** (*Edipoda* C.) Cat. Derm. Salt. B. M. iv. p. 741. n. 74 (1870). Bengal.
C. Crassa, Sauss. l. c. xxx. (1) p. 33. n. 3 (1888).
4. **C. Grandidieri, Sauss.** l. c. pp. 33, 34. n. 4 (1888). | Madagascar

Genus 326. **Scintharista.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 121 (1884), xxx. (1) pp. 17, 33 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 251 (1902).

1. **S. Brunneri, Sauss.** l. c. xxviii. (9) p. 121. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 186, 251 (1902). | Persia, Armenia.

Genus 327. **Quiroguesia.** (Type no. 1.)

Bol. An. Soc. Españ. xv. p. 515 (1886); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 19 (1898); Sauss. Mém. Soc. Genève, xxx. (1) pp. 18, 34 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 251 (1902).

- *1. **Q. Notabilis, Walk.** (*Edipoda* N.) Cat. Spain,
Derm. Salt. B. M. iv. p. 745. n. 85 Canaries,
(1870). Algeria.
- ‡ *Aceridium Miniatum, Brulle' (nec Pull.)*,
Webb & Berthelot, Hist. Nat. Iles Canar.,
Ins. p. 78. n. 34, pl. 5. f. 13 (1842).
(*Edipoda Brullei, Sauss.* l. c. xxviii. (9)
pp. 148, 153. n. 8 (1884).
Q. Brullei, Sauss. l. c. xxx. (1) p. 35. n. 2
(1902); Jacobs. & Bianchi, l. c. pp. 187,
252 (1902).
- **2. **Q. Blanchardiana, Sauss.** (*Q. Brullei*, Aden,
var. *Blanchardiana*) l. c. xxx. (1) p. 35 Muscat,
(1888); Jacobs. & Bianchi, l. c. p. 252 Massowa,
(1902). Somali,
India.
Socotra.
- **3. **Q. Forbesi, Burr**, (*Dissosteira F.*) Bull. Liverpool Mus. ii. p. 44 (1899); Nat.
Hist. Sokotra, p. 418. n. 17, pl. 25. f. 1
(1903).

Genus 328. **Pternoscirta.** (*Type* no. 1.)

- Sauss. Mém. Soc. Genève, xxxviii. (9) pp. 52, 127 (1884), xxx.
(1) p. 18 (1885); Jacobs. & Bianchi, Prem. i Lozhn. Ross.
Imp. pp. 167, 187, 252 (1902).
- ‡ *Prionidia, Stal (nec Leach)*, Recens. Orth. i. pp. 116, 127
(1873).
- **1. **P. Cinctifemur, Walk.** (*Aceridium C.*) Ceylon.
Ann. Nat. Hist. (3) iv. p. 223 (1859).
- ** *Edipoda Saturata, Walk.* Cat. Derm. Salt.
B. M. iv. p. 740. n. 72 (1870).
Pternoscirta Saturata, Sauss. l. c. xxx. (1)
p. 36 (1888).
Pternoscirta Humbertiana, Sauss. l. c. xxviii.
(9) p. 127. n. 1 (1884).
- *2. **P. Caliginosa, De Haan**, (*Aceridium* India,
(*Edipoda Caliginosum*) Temminck. Malacca.
Verhandel., Orth. p. 161. n. 30, pl. 21.
f. 11 (1842).
Pternoscirta Caliginosa, Sauss. l. c. pp. 127,
128. n. 2 (1884); Jacobs. & Bianchi, l. c.
pp. 187, 252 (1902).

3. **P. Bimaculata, Thunb.** (*Gryllus Bimaculatus*) Mém. Acad. Pétersb. v. p. 239 (1815), ix. pp. 397, 417. n. 64 (1824).
Prionidia Bimaculata, Stål, l. c. p. 127. n. 1 (1873).
Pternoscirta Bimaculata, Sauss. l. c. pp. 127, 129. n. 3 (1884).
 Hab. — ?
4. **P. Villosa, Thunb.** (*Gryllus Villosus*) ll. cc. p. 249 (1815), pp. 398, 421. n. 79 (1824).
Prionidia Villosa, Stål, l. c. p. 128. n. 2 (1873).
Pternoscirta Villosa, Sauss. l. c. pp. 127, 129. n. 4 (1884).
 China.

Genus 329. **Mioscirtus.** (Type no. 2.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 18, 175 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 253 (1902).

Microscirtus, Sauss. l. c. p. 36 (1888).

1. **M. Varentzowi, Zub.** Hor. Soc. Ent. Trans. Ross. xxx. p. 186. n. 12 (1896); Jacobs. & Bianchi, l. c. pp. 187, 253 (1902). caspia.
- * 2. **M. Wagneri, Eversm.** (*Edipoda W.*) Bull. Mosc. xxxii. (1) p. 145, pl. 1. f. 3 (1859); Brunn. Prodr. Eur. Orth. pp. 159, 161. n. 2 (1882). South Russia, Siberia, Algeria.
- Scintharista Wagneri, Sauss.* l. c. xxviii. (9) pp. 121, 122. n. 3 (1884).
Microscirtus Wagneri, Sauss. l. c. xxx. (1) p. 36 (1888).
Mioscirtus Wagneri, Jacobs. & Bianchi, l. c. pp. 187, 253 (1902).

Genus 330. **Morphacris.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 790 (1870), *immature*.
Cosmorhyssa, Stål, Recens. Orth. i. pp. 116, 121 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 50, 123 (1884), xxx. (1) pp. 18, 37 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 253 (1902). (Type no. 1.)

- * 1. **M. Sanguinea, Thunb.** (*Gryllus Sanguineus*) Mém. Acad. Pétersb. v. p. 231 (1815), ix. pp. 394, 404. n. 14 (1824). E. & S. Africa, Madagascar.

- Gryllus Fasciatus*, Thunb. (nec Fabr.) ll. cc. p. 230 (1815), pp. 394, 403. n. 11 (1824).
Cosmorhyssa Fasciata, Stål, l. c. p. 121. n. 1 (1873); Sauss. ll. cc. p. 124. n. 1 (1884), p. 37. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).
- * * *M. Adusta*, Walk. l. c. p. 790. n. 1 (1870), immature.
Ædipoda Strigata, Serv. Ins. Orth. p. 726 n. 7 (1839).
- * 2. **M. Sulcata**, Thunb. (*Gryllus Sulcatus*) W. Africa, S. Africa (eadem?).
 ll. cc. p. 234 (1815), pp. 396, 410. n. 39 (1824).
Cosmorhyssa Sulcata, Stål, l. c. p. 122. n. 2 (1873).
- * 3. **M. Citrina**, Kirb. (n. n.). Syria.
Cosmorhyssa Sulcata, Sauss. (nec Thunb.) ll. cc. p. 124. n. 2 (1884), p. 37. n. 2 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).
4. **M. Costata**, Sauss. (*Cosmorhyssa C.*) l. c. Cape. xxx. (1) p. 37. n. 3 (1888).
5. **M. (?) Venusta**, Fieb. (*Ædipoda V.*) Greece, Crete.
 Lotos, iii. p. 123. n. 7 (1853); Syn. Eur. Orth. p. 23. n. 7 (1854); Brunn. Prodr. Eur. Orth. pp. 159, 161. n. 3 (1882).
Scintharista Venusta, Sauss. l. c. xxviii. (9) pp. 121, 122. n. 2 (1884).
Microscirtus Venusta, Sauss. l. c. xxx. (1) p. 36 (1888).
Mioscirtus Venustus, Jacobs. & Bianchi, l. c. pp. 187, 253 (1902).

Genus 331. **Lerina.**

Bol. Ann. Soc. Ent. France, lxx. p. 602 (1902).

1. **L. Ædipodioides**, Bol. l. c. p. 603 Madaga. (1902)

Genus 332. **Dittopternis.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 52, 125 (1884), xxx. (1) pp. 19, 44 (1888).

- * 1. **D. Ceylonica**, Sauss. ll. cc. pp. 125, 126. Ceylon. n. 2 (1884), p. 44. n. 1 (1888).

- **2. **D. Venusta, Walk.** (*Edipoda* V.) Cat. India,
 Derm. Salt. B. M. iv. p. 740. n. 73 Ceylon.
 (1870).
D. Venusta, Sauss. l. c. xxx. (1) p. 44. n. 2
 (1888).
Edipoda Inficita, var. β , *Walk.* l. c. p. 742
 (1870).
 3. **D. Zebrata, Sauss.** l. c. xxviii. (9) pp. 125, id. (?).
 126. n. 3 (1884), xxx. (1) p. 44. n. 4
 (1888).
 4. **D. Cruciata, Sauss.** l. c. xxx. (1) pp. 44, Australia.
 45. n. 5 (1888).
 5. **D. Cœrulea, Schulth.** Bull. Soc. Vaud. Delagoa
 xxxv. p. 203. n. 1, pl. 7. f. 1 (1899). Bay.
 6. **D. (?) Rosacea, Kirb.** Ann. Nat. Hist. Transvaal.
 (7) x. p. 240. n. 1 (1902).

Genus 333. **Heteropternis.** (Type no. 1.)

Stål, Recens. Orth. i. pp. 117, 128 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) p. 129 (1884), xxx. (1) pp. 19, 45 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 188, 258 (1902).

Heteropternis, *Sauss.* l. c. xxviii. (9) p. 53 (1884).

- *1. **H. Respondens, Walk.** (*Acrydium* R.) Java,
 Ann. Nat. Hist. (3) iv. p. 223 (1859). Ceylon,
H. Pyrrhoscelis, *Stål*, Recens. Orth. i. Malacca,
 p. 128. n. 1 (1873); Sauss. Mém. Soc. Burma,
 Genève, xxviii. (9) pp. 129, 130. n. 1 China,
 (1884), xxx. (1) p. 46. n. 1 (1888); Sumatra,
 Jacobs. & Bianchi, l. c. pp. 188, 258 India.
 (1902).
Acridium (*Edipoda*) *Caliginosum*, var. α ,
De Haan, Temminck, Verhandel., Orth. p. 162 (1842).
H. Pyrrhoscelis, var. *Sinensis*, *Sauss.* l. c.
 xxx. (1) p. 46 (1888); Jacobs. & Bianchi,
 l. c. pp. 188, 258 (1902).
 *2. **H. Obscurella, Blanch.** (*Edipoda* O.) Banda,
 Voy. Pôle Sud, Zool. iv. p. 375 (1853). Australia,
H. Obscurella, *Sauss.* ll. cc. xxviii. (9) New
 pp. 129, 130. n. 2 (1884), xxx. (1) pp. 46, Guinea,
 47. n. 2 (1888). Borneo,
 || *Edipoda Obscura*, *Blanch.* (nec *Fabr.*) Ceram,
 l. c. Atlas, Ins. Orth. pl. 3. f. 10 (1853). Amboina.

3. **H. Guineensis, Blanch.** (*Edipoda G.*) New Guinea.
l. c. p. 375, Atlas, Ins. Orth. pl. 3. f. 11 (1853).
- *4. **H. Pudica, Serv.** (*Edipoda P.*) Ins. Cape, Mauritius, Abyssinia.
Orth. p. 733. n. 17 (1839).
H. Pudica, Sauss. ll. cc. pp. 129, 130. n. 3 (1884), xxx. (1) pp. 46, 48. n. 5 (1888).
- *5. **H. Couloniana, Sauss.** (*Dittopternis C.*) W. Africa.
l. c. xxviii. (9) p. 125. n. 1 (1884).
H. Couloniana, Sauss. l. c. xxx. (1) pp. 46, 48. n. 4 (1888).
- **6. **H. Vittata, Kirb.** Trans. Ent. Soc. Lond. Zomba.
1902, p. 75. n. 42.
7. **H. (?) Savignyi, Krauss,** Verh. zool.-Egypt.
bot. Ges. Wien, xl. p. 262 (1890).
[Sav. Hist. Egypte, Orth. pl. 6. f. 16.]
- *8. **H. Thoracica, Walk.** (*Epacromia T.*) Cat. Sierra Leone.
Derm. Salt. B. M. iv. p. 769. n. 7 (1870).
- **9. **H. Partita, Walk.** (*Epacromia P.*) l. c. Hab. — ?
p. 780. n. 27 (1870).
10. **H. Hyalina, Sauss.** l. c. xxx. (1) pp. 46, E. & W. Africa.
47. n. 3 (1888).
Acridium (Edipoda) Caliginosum, var. *b*,
De Haan, Temminck. Verhandel. Orth.
p. 162 (1842).
- *11. **H. Junodiana, Schulth.** Bull. Soc. Vaud. Delagoa Bay, Natal.
xxxv. p. 204. n. 1, pl. 7. f. 5 (1899).
Epacromia Caliginosa, var. (?), *Walk.* l. c.
p. 771. n. 11 (1870).
12. **H. Guttifera, Kirb.** Ann. Nat. Hist. (7) Barberton.
x. p. 240. n. 2 (1902).
13. **H. Saussurei, Kirb.** l. c. n. 3 (1902). Zoutpansberg.
14. **H. Pallida, Kirb.** l. c. p. 241. n. 4 Barberton.
(1902).

Genus 334. **Celes.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 53, 131 (1884), xxx.
(1) p. 19 (1888) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross.
Imp. pp. 168, 188, 259 (1902).

- *1. **C. Variabilis, Pall.** (*Gryllus V.*) Reise, S. & E.
i. p. 467. n. 52 (1771). Europe,
Edipoda Variabilis, Fisch.-Waldh. Orth. N. & W.
Ross. pl. 15. f. 3 (1846) ; Sieb. Stett. Asia.

- Ent. Zeit. xiii. p. 29 (1852); Fisch. Orth. Eur. p. 410. n. 6, pl. 18. f. 8 (1853); Friv. Érték. Termész. Kör. i. (12) p. 187. n. 5 (1867); Brunn. Prodr. Eur. Orth. p. 159. n. 1, pl. 5. f. 36 A, B (1882); Finot, Orth. France, pp. 71, 72 (1883); Faune France, Orth. pp. 147, 148 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 219, 247, pl. 18 (1900).
- Ctyphippus Variabilis*, Bol. Ortópt. Españ. pp. 151, 152. n. 1 (1876); An. Soc. Españ. v. pp. 357, 358. n. 1 (1876).
- Celes Variabilis*, Sauss. Mém. Soc. Genève, xxviii. (9) p. 131. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 188, 259, pl. 5 (1902).
- Gryllus Rhodoptilus*, Charp. Hor. Ent. p. 146, pl. 3. f. 1 (1825).
- Gryllus Subcæruleipennis*, Charp. l. c. p. 145, pl. 3. f. 7 (1825).
- Ædipoda Subcæruleipennis*, Fisch.-Waldh. l. c. p. 289. n. 12, pl. 15. f. 4 (1846).
- Gryllus Nigricans*, Koll. Beitr. Landesk. Öesterr. iii p. 82 (1833).
- Acrydium Affine*, Fisch.-Waldh. Entom. Russ. i. p. 41. n. 4, pl. 1. f. 4 (1820).
- Ædipoda Affinis*, Kitt. Bull. Mosc. xxii. (4) p. 467. n. 51, pl. 8. f. 5 (1849).
- Ædipoda Pallasii*, Fieb. Lotos, iii. p. 124. n. 10 (1853); Syn. Eur. Orth. p. 24. n. 10 (1854).
- Ædipoda Parnassica*, Stein, Mitth. Münch. Ent. Ver. iii. p. 137 (1879).
2. **C. Skalozubovi, Adel.** Faun. Prem. Tobolsk. Tobolsk. Gub. xv. p. 10. n. 28 (1906).

Genus 335. **Pseudoceles.**

- Bol. Ann. Soc. Ent. Belg. xliiii. p. 593 (1899); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 189, 259 (1902).
1. **P. Ædipodioides, Bol.** l. c. p. 593 Asia Minor. (1899); Jacobs. & Bianchi, l. c. pp. 189, 260 (1902).

Genus 336. **Ptetica.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 133 (1884), xxx. (1) p. 19 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 189, 260 (1902).

1. **P. Cristulata, Sauss.** l. c. xxviii. (9) Turkestan.
p. 133. n. 1 (1884); Jacobs. & Bianchi,
l. c. pp. 189, 260 (1902).

Genus 337. **Conistica.**

Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884).

- * 1. **C. Saucia, Stål,** (*Edipoda* S.) Recens. S. Africa.
Orth. i. p. 130. n. 5 (1873).
Dissosteira Saucia, Sauss. l. c. pp. 135, 141.
n. 10 (1884).
|| *Acrydium Obscurum, De Geer* (nec Linn.).
Mém. Ins. iii. p. 492. n. 8, pl. 41. f. 4
(1773); Oliv. Enc. Méth. vi. p. 226. n. 47
(1791).
|| *Edipoda Obscura, Serv.* Ins. Orth. p. 729.
n. 12 (1839).

Genus 338. **Pycnodictya.**

Stål, Recens. Orth. i. pp. 116, 121 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 55, 144 (1884), xxx. (1) pp. 20, 49 (1888).

- * 1. **P. Obscura, Linn.** (*Gryllus Locusta* S. Africa.
Obscurus) Syst. Nat. (ed. x.) i. p. 433.
n. 52 (1758); Mus. Ludov. Ulr. p. 147.
n. 37 (1764).
Gryllus Obscurus, Fabr. Spec. Ins. i. p. 368.
n. 35 (1781); Thunb. Mém. Acad.
Pétersb. v. p. 230 (1815), ix. pp. 394,
404. n. 13 (1824).
P. Obscura, Stål, l. c. p. 121. n. 1 (1873);
Sauss. ll. cc. p. 145. n. 1 (1884), p. 49.
n. 1 (1888).
Edipoda Rosacea, Serv. Ins. Orth. p. 728.
n. 11 (1839).
2. **P. (?) Citripennis, Sauss.** l. c. xxx. (1) Sierra
p. 167. n. 7 (1888). | Leone.

Genus 339. **Ædaleus.** (Type no. 1.)

Fieb. Lotos, iii. p. 126 (1853); Syn. Eur. Orth. p. 25 (1854); Stål, Recens. Orth. i. p. 123 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 110, 115 (1884), xxx. (1) pp. 18, 37, 40 (1888); Finot, Faune France, Orth. pp. 101, 155 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 216, v. p. 18 (1897-8); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 187, 254, 255 (1902).

*1. **Æ. Nigrofasciatus, De Geer,** (*Acrydium* S. Europe.

Nigrofasciatum) Mém. Ins. iii. p. 493. Africa.

n. 9, pl. 41. f. 5 (1773); Latr. Gen. Crust. Ins. xii. p. 157. n. 16 (1804).

Gryllus Nigrofasciatus, Charp. Hor. Ent. p. 140 (1825).

Ædipoda Nigrofasciata, Burm. Handb. Ent. ii. p. 645. n. 19 (1838); Fisch.-Waldh. Orth. Ross. p. 276. n. 1, pl. 14. f. 4 (1846); Fieb. ll. cc. p. 126. n. 20 (1853); p. 26. n. 20 (1854).

Pachytylus (Ædaleus) Nigrofasciatus, Bol. Ortópt. Españ. p. 150. n. 2 (1876); An. Soc. Españ. v. p. 356. n. 2 (1876); Stål, l. c. p. 126. n. 7 (1873).

Ædaleus Nigrofasciatus, Sauss. ll. cc. pp. 110, 116. n. 8 (1884), p. 40. n. 6 (1888); Finot, Faune France, Orth. p. 155 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 18. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 188, 255 (1902); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 632 (1902).

Pachytylus Nigrofasciatus, Fisch. Orth. Eur. p. 397. n. 3, pl. 18. ff. 14, 14a (1853); Friv. Érték. Termész. Kör. i. (12) p. 181. n. 3, pl. 7. ff. 5, 5a (1867); Brunn. Prodr. Eur. Orth. p. 169. n. 1, pl. 6. f. 38 A-C (1882); Finot, Orth. France, pp. 73, 74 (1889); Tümpel, Geradff. Mitteleuropas, pp. 219, 249, pl. 19 (1900); Jacobs. & Bianchi, l. c. pl. 6 (1902).

|| *Gryllus Flavus*, pt., Fabr. (nec Linn.) Syst. Ent. p. 292. n. 24 (1775); Cyr. Spec. Ent. Neap. p. 7, pl. 9. f. 7 (1792); Ramb. Faun. Ins. Andal. ii. p. 82, f. 7 (1839).

- || *Acridium Flavum*, Costa, Faun. Ins. Nap., Orth. p. 11, pl. 1. f. 4A, b, c, d (1836).
Acrydium Decorum, Germ. Faun. Ins. Eur. fasc. xii. pl. 17 (1826).
Æ. Nigrofasciatus, var. *Gracilis*, Sauss. l. c. xxviii. (9) p. 116 (1888); Jacobs. & Bianchi, l. c. p. 255 (1902).
- *2. **Æ. Plenus**, Walk. (*Epacromia Plena*) S. Africa.
 Cat. Derm. Salt. B. M. iv. p. 769. n. 8 (1870).
3. **Æ. Caffer**, Sauss. (*Æ. Nigrofasciatus*, var. *Caffer*) l. c. xxx. (1) p. 41 (1888). id.
4. **Æ. Arcuatus**, Thunb. (*Gryllus* A.) id.
 Mém. Acad. Pétersb. ix. pp. 395, 409. n. 36 (1824).
Gryllus Locusta Flavus, var., Stoll (acc Linn.), Spectres, Saut. p. 27, pl. 12 b. f. 44 (1813).
- *5. **Æ. Citrinus**, Sauss. (*Æ. Nigrofasciatus*, var. *Citrinus*) l. c. p. 41 (1888). id.
6. **Æ. Australis**, Sauss. (*Æ. Nigrofasciatus*, var. *Australis*) l. c. (1888). Australia.
7. **Æ. Infernalis**, Sauss. l. c. xxviii. (9) Japan,
 p. 110. n. 8, p. 116. n. 9 (1884), xxx. (1) China,
 p. 42. n. 7 (1888); Jacobs. & Bianchi, Amur.
 l. c. pp. 188, 255 (1902).
8. **Æ. Inornatus**, Schulth. Ann. Mus. Somali.
 Genova, xxxix. p. 187. n. 2, pl. 2. ff. 10, 10 a (1898).
9. **Æ. Instillatus**, Burr, Proc. Zool. Soc. id.
 Lond. 1900, p. 39.
- *10. **Æ. Senegalensis**, Krauss, (*Pachytylus* Africa.
 S.) Sitz. Akad. Wiss. Wien, Math.-nat. S. & W.
 Cl. lxxvi. (1) p. 56. n. 1, pl. 1. ff. 9, 9 A Asia,
 (1877). Australia.
- Æ. Senegalensis*, Sauss. ll. cc. pp. 110, 117. n. 10 (1884); pp. 40, 42. n. 8 (1888); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1105, plate, f. 5 (1903).
- ** *Ctypohippus Arenivolans*, Butl. Proc. Zool. Soc. Lond. 1881, p. 85.
11. **Æ. Mlokozewitzcki**, Bol. (*Pachytylus* Transcausia,
 M.) C. R. Soc. Ent. Belg. xxviii. p. cv Transbaikal.
 (1884).
Æ. Mlokozewitchi, Bol. An. Soc. Españ. xvi. p. 98 (1887); Jacobs. & Bianchi, l. c. p. 256 (1902).

- Æ. Mlokozietsi*, Sauss. l. c. xxx. (1) pp. 40, 42. n. 9 (1888).
Æ. Mlokosiewiczzi, Jacobs. & Bianchi, l. c. p. 188 (1902).
 * 12. **Æ. Abruptus, Thunb.** (*Gryllus* A.) l. c. China, v. p. 233 (1815), ix. pp. 396, 412. n. 45, India. pl. 14. f. 5 (1824).
Pachytylus (*Ædaleus*) *Abruptus*, Stål, l. c. p. 127. n. 8 (1873).
Æ. Abruptus, Sauss. l. c. xxviii. (9) p. 110. n. 10, p. 117. n. 11 (1884), xxx. (1) p. 40 (1888).
 ** 13. **Æ. Inclytus, Walk.** (*Epacromia Inclyta*) Madagascar l. c. p. 773. n. 14 (1870).
Æ. Madecassus, Sauss. l. c. xxviii. (9) p. 110. n. 6, p. 115. n. 7 (1884).
 14. **Æ. Virgula, Voll.** (*Edipoda* V.) Pollen id. & Van Dam, Faune Madag., Ins. p. 11. n. 8, pl. 2. f. 2 (1877).
Ædaleus Nigrofasciatus, var. *Virgula*, Sauss. l. c. xxx. (1) p. 40 (1888).
 15. **Æ. Carvalhoi, Bol.** Journ. Sci. Lisb. (2) Delagoa Bay. i. p. 103. n. 86 (1889).

Genus 340. **Gastrimargus.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 109, 110 (1884), xxx. (1) p. 37 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).

- * 1. **G. Virescens, Thunb.** (*Gryllus* V.) S. Africa. Mém. Acad. Pétersb. v. p. 245 (1815), ix. pp. 396, 411. n. 40, pl. 14. f. 4 (1824).
 ** *Pachytylus Determinatus*, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 72 (1871).
Ædaleus Verticalis, Sauss. ll. cc. pp. 109, 111. n. 1 (1884), p. 38 (1888).
 * 2. **G. Assimilis, Thunb.** (*Gryllus* A.) ll. cc. id. p. 246 (1815), pp. 396, 411. n. 41 (1824).
Ædaleus Crassicollis, Sauss. l. c. xxx. (1) p. 38. n. 1 (1888).
 * 3. **G. Marmoratus, Thunb.** (*Gryllus* M.) id. ll. cc. pp. 232 (1815), pp. 395, 410. n. 38, pl. 14. f. 3 (1824).
Pachytylus (*Ædaleus*) *Marmoratus*, Stål, Recens. Orth. i. p. 123. n. 3 (1873).

Edaleus Marmoratus, Sauss. l. c. xxviii.
(9) pp. 109, 112. n. 2 (1884), xxx. (1)
p. 39. n. 3 (1888); Jacobs. & Bianchi,
l. c. pp. 187, 254 (1902).

|| *Gryllus Locusta Flarus*, Stoll (*nec* Linn.),
Spectres. Saut. p. 25, pl. 11 b. f. 41
(1813).

|| *Locusta Flava*, Dunc. Introd. Ent. p. 258,
pl. 16. f. 2 (1840).

*4. **G. Wahlbergii**, Stål, (*Pachytylus* (*Edaleus*) W.) l. c. p. 124. n. 4 (1873).

S. & E.
Africa,
Madagascar

Edaleus Wahlbergi, Sauss. l. c. xxviii. (9)
pp. 109, 113. n. 2 bis (1884).

|| (*Edaleus Acutangulus*, Sauss. (*nec* Stål) l. c.
pp. 109, 114. n. 3 (1884), xxx. (1) p. 39.
n. 4 (1888).

*5. **G. Africanus**, Sauss. (*Edaleus Marmoratus*, var. *Africana*) l. c. xxx. (1)
p. 39 (1888).

S. & E.
Africa.

*6. **G. Acutangulus**, Stål, (*Pachytylus*
(*Edaleus*) A.) l. c. p. 125. n. 5 (1873).
G. Acutangulus, Kirb. Trans. Ent. Soc.
Lond. 1902, p. 72. n. 37.

Caffraria,
Transvaal.

7. **G. Dohrnianus**, Sauss. (*Edaleus* (*Gastrimargus*) D.) l. c. p. 166. n. 4 (1888).

Transvaal.

*8. **G. Vitripennis**, Sauss. (*Edaleus* V.)
l. c. p. 38. n. 2 (1888).

S. & E.
Africa.

*9. **G. Transversus**, Thunb. (*Gryllus* T.)
ll. cc. p. 233 (1815), pp. 396, 412. n. 44
(1824).

China,
India, &c.

Edipoda Citrina, Burm. Handb. Ent. ii.
p. 645. n. 20 (1838).

Edaleus Marmoratus, var. *Minor*, Sauss.
l. c. p. 39 (1888).

10. **G. Musicus, Fabr. (*Gryllus* M.) Syst.
Ent. p. 290. n. 15 (1775).

Australia.

Acrydium Musicum, Oliv. Encycl. Méth. vi.
p. 222. n. 32 (1791).

Edipoda Musica, Serv. Ins. Orth. p. 720.
n. 1 (1889); McCoy, Prodr. Zool. Vict.
xi. p. 41, pl. 110 (1885).

Gryllus Pictus, Leach, Zool. Misc. i. p. 57,
pl. 25 (1814).

|| *Locusta Danica*, Frogg. (*nec* Linn.) Agric.
Gaz. N. S. Wales, xiv. p. 1104, pl. 1.
f. 1 (1903); Austral. Ins. p. 41, f. 23
(1907).

- *11. **G. Sundaicus, Sauss.** (*Edaleus Marmoratus stirps Sundaicus*) l. c. xxviii. (9) p. 113 (1884), xxx. (1) p. 39 (1888). China, Java, Singapore, &c.
Edaleus Marmoratus, var. *Grandis*, Sauss. l. c. xxx. (1) p. 39 (1888).
12. **G. Sarasini, Sauss.** (*Edaleus S.*) l. c. xxviii. (9) p. 110. n. 4, p. 114. n. 5 (1884). New Caledonia.
13. **G. Subfasciatus, De Haan**, (*Acridium* (*Edipoda*) *Subfasciatum*) Temminck, Verhandel., Orth. pp. 159, 161. n. 2, pl. 21. f. 12 (1842). Pelew Isl.
Edaleus Subfasciatus, Sauss. l. c. p. 110. n. 7, p. 115. n. 6 (1884), xxx. (1) p. 39. n. 5 (1888).

Genus 341. **Locusta.** (Type no. 6.)

- Linn. Syst. Nat. (ed. x.) p. 431 (1758); Schrank, Enum. Ins. Austr. p. 246 (1781); Sam. Comp. p. 218 (1819).
Gryllus, Fabr. Syst. Ent. p. 287 (1775).
 || *Acrydium*, Latr. (nec Geoffr.) Hist. Nat. Crust. Ins. iii. p. 282 (1802), xii. p. 149 (1804).
Pachytylus, Fieb. Kelch, Grundl. Kenntn. Orthopt. p. 5 (1852); Lotos, iii. p. 121 (1853); Syn. Eur. Orth. p. 21 (1854); Fisch. Orth. Eur. p. 392 (1853); Friv. Érték. Termész. Kör. i. (12) p. 178 (1867); Stål, Recens. Orth. i. pp. 116, 122 (1873); Bol. Ortópt. Españ. pp. 146, 149 (1876); An. Soc. Españ. v. pp. 352, 355 (1876); Ann. Sci. Nat. Porto, iv. p. 216, v. p. 18 (1897-8); Brunn. Prodr. Eur. Orth. pp. 85, 168 (1882); Finot, Orth. France, pp. 44, 73 (1883); Faune France, Orth. pp. 102, 153 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 118 (1884), xxx. (1) pp. 18, 43 (1888); Burr, Brit. Orth. pp. 33, 41 (1897); Auriv. Entom. Tidskr. xxi. pp. 241, 246 (1900); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 249 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 188, 256 (1902). (Type no. 6.)

- *12. **L. Pardalina, Walk.** (*Pachytylus Pardalinus*) Cat. Derm. Salt. B. M. iv. p. 725. n. 7 (1870). S. Africa.
Pachytylus Sulcicollis, Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 50. n. 1 (1876); Sauss. ll. cc. pp. 118, 120. n. 2 (1884), p. 43 (1888).
Pachytylus Capensis, Sauss. ll. cc. pp. 118, 119. n. 1 (1884), p. 43. n. 1 (1888).

- *2. **L. Minor, Sauss.** (*Pachytylus M.*) Zanzibar,
Abhandl. Senckenb. Ges. xxi. p. 631
(1899). Deelfontein.
- *3. **L. Migratoroides, Reiche & Fairm.** Africa,
(*Edipoda M.*) Ferret & Galinier, Voy. Asia,
Abyss. iii. p. 430. n. 1, pl. 28. f. 12 Oceania.
(1847). W. L.
- Pachytylus Migratoroides, Sauss.* l. c. xxviii.
(9) pp. 119, 120. n. 3 (1884); Hutt.
Trans. N. Zealand Inst. xxx. pp. 149,
150 (1897).
Pachytylus Migratoroides, Jacobs. & Bianchi,
l. c. pp. 188, 256 (1902).
4. **L. Capito, Sauss.** (*Pachytylus Migratoroides*, var. *Capito*) l. c. pp. 119, 120.
n. 4 (1884). Madagascar.
- *5. **L. Australis, Sauss.** (*Pachytylus A.*) Tongatabu,
ll. cc. n. 5 (1884). Fiji.
L. Australis, Frogg. Agric. Gaz. N. S.
Wales. xiv. p. 1106 (1903).
- *6. **L. Migratoria, Linn.** (*Gryllus Locusta Migratorius*) Syst. Nat. (ed. 10) i. p. 432.
n. 45 (1758); Mus. Ludov. Ulr. p. 140.
n. 31 (1864). Europe.
Gryllus Migratorius, Linn. Faun. Suec.
(ed. 2) p. 238. n. 871 (1761); Scop. Ent.
Carn. p. 108. n. 323 (1763); Fabr. Syst.
Ent. p. 289. n. 12 (1775); Don. Brit.
Ins. viii. pl. 270 (1799); Thunb. Mém.
Acad. Pétersb. v. p. 243 (1815), ix. pp. 397,
417. n. 63 (1824); Zett. Orth. Suec. p. 74.
n. 1 (1821); Phil. Orthopt. Berol. p. 27.
n. 1 (1830).
Acrydium Migratorium, De Geer. Mém.
Ins. iii. p. 466. n. 1, pl. 23. f. 1 (1773);
Oliv. Encycl. Méth. vi. p. 220. n. 24
(1791).
Edipoda Migratoria, Serv. Ann. Sci. Nat.
xxii. p. 288. n. 1 (1831); Ins. Orth.
p. 737. n. 22 (1838); Fisch.-Waldh.
Orth. Ross. p. 292. n. 14, pl. 12. f. 1
(1846); Borek, Skand. Rätv. Ins. p. 100.
n. 4, pl. 3. f. 5 (1848).
Locusta Migratoria, Steph. Ill. Brit. Ent.,
Mand. vi. p. 20. n. 1; Dunc. Jardine's
Nat. Libr., Introd. Ent. p. 256, pl. 15. f. 1
(1840).
Pachytylus Migratorius, Fieb. Lotos. iii.

- p. 121. n. 1 (1853); Syn. Eur. Orth. p. 21. n. 1 (1854); Fisch. l. c. p. 393. n. 1, pl. 18. ff. 12, 12 a (1853); Friv. l. c. p. 179. n. 1 (1867); Brunn. l. c. pp. 169, 171. n. 2 (1882); Finot, ll. cc. p. 74 (1883); p. 153, pl. 8. f. 107 (1889); Sauss. l. c. xxviii. (9) pp. 119, 120. n. 6 (1884); Burr, l. c. p. 41, pl. 4. f. 4 (1897); Auriv. l. c. p. 246. n. 1 (1900); Tümp. l. c. pp. 219, 249, pl. 19 (1900); Jacobs. & Bianchi, l. c. pp. 188, 257, pl. 6 (1902).
- || *Acridium Plorans*, Costa (nec Charp.), Faun. Nap., Ort. p. 7, pl. 1. f. 1 A, b-d (1836).
- || *Ædipoda Tatarica*, Motsch. (nec Oliv.) Bull. Mosc. 1840, pp. 172, 197, pl. 4. f. d.
- *7. **L. Danica**, Linn. (*Gryllus Locusta Danicus*) Syst. Nat. (ed. xii.) i. p. 702. n. 57 (1767). Europe, Asia, Africa; America (introduced)
- Pachytylus Danicus*, Auriv. Ent. Tidskr. xxi. pp. 246, 247. n. 2 (1900); Bol. Ann. Sci. Nat. Porto, v. p. 18. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 188, 257 (1902). W. Z.
- Gryllus Discolor*, Thunb. Mém. Acad. Pétersb. v. pp. 237 (1815), ix. pp. 398, 422. n. 81 (1824).
- Gryllus Orientalis*, Thunb. l. c. ix. pp. 400, 428. n. 103 (1824).
- Gryllus Cinerascens*, Fabr. ^{Ædip. Syst. II, p. 596} Spec. Ins. i. p. 369. n. 38 (1781).
- Acrydium Cinerascens*, Oliv. l. c. p. 227. n. 50 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 154. n. 10 (1804).
- Ædipoda Cinerascens*, Hutt. Cat. N. Zealand Dipt., Orth., Hym. p. 93 (1881); Huds. Man. N. Zeal. Ent. p. 115, pl. 17. f. 3 (1892).
- Acrydium Emigratorium*, Latr. l. c. p. 150. n. 3 (1804).
- Gryllus Locusta Erythrophthalmus*, Stoll, Spectres, Saut. p. 35, pl. 18 b. f. 70 (1813).
- || *Gryllus Migratorius*, Ramb. (nec Linn.) Faun. Andal. ii. p. 81. n. 6 (1838).
- || *Ædipoda Migratoria*, Burm. Handb. Ent. i. p. 644. n. 17 (1838).

Pachytylus Cinarascens, Fieb. ll. cc. p. 121. n. 2 (1853); p. 21. n. 2 (1854); Fisch. l. c. p. 395. n. 2, pl. 18. ff. 13, 13 a-e (1853); Friv. l. c. p. 180 (1867); Bol. Ortópt. Españ. p. 149. n. 1, pl. 1. f. 2 (1876); An. Soc. Españ. v. p. 355. n. 1, pl. 6. f. 2 (1876); Brunn. l. c. pp. 169, 172. n. 3 (1882); Finot, ll. cc. pp. 74, 75, pl. 1. ff. 1-3 (1883); pp. 153, 154, pl. 8. f. 108, pl. 13. ff. 161-163 (1889); Sauss. l. c. xxviii. (9) pp. 119, 120. n. 7. (1884), xxx. (1) p. 43. n. 7 (1888); Burr, l. c. p. 42, pl. 3. f. 11 (1897); Hutt. Trans. N. Zealand Inst. xxx. p. 149 (1898).

Pachytylus Cinarascens, Tümp. l. c. pp. 219, 249 (1900).

Gryllus Migratorius, var. *Viridescens*, Charp. Hor. Ent. p. 133 (1825).

Locusta Christii, Curt. Brit. Ent. xiii. pl. 608 (1836).

† *Aceridium Thalassinum*, Costa (nec Fabr.), Faun. Nap., Ort. p. 9. n. 4, pl. 1. f. 3 a-d (1836).

* *Pachytylus Brasiliensis*, Walk. Cat. Derm. Salt. B. M. iv. p. 724. n. 4 (1870).

Genus 342. **Dissosteira.** (Type no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 291 (1876); Guide N. Amer. Orth. p. 35, (1897); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 134 (1884), xxx. (1) p. 20 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 298, 312 (1894); Lugger, Orthopt. Minnesota, pp. 225, 248 (1897); Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 253, 272 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 161 (1905).

*1. **D. Carolina, Linn.** (*Gryllus Locusta* N. America.

Carolinus) Syst. Nat. (ed. x.) i. p. 433. n. 51 (1758); Stoll, Spectres, Saut. p. 34, pl. 18 b. f. 68 (1813); Catesby, Nat. Hist. Carol. ii. p. 89, pl. 89 (1743).

Acrydium Carolinum, De Geer, Mém. Ins. ii. p. 491. n. 7, pl. 41. ff. 2, 3 (1773); Oliv. Enc. Méth., Ins. vi. p. 225. n. 46 (1791).

- Gryllus Carolinus*, *Fabr.* Syst. Ent. p. 291. n. 22 (1775); *Thunb.* Mém. Acad. Pétersb. v. p. 239 (1815), ix. pp. 397, 415. n. 58 (1824).
- Acridium Carolinianum*, *Beaur.* Ins. Afr. Amér. p. 147, Orth. pl. 4. f. 6 (1805); *Hahn*, Icon. Orth. pl. A. f. 3 (1835).
- Edipoda Carolina*, *Serv.* Ins. Orth. p. 722. n. 3 (1838); *Burm.* Handb. Ent. ii. p. 643. n. 11 (1838); *Stål*, Recens. Orth. i. p. 129. n. 1 (1873); *Thom.* Syn. Acrid. N. Amer. pp. 109, 117 (1873).
- Locusta Carolina*, *Harr.* Rep. Ins. Mass. p. 142. n. 1 (1841), (ed. 3) p. 176. n. 1, pl. 3. f. 3 (1862).
- Edipoda Carolina*, *Glov.* Ill. N. Amer. Orth. pl. 5. f. 3 (1872).
- Edipoda (Dissosteira) Carolina*, *Prov.* Ent. Canad. ii. pp. 38, 39. n. 1 (1883).
- D. Carolina*, *Sauss.* l. c. xxviii. (9) pp. 134, 137. n. 3 (1884); *Bent.* l. c. pp. 298, 312, pl. 10. f. 6 (1894); *Lugg.* l. c. pp. 248, 249. f. 95 (1897); *Blatchl.* l. c. p. 273. n. 47, f. 57 (1903); *Brun.* Biol. Centr.-Amer., Orth. ii. p. 162. n. 1 (1905).
- *2. **D. Longipennis**, **Thomas**, Rep. Geol. Southern States. Surv. Montana, p. 463 (1872); Syn. Acrid. N. Amer. pp. 109, 116 (1873); *Sauss.* l. c. pp. 134, 137. n. 1 (1884); *Brun.* Rep. Nebraska State Board Agric., Rep. Ent. pp. 108, 124-127. f. 27 (1897); U.S. Dept. Agric. Bull. Ent. xxviii. pp. 36-39. ff. 19, 20 (1893); *Biol. Centr.-Amer.*, Orth. ii. pp. 134, 137. n. 1 (1905).
- Edipoda Nebrascensis*, *Brun.* Canad. Ent. viii. p. 123 (1876).
- *3. **D. Spurcata**, **Sauss.** l. c. pp. 134, 137. n. 2 (1884); *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 162, 163. n. 3 (1905).
 || *Edipoda Obliterata*, *Thomas (nec Germ.)*, Canad. Ent. xii. p. 221 (1880).
 || *D. Obliterata*, *Brun.* U.S. Dept. Agric. Bull. Ent. xxviii. p. 39. f. 21 (1893).
- *4. **D. Venusta**, **Stål**, (*Edipoda* V.) *Eugenies* California. Resa, Orth. p. 344. n. 103 (1861); *Thom.*

- Syn. Acrid. N. Amer. pp. 109, 111 (1873); Brun. Rep. U.S. Ent. Comm. iii. p. 57 (1883).
D. Venusta, Sauss. l. c. pp. 135, 138. n. 4 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 162, 163. n. 4 (1905).
 5. **D. Pictipennis**, Brun. ll. cc. n. 5 (1905). California.
 6. **D. Planipennis**, Brun. l. c. pp. 162, 164. n. 6 (1905). Southern California.

Genus 343. **Spharagemon.** (Type no. 6.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 467 (1875); Guide N. Amer. Orth. p. 35 (1897); Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 300, 312 (1894); Morse, Proc. Boston Soc. Nat. Hist. xxvi. p. 220 (1894); Psyche, vii. p. 287 (1895); Lugg, Orthopt. Minnesota, pp. 225, 249 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 275 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 164 (1905).

1. **S. Crepitans**, Sauss. (*Dissosteira Bollii*, var. *Crepitans*) l. c. p. 140 (1884). Georgia, Florida.
S. Crepitans, Morse, Psyche, vii. pp. 289, 290. ff. 1, 1 a, b (1895).
- *2. **S. Bollii**, Scudd. Proc. Boston Soc. Nat. Hist. xvii. pp. 468, 469. n. 2 (1875); Morse, Proc. Boston Soc. Nat. Hist. xxvi. pp. 227, 234. ff. 6, 7 (1894); Psyche, vii. pp. 289, 290. ff. 2, 2 a, b (1895), viii. pp. 37, 88. n. 26, pl. 2. ff. 26, 26 a-c (1897); Lugg. l. c. p. 253. f. 98 (1897); Blatchl. l. c. pp. 275, 276. n. 48, f. 58 (1903); Brun. l. c. pp. 164, 165. n. 1 (1905). N. America.
S. Bollii, Beut. l. c. pp. 300, 312. ff. 10, 11, pl. 10. f. 1 (1894).
Dissosteira Bollii, Sauss. l. c. pp. 135, 140. n. 8 (1884).
 || *Edipoda Equalis*, Thomas (nec Say), Syn. Acrid. N. Amer. p. 114 (1873).
 Var. *S. Balteatum*, Scudd. l. c. pp. 468, 469. n. 3 (1875).
Dissosteira Bollii, var. *Balteata*, Sauss. l. c. p. 140 (1884).

3. **S. Robustum, Morse**, Psyche, vii. pp. 290, 291 (1895); Brun. l. c. pp. 164, 165. n. 2 (1905). Mexico.
4. **S. Inornatum, Morse**, l. c. pp. 290, 291 (1895); Brun. l. c. pp. 164, 165. n. 3 (1905). New Mexico.
5. **S. Humile, Morse**, l. c. p. 292 (1895). Colorado.
- *6. **S. Æquale, Say**, (*Gryllus Æqualis*) Journ. Acad. Nat. Sci. Philad. iv. p. 307 (1825). N. America.
- Locusta Æqualis*, Harr. Rep. Ins. Mass. p. 144. n. 5 (1841), (ed. 3) p. 178. n. 5 (1862).
- (*Edipoda Æqualis*, Scudd. Bost. Journ. Nat. Hist. vii. p. 470. n. 7 (1862); Thomas, Syn. Acrid. N. Amer. p. 114 (1873).
- S. Æquale*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 468. n. 1 (1875); Beut. l. c. pp. 301, 312. ff. 14, 15, pl. 9. f. 5 (1894); Morse, Proc. Boston Soc. Nat. Hist. xxvi. p. 225 (1894); Psyche, vii. pp. 289, 293. ff. 3, 3a (1895); Brun. l. c. p. 165. n. 4 (1905).
- Dissosteira Æqualis*, Sauss. l. c. pp. 135, 139. n. 7 (1884).
7. **S. Belfragii, Stål**, (*Edipoda B.*) Recons. Orth. i. p. 129. n. 2 (1873). Illinois.
- *8. **S. Saxatile, Morse**, ll. cc. pp. 229, 234. ff. 4, 5 (1894); vii. pp. 289, 294. ff. 4, 4a (1895), viii. pp. 36, 88. n. 25, pl. 2. ff. 25, 25a (1897); Beut. l. c. pp. 300, 312. ff. 12, 13 (1894). Eastern United States.
- S. Saxatile*, var. *Planum*, Morse, Psyche, xi. p. 13 (1904).
- *9. **S. Cristatum, Scudd.** l. c. pp. 468, 470. n. 6 (1875); Morse, Psyche, vii. pp. 289, 295. ff. 5, 5a (1895); Brun. l. c. pp. 165, 166. n. 5 (1905). Southern U. States, Mexico.
- Dissosteira Cristata*, Sauss. l. c. pp. 135, 138. n. 5 (1884).
10. **S. Texense, Sauss.** (*Dissosteira Texensis*) l. c. pp. 135, 140. n. 9 (1884). Texas.
- *11. **S. Collare, Scudd.** (*Edipoda Collaris*) Final Rep. U.S. Geol. Surv. Nebraska, p. 250 (1871); Thomas, Syn. Acrid. N. Amer. p. 113 (1873). N. America.

- S. Collare*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 470. n. 6 (1875); Morse, Proc. Boston Soc. Nat. Hist. xxvi. pp. 234, 235. f. 9 (1894); Psyche, vii. pp. 289, 295, 296. ff. 6, 6 a (1895); Lugg. l. c. pp. 250-253 (1897); Brun. l. c. pp. 165, 166. n. 6 (1905).
- Dissosteira Collaris*, Sauss. l. c. pp. 135, 139. n. 6 (1884).
- Var. *(Edipoda Utahensis)*, Thomas, Wheeler, Rep. Explor. W. 100th Merid. v. p. 883. pl. 44. f. 2 (1875).
- Dissosteira Utahensis*, Sauss. l. c. xxx. (1) p. 167. n. 6 (1888).
- S. Collare*, race *Utahense*, Morse, Psyche, vii. p. 297 (1895).
- Var. *S. Scudderi*, Morse, Proc. Boston Soc. Nat. Hist. xxvi. p. 225 (1894).
- S. Collare*, race *Scudderi*, Morse, Psyche, vii. p. 297 (1895); Lugg. l. c. pp. 251, 252. ff. 96, 97 (1897).
- S. Collare Scudderi*, Morse, l. c. viii. pp. 36, 88. n. 24, pl. 2. ff. 24, 24 a (1897).
- Var. *S. Collare*, race *Angustipenne*, Morse, l. c. vii. p. 298 (1895).
- Var. *(Edipoda Wyomingiana)*, Thomas, Rep. Geol. Surv. Montana, p. 462 (1872); Syn. Acrid. N. Amer. p. 113 (1873).
- S. Wyomingianum*, Scudd. l. c. pp. 468, 470. n. 4 (1875); Blatchl. l. c. pp. 275, 277. n. 49 (1903).
- S. Collare*, race *Wyomingianum*, Morse, Psyche, vii. p. 298 (1895).
- S. Oculatum*, Morse, Proc. Boston Soc. Nat. Hist. xxvi. pp. 232, 234. f. 8 (1894).
- Var. *S. Collare*, race *Pallidum*, Morse, Psyche, vii. p. 299 (1895).

Genus 344. **Scirtetica.** (Type no. 1.)

- Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884); Brun. Biol. Centr.-Amer., Orth. ii. p. 166 (1905).
- Scirtetica*, Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 303, 313 (1894); Brun. l. c. p. 116 (1905).

1. **S. Marmorata, Harr.** (*Locusta M.*) Rep. United
Ins. Mass. p. 145. n. 7 (1841), (ed. 3) States.
p. 179. n. 7, f. 81 (1862).
Edipoda Marmorata, Thomas, Syn. Acrid.
N. Amer. pp. 110, 111 (1873).
Dissosteira Marmorata, Sauss. l. c. pp. 135,
141. n. 11 (1884).
Scirtettica Marmorata, Bent. l. c. pp. 303,
313, pl. 10. f. 4 (1894); Brun. l. c.
pp. 166, 167. n. 1 (1905).
Scirtettica Marmorata, Morse, Psyche, viii.
pp. 37, 89, pl. 2. ff. 27, 27 a, b
(1897).
- *2. **S. Picta, Scudd.** (*Trimerotropis P.*) Proc. Georgia,
Boston Soc. Nat. Hist. xix. p. 31. n. 66 Florida.
(1876).
Dissosteira Picta, Sauss. l. c. pp. 135, 141.
n. 12 (1884).
3. **S. Occidentalis, Brun.** (*Edipoda (?) O.*) California.
Proc. U.S. Nat. Mus. xii. p. 77, pl. 1.
f. 7 (1889).
S. Occidentalis, Brun. N. Amer. Fauna,
vii. p. 267 (1893).

Genus 345. **Microtes.**

Scudd. Canad. Ent. xxxii. p. 329 (1900);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 167 (1905).

1. **M. Nubila, Scudd.** l. c. p. 330 (1900); California.
Brun. l. c. p. 167. n. 1 (1905).

Genus 346. **Lactista.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 142 (1884), xxx.
(1) p. 20 (1888); Brun. Biol. Centr.-Amer., Orth. pp. 116,
167 (1905).

1. **L. Gibbosus, Sauss.** l. c. xxviii. (9) California,
pp. 142, 143. n. 1 (1884); Brun. l. c. Mexico.
p. 168. n. 1 (1905).
Arphia Hesperiphila, Rehn, Canad. Ent.
xxxiv. p. 143 (1902).

2. **L. Oslari, Caud.** Proc. U.S. Nat. Mus. Colorado, xxviii. p. 468 (1905); Brun. l. c. p. 168. Arizona, n. 2 (1905). New Mexico.
3. **L. Inermus, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 96 (1900). Mexico.
4. **L. Punctata, Stål,** (*Edipoda Punctata*) id., Recens. Orth. i. p. 130. n. 3 (1873). Guatemala, *L. Punctatus, Sauss.* l. c. pp. 142, 143. Costa Rica. n. 2 (1884); Rehn, Trans. Amer. Ent. Soc. xxvii. p. 227 (1901); Proc. Acad. Nat. Sci. Philad. lvi. p. 526 (1904); Brun. l. c. p. 168. n. 3, pl. 2. ff. 11, 11 a (1905).
5. **L. Pulchripennis, Sauss.** l. c. p. 143. Costa Rica. n. 3 (1884); Brun. l. c. pp. 168, 169. Colombia, n. 4 (1905). Brazil.
6. **L. Pellepidus, Sauss.** l. c. pp. 143, 144. Yucatan. n. 4 (1884); Brun. l. c. pp. 168, 169. n. 5 (1905).

Genus 347. **Tomonotus.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 320 (1861); Mém. Soc. Genève, xxviii. (9) pp. 47, 96 (1884), xxx. (1) pp. 16, 20 (1888); Thomas, Syn. Acrid. N. Amer. p. 211 (1873); Scudd. Guide N. Amer. Orth. p. 35 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 169 (1905).

1. **T. Mexicanus, Sauss.** ll. cc. (2) xiii. Mexico. p. 321 (1861); xxviii. (9) p. 97. n. 1 (1884); Thomas, l. c. p. 211 (1873); Brun. l. c. p. 170. n. 1 (1905).
- *2. **T. Ferruginosus, Brun.** Proc. U.S. Nat. Mus. xxviii. p. 470. f. 4 (1905); Biol. Centr.-Amer., Orth. ii. p. 170. n. 2 (1905). id., Arizona, Lower California.
3. **T. Orizabæ, Sauss.** Mém. Soc. Genève, xxviii. (9) pp. 97, 98. n. 2 (1884); Brun. Texas, Mexico, Guatemala, Costa Rica. Biol. Centr.-Amer., Orth. ii. pp. 170, 171. n. 3 (1905).
|| (*Edipoda Mexicana, Sauss.* Rev. Zool. (2) xiii. p. 397 (*nec* p. 321) (1861); Thomas, l. c. p. 214 (1873).
- *4. **T. Aztecus, Sauss.** (*Edipoda Azteca*) Texas, l. c. p. 397 (1861); Thomas, l. c. p. 215 (1873). Mexico, New Mexico.

- T. Aztecus*, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 97, 99. n. 3 (1884); Caud. Sci. Bull. Mus. Brooklyn Inst. i. p. 112. n. 29 (1904).
 || *Lactista Pellepidus*, Scudd. (nec Sauss.) Proc. Davenport Acad. Sci. ix. p. 31, pl. 3. f. 1 (1902).
 5. **T. Boscanus**, Rehn, (*Lactista B.*) Proc. Texas. Acad. Nat. Sci. Philad. iv. p. 721 (1903).
 6. **T. Theresiæ**, Brunn. Berl. Ent. Zeitschr. North Dakota. xl. p. 277 (1895).

Genus 348. **Ædipoda**. (*Type* no. 4.)

- Serv. Ann. Sci. Nat. xxii. p. 287 (1831); Ins. Orth. p. 718 (1839); Burm. Handb. Ent. ii. p. 640 (1838); Fisch.-Waldh. Orth. Ross. pp. 228, 275 (1846); Fisch. Orth. Eur. pp. 297, 401 (1853); Borek, Skand. Rätv. Ins. p. 92 (1846); Fieb. Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 21 (1854); Stål, Recens. Orth. i. pp. 117, 129 (1873); Friv. Ertek. Termész. Kör. i. (12) pp. 135, 183 (1868); Bol. Ortópt. Españ. p. 147 (1876); An. Soc. Españ. v. p. 353 (1876); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 19 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 158 (1882); Finot, Orth. France, pp. 43, 71 (1883); Faune France, Orth. pp. 101, 147 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 55, 146 (1884), xxx. (1) pp. 20, 50 (1888); Burr, Brit. Orth. pp. 33, 43 (1897); Auriv. Ent. Tidskr. xxi. pp. 241, 245 (1900); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 247 (1900); Jacobs. & Bianchi, l. c. pp. 168, 189, 260 (1902).
Eusternum, Wesm. Bull. Acad. Brux. v. p. 596 (1838). (*Type* no. 4.)
Ctyphippus, Fieb. Kelch, Orthopt. Oberschlesiens, p. 2 (1852); Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 22 (1854). (*Type* no. 4.)
Ctyphippus, Bol. Ortópt. Españ. pp. 146, 151 (1876); An. Soc. Españ. v. pp. 352, 357 (1876); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 25 (1876).

- *1. **Æ. Miniata**, Pall. (*Gryllus Miniatus*) Europe,
 Reise, i. p. 467. n. 49 (1771). W. Asia,
Æ. Miniata, Friv. l. c. p. 187. n. 4 India.
 (1868); Brunn. l. c. pp. 159, 162. n. 4
 (1882); Finot, ll. cc. pp. 71, 72 (1883);

pp. 147, 149, pl. 7. f. 105 (1889); Sauss. l. c. xxviii. (9) pp. 148, 149. n. 1 (1884); Bol. Ann. Sci. Nat. Porto, v. p. 20. n. 1 (1898); Tümp. l. c. pp. 219, 247, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 189, 261, pl. 5 (1902).

Cyniphippus Carulescens, var. *Miniatus*, Krauss, Verh. zool.-bot. Ges. Wien, xix. p. 61 (1879).

|| *Acrydium Stridulum*, Fourcr. (nec Linn.) Ent. Paris. i. p. 181. n. 3 (1785); Oliv. Encycl. Méth., Ins. vi. p. 223. n. 35 (1791).

|| *Gryllus Obscurus*, *Petagna* (nec Linn.), Inst. Ent. i. p. 318. n. 9, pl. 10. f. 19 (1792).

Acrydium Germanicum, Latr. Gen. Crust. Ins. xii. p. 151. n. 5 (1804).

Acridium Germanicum, Herr. - Schöff. Nomencl. Ins. Orth. p. 7 (1840).

Gryllus Germanicus, Charp. Hor. Ent. p. 147, pl. 4. f. 2 (1825); Phil. Orth. Berol. p. 29. n. 4 (1830).

Œdipoda Germanica, Serv. Ins. Orth. p. 725. n. 6 (1838); Fisch.-Waldh. l. c. p. 278. n. 2, pl. 22. f. 7 (1846).

Gryllus Fasciatus, Ahrens, Faun. Ins. Eur. fasc. 1, pl. 15 (1812).

Œdipoda Fasciata, Burm. l. c. p. 642. n. 6 (1838); Fisch. l. c. p. 411. n. 7, pl. 18. ff. 9-11 (1853).

Œdipoda Fabricii, Fieb. Lotos, iii. p. 124. n. 8 (1853); Syn. Eur. Orth. p. 23. n. 8 (1854).

Œ. Miniata, var. *Flava*, Sauss. l. c. p. 149 (1884).

Œ. Miniata, var. *Decolor*, Sauss. l. c. (1884).

Œ. Miniata, var. *Cerulea*, Sauss. l. c. p. 150 (1884).

*2. *Œ. Fuscocincta*, Luc. Expl. Alg. iii. p. 31. n. 53, iv. Orth. pl. 3. f. 5 a-c (1849); Brunn. l. c. pp. 159, 166. n. 8 (1882); Sauss. l. c. p. 150. n. 2 (1884); Finot, Faune France, Orth. pp. 148, 152 (1889); Bol. l. c. p. 20 (1898).

Œ. Nigrocincta, Sauss. l. c. p. 148. n. 2 (1884).

S. France,
Sicily,
Sardinia,
Algeria,
Tunis,
Canaries.

- Æ. Sicula*, Fieb. ll. cc. p. 123. n. 4 (1853);
p. 22. n. 4 (1854).
- Æ. Fuscocincta*, var. *Iberica*, Bol. Actas
Soc. Españ. 1897, p. 169; Ann. Sci. Nat.
Porto, v. p. 21. n. 5 (1898).
3. *Æ. Fedtschenki*, Sauss. l. c. p. 150. Turkestan.
n. 3 (1884), xxx. (1) p. 168. n. 8
(1888).
- *4. *Æ. Cærulescens*, Linn. (*Gryllus Locusta* Europe,
C.) Syst. Nat. (ed. 10) i. p. 432. n. 48 N. Africa,
(1758); Mus. Ludov. Ulr. p. 145. n. 36 W. Asia.
(1764).
- Gryllus Cærulescens*, Scop. Ent. Carn.
p. 109. n. 325 (1763); Panz. Faun. Ins.
Germ. fasc. 87, pl. 12 (1805); Phil.
Orth. Berol. p. 30. n. 5 (1830).
- Locusta Cærulescens*, Steph. Ill. Brit. Ent.,
Mand. vi. p. 21. n. 3 (1835).
- Gryllus Cærulescens*, Fabr. Syst. Ent.
p. 292. n. 23 (1775); Charp. Hor. Ent.
p. 147 (1825); Ratzeb. Forstinsekt. iii.
p. 275, pl. 14. f. 2 (1844).
- Aerydium Cærulescens*, Oliv. Encycl. Méth.
vi. p. 226. n. 49 (1791); Latr. l. c.
p. 153. n. 8 (1804); Wesm. l. c. p. 596.
n. 8 (1838).
- Aceridium Cærulescens*, Hahn, Icon. Orth.
pl. B. f. 8 (1836); Herr.-Schäff. l. c.
p. 8 (1840); Blanch. Hist. Nat. Ins. iii.
p. 43. n. 8, pl. 11. f. 3 (1840).
- Gryllus Locusta Cærulescens*, Stoll, Spectres,
Saut. p. 41, pl. 23 b. f. 90 (1813).
- Ædipoda Cærulescens*, Serv. Ins. Orth.
p. 735. n. 20 (1838); Burm. l. c. p. 642.
n. 5 (1838); Fisch.-Waldh. l. c. p. 287.
n. 10, pl. 15. f. 2 (1846); Borek, l. c.
p. 98 (1848); Fieb. ll. cc. p. 123. n. 5
(1853); p. 23. n. 5 (1854); Friv. l. c.
p. 186. n. 3 (1868); Brunn. l. c. pp. 159,
164. n. 6 (1882); Finot, Orth. France,
pp. 71, 72 (1883); Faune France, Orth.
pp. 148, 151, pl. 7. f. 106 (1889); Sauss.
l. c. xxviii. (9) pp. 148, 151. n. 4 (1888);
Bol. Ann. Sci. Nat. Porto, v. p. 20. n. 2
(1898); Auriv. l. c. pp. 245, 246. n. 2
(1900); Tümp. l. c. pp. 219, 247, pl. 19

- (1900); Jacobs. & Bianchi, l. c. pp. 189, 262, pl. 6 (1902).
- Œdipoda Cærulescens*, Barr, l. c. p. 43, pl. 4. f. 5 (1897).
- Ctyphippus Cærulescens*, Bol. Ortópt. Españ. pp. 151, 152. n. 2 (1876); An. Soc. Españ. v. pp. 357, 358. n. 2 (1876).
- || *Œdipoda Fasciata*, pt., Fisch. (nec Ahrens) l. c. p. 411. n. 7, pl. 18. f. 9 (1853).
- Acrydium Cæruleipenne*, De Geer, Mém. Ins. iii. p. 473. n. 3 (1773).
- Acridium Sebetium*, Costa, l. c. p. 24. n. 10, pl. 3. ff. A, b-d (1836).
- Œ. Cærulescens*, varr. *Cruciata*, *Marginata*, *Collaris*, *Ferrugata* et *Ornata*, Karny, Berlin. Ent. Zeitschr. lii. p. 36 (1907). 12 14.
- Œ. Cærulescens*, var. *Sulfurescens*, Sauss. l. c. p. 152 (1884).
- Var. *Œ. Rufa*, Iranor, Trud. Charkoff Univ. xxi. p. 355 (1888).
- Var. *Ctyphippus Assumptio*, Santos, Jorn. Sci. Lisb. ix. p. 258. n. 61 (1884).
- *5. *Œ. Canariensis*, Krauss, Zool. Anz. Tenerife. xv. p. 167. n. 35 (1892).
- *6. *Œ. Salina*, Pall. (*Gryllus Salinus*) Reise, S. Europe, ii. p. 727. n. 78 (1771). N. Africa, W. Asia.
- Acrydium Salinum*, Fisch. Entom. Russ. i. p. 39. n. 3, Orth. pl. 1. f. 3 (1820).
- Œ. Salina*, Sieb. Stett. Ent. Zeit. xiii. p. 27 (1852); Jacobs. & Bianchi, l. c. pp. 189, 261 (1902).
- Œ. Gratiola*, Serv. l. c. p. 727. n. 9 (1838); Fieb. ll. cc. p. 124. n. 9 (1853); p. 24. n. 9 (1854); Brunn. l. c. pp. 159, 164 n. 5 (1882); Sauss. l. c. p. 148. n. 5, p. 152. n. 6 (1884); Finot, Faun. France, Orth. pp. 147, 151 (1889); Bol. l. c. pp. 20, 21. n. 4 (1898).
- || *Acridium Germanicum*, Costa (nec Latr.), Faun. Nap., Ortott. p. 17, pl. 2. ff. 4 A, b-d (1836).
- || *Œ. Germanica*, Fisch.-Waldh. Orth. Ross. p. 278. n. 2, pl. 22. f. 7 (1846).
- || *Œ. Fasciata*, pt. & var. *c.*, Fisch. l. c. pp. 411, 413. n. 7, pl. 18. f. 11 (1853).

- *7. **Æ. Mauritanica, Luc.** Expl. Algér. | Algeria.
Zool. iii. p. 32. n. 55, iv. Orth. pl. 4.
ff. 2, 2 a (1849).
- *8. **Æ. Charpentieri, Fieb.** ll. ec. p. 123. | S. Europe,
n. 6 (1853); p. 23. n. 6 (1854); Brunn. | Egypt,
l. c. pp. 159, 166. n. 7 (1882); Sauss. | Syria.
l. c. xxx. (1) p. 50. n. 2 (1888); Finot,
l. c. pp. 147, 148 (1889); Bol. l. c.
pp. 20, 21. n. 3 (1898); Azam, Bull.
Soc. Ent. France, 1898, p. 61.
Æ. Cærulescens, var. *a*, Sauss. l. c. xxviii.
(9) p. 151 (1884).
|| *Gryllus Cyanopterus*, Ramb. (*nec Charp.*),
Faun. Andal. ii. p. 84. n. 10 (1838).
Æ. Collina, Pant. An. Soc. Españ. xv.
p. 246 (1886).
Æ. Collina, var. *Sulphurans*, Pant. l. c.
(1886).
9. **Æ. Ledereri, Sauss.** l. c. xxx. (1) p. 51. | Syria.
n. 3 (1888); Jacobs. & Bianchi, l. c.
pp. 189, 262 (1902).
|| **Æ. Charpentieri**, Sauss. (*nec Fieb.*) l. c.
xxviii. (9) p. 148. n. 6, p. 152. n. 5 (1884).
10. **Æ. Schochii, Sauss.** l. c. pp. 148, 153. | W. Asia.
n. 7 (1884); Jacobs. & Bianchi, l. c.
pp. 189, 262 (1902).
Æ. Schochii, var. *Caucasica*, Sauss. l. c.
p. 153 (1884).
11. **Æ. Tincta, Walk.** Zoologist, (2) v. | Arabia.
p. 2301. n. 39 (1870).
12. **Æ. Variegata, Walk.** l. c. n. 40 (1870). | id., Egypt.
13. **Æ. (?) Liturata, Le Guill.** (*Ædipoda* | Fiji.
L.) Rev. Zool. 1841, p. 295. n. 21.
14. **Æ. (?) Maculata, Le Guill.** (*Ædipoda* | Mankassar.
M.) l. c. n. 22 (1841).
15. **Æ. (?) Pellarini, Le Guill.** (*Ædipoda* | Australia.
P.) l. c. n. 23 (1841).

Genus 349. **Meristopteryx.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 20, 52 (1888).

- **1. **M. Rotundata, Walk.** (*Ædipoda R.*) Cat. | N. Bengal.
Derm. Salt. B.M. iv. p. 743. n. 76 (1870).
M. Rotundata, Sauss. l. c. p. 53. n. 1, pl. 2.
f. 3 (1888).

Genus 350. **Derotmema.** (*Type* no. 3.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 293 (1876); Guide N. Amer. Orth. p. 36 (1897); Proc. Amer. Acad. xxxv. p. 387 (1900); Sauss. Mém. Soc. Genève. xxviii. (9) p. 154 (1884), xxx. (1) p. 21 (1888); McNeill. Proc. U.S. Nat. Mus. xxiii. p. 394 (1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 171 (1905).

|| *Trachyrrhachis*, Sauss. (*nec* Scudd.) l. c. xxviii. (9) p. 56 (1884).

1. **D. Laticinctum**, Scudd. Proc. Amer. Acad. Sci. xxxv. pp. 388, 389. n. 1 (1900); Brun. l. c. p. 172. n. 1 (1905). New Mexico, Arizona.
 2. **D. Delicatulum**, Scudd. l. c. pp. 388, 390. n. 2 (1900); Brun. l. c. p. 172. n. 2 (1905). California, Arizona.
 3. **D. Cupidineum**, Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 293. n. 43 (1876); Proc. Amer. Acad. Sci. xxxv. pp. 388, 391. n. 3 (1900); Sauss. l. c. xxviii. (9) pp. 155, 156. n. 3 (1884); Brun. l. c. p. 172. n. 3 (1905). New Mexico, Colorado, Utah, Wyoming.
 - *4. **D. Saussureanum**, Scudd. Proc. Amer. Acad. Sci. xxxv. pp. 388, 391. n. 4 (1900); Brun. l. c. pp. 172, 173. n. 4 (1905). California, Arizona.
 - *5. **D. Haydenii**, Thomas, (*Edipoda* II.) Rep. U.S. Surv. Montana, p. 460 (1871); Syn. Acrid. N. Amer. p. 120 (1873); Glover, Ill. N. Amer. Orth. pl. 15. f. 4 (1874); Sauss. l. c. xxx. (1) p. 171. n. 5 (1888). Colorado.
- D. Haydeni*, Brun. Ann. Rep. Nebraska Board Agric. 1896, p. 132 (1897); Biol. Centr.-Amer., Orth. ii. pp. 172, 173. n. 5 (1905); Scudd. l. c. pp. 388, 392. n. 5 (1900); McNeill, l. c. p. 449, pl. 21. f. 6 (1901).
- D. Haydeni*, var. *Flavum*, Scudd. Proc. Davenport Acad. Sci. ix. p. 32 (1902).
- D. Brunnerianum*, Sauss. l. c. xxviii. (9) p. 155. n. 1 (1884).

Genus 351. **Tmetodera.** (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) p. 154 note (1884);
 Scudd. Proc. Amer. Acad. Sci. xxxv. pp. 388, 392 (1900).

- | | |
|---|--|
| 1. T. Rileyanum, Sauss. (<i>Derotmema R.</i>)
l. c. pp. 155, 156. n. 2 (1884); Scudd,
l. c. pp. 388, 392. n. 6 (1900).
2. T. Lentiginosum, Scudd. (<i>Derotmema</i>
<i>L.</i>) l. c. pp. 389, 393. n. 7 (1900). | Idaho, Utah,
Wyoming,
Colorado.
Colorado. |
|---|--|

Genus 352. **Trilophidia.** (Type no. 1.)

Stål, Recens. Orth. i. pp. 117, 131 (1873); Sauss. Mém. Soc.
 Genève, xxviii. (9) pp. 56, 157 (1884), xxx. (1) pp. 21,
 54 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
 pp. 169, 189, 263 (1902).

- | | |
|---|--|
| *1. T. Cristella, Stål, (<i>Edipoda C.</i>) Eugenies
Resa, Orth. p. 344. n. 105 (1860).
<i>T. Cristella, Stål,</i> Recens. Orth. i. p. 131.
n. 1 (1873); Sauss. l. c. xxviii. (9) pp. 157,
158. n. 2 (1884); Jacobs. & Bianchi, l. c.
pp. 189, 263 (1902).
** <i>Epacromia Aspera, Walk.</i> Cat. Derm. Salt.
B. M. iv. p. 775. n. 17 (1870). | Java,
Manila,
India,
Singapore,
China,
Borneo. |
| *2. T. Vulnerata, De Haan, (<i>Acridium</i>
<i>(Edipoda) Vulneratum</i>) Temminck, Ver-
handel., Orth. pp. 161, 162. n. 31, pl. 21.
f. 13 (1846). | Japan,
China,
Java. |
| 3. T. Annulata, Thunb. (<i>Gryllus Annulatus</i>)
Mém. Acad. Pétersb. v. p. 234 (1815),
ix. pp. 395, 409. n. 33 (1824).
<i>T. Annulata, Stål,</i> Recens. Orth. i. p. 131.
n. 2 (1873); Öfv. Vet.-Akad. Förh. xxxiii.
(3) p. 51. n. 1 (1876); Sauss. l. c. xxviii.
(9) p. 157. n. 1 (1884); Jacobs. & Bianchi,
l. c. pp. 189, 263 (1902).
<i>T. Annulata, var. Japonica, Sauss.</i> l. c. xxx.
(1) p. 54 (1888).
<i>T. Annulata, var. Mongolica, Sauss,</i> l. c.
(1888).
<i>Gryllus Bidens, Thunb.</i> l. c. v. p. 235 (1815),
ix. pp. 398, 422. n. 82 (1824). | China,
Japan,
Java,
Philippines,
S. Leone
(eadem?). |
| *4. T. Ceylonica, Sauss. (<i>T. Annulata, var.</i>
<i>Ceylonica</i>) l. c. xxviii. (9) p. 158 (1884). | Ceylon. |
| *5. T. Varia, Walk. (<i>Epacromia V.</i>) l. c. iv.
p. 774. n. 16 (1870), v. Suppl. p. 85 (1871). | China. |

- | | |
|---|-----------|
| * 6. T. Nigricans, Walk. (<i>Epatromia</i> N.)
l. c. iv. p. 776. n. 21 (1870). | Sarawak. |
| 7. T. Antennata, Krauss, Sitz. Akad. Wiss.
Wien, Math.-nat. Cl. lxxvi. (1) p. 57. n. 2,
pl. 1. ff. 10, 10 A (1877); Sauss. l. c. pp. 157,
158. n. 3 (1884). | Senegal. |
| 8. T. Cinnabarina, Brancs. Jahresh. Ver.
Trenes. Com. xv.-xvi. p. 187 (1893). | Nossi-Bé. |

Genus 353. **Tmetonota.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 56, 159 (1884),
xxx. (1) pp. 21, 54 (1888).

- | | |
|--|--------------------------------|
| ** 1. T. Abrupta, Walk. (<i>Edipoda</i> A.) Cat.
Derm. Salt. B. M. iv. p. 739. n. 71 (1870).
<i>Caloptenus Cristulifer</i> , var. (?), Walk. l. c.
p. 691. n. 30 (1870).
<i>T. Tuberculosa</i> , Sauss. l. c. xxx. (1) pp. 55,
56. n. 1 (1888). | Natal. |
| * 2. T. Rugosa, Stål, (<i>Trilophidia</i> R.) Recens.
Orth. i. p. 132. n. 3 (1873).
<i>Tmetonota Rugosa</i> , Sauss. l. c. xxviii. (9)
p. 159. n. 1 (1884), xxx. (1) pp. 55, 56.
n. 2 (1888). | Caffraria,
Orange
River. |
| * 3. T. Verrucosa, Sauss. l. c. xxx. (1) pp. 55,
56. n. 3 (1888). | Cape. |
| 4. T. Scabra, Sauss. l. c. pp. 55, 57. n. 4
(1888). | id. |
| 5. T. Terrosa, Sauss. ll. cc. n. 5 (1888). | id. |

Genus 354. **Thalpomena.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 58, 184 (1884),
xxx. (1) pp. 21, 23 (1888).

- | | |
|---|----------|
| * 1. T. Algeriana, Luc. (<i>Edipoda</i> A.) Expl.
Alg. iii. p. 34. n. 56, iv. Orth. pl. 4. f. 5
(1849).
<i>T. Algeriana</i> , Sauss. l. c. xxviii. (9) pp. 184,
185. n. 1 (1884). | Algeria. |
| 2. T. Maderæ, Serv. (<i>Edipoda</i> M.) Ins.
Orth. p. 730. n. 13 (1839). | Madeira. |
| 3. T. Persa, Sauss. l. c. pp. 184, 185. n. 2
(1884). | Persia. |
| 4. T. Ledereri, Sauss. ll. cc. n. 3 (1884). | W. Asia. |

Genus 355. **Wernerella.** (*Type* no. 1.)

Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl.
cxvi. p. 355 (1907).

- *1. **W. Picteti, Krauss,** (*Thalpomena P.*) | Tenerife.
Zool. Anz. xv. p. 167. n. 34 (1892).
W. Picteti, Karny, l. c. p. 356. n. 2 (1907).
2. **W. Aurora, Karny**, l. c. n. 1 (1907). | Soudan.

Genus 356. **Psinidia.** (*Type* no. 1.)

Stal, Recens. Orth. i. pp. 117, 133 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 56, 154, 160 (1884), xxx. (1) p. 21 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 302, 313 (1894); Scudd. Guide N. Amer. Orth. p. 36 (1897); Lugger, Orthopt. Minnesota, pp. 226, 256 (1897); McNeill, Proc. U.S. Nat. Mus. xxiii. p. 393 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 254, 283 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 178 (1905).

- *1. **P. Fenestralis, Serv.** (*Edipoda F.*) Ins. | United States.
Orth. p. 726. n. 8 (1838); Thomas, Syn. Acrid. N. Amer. pp. 109, 118 (1873).
P. Fenestralis, Stål, l. c. p. 133. n. 1 (1873);
Sauss. l. c. xxviii. (9) pp. 160, 161. n. 1 (1884); Beut. l. c. pp. 303, 313, pl. 8. f. 3 (1894); Morse, Psyche, viii. pp. 37, 111. n. 28, pl. 2. f. 28 (1897); Lugger, l. c. pp. 256, 257. f. 100 (1897); Blatchl. l. c. p. 284. n. 53, f. 60 (1903); Brun. l. c. p. 178. n. 1 (1905).
Var. *Locusta Eucerata, Harr.* Rep. Ins. Mass. p. 145. n. 8 (1841), (ed. 3) p. 180. n. 8 (1862).
Edipoda Eucerata, Glover, Ill. N. Amer. Orth. pl. 3. ff. 1, 2, pl. v. f. 13 (1872).
Edipoda Eucerata, Glover, l. c. pl. 6. f. 23 (1872); Thom. l. c. pp. 110, 119 (1873).

Genus 357. **Diraneura.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 208 (1896).

1. **D. Bivensa, Scudd.** (*Edipoda B.*) l. c. | Ecuador.
xii. p. 339. n. 22 (1869).

Genus 358. **Metator.**

McNeill, Proc. U.S. Nat. Mus. xxiii. pp. 394, 398 (1901).

- *1. **M. Pardalinus, Sauss.** (*Psinidia Pardalina*) Mém. Soc. Genève, xxviii. (9) pp. 161, 162. n. 2 (1884).
M. Pardalinus, Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lviii. p. 381 (1906).
M. Pardalina, McNeill, l. c. pp. 398, 449, pl. 21. f. 3 (1901).
 Var. *Psinidia Maculosa*, Sauss. l. c. pp. 161, 162. n. 3 (1884).

Genus 359. **Trachyrhachys.** (Type no. 4.)

Scudd. Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 291 (1876).

Trachyrhachis, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 154, 160, 162 (1884); Brun. Biol. Centr.-Amer., Orth. ii. p. 173 (1905).

Trachyrhachis, Sauss. l. c. xxx. (1) pp. 21, 58 (1888).

Mestobregma, Scudd. Bull. U.S. Geol. Surv. ii. p. 264 (1876); Guide N. Amer. Orth. p. 36 (1897); Lugg. Orthopt. Minnesota, pp. 226, 254 (1897); McNeill, Proc. U.S. Nat. Mus. xxiii. p. 294 (1901); Blatchl. l. c. pp. 254, 279 (1903); Brun. Biol. Centr.-Amer., Orth. ii. p. 117 (1905); Ent. News, xvi. p. 259 (1905). (Type no. 15.)

1. **T. Mexicana, Sauss.** (*Psinidia M.*) l. c. Mexico. xxviii. (9) pp. 161, 164. n. 8 (1884).
Mestobregma Mexicanum, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 527 (1904).
Trachyrhachis Mexicana, Brun. l. c. pp. 174, 175. n. 1 (1905).
2. **T. Compacta, Brun.** (*Trachyrhachis C.*) New Mexico. ll. cc. n. 2 (1905).
3. **T. Inconspicua, Brun.** (*Trachyrhachis I.*) Mexico. l. c. pp. 174, 176. n. 3 (1905).
- *4. **T. Aspera, Scudd.** Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 292. New Mexico. n. 40 (1876).
5. **T. Townsendi, Brun.** (*Trachyrhachis T.*) Mexico. l. c. pp. 174, 176. n. 4 (1905).
6. **T. Occidentalis, Brun.** l. c. p. 174 San Francisco. (1905).

- | | |
|--|--|
| <p>7. T. Thomasi, Caud. (<i>Mestobregma T.</i>)
 Proc. Ent. Soc. Washington, vi. p. 125
 (1904).
 <i>Trachyrhachis Thomasi, Brun.</i> l. c. p. 174
 (1905).
 <i>Mestobregma Cinctum, Lugg. (nec Thomas)</i>
 l. c. pp. 254, 255. f. 99 (1897); Blatchl.
 l. c. pp. 279, 280. f. 59 (1903).
 <i>Mestobregma Cincta, Howard, Insect Book,</i>
 pl. 37. f. 5 (1902).</p> | <p>Illinois,
 Colorado,
 Kentucky,
 Indiana.</p> |
| <p>8. T. Cinctipennis, Brun. l. c. p. 174
 (1905).</p> | <p>U. States.</p> |
| <p>9. T. Obliterata, Brun. l. c. p. 175 (1905).</p> | <p>id.</p> |
| <p>10. T. Borealis, Sauss. (<i>Psinidia B.</i>) l. c.
 pp. 161, 164. n. 7 (1884).
 <i>Trachyrhachis Borealis, Sauss.</i> l. c. xxx. (1)
 p. 59. n. 7 (1888).
 <i>Mestobregma Boreale, Caud.</i> Bull. U.S. Nat.
 Mus. xxvi. p. 789. n. 57 (1903).</p> | <p>Colorado.</p> |
| <p>11. T. Texana, Sauss. (<i>Psinidia Fuscifrons,</i>
 var. <i>Texana</i>) l. c. p. 163 (1884).
 <i>Trachyrhachis Texana, Brun.</i> l. c. pp. 175,
 177. n. 5 (1905-6).</p> | <p>Texas,
 Mexico.</p> |
| <p>*12. T. Fuscifrons, Stål, (<i>Psinidia F.</i>) Recens.
 Orth. i. p. 134. n. 3 (1873); Sauss. l. c.
 xxviii. (9) pp. 161, 163. n. 4 (1884).</p> | <p>Texas.</p> |
| <p>13. T. Capito, Stål, (<i>Psinidia C.</i>) l. c. p. 133.
 n. 2 (1873); Sauss. l. c. xxviii. (9)
 pp. 161, 163. n. 8 (1884).
 <i>T. Capito, Sauss.</i> l. c. xxx. (1) p. 58. n. 5
 (1888); Brun. l. c. pp. 175, 177. n. 7
 (1905-6).</p> | <p>id.</p> |
| <p>14. T. Nevadensis, Brun. l. c. p. 175 (1905).</p> | <p>Nevada.</p> |
| <p>*15. T. Plattei, Thomas, (<i>Edipoda P.</i>) Syn.
 Acrid. N. Amer. p. 123 (1873).
 <i>Trachyrhachis Plattei, Brun.</i> l. c. p. 175
 (1905).</p> | <p>Colorado,
 Wyoming.</p> |
| <p>16. T. Rubripennis, Brun. (<i>Trachyrhachis</i>
 <i>R.</i>) l. c. pp. 175, 177. n. 8 (1905-6).</p> | <p>Arizona.</p> |
| <p>17. T. Coronata, Scudd. Wheeler's Ann.
 Rep. Surv. W. 100th Merid. App. JJ,
 p. 292. n. 41 (1876).
 <i>Trachyrhachis Coronata, Brun.</i> l. c. p. 175
 (1905).</p> | <p>New
 Mexico.</p> |

Genus 360. **Trepidulus.** (*Type* no. 2.)

McNeill, Proc. U.S. Nat. Mus. xxiii. pp. 394, 398 (Jan. 1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 184 (1905-6).

Araopteryx, Caud. Canad. Ent. xxxiii. p. 102 (April 1901). (*Type* no. 2.)

- | | |
|---|------------------------------------|
| <p>*1. T. Pulchella, Brun. (<i>Mestobregma P.</i>)
Proc. U.S. Nat. Mus. x.i. p. 64
(1889).
<i>Trachyrhachis Pulchella</i>, Brun. Biol. Centr.-
Amer., Orth. ii. p. 174 (1905).</p> | <p>Montana.</p> |
| <p>2. T. Rosaceus, Scudd. (<i>Mestobregma Ro-
saceum</i>) Psyche, ix. p. 91 (1900).
<i>T. Rosaceus</i>, McNeill, l. c. p. 398 (1901);
Brun. l. c. pp. 184, 185. n. 1 (1905).
<i>Araopteryx Penelope</i>, Caud. l. c. p. 103.
n. 3 (1901).</p> | <p>California,
Arizona.</p> |
| <p>3. T. Gracilipes, Caud. (<i>Mestobregma G.</i>)
Proc. U.S. Nat. Mus. xxviii. pp. 471, 472.
f. 5 (1905).
<i>T. Gracilipes</i>, Brun. l. c. pp. 184, 185. n. 2
(1906).</p> | <p>Arizona.</p> |
| <p>4. T. Hyalinus, Scudd. (<i>Mestobregma Hy-
alinum</i>) l. c. pp. 91, 92 (1900).
<i>T. Hyalinus</i>, Brun. l. c. pp. 184, 185. n. 3
(1906).</p> | <p>California.</p> |
| <p>5. T. Kiowa, Thomas, (<i>Edipoda K.</i>) Rep.
U.S. Geol. Surv. Montana, p. 461 (1872);
Syn. Acrid. N. Amer. pp. 110, 121 (1873);
Glov. Ill. N. Amer. Orth. pl. 14. f. 3
(1872).
<i>Psimidia Kiowa</i>, Sauss. Mém. Soc. Genève,
xxviii. (9) pp. 161, 164, n. 6 (1884).
<i>Mestobregma Kiowa</i>, Thomas, Proc. Daven-
port Acad. Sci. i. p. 256. n. 15 (1876);
Scudd. l. c. pp. 91, 92 (1900).
<i>Trachyrhachis Kiowa</i>, Brun. l. c. p. 174
(1905).</p> | <p>S.W.
United
States.</p> |

Genus 361. **Anconia.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 294 (1876); Guide N. Amer. Orth. p. 37 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 185 (1905-6).

- | | |
|--|----------------------|
| 1. A. Integra, Scudd. Wheeler's Rep. &c. p. 295. n. 46 (1876); Brun. l. c. pp. 185, 186. n. 1, pl. 2. ff. 12, 12 <i>a, b</i> (1905); Caud. Canad. Ent. xxxiii. p. 104 (1901). | Arizona, California, |
| 2. A. Grisea, Brun. l. c. pp. 185, 186. n. 2 (1906). | California. |
| 3. A. Cæruleipennis, Brun. ll. cc. n. 3 (1906). | Nevada. |

Genus 362. **Ramona.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 186 (1905-6).

- | | |
|--|-------------|
| 1. R. Deserticola, Brun. l. c. p. 187. n. 1 (1906). | California. |
|--|-------------|

Genus 363. **Conozoa.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 154, 164 (1884), xxx. (1) pp. 22, 59 (1888); Scudd. Guide N. Amer. Orth. p. 37 (1887); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 268 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 178 (1905, 1906).

- | | |
|---|--------------|
| 1. C. Behrensi, Sauss. ll. cc. p. 165. n. 1 (1884), pp. 60, 61 (1888). | California. |
| *2. C. Rogenhoferi, Sauss. l. c. xxx. (1) pp. 60-62. n. 5, pl. 2. ff. 4, 4 <i>a, b</i> (1888); Jacobs. & Bianchi, l. c. pp. 191, 269 (1902). | Bagdad, Fao. |
| 3. C. Rebellis, Sauss. l. c. pp. 60, 61. n. 4 (1888).
<i>Trimerotropis Rebellis, McNeill</i> , Psyche, ix. p. 28 (1900); Proc. U.S. Nat. Mus. xxiii. pp. 398, 407 (1901). | California. |
| 4. C. Bilobata, Rehn & Heb. (<i>Trimerotropis B.</i>) Proc. Acad. Nat. Sci. Philad. lviii. pp. 382-385. ff. 11, 12 (1906). | Colorado. |

5. **C. Sulcifrons, Scudd.** (*Psinidia* S.) : S. California,
Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. J. J., p. 293. n. 42 (1876). Arizona.
C. Sulcifrons, Sauss. ll. cc. pp. 165, 166.
n. 2 (1884), pp. 60, 61 (1888).
6. **C. Amplicornis, Caud.** (*Psinidia Sulcifrons*, var. *Amplicornis*) Proc. U.S. Nat. Mus. xxvi. p. 791, pl. 55. f. 2 (1903). Texas.
C. Amplicornis, Hart, Ent. News, xvii. p. 158 (1906).
7. **C. Acuminata, Scudd.** Proc. Davenport Acad. Sci. ix. p. 32, pl. 2. f. 4 (1902). New Mexico.
8. **C. Corrugata, Scudd.** l. c. p. 33 (1902). id.
9. **C. Melleola, Scudd.** l. c. p. 34, pl. 2. f. 2 (1902). id.
10. **C. Picturata, Scudd.** l. c. p. 34 (1902). id.
11. **C. Wallula, Scudd.** (*Psinidia* W.) 2nd Rep. U.S. Ent. Comm. App. ii. p. 27, pl. 17. ff. 13, 14 (1880); Sauss. ll. cc. pp. 165, 166. n. 3 (1884), pp. 60, 61 (1888). California, Oregon.
12. **C. Carinata, Rehn**, Proc. Acad. Nat. Sci. Philad. lix. p. 38 (1907). Arizona.

Genus 364. **Agonozoa.**

McNeill, Psyche, ix. p. 27 (1900); Proc. U.S. Nat. Mus. xxiii. p. 398 (1901).

1. **A. Hyalina, McNeill**, (*Trimerotropis* California. II.) ll. cc. p. 28 (1900); pp. 398, 405 (1901).

Genus 365. **Circotettix.** (*Type* no. 5.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 264 (1876); Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 135 (1900); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 174 (1884), xxx. (1) p. 64 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 302, 313 (1894); Lugg, Orthopt. Minnesota, pp. 226, 260 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 183 (1905, 1906).

- *1. **C. Maculatus, Scudd.** 2nd Rep. U.S. Ent. Comm. App. ii. p. 26, pl. 17. f. 10 Nevada,
(1880); Psyche, ix. pp. 136, 137. n. 1 California.

- (1900); Sauss. l. c. xxviii. (9) pp. 175, 176. n. 3 (1884).
- *2. **C. Carlinianus, Thom.** (*Edipoda Carliniana*) Proc. Acad. Nat. Sci. Philad. 1870, p. 81. Western United States.
C. Carlinianus, Scudd. Psyche, ix. pp. 136, 138. n. 2 (1900).
Edipoda Carlingiana, Thomas, Ann. Rep. U.S. Surv. Territ. ii. pp. 265, 275 (1871); Syn. Acrid. N. Amer. pp. 109, 126 (1873).
C. Carlingiana, Thom. Proc. Davenport Acad. Sci. i. p. 254. n. 13 (1876).
C. Carlingianus, Sauss. l. c. pp. 175, 176 n. 2 (1884); Howard, Insect Book, pl. 38. f. 9 (1902).
3. **C. Thalassinus, Sauss.** l. c. pp. 175, 177. n. 5 (1884); Scudd. l. c. pp. 136, 138. n. 3 (1900). Nevada, California.
4. **C. Lobatus, Sauss.** l. c. xxx. (1) p. 65. n. 6, pl. 2. f. 5 (1888); Scudd. l. c. pp. 136, 138. n. 4 (1900). Colorado, Idaho.
C. Lapidicolus, Brun. Proc. U.S. Nat. Mus. xii. p. 75 (1890).
- *5. **C. Undulatus, Thom.** (*Edipoda Undulata*) Rep. U.S. Geol. Surv. Montana, p. 460 (1871); Syn. Acrid. N. Amer. pp. 110, 125 (1873). Colorado, Wyoming, New Mexico, Mexico.
C. Undulatus, Sauss. l. c. xxviii. (9) pp. 175, 177. n. 4 (1884), xxx. (1) p. 65. n. 4, pl. 2. f. 6 (1888); Scudd. l. c. pp. 137, 139. n. 5 (1900); Brun. Biol. Centr.-Amer., Orth. ii. p. 183. n. 1 (1906).
6. **C. Rabula, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lviii. pp. 393-397, ff. 13, 14 (1906). Colorado.
7. **C. Shastanus, Brun.** Bull. U.S. Nat. Mus. xii. p. 76 (1889); Scudd. l. c. pp. 137, 139. n. 6 (1900). California, Oregon.
- *8. **C. Suffusus, Scudd.** (*Trimerotropis Suffusa*) Bull. U.S. Geol. Surv. Territ. ii. p. 265. n. 24 (1876); Howard, Insect-Book, pl. 38. f. 5 (1902). British Columbia, Western United States.
C. Suffusus, Scudd. Psyche, ix. pp. 137, 140. n. 7 (1900).
- *9. **C. Verruculatus, Kirb.** (*Locusta Verruculata*) Faun. Bor.-Amer. iv. p. 250. n. 2 (1837). British America.

- Ædipoda Verruculata*, Scudd. Bost. Journ. Nat. Hist. vii. p. 471. n. 8 (1862); Thom. Syn. Acrid. N. Amer. pp. 110, 115 (1873).
Trimerotropis Verruculata, Scudd. Hitchc. Rep. Geol. N. Hampshire, i. p. 377, f. 57 (1884).
C. Verruculatus, Sauss. l. c. xxviii. (9) p. 175. n. 1 (1884); Beut. l. c. pp. 302, 313. pl. 9. f. 6 (1894); Lugg. l. c. pp. 260, 261. f. 103 (1897); Howard, l. c. pl. 36. f. 6 (1902).
C. Latipennis, Harr. (*Locusta* L.) Rep. Ins. Mass. p. 144. n. 6 (1841), (ed. iii.) p. 179. n. 6 (1862).
- *10. **C. Azureus, Brun.** (*Trimerotropis* A.) Nebraska, Montana, Idaho.
 l. c. p. 69 (1889); McNeill, Psyche, ix. p. 35 (1900); Proc. U.S. Nat. Mus. xxiii. pp. 404, 446 (1901).
Trimerotropis Perplexa, Brun. l. c. p. 74 (1889).
C. Perplexus, Scudd. Psyche, ix. pp. 137, 141. n. 9 (1900).
11. **C. Pseudofasciatus, Scudd.** (*Trimerotropis Pseudofasciata*) Wheeler's Ann. Rep. Surv. W. 100th Merid. p. 294. n. 45 (1876); Sauss. l. c. pp. 168, 172. n. 9 (1884); McNeill, ll. cc. p. 35 (1900); pp. 404, 447 (1901). California, Colorado, New Mexico.
12. **C. Lauta, Scudd.** (*Trimerotropis* L.) Lower California, Guadeloupe I.
 Proc. Boston Soc. Nat. Hist. xviii. p. 271 (1876); McNeill, ll. cc. p. 35 (1900); pp. 404, 448 (1901).
13. **C. (?) Sparsa, Thomas,** (*Ædipoda* S.) New Mexico.
 Wheeler's Rep. Expl. Surv. W. 100th Merid. v. p. 883, pl. 45. f. 6 (1875).

Genus 366. **Trimerotropis.** (Type no. 5.)

Stål, Recens. Orth. i. pp. 118, 134 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 154 (1884), xxx. (1) pp. 22, 63 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 299, 312 (1894); Scudd. Guide N. Amer. Orth. p. 37 (1897); Lugg. Orthopt. Minnesota, pp. 226, 258 (1897); McNeill, Psyche, ix. p. 27 (1900); Proc. U.S. Mus. xxiii. p. 393 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii.

pp. 254, 280 (1903); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 43, 44 (1900); Biol. Centr.-Amer., Orth. ii. pp. 118, 179 (1905, 1906).

1. **T. Texana, Brun.** (*Conozoa T.*) P. U.S. Nat. Mus. xii. p. 65 (1889).
T. Texana, McNeill, ll. cc. p. 28 (1900); pp. 398, 406 (1901).
 Texas, New Mexico, Mexico.
2. **T. Albolineata, Brun.** (*Conozoa A.*) l. c. p. 66 (1889).
T. Albolineata, McNeill, ll. cc. p. 28 (1900); pp. 399, 407 (1901).
 California, Arizona.
3. **T. Cristata, McNeill**, ll. cc. p. 28 (1900); pp. 399, 408 (1901).
 Lower Cal., Utah.
4. **T. Porrecta, McNeill**, ll. cc. p. 28 (1900); pp. 399, 409 (1901).
 California.
- *5. **T. Maritima, Harr.** (*Locusta M.*) Rep. Ins. Mass. p. 143. n. 4 (1841), (ed. 3) p. 178. n. 4 (1862).
Ædipoda Maritima, Scudd. Bost. Journ. Nat. Hist. vii. p. 472. n. 9 (1862); Glov. Ill. N. Amer. Orth. pl. 12. f. 17 (1872); Thomas, Syn. Acrid. N. Amer. pp. 110, 124 (1873).
T. Maritima, Stål, l. c. p. 135. n. 2 (1873); Sauss. l. c. xxviii. (9) pp. 168, 172. n. 10 (1884); Beut. l. c. pp. 299, 312, pl. 10. f. 5 (1894); Lugg. l. c. pp. 258, 259. ff. 101, 102 (1897); McNeill, ll. cc. p. 28 (1900); pp. 399, 410 (1901); Blatch. l. c. p. 281. n. 51 (1903).
 United States.
- *6. **T. Ochraceipennis, Blanch.** (*Ædipoda O.*) Gay, Faun. Chil. vi. p. 77. n. 1 [Orth. pl. 2. ff. 8, 8 a-d, ined.] (1852).
T. Ochraceipennis, Sauss. l. c. pp. 168, 172. n. 11 (1884); McNeill, ll. cc. p. 28 (1900); pp. 399, 411 (1901).
Ædipoda Placida, Stål, *Eugenies* Resa, Orth. p. 344. n. 104 (1860).
 Chile.
7. **T. Cinerascens, Blanch.** (*Ædipoda C.*) l. c. p. 78. n. 2 (1852).
 id.
8. **T. Atacamensis, Phil.** (*Ædipoda A.*) Reise Atacama, p. 173. n. 3 (1860).
 Atacama.
9. **T. Signatipennis, Blanch.** (*Ædipoda S.*) l. c. p. 79. n. 3 (1852).
 Chile.
10. **T. Flavipennis, Phil.** (*Ædipoda F.*) Zeitschr. Ges. Naturw. xxi. p. 240. n. 4 (1863).
 id.

11. **T. Chloris, Phil.** (*Edipoda C.*) l. c. Atacama.
p. 241. n. 5 (1863).
12. **T. Humilis, Blanch.** (*Edipoda H.*) l. c. id.
p. 79. n. 4 (1852).
13. **T. Irrorata, Phil.** (*Edipoda I.*) l. c. id.
p. 241. n. 7 (1863).
- *14. **T. Gracilis, Thomas,** (*Edipoda G.*) Rep. Western
U.S. Geol. Surv. Montana, p. 461 (1872); United
Syn. Acrid. N. Amer. pp. 110, 121 (1873). States.
T. Gracilis, Sauss. l. c. pp. 167, 171. n. 6
(1884); McNeill, ll. cc. p. 29 (1900);
pp. 399, 412 (1901).
Derotmema Lichenosum, Scudd. Proc. Amer.
Acad. Sci. xxxv. pp. 389, 394. n. 8 (1900).
15. **T. Coquilletti, McNeill,** ll. cc. p. 29 California.
(1900); pp. 399, 413 (1901).
16. **T. (?) Bivenosa, Scudd.** (*Edipoda B.*) Ecuador.
Proc. Boston Soc. Nat. Hist. xii. p. 339.
n. 22 (1869).
17. **T. Magnifica, Rehn,** Proc. Acad. Nat. Arizona.
Sci. Philad. lix. pp. 42-44. f. 4 (1907).

Genus 367. **Pseudotrimerotropis.** (*Type* no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxvii. p. 334 (1901).
Trimerotropis, pt., McNeill (*nec Stål*), Psyche, ix. p. 29 (1900);
 P. U.S. Nat. Mus. xxiii. p. 399 (1901).

- *1. **P. Cincta, Thomas,** (*Edipoda C.*) Proc. New
Acad. Nat. Sci. Philad. 1870, p. 80; Syn. Mexico,
Acrid. N. Amer. pp. 110, 122 (1873). Colorado,
Trimerotropis Cincta, McNeill, ll. cc. p. 29 Texas, &c.
(1900); pp. 400, 414 (1901).
2. **P. Juliana, Scudd.** (*Trimerotropis J.*) Utah,
Wheeler, Ann. Rep. Geogr. Surv. W. Montana.
100th Merid. App. JJ, p. 294 (1876);
McNeill, ll. cc. p. 29 (1900); pp. 400, 415
(1901).
Trimerotropis Fontana, Thomas, Proc.
Davenport Acad. Sci. i. p. 255. n. 14,
pl. 36. f. 5 (June 1876).
- *3. **P. Cæruleipes, Scudd.** (*Trimerotropis* California,
C.) 2nd Rep. U.S. Ent. Comm. App. ii. Oregon.
p. 27 (1880); McNeill, ll. cc. p. 30
(1900); pp. 400, 416 (1901).
Trimerotropis Cæruleipes, Sauss. Mém. Soc.
Genève, xxx. (1) p. 172. n. 10 (1888).

- | | |
|--|-------------------------------------|
| *4. P. Tessellata, McNeill, (<i>Trimerotropis T.</i>) ll. cc. p. 30 (1900); pp. 400, 417 (1901). | Arizona. |
| 5. P. Cyanea, Scudd. (<i>Trimerotropis C.</i>) Proc. Davenport Acad. Sci. ix. p. 36, pl. 2. f. 3 (1902). <small>США</small> | New Mexico. |
| 6. P. Caliginosa, McNeill, (<i>Trimerotropis C.</i>) Psyche, ix. p. 30 (1900).
<i>Trimerotropis Caliginosa, McNeill,</i> Proc. U.S. Nat. Mus. xxiii. pp. 400, 417 (1901). | (California. |
| *7. P. Albescens, McNeill, (<i>Trimerotropis A.</i>) Psyche, ix. p. 30 (1900); Proc. U.S. Nat. Mus. xxiii. pp. 400, 418 (1901). | id. |
| 8. P. Bifasciata, Brun. (<i>Trimerotropis B.</i>) Proc. U.S. Nat. Mus. xii. p. 70 (1889); McNeill, ll. cc. p. 30 (1900); pp. 400, 419 (1901). | id. |
| 9. P. Ferruginea, McNeill, (<i>Trimerotropis F.</i>) ll. cc. p. 30 (1900); pp. 400, 420 (1901). | Idaho,
Utah,
Wyoming. |
| 10. P. Koebelei, Brun. (<i>Conozoa K.</i>) l. c. p. 67 (1889).
<i>Trimerotropis Koebelei, McNeill,</i> ll. cc. p. 30 (1900); pp. 401, 420 (1901). | California. |
| 11. P. Thalassica, Brun. (<i>Trimerotropis T.</i>) l. c. p. 72 (1889); McNeill, ll. cc. p. 31 (1900); pp. 401, 421 (1901). | id. |
| *12. P. Monticola, Sauss. (<i>Trimerotropis M.</i>) l. c. xxviii. (9) pp. 167, 170. n. 4 (1884), xxx. (1) p. 63. n. 2 (1888); McNeill, ll. cc. p. 31 (1900); pp. 401, 422 (1901).
<i>Trimerotropis Monticola, var. Huasteca, Sauss.</i> l. c. xxx. (1) p. 63 (1888). | Mexico,
New Mexico,
Colorado. |
| 13. P. Campestris, McNeill, (<i>Trimerotropis C.</i>) ll. cc. p. 31 (1900); pp. 401, 423 (1901). | Wyoming. |
| *14. P. Bruneri, McNeill, (<i>Trimerotropis B.</i>) ll. cc. p. 31 (1900); pp. 401, 423 (1901).
<i>Hudrotettix Gracilis, Brun.</i> Publ. Nebraska Acad. Sci. iii. p. 25 (1893); Scudd. Psyche, ix. pp. 67, 68 (1900). | id.,
S. Dakota,
Nebraska. |
| 15. P. Fascicula, McNeill, (<i>Trimerotropis F.</i>) ll. cc. p. 31 (1900); pp. 401, 425 (1901). | New Mexico. |

16. **P. Præclara, McNeill,** (*Trimerotropis P.*) ll. cc. p. 31 (1900) ; pp. 401, 425 (1901). Utah, Nebraska.
17. **P. Modesta, Brun.** (*Trimerotropis M.*) Proc. U.S. Nat. Mus. xii. p. 72 (1889) ; McNeill, ll. cc. p. 31 (1900) ; pp. 401, 426 (1901). New Mexico.
18. **P. Townsendi, Brun.** (*Trimerotropis T.*) Biol. Centr.-Amer., Orth. ii. p. 180. n. 5 (1906). Mexico.
19. **P. Alliciens, Scudd.** (*Trimerotropis A.*) Proc. Davenport Acad. Sci. ix. p. 37, pl. 2. f. 1 (1902). New Mexico.
20. **P. Citrina, Scudd.** (*Trimerotropis C.*) Bull. U.S. Surv. Territ. ii. p. 265. n. 23 (1876) ; Sauss. l. c. xxviii. (9) pp. 167-169. n. 2 (1884), xxx. (1) p. 64. n. 4 (1888) ; McNeill, ll. cc. p. 31 (1900) ; pp. 401, 426 (1901) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 281, 282. n. 52 (1903). Southern United States.
21. **P. Latifasciata, Scudd.** (*Trimerotropis L.*) 2nd Rep. U.S. Ent. Comm. App. ii. p. 26 (1880) ; Sauss. l. c. xxx. (1) p. 172. n. 8 (1888) ; McNeill, ll. cc. p. 32 (1900) ; pp. 401, 428 (1901). Utah, Idaho.
- *22. **P. Laticincta, Sauss.** (*Trimerotropis L.*) l. c. xxviii. (9) pp. 167-169. n. 3 (1884) ; McNeill, ll. cc. p. 32 (1900) ; pp. 401, 428 (1901). New Mexico, Texas, Nebraska.
23. **P. Schaefferi, Caud.** (*Trimerotropis S.*) Sci. Bull. Brooklyn Mus. i. (4) p. 112. n. 30, pl. 7 (1904). Texas.
24. **P. Tolteca, Sauss.** (*Edipoda T.*) Rev. Zool. (2) xiii. p. 397 (1861) ; Thom. Syn. Acrid. N. Amer. p. 215 (1873). Mexico.
Trimerotropis Tolteca, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 167-169. n. 1 (1884), xxx. (1) p. 63. n. 1 (1888) ; McNeill, ll. cc. p. 32 (1900) ; pp. 402, 429 (1901).
25. **P. Pistrinaria, Sauss.** (*Trimerotropis P.*) l. c. xxviii. (9) pp. 168, 173. n. 12 (1884) ; McNeill, ll. cc. p. 32 (1900) ; pp. 402, 430 (1901). id., Texas.
26. **P. Melanoptera, McNeill,** (*Trimerotropis M.*) ll. cc. p. 32 (1900) ; pp. 402, 430 (1901). New Mexico.

27. **P. Snowi, Rehn**, (*Trimerotropis S.*) Arizona.
Trans. Kansas Acad. Sci. xx. p. 223
(1905).
- *28. **P. Californica, Brun.** (*Trimerotropis C.*) California.
Proc. U.S. Nat. Mus. xii. p. 71 (1889);
McNeill, ll. cc. p. 32 (1900); pp. 402,
432 (1901).
29. **P. Strenua, McNeill**, (*Trimerotropis S.*) Utah.
ll. cc. p. 32 (1900); pp. 402, 432
(1901).
30. **P. Montana, McNeill**, (*Trimerotropis*
M.) ll. cc. p. 32 (1900); pp. 402, 433
(1901).
31. **P. Agrestis, McNeill**, (*Trimerotropis*
A.) ll. cc. p. 32 (1900); pp. 402, 433
(1901).
32. **P. Rubripes, Rehn**, (*Trimerotropis R.*) New
Proc. Acad. Nat. Sci. Philad. lvi. p. 568 Mexico.
(1904).
33. **P. Pacifica, Brun.** (*Trimerotropis P.*) California.
l. c. p. 73 (1889); McNeill, ll. cc. p. 32
(1900); pp. 402, 434 (1901).
34. **P. Gratiiosa, Scudd.** (*Trimerotropis G.*) id.
Canad. Ent. xxxii. p. 330 (1900).
35. **P. Inconspicua, Brun.** (*Trimerotropis I.*) Colorado.
Bull. Agric. Exper. Stat. Colorado, xciv.
p. 59 (1904).
- *36. **P. Titusi, Caud.** (*Trimerotropis T.*) California.
Proc. Ent. Soc. Washington, vii. p. 125
(1906).
37. **P. Salina, McNeill**, (*Trimerotropis S.*) Nebraska.
ll. cc. p. 33 (1900); pp. 402, 436
(1901).
38. **P. Longicornis, Walk.** (*Trimerotropis*
L.) Canad. Ent. xxxiv. pp. 2, 4. n. 6,
pl. 1. ff. 1-4 (1902).
39. **P. Similis, Scudd.** (*Trimerotropis S.*) Washington
2nd Rep. U.S. Ent. Comm. App. ii. p. 27 Territory,
(1880); Sauss. l. c. xxx. (1) p. 172. n. 9 Oregon.
(1888); McNeill, ll. cc. p. 33 (1900);
pp. 403, 436 (1901).
- *40. **P. Pallidipennis, Burm.** (*Edipoda P.*) Mexico,
Handb. Ent. ii. p. 641. n. 3 (1838); S. America
Thom. Syn. Acrid. N. Amer. p. 218 (1873). (eadem?).
Trimerotropis Pallidipennis, Sauss. l. c.
pp. 167, 168, 171. n. 7 (1884); (?) McNeill,
ll. cc. p. 33 (1900); pp. 403, 437 (1901).

- Edipoda Straminea*, Erichs. Schomburgk, Reisen in Brit. Guiana, iii. p. 582 (1848).
41. **P. Collaris, McNeill**, (*Trimerotropis C.*) Mexico.
ll. cc. p. 33 (1900); pp. 403, 437 (1901).
42. **P. Fratercula, McNeill**, (*Trimerotropis F.*) Wyoming.
ll. cc. p. 33 (1900); pp. 403, 438 (1901).
- *43. **P. Vinculata, Scudd.** (*Trimerotropis V.*) California,
Proc. Bost. Soc. Nat. Hist. xviii. p. 270 New
(1876); 2nd Rep. U.S. Ent. Comm. App. Mexico.
ii. p. 27, pl. 17. f. 11 (1880); Sau-s. l. c. xxx. (1) p. 171, n. 7 (1888); McNeill, ll. cc. p. 34 (1900); pp. 403, 439 (1901); Walk. l. c. pp. 2, 6. n. 7, pl. 1. ff. 5-7 (1902).
- || *Trimerotropis Cincta*, Sauss. (nec Thom.) l. c. xxviii. (9) pp. 167, 171. n. 8 (1884).
- || *Trimerotropis Fascicula*, Rehn (nec McNeill), Trans. Amer. Ent. Soc. xxvii. p. 227 (1901).
44. **P. Huroniana, Walk.** (*Trimerotropis H.*) Lake
l. c. pp. 2, 6. n. 8, pl. 1. ff. 8-13 Huron.
(1902).
45. **P. Saxatilis, McNeill**, (*Trimerotropis S.*) Illinois,
ll. cc. p. 34 (1900); pp. 403, 440 (1901). Arkansas.
Trimerotropis Verruculata, Thom. Rep. Ins. Illin. ix. p. 112 (1880).
46. **P. Sordida, Walk.** (*Trimerotropis S.*) Assiniboia.
l. c. pp. 2, 9. n. 9, pl. 1. ff. 14-18 (1902).
47. **P. Pilosa, McNeill**, (*Trimerotropis P.*) California.
ll. cc. p. 34 (1900); pp. 403, 440 (1901).
- *48. **P. Fallax, Sauss.** (*Trimerotropis F.*) l. c. id.
xxviii. (9) pp. 167, 168, 170. n. 5 (1884); McNeill, ll. cc. p. 34 (1900); pp. 403, 442 (1901).
49. **P. Nubila, McNeill**, (*Trimerotropis N.*) New
ll. cc. p. 34 (1900); pp. 403, 442 Mexico.
(1901).
50. **P. Conspersa, McNeill**, (*Trimerotropis C.*) California.
ll. cc. p. 34 (1900); pp. 404, 443 (1901).
51. **P. Variegata, McNeill**, (*Trimerotropis V.*) Southern
ll. cc. p. 34 (1900); pp. 404, 443 California.
(1901).

52. **P. Cæruleipennis, Brun.** (*Trimerotropis C.*) Canad. Ent. xvii. p. 10 (1885).
Trimerotropis Cæruleipennis, McNeill, ll. cc. p. 35 (1900) ; pp. 404, 445 (1901). Western United States.
- *53. **P. Cyaneipennis, Brun.** (*Trimerotropis C.*) P. U.S. Nat. Mus. xii. p. 68 (1889) ;
 McNeill, ll. cc. p. 35 (1900) ; pp. 404, 445 (1901). Utah, Arizona.
54. **P. Obscura, Scudd.** (*Trimerotropis O.*) Wheeler's Ann. Rep. Geogr. Surv. W. Mexico.
 100th Merid. App. JJ, p. 294. n. 44 (1876).

Genus 368. **Bryodema.** (*Type no. 4.*)

- Fieb. Lotos, iii. p. 129 (1853) ; Syn. Eur. Orth. p. 29 (1854) ;
 Brunn. Prodr. Eur. Orth. pp. 85, 167 (1882) ; Finot, Orth. France, p. 43 (1883) ; Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 178 (1884), xxx. (1) pp. 16, 22 (1888) ;
 Tümpel, Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900) ;
 Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 170, 190, 264 (1902).
- Rhodorrhapis, Sauss.* l. c. xxviii. (9) p. 179 (1884), xxx. (1) p. 67 (1888). (*Type no. 4.*)
- || *Ctyphippus, Stål (nec Bol.)*, Recens. Orth. i. pp. 118, 134 (1873).

- *1. **B. Tuberculatus, Fabr.** (*Gryllus T.*) Europe, N.W. & E. Asia.
 Syst. Ent. p. 290. n. 16 (1775) ; Germ. Faun. Ins. Germ. fasc. 5, pl. 13 (1817) ;
 Charp. Hor. Ent. p. 150 (1825) ; Phil. Orth. Berol. p. 28. n. 2, pl. 2. f. 1 (1830) ;
 Ratzeb. Forstins. iii. p. 275. n. 4, pl. 14. f. 4 (1844).
- Ædipoda Tuberculata, Burm.* Handb. Ent. ii. p. 641. n. 1 (1838) ; Fisch.-Wald. Orth. Ross. p. 280. n. 3, pl. 23. f. 7 (1846) ;
 Borek, Skand. Rätv. Ins. p. 95. n. 2 (1848) ; Fisch. Orth. Eur. p. 408. n. 5, pl. 18. f. 7 (1853) ; Auriv. Ent. Tidskr. xxi. pp. 245, 246. n. 3 (1900).
- Bryodema Tuberculata, Brunn.* Prodr. Eur. Orth. p. 167. n. 1, pl. 6. f. 37 A-C (1882) ;
 Sauss. Mém. Soc. Genève, xxviii. (9) pp. 179, 180. n. 1 (1884), xxx. (1) p. 66. n. 1 (1888) ; Tümp. l. c. pp. 219, 248, pl. 19 (1900).

- Bryodema Tuberculatum*, *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 190, 265, pl. 6 (1902).
- Gryllus Locusta Dilutus*, *Stoll*, Spectres, Saut. p. 22, pl. 9 b. f. 32 (1813).
- || *(Edipoda Salina)*, *Fisch.-Waldh. (nec Pall.)* l. c. pl. 14. f. 3 (1846).
2. **B. Holdereri, Krauss**, Zool. Anz. xxiv. p. 236. n. 1 (1901); *Jacobs. & Bianchi*, l. c. pp. 190, 264 (1902). Mongolia, Kuku-Nor.
3. **B. Brunneriana, Sauss.** l. c. xxviii. (9) pp. 179, 180. n. 3 (1884). Hong Kong.
B. Brunneriana, *Jacobs. & Bianchi*, l. c. pp. 190, 265 (1902).
4. **B. Gebleri, Fisch.-Waldh.** (*Edipoda* G.) Bull. Mosc. ix. p. 346, pl. 4. f. 1 (1836); Orth. Ross. p. 284. n. 7, pl. 21. f. 3, pl. 23. f. 3 (1846). Ural, Altai, Dsungaria, Mongolia.
B. Gebleri, *Sauss.* l. c. pp. 59, 179, 182. n. 6 (1884); Zub. Ann. Mus. Zool. Petersb. iii. p. 98. n. 54 (1898); *Jacobs. & Bianchi*, l. c. pp. 190, 265 (1902).
Thrinchus Baicalensis, *Fisch.-Waldh.* Orth. Ross. p. 263. n. 5, pl. 26. ff. 6, 7 (1846).
B. Baicalensis, *Sauss.* l. c. pp. 179, 180. n. 2 (1884).
B. Gebleri, var. *Mongolica*, Zub. Hor. Soc. Ent. Ross. xxxiv. p. 17. n. 33 (1900); *Jacobs. & Bianchi*, l. c. p. 266 (1902).
5. **B. Luctuosus, Stoll**, (*Gryllus Locusta* L.) l. c. p. 24, pl. 116. f. 37 (1813). Mongolia.
B. Luctuosa, Zub. l. c. p. 18. n. 34 (1900).
B. Luctuosum, *Jacobs. & Bianchi*, l. c. pp. 190, 266 (1902).
B. Mongolica, Bol. Zichy, Dritte Asiat. Forschungsreise, ii. p. 233. n. 25 (1901).
- *6. **B. Barabensis, Pall.** (*Gryllus B*) Reise, ii. p. 433. n. 79 (1771). Siberia, Mongolia, N. China.
(Edipoda Barabensis), *Fisch.-Waldh.* l. c. p. 296. n. 16, pl. 14. f. 2 (1846).
B. Barabensis, *Sauss.* l. c. pp. 179, 181. n. 4 (1884); Bol. l. c. p. 233. n. 24 (1901).
B. Barabense, *Jacobs. & Bianchi*, l. c. pp. 190, 266 (1902).

- Ædipoda Hospes*, Fisch.-Waldh. l. c. p. 295.
n. 15, pl. 26. ff. 1, 2 (1846).
- Ædipoda Lugubris*, Fisch.-Waldh. l. c.
p. 298. n. 17, pl. 32. ff. 4, 5 (1846).
- Ædipoda Thunbergi*, Stål, Eugénies Resa,
Orth. p. 345. n. 106 (1860).
7. **B. Rhodopa**, Fisch.-Waldh. (*Ædipoda*
R.) Bull. Mosc. ix. p. 348 (1836);
Orth. Ross. p. 285. n. 8, pl. 21. f. 4
(1846). Siberia,
Mongolia.
- Ædipoda Rhodoptera*, Fisch.-Waldh. Bull.
Mosc. ix. pl. 4. f. 2 (1836).
- B. Barabense*, var. *Rhotopus*, Jacobs. &
Bianchi, l. c. pp. 190, 266 (1902).
- B. Barabense*, var. *Roseipennis*, Krauss,
Zool. Anz. xxiv. p. 237. n. 2 (1901). 6-147
8. **B. Lugens**, Krauss, l. c. p. 238. n. 3
(1901)¹⁹⁷; Jacobs. & Bianchi, l. c. pp. 190,
267 (1902). Mongolia.
- *9. **B. Inda**, Sauss. l. c. pp. 179, 181. n. 5
(1884). India.
- B. Indum*, Jacobs. & Bianchi, l. c. pp. 190,
267 (1902).

Genus 369. **Compsorhipis**.

- Sauss. Mitth. Schweiz. Ent. Ges. viii. p. 87 (1889).
- Cosmorhipis*, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
pp. 169, 190, 267 (1902).
- || *Callirhipis*, Sauss. (nec Latr.) Mém. Soc. Genève, xxx. (1)
pp. 22, 66 (1888).
1. **C. Davidiana**, Sauss. (*Callirhipis D.*) Mongolia,
l. c. p. 67. n. 1 (1888); Bol. Zichy,
Dritte Asiat. Forschungsreise, ii. p. 235.
n. 26 (1901). Pekin.
- Cosmorhipis Davidiana*, Jacobs. & Bianchi,
l. c. pp. 190, 268 (1902).

Genus 370. **Hadrotettix.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 291 (1876); Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 67 (1900); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 58, 183 (1884), xxx. (1) p. 22 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 183 (1905, 1906).

- * 1. **H. Trifasciatus, Say**, (*Gryllus T.*) Amer. Ent. ii. pl. 34. f. 3 (1825). Western N. America, Mexico.
Edipoda Trifasciata, Glover, Ill. N. Amer. Orthopt. pl. 9. f. 6 (1872); Thomas, Rep. U.S. Geol. Surv. Montana, p. 456, pl. 1. f. 6 (1872); Syn. Acrid. N. Amer. pp. 110, 127 (1873); Stål. Recens. Orth. i. p. 131. n. 7 (1873).
II. Trifasciatus, Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 291. n. 39 (1876); Psyche, ix. p. 67 (1900); Sauss. l. c. xxviii. (9) p. 183 (1884); Brun. l. c. pp. 183, 184. n. 1 (1906).
Edipoda Pruinosa, Thomas. Proc. Acad. Nat. Sci. Philad. 1870, p. 80.
Edipoda Hoffmanni, Thomas, Syn. Acrid. N. Amer. p. 127 (1873); Wheeler, Rep. Geogr. Expl. W. 100th Merid. v. p. 876 (1875).
2. **H. Gracilis, Brun.** Publ. Nebraska Acad. Sci. iii. p. 25 (1893); Ann. Rep. Nebraska Board Agric. 1896, p. 134 (1897); Scudd. Psyche, ix. pp. 67, 68 (1900). Western United States.
3. **H. Mundus, Scudd.** l. c. pp. 67, 68 (1900). id.
4. **H. Nebulosus, Scudd.** l. c. pp. 67, 69 (1900); Brun. l. c. pp. 183, 184. n. 2 (1906). Mexico.

Genus 371. **Acrotylus.** (*Type* no. 12.)

Fieb. Lotos, iii. p. 125 (1853); Syn. Eur. Orth. p. 25 (1854); Stål, Recens. Orth. i. pp. 118, 135 (1873); Öfvers. Vet.-Akad. Förh. xxxiii. (3) p. 52 (1876); Bol. Ortóp. Españ. pp. 147, 155 (1876); An. Soc. Españ. v. pp. 353, 361 (1876); Ann. Sci. Nat. Porto, iv. p. 217 (1897), v. p. 22 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 154 (1882);

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 58, 186 (1884), xxx. (1) pp. 21, 23, 68 (1888); Finot, Orth. France, pp. 44, 70 (1883); Faune France, Orth. pp. 101, 145 (1889); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 269 (1902).

- | | |
|--|--------------------------------------|
| *1. A. Crassus , Sauss. ll. cc. p. 187. n. 1 (1884), xxx. (1) p. 68. n. 1 (1888). | E. Africa. |
| *2. A. Femoralis , Kirb. Trans. Ent. Soc. Lond. 1902, p. 233. n. 45. | Pretoria. |
| 3. A. Concinnus , Serv. (<i>Edipoda Concinna</i>) Ins. Orth. p. 730. n. 14 (1839). | Cape. |
| 4. A. Cristulifer , Serv. (<i>Calliptamus C.</i>) l. c. p. 692. n. 8 (1839).
<i>Euryphymus Cristulifer</i> , Mart. An. Soc. Españ. xxx. pp. 261, 272 (1901). | id. |
| 5. A. Zonatus , Kirb. l. c. p. 234. n. 45 A (1902). | Pretoria. |
| 6. A. Apicalis , Bol. Mém. Soc. Ent. Belg. xvi. p. 103. n. 87 (1908). | Usambara. |
| *7. A. Hottentotus , Sauss. l. c. xxviii. (9) pp. 187, 188. n. 2 (1884). | S. Africa. |
| **8. A. Annulatus , Kirb. l. c. p. 235. n. 45 B (1902). | Transvaal,
Natal. |
| **9. A. Repletus , Walk. (<i>Epacromia Repleta</i>) Cat. Derm. Salt. B. M. iv. p. 770. n. 10 (1870). | W. Africa. |
| *10. A. Conturbatus , Walk. (<i>Epacromia Conturbata</i>) l. c. p. 772. n. 13 (1870). | Cape. |
| *11. A. Deustus , Thunb. (<i>Gryllus D.</i>) Mém. Acad. Pétersb. v. p. 238 (1815), ix. pp. 397, 416. n. 62 (1824).
<i>A. Deustus</i> , Stål, l. c. p. 136. n. 4 (1873); Æfv. Vet.-Akad. Förh. xxxiii. (3) p. 53 (1876); Sauss. l. c. pp. 187, 188. n. 3 (1884).
<i>Acridium</i> (<i>Edipoda</i>) 4-maculatum, De Haan, Temminck, Verhandel., Orth. pp. 161, 162. n. 34, pl. 21. f. 10 (1842).
<i>Epacromia Quadrimaculata</i> , Walk, l. c. p. 768. n. 5 (1870). | S. Africa. |
| *12. A. Insubricus , Scop. (<i>Gryllus I.</i>) Del. Faun. Flor. Insubr. i. p. 64, pl. 24. f. e (1786); Charp. Hor. Ent. p. 149 (1825); Herr.-Schäff. Panzer, Faun. Ins. Germ. Heft clvii. pl. 17 (1838); Ramb. Faun. Andal. ii. p. 86. n. 12 (1838). | S. Europe,
N. Africa,
W. Asia. |

Acridium (Edipoda) Insubricum, Herr.-Schäff. Nomencl. Ent. ii. Orth. p. 7 (1840).

Acridium Insubricum, Brullé, Webb & Berthelot, Hist. Nat. Canar., Ins. p. 78. n. 35. pl. 5, ff. 11, 11 a (1838).

Edipoda Insubrica, Germ. Faun. Ins. Eur. fasc. xx. pl. 15 (1817); Serv. Ins. Orth. p. 731. n. 15 (1839); Burm. Handb. Ent. ii. p. 641. n. 4 (1838); Fisch.-Waldh. Orth. Ross. p. 281. n. 4, pl. 22. f. 8 (1846); Fisch. Orth. Eur. p. 402, n. 1, pl. 18. ff. 1, 2 (1853); Friv. Ertek. Termész. Kör. i. (12) p. 183. n. 1, pl. 7. ff. 6, 6 a (1868); Fieb. Lotos, iv. p. 198. n. 16 (1854).

A. Insubricus, Stål, ll. cc. p. 135. n. 1 (1873); p. 53. n. 2 (1876); Bol. ll. cc. p. 156. n. 1 (1876); v. p. 362. n. 1 (1876); v. p. 22. n. 1 (1898); Brunn. l. c. p. 155. n. 1, pl. 5. f. 34 A-C (1882); Sauss. l. c. xxviii. (9) pp. 187, 188. n. 4 (1884); Finot, ll. cc. p. 70 (1883); p. 145, pl. 7. f. 104 (1889); Jacobs. & Bianchi, l. c. pp. 191, 269 (1902).

Gryllus Fasciatus, Fabr. Ent. Syst. ii. p. 58. n. 48 (1793); Coqueb. Illustr. Icon. Ins. i. p. 6, pl. 1. f. 5 A-C (1799).

Acrydium Maculatum, Oliv. Encycl. Méth., Ent. vi. p. 224. n. 42 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 152. n. 6 (1804).

Acridium Maculatum, Costa, Faun. Nap., Ortott. p. 27. n. 12, pl. 5. ff. A, b-d (1836).

Gryllus Maculatus, Thunb. ll. cc. p. 231 (1815); pp. 394, 403. n. 12 (1824).

|| *Edipoda Concinna*, Fieb. (nec Serr.) l. c. p. 198. n. 17 (1854).

** *Edipoda Infecita*, Walk. l. c. p. 742. n. 75 (1870).

A. Patruelis, var. *Infecita*, Sauss. l. c. xxx. (1) p. 68 (1888).

A. Patruelis, pt., Kírö. l. c. p. 235. n. 45 c (1902).

13. **A. Versicolor**, Burr, Trans. Ent. Soc. Rumania, Lond. 1898, p. 50; Jacobs. & Bianchi, N. Africa. l. c. pp. 191, 270 (1902); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. (1) p. 357. n. 81, pl. 3. f. 46 (1907).

- *14. **A. Flavescens, Stål**, Recens. Orth. i. S. Africa,
p. 135. n. 2 (1873) ; Kirb. l. c. p. 236. China
n. 45 E (1902). (eadem?).
A. Angulatus, Stål, Æfv. Vet.-Akad. Förh.
xxxiii. (3) p. 52. n. 1 (1876) ; Sauss. l. c.
xxviii. (9) pp. 187, 189. n. 5 (1884).
15. **A. Saltator, Kirb.** l. c. p. 236. n. 45 F Delagoa
(1902). Bay.
id.
16. **A. Junodi, Schulth.** Bull. Soc. Vaud.
xxxv. p. 205. n. 1, pl. 7. f. 2 (1899).
- **17. **A. Turbatus, Walk.** (*Epacromia Turbata*) Ceylon.
l. c. p. 776. n. 19 (1870).
Æ. Inficita, var. β , Walk. l. c. p. 742.
n. 75 (1870).
A. Humbertianus, Sauss. l. c. pp. 187, 189.
n. 6 (1884).
18. **A. Cœrulans, Karny**, l. c. p. 356. n. 80, Gondokoro.
pl. 3. f. 45 (1907).
- *19. **A. Patruelis, Herr.-Schäff.** (*Ædipoda* S. Europe,
P.) Faun. Ins. Germ. fasc. clvii. pl. 18 W. Asia,
(1838) ; Fieb. l. c. p. 198. n. 18 (1854) ; Africa.
Bol. II. cc. pp. 156, 157. n. 2 (1876) ;
v. p. 363. n. 2 (1876) ; v. p. 22. n. 2 (1898) ;
Brunn. l. c. pp. 155, 156. n. 2 (1882) ;
Sauss. l. c. pp. 187, 190. n. 7 (1884) ;
Finot, Faune France. Orth. pp. 145, 146
(1889) ; Jacobs. & Bianchi, l. c. pp. 191,
270 (1902).
|| *Ædipoda Longipes*, var., Gerst. (nec Charp.)
Von der Decken's Reisen in Ost-Afrika,
iii. (2) p. 41. n. 64 (1873).
Ædipoda Insubrica, var. γ , Fisch. l. c.
pp. 403, 404, pl. 18. f. 3 (1853).
20. **A. Errabundus, Finot**, Bull. Soc. Ent. Algeria.
France, 1893, p. xxx. n. 3.
- *21. **A. Apricarius, Stål**, Recens. Orth. i. Cape,
p. 135. n. 3 (1873) ; Sauss. l. c. pp. 187, Deelfontein.
190. n. 8 (1884).
- *22. **A. Furcifer, Sauss.** l. c. xxx. (1) p. 69. S. Africa.
n. 11 (1888).
- *23. **A. Longipes, Charp.** (*Ædipoda L.*) Orth. S. Europe,
pl. 54 (1845) ; Fisch. l. c. p. 404. n. 2, Asia
pl. 18. f. 4 (1853) ; Fieb. l. c. p. 199. Minor,
n. 19 (1854). N. & E.
A. Longipes, Stål, Æfv. Vet.-Akad. Förh. Africa,
xxxiii. (3) p. 53. n. 3 (1876) ; Brunn. Cape
l. c. pp. 155, 157. n. 3 (1882) ; Sauss. Verdes.

- l. c. xxviii. (9) pp. 187, 191. n. 9 (1884) ;
 Tümp. l. c. pp. 219, 248 (1900) ;
 Jacobs. & Bianchi, l. c. pp. 191, 270
 (1902).
- * * (*Edipoda Aurifera*, Walk. l. c. p. 735. n. 45
 (1870) ; Butl. Proc. Zool. Soc. Lond.
 1881, p. 85. n. 2.
- * * (*Edipoda Collecta*, Walk. l. c. v. Suppl.
 p. 85 (1871).
24. **A. Hyalinus**, Bol. Mém. Soc. Ent. Belg. Congo.
 xvi. p. 104. n. 88 (1908).
25. **A. Blondeli**, Sauss. l. c. xxviii. (9) Senegal.
 pp. 187, 191. n. 10 (1884).
- * * 26. **A. Gillettæ**, Kirb. l. c. p. 237. n. 45 G Somali,
 (1902). Nyasaland.
- * * 27. **A. Inornatus**, Kuthy, Ann. Mus. Hungar. W. & Centr.
 iii. p. 216 (1905). Asia, S. & E.
 Africa.
- * * 28. **A. Angustipennis**, Kirb. (*Chrotogonus* Pretoria.
A.) l. c. p. 77. n. 47 (1902).
- * * 29. **A. Capitatus**, Kirb. (*Chrotogonus C.*) id.
 l. c. p. 78. n. 48 (1902).
30. **A. Johnstoni**, Kirb. (*Chrotogonus J.*) Nyasaland.
 l. c. p. 81. n. 54 (1902).
31. **A. Mossambicus**, Brancs. Jahresh. Ver. Mozam-
 Trencs. Com. xv.-xvi. p. 187. pl. 9. f. 3 bique.
 (1893).
32. **A. Ocellatus**, Brancs. l. c. p. 188, pl. 10. id.
 f. 16 (1893).
33. **A. Variegatus**, Brancs. l. c. p. 188 id.
 (1893).
34. **A. Cabaceira**, Brancs. l. c. p. 189 id.
 (1893).
35. **A. Multispinosus**, Brancs. l. c. (1893). Madagascar
- * * 36. **A. Turpis**, Walk. (*Epacromia T.*) l. c. N. India.
 iv. p. 775. n. 18 (1870).
- * * 37. **A. Simulatrix**, Walk. (*Epacromia S.*) S. India.
 l. c. p. 773. n. 15 (1870).
38. **A. Kirbyi**, Frogg. Agric. Gaz. N. S. N. S. Wales.
 Wales, xiv. plate, f. 3 (1904).

Genus 372. **Blepomma.** (*Type* no. 1.)

Brancs. Jahresh. Ver. Trenes. Com. xix.-xx. p. 72 (1897).

- | | |
|---|-------------------------|
| 1. B. Ruginata , Brancs. l. c. p. 73, pl. 3. | Australia,
Yorktown. |
| f. 15 <i>a-c</i> (1897). | |
| 2. B. Levior , Brancs. l. c. p. 73 (1897). | id. |

Genus 373. **Hemiacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 789 (1870).

- | | |
|---|--------|
| **1. H. Fervens , Walk. l. c. p. 790. n. 1 | Natal. |
| (1870). | |

Genus 374. **Egnatius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 25 (1876);
 Brunn. Prodr. Eur. Orth. pp. 85, 158 (1882); Sauss. Mém.
 Soc. Genève, xxviii. (9) pp. 58, 191 (1884), xxx. (1)
 pp. 23, 70 (1888); Jacobs. & Bianchi, Prem. i Lozhn.
 Ross. Imp. pp. 169, 191, 271 (1902).

- | | |
|--|------------------------------------|
| 1. E. Apicalis , Stål, (<i>Ædipoda</i> A.) l. c. | Sarepta,
Siberia,
Palestine. |
| p. 25 (1876). | |
| <i>E. Apicalis</i> , Brunn. l. c. p. 158. n. 1, pl. 5. | |
| f. 35 A, B (1882); Sauss. l. c. xxviii. (9)
p. 192. n. 1 (1884); Jacobs. & Bianchi,
l. c. pp. 191, 271 (1902). | |
| 2. E. Cœrulans , Krauss, Jahresh. Ver. | Algeria. |
| Württemb. xlix. p. xcv (1903). | |

Genus 375. **Charora.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 23, 71 (1888); Jacobs.
 & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 191, 271
 (1902).

Charorus, Sauss. l. c. p. 70 (1888).

- | | |
|--|----------------|
| 1. C. Crassivenosa , Sauss. l. c. p. 71. n. 1 | Caucasus. |
| (1888); Jacobs. & Bianchi, l. c. pp. 191,
271 (1902). | |
| 2. C. Pentagrammica , Bol. Ann. Soc. | Asia
Minor. |
| Ent. Belg. xliii. p. 592 (1899); Jacobs. | |
| & Bianchi, l. c. pp. 192, 272 (1902). | |

Genus 376. **Leptoscirtus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 23, 72 (1888); Mitth. Schweiz. Ent. Ges. viii. p. 88 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 270 (1902).

- | | |
|--|--------------------------|
| <p>*1. L. Angustus, Blanch. (<i>Ommereycha Angustum</i>) Ann. Soc. Ent. France, v. p. 624 (1836).
 <i>L. Angustus, Jacobs. & Bianchi</i>, l. c. pp. 191, 271 (1902).
 <i>Chrotogonus Angustatus, Bol. An. Soc. Españ.</i> xiii. pp. 38, 41. n. 4 (1884).
 <i>Ommereycha Linearis, Burm. Handb. Ent.</i> ii. p. 657 (1838).
 <i>L. Savignyi, Sauss.</i> Mitth. Schweiz. Ent. Ges. viii. p. 89. n. 1 (1889).
 [Sav Hist. Egypte, Ins. Orth. pl. 6. f. 1.]</p> | <p>Egypt,
Syria.</p> |
| <p>2. L. Ungiculatus, Sauss. Mém. Soc. Genève, xxx. (1) pp. 72, 73. n. 2 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 89, 90. n. 2 (1889).</p> | <p>Senegal.</p> |
| <p>3. L. Aviculus, Sauss. ll. cc. pp. 72, 73. n. 1 (1888); pp. 89, 91. n. 3 (1889); Vosseler, Zool. Jahrb. Syst. xvi. p. 363 (1902).</p> | <p>Egypt.</p> |

Genus 377. **Egnatioides.**

Vosseler, Zool. Jahrb. Syst. xvi. p. 361 (1902).

- | | |
|--|-----------------|
| <p>1. E. Striatus, Vosseler, l. c. n. 35, pl. 17. ff. 5-7 (1902).</p> | <p>Algeria.</p> |
|--|-----------------|

Genus 378. **Heliastus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 60, 212 (1884), xxx. (1) p. 24, 90 (1888); Scudd. Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 45 (1900); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 188 (1905, 1906).

- | | |
|--|--|
| <p>*1. H. Sumichrasti, Sauss. (<i>Edipoda S.</i>) Rev. Zool. (2) xiii. p. 324 (1861); Thomas, Syn. Acrid. N. Amer. p. 214 (1873).
 <i>H. Sumichrasti, Sauss.</i> ll. cc. p. 213. n. 1 (1884), p. 90. n. 1 (1888); Brun. l. c.</p> | <p>Texas,
Mexico,
Guatemala,
Honduras.</p> |
|--|--|

- pp. 188, 189. n. 1 (1906); Caud. Proc. U.S. Nat. Mus. xxvii. p. 951 (1904).
 Var. *H. Sumichrasti*, var. *Subrosea*, Caud. l. c. p. 952, f. 3 (1904).
 ** *Edipoda Speciosa*, Walk. Cat. Derm. Salt. B. M. iv. p. 735. n. 46 (1870); Thomas, l. c. p. 216 (1873).
 ** *Edipoda Tentatrix*, Walk. l. c. v. Suppl. p. 74 (1871); Thomas, l. c. p. 216 (1873).
 2. **H. Guatemalæ, Sauss.** l. c. xxx. (1) p. 91. n. 5 (1888); Brun. l. c. pp. 188, 189. n. 2 (1906). Mexico, Guatemala.
 3. **H. Venezuelæ, Sauss.** l. c. xxviii. (9) p. 213. n. 2 (1884); Brun. Bull. Lab. Univ. Iowa, iii. (3) p. 64, pl. 3. f. 4 (1895); Biol. Centr.-Amer., Orth. ii. pp. 188, 189. n. 3 (1906). Nicaragua, Panama, Colombia, Venezuela.
 4. **H. Costaricensis, Rehn**, Proc. Acad. Nat. Sci. Philad. lvii. pp. 402-404, ff. 1-3 (1905); Brun. l. c. pp. 188, 189. n. 4 (1906). Costa Rica.
 5. **H. Benjamini, Caud.** l. c. xxviii. pp. 474, 476, f. 6 (1905); Brun. l. c. pp. 188, 190. n. 5 (1906). Arizona.
 6. **H. Aztecus, Sauss.** l. c. pp. 213, 214. n. 3 (1884); Brun. l. c. pp. 188, 190. n. 6 (1906). Mexico.
 7. **H. Aridus, Brun.** (*Thrincus* (?) A) Proc. U.S. Nat. Mus. xii. pl. 1. ff. 2, 3 (1889). *Thrincus* (?) *Avidus*, Brun. l. c. p. 78 (1889). *H. Aridus*, Scudd. l. c. pp. 45, 46 (1900); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 723 (1903); Brun. l. c. pp. 189, 190. n. 7 (1906). id., Texas, California.
 8. **H. Parviceps, Walk. (*Edipoda* P.) l. c. p. 732. n. 29 (1870); Thomas, l. c. pp. 110, 136 (1873). Western N. America.
 9. **H. Californicus, Thomas**, (*Thrincus* C.) Bull. U.S. Surv. Territ. i. p. 66 (1874); Glob. Ill. N. Amer. Orth. pl. 17. ff. 6, 7 (1874). California, Utah, Mexico.
H. Californicus, Scudd. l. c. pp. 45, 46 (1900); Brun. l. c. pp. 189, 190. n. 8 (1906).
 10. **H. Minimus, Scudd.** l. c. p. 46 (1900); Brun. l. c. pp. 189, 190. n. 9 (1906). California.
 11. **H. Obesus, Sauss.** l. c. pp. 213, 214. n. 4 (1884). Brazil (?).

Genus 379. **Pycnostictus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 60, 215 (1884),
xxx. (1) pp. 24, 91 (1888).

1. **P. Seriatus, Sauss.** ll. ec. p. 215. n. 1 | Australia.
(1884), p. 91. n. 1 (1888).

Genus 380. **Urnisa.**

Stål. Eugenes Rosa, Orth. pp. 343, 344 (1860) : Sauss. Mém.
Soc. Genève, xxviii. (9) p. 216 (1884), xxx. (1) pp. 24, 91
(1888).

Urnissa, Sauss. l. c. xxviii. (9) p. 61 (1884).

- *1. **U. Erythrocnemis, Stål,** (*Edipoda* Australia.
(*Urnisa*) *E.*) l. c. p. 343. n. 102 (1860).
U. Erythrocnemis, Sauss. l. c. p. 217. n. 1
(1884), xxx. (1) p. 91. n. 1 (1888).
U. Erythrocnemis, var. *Rugosa*, Sauss. l. c.
xxviii. (9) p. 217 (1884).
** (*Edipoda Guttulosa*, Walk. Cat. Derm. Salt.
B. M. iv. p. 745. n. 84 (1870).
** ♂. *Edipoda Sobria*, Walk. l. c. p. 744. n. 83
(1870).
** ♂. *Epacromia* (?) *Grata*, Walk. l. c. p. 778.
n. 23 (1870).
** *Epacromia Turbida*, Walk. l. c. p. 779.
n. 25 (1870).

Genus 381. **Dæmonea.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 61, 217 (1884),
xxx. (1) p. 24 (1888).

1. **D. Arieticeps, Sauss.** l. c. xxviii. (9) Peru.
p. 218. n. 1 (1884).

Genus 382. **Sphingonotus.** (Type no. 11.)

Sphingonothus, Fieb. Kelch. Orthopt. Oberschles. p. 2 (1852).

Sphingonotus, Fieb. Lotos, iii. p. 124 (1853) : Syn. Eur. Orth.
p. 24 (1854) ; Brunn. Prodr. Eur. Orth. pp. 84, 149 (1882) ;
Finot, Orth. France, pp. 43, 69 (1883) ; Faune France,
Orth. pp. 101, 142 (1889) ; Sauss. Mém. Soc. Genève,
xxviii. (9) pp. 60, 195 (1884), xxx. (1) pp. 24, 76 (1888) ;

- Bol. Ann. Sci. Nat. Porto, iv. p. 217, v. p. 23 (1897, 1898);
 Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900);
 Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170,
 192, 272 (1902); Vosseler, Zool. Jahrb. Syst. xvi. p. 369
 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 187
 (1905, 1906).
Sphinctonotus, Fisch. Orth. Eur. i. pp. 52, 297 (401 note)
 (1853); Stål, Recens. Orth. i. pp. 118, 135 (1873); Bol.
 Ortópt. Españ. pp. 147, 153 (1876); An. Soc. Españ. v.
 pp. 353, 359 (1876).

- | | |
|--|--|
| <p>1. S. Satrapes, Sauss. ll. cc. pp. 196, 199.
 n. 1 (1884), p. 76. n. 1 (1888); Jacobs.
 & Bianchi, l. c. pp. 192, 273 (1902).</p> <p>2. S. Lameerei, Finot, Ann. Soc. Ent.
 Belg. xvi. p. 434 (1902).</p> <p>3. S. Octofasciatus, Serv. (<i>Edipoda Octo-</i>
 <i>fasciata</i>) Ins. Orth. p. 728. n. 10 (1839).
 <i>S. Octofasciatus</i>, Sauss. l. c. xxx. (1) pp. 76,
 79. n. 1 (1888); Finot, Ann. Soc. Ent.
 France, lxiv. pp. 468, 477 (1895);
 Krauss, Verh. zool.-bot. Ges. Wien, lii.
 p. 243. n. 19 (1902); Vosseler, Zool.
 Jahrb. Syst. xvi. p. 379. n. 48 (1902).</p> <p>4. S. Zinini, Kittl. (<i>Edipoda Z.</i>) Bull.
 Mosc. xxii. (2) p. 470. n. 53, pl. 8. f. 6
 (1849).
 <i>S. Zinnini</i>, Sauss. l. c. xxviii. (9) pp. 197,
 207. n. 18 (1884).
 <i>S. Octofasciatus</i>, Jacobs. & Bianchi (<i>nec</i>
 <i>Serv.</i>), l. c. pp. 192, 273 (1902).</p> <p>5. S. Tricinctus, Walk. (<i>Edipoda Tricincta</i>)
 Zoologist, (2) v. p. 2300. n. 35 (1870).</p> <p>*6. S. Terminalis, Walk. (<i>Edipoda T.</i>),
 l. c. n. 36 (1870).</p> <p>7. S. Obscuratus, Walk. (<i>Edipoda Obscu-</i>
 <i>rata</i>) l. c. n. 37 (1870).</p> <p>8. S. Callosus, Fieb. (<i>Edipoda Callosa</i>)
 Lotos, iii. p. 125. n. 12 (1853); Syn.
 Eur. Orth. p. 24. n. 12 (1854).
 <i>S. Callosus</i>, Brunn. l. c. pp. 150, 154. n. 6
 (1882); Sauss. l. c. xxviii. (9) pp. 196, 199.
 n. 2 (1884), xxx. (1) p. 76. n. 3 (1888);
 Finot, Ann. Soc. Ent. France, lxiv.</p> | <p>Caucasus,
 Trans-
 caucasia,
 Persia,
 Turkestan.
 Algeria,
 Egypt.
 Tunis.</p> <p>W. Asia.</p> <p>Egypt,
 Arabia.
 Sinai,
 Muscat,
 Ili Valley.
 Arabia.</p> <p>Spain,
 Algeria,
 Sarepta,
 Syria.</p> |
|--|--|

- pp. 468, 473 (1895) ; Jacobs. & Bianchi,
l. c. pp. 192, 273 (1902).
- *9. **S. Asperus, Brullé**, (*Acridium Asperum*) Canaries.
Hist. Nat. Canar., Ins. p. 77. n. 28 (1838).
Acridium Granulatum, Brullé, l. c. pl. 5.
f. 14 (1838).
10. **S. Finotianus, Sauss.** (*Helioscirtus F.*) Abyssinia.
Le Nat. iii. p. 28 (1885) ; Mém. Soc.
Genève, xxx. (1) pp. 74, 75. n. 2 (1888).
S. Finotianus, Vosseler, Zool. Jahrb. Syst.
xvi. p. 370. n. 38 (1902).
- *11. **S. Cærulans, Linn.** (*Gryllus Locusta C.*) S. & Centr.
Syst. Nat. (ed. xii.) i. (2) p. 701. n. 48 Europe,
(1767). N. Africa,
Acrydium Cærulans, Oliv. Encycl. Méth., W. & Centr.
Ent. vi. p. 225. n. 45 (1791) ; Latr. Hist. Asia.
Nat. Crust. Ins. xii. p. 152. n. 7 (1804).
Gryllus Cærulans, Cyr. Ent. Neap. p. 7,
pl. 9. f. 8 (1792) ; Schrank, Enum. Ins.
Austr. p. 247. n. 47 (1780) ; Charp. Hor.
Ent. p. 142 (1825).
Gryllus Cærulans, Ramb. Faune Andal. ii.
p. 83. n. 8 (1838).
Acridium Cærulans, Hahn, Icon. Orth.
Acrid. pl. B. f. 2 (1836) ; Costa, Faun.
Nap., Ortott. p. 21. n. 9, pl. 3. f. 2 A, b-d
(1836).
Edipoda Cærulans, Burm. Handb. Ent. ii.
p. 641. n. 2 (1838) ; Serv. Ins. Orth.
p. 736. n. 21 (1839) ; Fisch.-Waldh.
Orth. Ross. p. 288. n. 11, pl. 15. f. 10- $\lambda \times \chi$ 16.
(1846) ; Borek, Skand. Rätv. Ins. p. 98
note (1848) ; Friv. Ertek. Termész. Kör.
i. (12) p. 185. n. 2 (1868) ; Fisch. Orth.
Eur. p. 406. n. 4 (1853).
Sphingonotus Cærulans, Fieb. ll. cc. p. 125.
n. 13 (1853) ; p. 25. n. 13 (1854) ; Brunn.
l. c. p. 150. n. 1 (1882) ; Finot, Orth.
France, pp. 69, 70 (1883) ; Faune France,
Orth. p. 143, pl. 7. f. 103 (1889) ; Sauss.
ll. cc. pp. 196, 200. n. 3 (1884), pp. 77,
79. n. 5 (1888) ; Bol. Ann. Sci. Nat.
Porto, v. p. 23. n. 1 (1898) ; Tümp. l. c.
pp. 219, 248, pl. 19 (1900) ; Jacobs. &
Bianchi, l. c. pp. 192, 273, pl. 6 (1902) ;
Vosseler, l. c. p. 372. n. 40, pl. 17.
f. 10 a, b (1902). 0-1201.

- S. Cærulans*, *Finot*, Ann. Soc. Ent. France. lxiv. pp. 468, 469 (1895); *Brun*. l. c. pp. 187, 188. n. 1 (1906).
Sphinctonotus Cærulans, *Bol.* Ortópt. Españ. p. 154. n. 1 (1876); *An. Soc. Españ.* v. p. 360. n. 1 (1876).
Acrydium Cyaneum, *Fourcr.* Ent. Paris. i. p. 180. n. 1 (1785).
S. Cærulans, var. *Ægyptiaca*, *Sauss.* l. c. xxviii. (9) p. 200. n. 3 a (1884). Egypt.
S. Cærulans, var. *Cubensis*, *Sauss.* l. c. p. 201. n. 3 c (1884). Cuba.
S. Cærulans, var. *Carinata*, *Sauss.* l. c. xxx. (1) p. 79 (1888).
S. Cærulans, var. *Vitrea*, *Sauss.* l. c. (1888). Egypt.
12. **S. Rubescens, **Walk.** (*Edipoda R.*) Arabia,
Zoologist, (2) v. p. 2301. n. 38 (1870). Greece,
S. Cærulans, var. *Candidus*, *Costa*, *Atti* Madeira,
Accad. Nap. (2) i. (9) p. 50 (1888). Baluchistan
Sardinia.
13. **S. Suschkini**, **Adel.** *Mater. Faun. Flor.* Targui.
Ross. Imp. vi. p. 5. n. 16 (1906), vii. p. 82 (1907).
14. **S. Angustipennis**, **Sauss.** l. c. xxviii. Persia.
(9) p. 201. n. 3 d (1884).
15. **S. Pilosus**, **Sauss.** l. c. n. 3 e (1884). id.
*16. **S. Mecheriæ**, **Krauss**, (*S. Cærulans*, var. *Algeria*,
Mecheriæ) *Jahresh. Ver. Württemb.* Tunisia,
xlix. p. xcv (1893); *Zool. Jahrb. Syst.* ix. Somali,
p. 534. n. 33 a, pl. 7. f. 4 (1896). Fao,
S. Mecheriæ, *Vosseler*, *Zool. Jahrb. Syst.* xvi. Socotra.
p. 370. n. 39, pl. 17. ff. 9, 10 a, b (1902).
[Sav. *Descr. Égypte*, Orth. pl. 7. f. 10.]
17. **S. Vosseleri**, **Krauss**, *Verh. zool.-bot.* Algeria.
Ges. Wien, lii. p. 242. n. 18, f. 10 (May 1902).
S. Desertorum, *Vosseler*, l. c. p. 372. n. 41,
pl. 17. ff. 12 a, b, 13 (Sept. 1902).
18. **S. Niloticus**, **Sauss.** l. c. xxx. (1) pp. 77, Egypt.
80. n. 8 (1888); *Finot*, l. c. pp. 468, 470 (1895).
[Sav. l. c. pl. 7. f. 2.]
19. **S. Grobbeni**, **Werner**, *Sitz. Akad.* id.
Wiss. Wien, Math.-nat. Cl. cxiv. p. 418. n. 17 (1905).
20. **S. Arenarius**, **Luc.** (*Edipoda Arenaria*), Algeria.
Expl. Alg., Ins. iii. p. 35. n. 60, iv. Orth. pl. 4. ff. 1, 1 a-h (1849).

- S. Arenaria*, *Sauss.* l. c. xxviii. (9) pp. 196, 202. n. 6 (1884).
- Sphinctonotus Arenarius*, *Pant. An. Soc. Españ.* xv. p. 271 (1886).
- Sphingonotus Arenarius*, *Finot*, Faune France, Orth. p. 145 (1889); *Ann. Soc. Ent. France*, lxiv. pp. 468, 471 (1895); *Sauss.* l. c. xxx. (1) pp. 77, 80. n. 6 (1888).
21. **S. Bengalensis**, *Sauss.* ll. cc. n. 7 (1888). Bengal.
22. **S. Capensis**, *Sauss.* l. c. xxviii. (9) pp. 196, 201. n. 4 (1884), xxx. (1) p. 77. S. Africa.
n. 9 (1888).
- *23. **S. Nigripennis**, *Serv. (Edipoda N.)* l. c. id.
p. 723. n. 4 (1839).
- S. Nigripennis*, *Sauss.* ll. cc. pp. 197, 207. n. 19 (1884), pp. 76, 79. n. 4. (1888).
24. **S. Jamaicensis**, *Sauss.* ll. cc. pp. 196, 202. n. 5 (1884), p. 77. n. 9 (1888); Jamaica.
Brun. l. c. pp. 187, 188. n. 2 (1906).
25. **S. Haitensis**, *Sauss. (Edipoda H.)* *Rev. Zool.* (2) xiii. p. 323 (1861); Thomas, Haiti,
Syn. Acrid. N. Amer. p. 213 (1873). Cuba,
S. Haitensis, *Sauss.* ll. cc. pp. 196, 202. n. 7 Mexico.
(1884), pp. 77, 81. n. 10 (1888); *Brun.* l. c. pp. 187, 188. n. 3 (1906).
26. **S. Brasilianus**, *Sauss.* l. c. xxx. (1) Brazil.
pp. 77, 81. n. 12 (1888).
27. **S. Fuscoirroratus**, *Stal, (Edipoda Fuscoirrorata)* *Eugenies Resa*, Orth. Galapagos,
p. 345. n. 107 (1860). Puna.
28. **S. Trinesiotis**, *Snodgr.* *Proc. Washington Acad.* iv. pp. 437, 439 (1902). Galapagos.
S. Trinesiotis Chathamensis, *Snodgr.* l. c. pp. 437, 439 (1902).
S. Trinesiotis Indefatigabilensis, *Snodgr.* l. c. pp. 437, 441 (1902).
S. Trinesiotis Albemarlensis, *Snodgr.* l. c. pp. 437, 443 (1902).
29. **S. Tetranesiotis**, *Snodgr.* l. c. pp. 437, id.
444 (1902).
S. Tetranesiotis Charlesensis, *Snodgr.* l. c. pp. 437, 444 (1902).
S. Tetranesiotis Barringtonensis, *Snodgr.* l. c. pp. 437, 445 (1902).
S. Tetranesiotis Hoodensis, *Snodgr.* l. c. pp. 438, 446 (1902).
S. Tetranesiotis Indefatigabilensis, *Snodgr.* l. c. pp. 438, 447 (1902).

30. **S. Mongolicus, Sauss.** l. c. pp. 77, 82. Mongolia.
n. 13 (1888); Jacobs. & Bianchi, l. c.
pp. 192, 274 (1902).
31. **S. Cyanopterus, Charp.** (*Gryllus C.*) N. & Centr.
Hor. Ent. p. 143, pl. 2. f. 3 (1825). Europe.
Edipoda Cyanoptera, Borck, Skand. Rätv.
Ins. p. 97. n. 3, pl. 3. f. 4 (1848); Fisch.
l. c. p. 405. n. 3, pl. 18. f. 5 (1853);
Fieb. Lotos, iii. p. 125. n. 14 (1853), iv.
p. 198. n. 14 (1854); Syn. Eur. Orth.
p. 25. n. 14 (1854); Auriv. Ent. Tidskr.
xxi. pp. 245, 246. n. 1 (1900).
S. Cyanopterus, Brunn. l. c. pp. 150, 152.
n. 2 (1882); Finot, ll. cc. p. 70 (1883);
p. 143 (1889); Sauss. l. c. xxviii. (9)
pp. 197, 202. n. 8. (1884), xxx. (1) p. 77.
n. 11 (1888); Tümp. l. c. pp. 219, 249
(1900); Jacobs. & Bianchi, l. c. pp. 192,
274 (1902).
|| *Gryllus Carulescens, Zett. (nec Linn.)* Orth.
Succ. p. 78. n. 5 (1821).
- *32. **S. Azurescens, Ramb.** (*Gryllus A.*) Spain,
Faune Andal. ii. p. 83. n. 9, pl. 7. f. 3 (1838). N. Africa,
Edipoda Azurescens, Fieb. ll. cc. p. 125. S. France.
n. 11 (1853), p. 198. n. 11 (1854); p. 24.
n. 11 (1854).
Sphinctonotus Azurescens, Bol. Ortópt.
Españ. pp. 154; 155. n. 2 (1876); An.
Soc. Españ. v. pp. 360, 361. n. 2 (1876);
Pant. An. Soc. Españ. xv. p. 271 (1886).
S. Azurescens, Brunn. l. c. pp. 150, 152.
n. 3, pl. 5. f. 33 A (1882); Finot, Faune
France, Orth. pp. 143-145 (1889); Ann.
Soc. Ent. France, lxiv. pp. 468, 472
(1895); Sauss. ll. cc. pp. 197, 203. n. 9
(1884), pp. 77, 82. n. 14 (1888); Bol. Ann.
Sci. Nat. Porto, v. p. 23. n. 2 (1898).
33. **S. Luteus, Krauss,** (*S. Azurescens*, var. Algeria.
Lutea) Jahresh. Ver. Württemb. xlix.
p. xcv (1893); Zool. Jahrb. Syst. ix.
p. 535. n. 34a, pl. 7. f. 5 (1896); Vosseler,
l. c. p. 374. n. 43 (1902).
S. Seftæ, Finot, Bull. Soc. Ent. France,
1894, p. xii; Ann. Soc. Ent. France, lxiv.
pp. 468, 476 (1895).
- *34. **S. Scabriculus, Stål,** (*Sphinctonotus S.*) S. Africa.
Cefv. Vet.-Akad. Förh. xxxiii. (3) p. 51.
n. 1 (1876).

S. Scabriusculus, Sauss. ll. cc. pp. 197, 204.
n. 12 (1884), pp. 77, 83. n. 15 (1888).

35. **S. Lucasii**, Sauss. (*S. Scabriusculus*,
var. *Lucasii*) l. c. xxx. (1) p. 83 (1888).
S. Lucasi, Jacobs. & Bianchi, l. c. pp. 192,
274 (1902); Vosseler, l. c. p. 374. n. 44,
(1902).

S. Scabriusculus, Finot (*nec* Sauss.), Faune
France, Orth. p. 145 (1889); Ann. Soc.
Ent. France, lxiv. pp. 468, 474 (1895).

- *36. **S. Savignyi**, Sauss. ll. cc. pp. 198, 208.
n. 20 (1884), p. 78. n. 16 (1888);
Finot, Ann. Soc. Ent. France, lxiv.
pp. 468, 472 (1895); Jacobs. & Bianchi,
l. c. pp. 193, 275 (1902); Vosseler, l. c.
p. 378. n. 47 (1902); Bol. Mém. Soc.
Ent. Belge, xvi. p. 105. n. 91 (1908).

[Sav. l. c. pl. 7. f. 13.]

S. Savignyi, stirps *Apicalis*, Sauss. l. c.
xxviii. p. 208. n. 20 a (1884); Jacobs. &
Bianchi, l. c. p. 275 (1902).

S. Savignyi, var. *Major*, Sauss. l. c. xxx. (1)
p. 84. n. 16 (1888); Jacobs. & Bianchi,
l. c. p. 275 (1902).

- *37. **S. Canariensis**, Sauss. (*S. Savignyi*,
stirps *Canariensis*) l. c. xxviii. (9) p. 208.
n. 20 b (1884).

S. Canariensis, Sauss. l. c. xxx. (1) p. 84.
n. 16 a (1888).

S. Hesperidum, Sauss. l. c. p. 78. n. 15 a
(1888).

- *38. **S. Indus**, Sauss. l. c. xxviii. (9) pp. 197,
204. n. 13 (1884), xxx. (1) p. 78. n. 17
(1888).

- *39. **S. Japonicus**, Sauss. l. c. xxx. (1)
pp. 78, 84. n. 18 (1888); Jacobs. &
Bianchi, l. c. pp. 193, 275 (1902).

- *40. **S. Longipennis**, Sauss. l. c. xxviii. (9)
pp. 197, 203. n. 11 (1884), xxx. (1)
pp. 78, 85. n. 18 a (1888).

41. **S. Diadematus**, Vosseler, l. c. p. 376.
n. 45, pl. 17. f. 13 a, b, pl. 18. f. 2 (1902).

- *42. **S. Balteatus**, Serv. (*Edipoda Balteata*)
l. c. p. 734. n. 19 (1839).

S. Balteatus, Sauss. l. c. xxx. (1) pp. 78, 86.
n. 19 (1888); Jacobs. & Bianchi, l. c.
pp. 193, 275 (1902).

N. Africa,
Syria,
Asia Minor.

N. Africa.

Ladak,
Turkestan,
Persia.
W. Asia.

Cape Verdes

N. India.

Japan.

Silhet.

Algeria.

N. Africa,
W. Asia,
India.

- S. Brunneri*, Sauss. l. c. xxviii. (9) pp. 197, 206. n. 15 (1884), xxx. (1) pp. 79, 87. n. 20 (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).
- *43. **S. Latifasciatus**, Walk. (*Ædipoda Latifasciata*) Zoologist, (2) v. p. 2299. n. 34 (1870). Egypt, Syria.
- || *S. Balteatus*, Sauss. (nec Serv.) l. c. xxviii. (9) pp. 197, 203. n. 10 (1884), xxx. (1) pp. 78, 86. n. 19 (varr. *a*, *b solus*) (1888); Finot, Ann. Soc. Ent. France, lxiv. pp. 468, 475 (1895); Vosseler, l. c. p. 377. n. 46 (1902). [Sav. l. c. pl. 7. f. 9.]
- *44. **S. Amaranthinus**, Sauss. l. c. xxviii. (9) pp. 197, 206. n. 14 *b* (1884). Aden, Perim I., Socotra.
S. Balteatus, var. *c*, Sauss. l. c. xxx. (1) p. 86 (1888).
45. **S. Persa**, Sauss. l. c. xxviii. (9) pp. 197, 205. n. 14 *a* (1884), xxx. (1) pp. 78, 86. n. 19 *a* (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902). Persia.
- *46. **S. Intutus**, Sauss. l. c. xxx. (1) pp. 78, 87. n. 19 *b* (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902). id.
47. **S. Tibialis**, Pall. (*Gryllus T.*) Reise, ii. p. 726. n. 786 (1773). Siberia.
48. **S. Nebulosus**, Fisch.-Waldh. (*Ædipoda Nebulosa*) Orth. Ross. p. 290. n. 13, pl. 32. f. 1 (1846). W. & Centr. Asia.
S. Nebulosus, Sauss. l. c. xxviii. (9) pp. 197, 205. n. 14 (1884), xxx. (1) pp. 78, 87. n. 19 *c* (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).
- *49. **S. Apicalis**, Sauss. ll. cc. pp. 197, 206. n. 16 (1884), pp. 79, 87. n. 20 *a* (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902). Persia, Afghanistan
50. **S. Kittaryi**, Sauss. ll. cc. pp. 197, 207. n. 17 (1884), p. 79. n. 21 (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902). W. Asia, Palestine.
51. **S. Venustus**, Stål, (*Ædipoda Venusta*) Eugenes Resa, Orth. p. 344. n. 103 (1860); Thom. Syn. Acrid. N. Amer. pp. 109, 111 (1873). California.

Genus 383. **Leptopternis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 193, 196, 198, 209 (1884), xxx. (1) pp. 24, 88 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 88, 91 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 217, v. p. 24 (1897, 1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 193, 277 (1902).

1. **L. Gracilis, Eversm.** (*Edipoda G.*) Turkestan,
Addit. Fisch.-Waldh. Orth. Ross. p. 10.
n. 5 (1848); Bull. Mosc. xxxii. p. 144,
pl. 1. f. 2 (1859). Dsungaria,
Persia,
Syria.

Sphingonotus Gracilis, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 210. n. 22 (1884).

L. Gracilis, Sauss. l. c. xxx. (1) p. 88. n. 1 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 92, 93. n. 1 (1889); Zub. Hor. Soc. Ent. Ross. xxx. p. 185. n. 9 (1896); Jacobs. & Bianchi, l. c. pp. 193, 277 (1902).

2. **L. Imitans, Brunn.** (*Sphingonotus I.*) S. Spain.
Prodr. Eur. Orth. pp. 150, 153. n. 4 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 211. n. 23 (1884).

L. Imitans, Sauss. l. c. xxx. (1) p. 88. n. 2 (1888); Mitth. Schweiz. Ent. Ges. iii. pp. 92, 94. n. 2 (1889); Bol. l. c. v. p. 24. n. 1 (1898).

3. **L. Maculata, Vosseler.** Zool. Jahrb. Algeria,
Syst. xvi. pp. 380-382, fig., pl. 17. Tunis.
ff. 14 a, b, 15 (1902).

Genus 384. **Hyalorhipis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 210 (1884), xxx. (1) p. 88 (1888); Mitth. Schweiz. Ent. Ges. viii. p. 92 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 194, 277 (1902).

1. **H. Clausii, Kitt.** (*Edipoda C.*) Bull. S. Russia,
Mosc. xxii. (2) p. 473. n. 56, pl. 8. ff. 7, 8 W. Asia,
(1849); Eversm. Bull. Mosc. xxxii. (1) Afghanistan
p. 143, pl. 1. f. 4 (1859). Egypt,

Sphingonotus Clausii, Brunn. Prodr. Eur. Syria.
Orth. pp. 150, 153. n. 5, pl. 5. f. 33 B
(1882); Sauss. Mém. Soc. Genève, xxviii.
(9) pp. 198, 211. n. 24 (1884).

- Leptopternis Clausii*, Sauss. l. c. xxx. (1) p. 88. n. 3 (1888); Mitth. Schweiz. Ent. Ges. viii. p. 93. n. 3 (1889); Zub. Hor. Soc. Ent. Ross. xxx. p. 185. n. 10 (1896); Jacobs. & Bianchi, l. c. pp. 194, 277 (1902).
Edipoda Kittaryi, Fieb. Lotos, iii. p. 125. n. 15 (1853); Syn. Eur. Orth. p. 25. n. 15 (1854).
2. **H. Canescens**, Sauss. (*Leptopternis C.*) Egypt, Syria.
 Mém. Soc. Genève, xxx. (1) pp. 88, 89. n. 4 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 93, 94. n. 3 (1889); Jacobs. & Bianchi, l. c. pp. 194, 278 (1902).
 [Sav. Descr. Égypte, Ins. Orth. pl. 7. f. 12.]
3. **H. Rhameses**, Sauss. (*Leptopternis R.*) iid.
 Mitth. Schweiz. Ent. Ges. viii. pp. 93, 94. n. 4 (1889); Jacobs. & Bianchi, l. c. pp. 194, 278 (1902).
 [Sav. l. c. pl. 6. f. 15.]
- *4. **H. Calcarata**, Vosseler (*Leptopternis C.*) Algeria, Tunis.
 Zool. Jahrb. Syst. xvi. p. 382, pl. 18. ff. 9 a, b, 10 (1902).

Genus 385. **Conipoda**. (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 192, 247 (1884), xxx. (1) pp. 24, 89 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 88, 95 (1889).

Pternoscirtus, Sauss. Mém. Soc. Genève, xxviii. (9) p. 59 (1884); nec *Pternoscirta*, Sauss. l. c. p. 52.

1. **C. Calcarata**, Sauss. l. c. p. 193. n. 1 Madagascar (1884), xxx. (1) p. 89. n. 1 (1888); E. & W. Mitth. Schweiz. Ent. Ges. viii. p. 96. n. 1 Africa. (1889).
2. **C. Aldabræ**, Sauss. Abhandl. Senckenb. Aldabra.
 Ges. xxi. p. 632. n. 4 (1899).

Genus 386. **Helioscirtus**. (Type no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 59, 194 (1884), xxx. (1) pp. 23, 74 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 192, 272 (1902); Vosseler, Zool. Jahrb. Syst. xvi. p. 364 (1902).

1. **H. Moseri**, Sauss. ll. cc. p. 195. n. 1 Simirsk, (1884), p. 74. n. 1 (1888); Jacobs. & W. & Centr. Bianchi, l. c. pp. 192, 272 (1902). Asia.

2. **H. Capsitanus, Bonnet**, (*Bryodemus Capsitana*) Le Nat. ii. p. 548 (1884); Bonn. & Finot, Rev. Montp. (3) iv. p. 216 (1884) | Tunis.
H. Capsitanus, Sauss. l. c. xxx. (1) pp. 74, 75. n. 3 (1888); Vosseler, l. c. p. 366-368. n. 36, fig., pl. 18. f. 8 a, b (1902).
 3. **H. Gracilis, Vosseler**, l. c. p. 368. n. 37, fig. (1902). | id.
 4. **H. Fonti, Bol.**, Bol. Soc. Españ. Hist. Nat. ii. p. 291 (1902). | Rio de Oro.

Genus 387. **Cœlopterna.**

Stål. Öfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 43, 45 (1900); Biol. Centr.-Amer., Orth. ii. pp. 118, 191 (1905, 1906).

- *1. **C. Acuminata, De Geer**, (*Acrydium Acuminatum*) Mém. Ins. iii. p. 501. n. 19, pl. 42. f. 10 (1773). | S. America, Panama.
C. Acuminata, Stål, Recens. Orth. i. p. 145. n. 1 (1873); Bol. Viaje al Pacif., Artrop. p. 51 (1884); Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 5 (1894), xii. (301) p. 3 (1897); Brun. ll. cc. p. 45 (1900); p. 191. n. 1 (1906).
C. Stålii, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 277. n. 34 (1875).
 ***Epacromia Selecta*, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 84 (1871).
C. Acuminata, var. *Brevipennis*, Giglio-Tos, l. c. ix. (184) p. 7 (1894).

SUBFAM. VII.

THRINCHINÆ.

Genus 388. **Thrinchus.** (Type no. 1.)

Fisch.-Waldh. Bull. Mosc. vi. pp. 363, 378 (1833); Orth. Ross. pp. 228, 255 (1846); Fieb. Lotos. iii. p. 128 (1853), iv. p. 202 (1854); Syn. Eur. Orth. p. 28 (1854); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 278 (1902).
Thrinchus, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 61, 218, 219 (1884), xxx. (1) p. 94 (1888).

- *1. **T. Campanulatus, Fisch.-Waldh.** ll. cc. p. 378. n. 1 (1833) ; p. 257. n. 1, pl. 11. f. 1 (1846) ; Jacobs. & Bianchi, l. c. pp. 194, 279 (1902).
Thrinus Campanulatus, Sauss. l. c. xxviii. (9) p. 221. n. 2 (1884).
Tmethis Campanulata, Fieb. ll. cc. p. 128. n. 6 (1853), p. 201. n. 6 (1854) ; p. 28. n. 61 (1854).
- *2. **T. Schrenkii, Fisch.-Waldh.** Orth. Ross. p. 259. n. 2, pl. 27. f. 1 (1846) ; Fieb. ll. cc. p. 128. n. 1 (1853), p. 202. n. 1 (1854) ; p. 28. n. 1 (1854) ; Jacobs. & Bianchi, l. c. pp. 194, 279 (1902).
Thrinus Schrenkii, Sauss. l. c. p. 220. n. 1 (1884).
- Ural,
W. & Centr.
Asia,
Afghan-
istan.
- W. Asia,
Dsungaria,
Persia.

Genus 389. **Strumiger.**

Zub. Hor. Soc. Ent. Ross. xxx. p. 188 (1896) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 279 (1902).

1. **S. Desertorum, Zub.** l. c. p. 189 (1896) ; Jacobs. & Bianchi, l. c. pp. 194, 279 (1902).
- Trans-
caspia.

Genus 390. **Phanerocherus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 96 (1888).

1. **P. Testudo, Sauss.** l. c. p. 97. n. 1, pl. 2. ff. 9, 9a (1888).
- S. Australia.

Genus 391. **Lilæa.**

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 33 (1875) ;
 Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 99 (1888).

1. **L. Depressa, Stål,** l. c. p. 33. n. 1 (1875) ; Sauss. l. c. p. 99. n. 1 (1888).
- Hab. — ?

Genus 392. **Crypsicerus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 100 (1888).

1. **C. Cubicus, Sauss.** l. c. p. 100. n. 1 (1888).
- Namaqua
Land.

Genus 393. **Lathicerus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 102 (1888).

1. **L. Cimex**, Sauss. l. c. p. 103. n. 1 | S. Africa.
(1888).

Genus 394. **Mecostibus.** (*Type* no. 1.)

Karsch, Stett. Ent. Zeit. lvii. p. 266 (1896).

1. **M. Sublævis**, Karsch, l. c. p. 267. n. 30 | Tanganyika
(1896).
2. **M. Leprosus**, Karsch, l. c. p. 268. n. 31 | E. Africa.
(1896).
3. **M. Physalus**, Karsch, l. c. n. 32 (1896). | id.

SUBFAM. VIII.

BATRACHOTETRIGINÆ.Genus 395. **Haplotropis.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 122, 125 (1888).

Haplotropis, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
pp. 170, 194, 280 (1902).

Aplusotropis, Sauss. Spicil. Ent. ii. p. 13 (1887).

1. **H. Brunneriana**, Sauss. Mém. Soc. | Amur.
Genève, xxx. (1) p. 126. n. 1, pl. 2. ff. 10,
10 a (1888).
Haplotropis Brunneriana, Jacobs. & |
Bianchi, l. c. pp. 194, 280 (1902).

Genus 396. **Prionotropis.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 127 (June, 1853), iv. p. 200 (1854); Syn.
Eur. Orth. p. 27 (1854).

Cuculligera, Fisch. Orth. Eur. pp. 297, 390 (Nov. 1853); Bol.
Ortópt. Españ. pp. 147, 159 (1876); An. Soc. Españ. v.
pp. 353, 365 (1876); Ann. Sci. Nat. Porto, iv. p. 217, v.
p. 25 (1897, 1898); Stål, Bihang Svensk. Akad. Handl.
iv. (5) p. 27 (1878); Brunn. Prodr. Eur. Orth. pp. 85,

177 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 62, 222 (1884), xxx. (1) p. 123 (1888); Tümp. Geradtl. Mitteleuropas, pp. 215, 219, 250 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 280 (1902). (*Type* no. 1.)

- *1. **P. Hystrix, Germ.** (*Gryllus H.*) Reise Dalm. p. 252. n. 321, pl. 9. ff. 1, 2 (1817); Charp. Hor. Ent. p. 176 (1825). *Edipoda Hystrix*, Burm. Handb. Ent. ii. p. 644. n. 16 (1838). *Acridium Hystrix*, Herr.-Schäff. Nomencl. Ent., Orth. p. 7 (1840). *P. Hystrix*, Fieb. ll. cc. p. 128. n. 1 (1853), p. 200. n. 1 (1854); p. 27. n. 1 (1854). *Cuculligera Hystrix*, Fisch. l. c. p. 391. n. 1, pl. 15. ff. 13, 13 a-c (1853); Stål, l. c. p. 27 (1878); Brunn. l. c. p. 178. n. 1, pl. 6. f. 41 A-c (1882); Sauss. l. c. xxviii. (9) pp. 222, 223. n. 2 (1884); Tümp. l. c. pp. 219, 250, pl. 20 (1900); Jacobs. & Bianchi, l. c. pp. 194, 281, pl. 7 (1902). Dalmatia, Herze-govina, Istria, Croatia.
2. **P. Appula, Costa**, (*Podisma Appulum*) Faun. Nap., Ort. p. 44. n. 1, pl. 4. f. 3 A, b-d (1836). *Cuculligera Appula*, Brunn. l. c. p. 179. n. 2 (1882); Sauss. l. c. pp. 222, 223. n. 3 (1884); Jacobs. & Bianchi, l. c. pp. 195, 281 (1902). S. Italy, Epirus.
- *3. **P. Flexuosa, Serv.** (*Eremobia F.*) Ins. Orth. p. 709. n. 5 (1839). *Thrinchus Flexuosus*, Fisch. l. c. p. 419. n. 4 (1853). *Cuculligera Flexuosa*, Brunn. l. c. pp. 178, 179. n. 3 (1882); Sauss. l. c. pp. 222, 223. n. 1 (1884); Bol. Ann. Sci. Nat. Porto, v. p. 25. n. 1 (1898); Navás, Bol. Soc. Aragon, iii. p. 194 (1904). *Thrinchus Perezii*, Bol. An. Soc. Españ. ii. p. 234, pl. 9. f. 9 (1873). *Cuculligera Perezii*, Bol. Ortópt. Españ. p. 159. n. 1, pl. 3. ff. 22-25 (1876); An. Soc. Españ. v. p. 365. n. 1, pl. 12. ff. 22-25 (1876). *Cuculligera Flexuosa*, var. *Azurea*, Navás, l. c. p. 195 (1904). Spain, Castile.

4. **P. Capucina, Navás**, (*Cuculligera C.*) Spain,
l. c. p. 193, fig., p. 194 (1904). Aragon.
5. **P. Maculinervis, Stål**, (*Cuculligera M.*) Asia.
l. c. p. 28 (1878); Sauss. l. c. pp. 222,
223. n. 4 (1884); Bol. Ann. Soc. Ent.
Belg. xliii. p. 595 (1899); Jacobs. &
Bianchi, l. c. pp. 195, 281 (1902).

Genus 397. **Glyphanus.** (*Type no. 1.*)

Fieb. Lotos, iii. p. 128 (1853), iv. p. 202 (1854); Syn. Eur.
Orth. p. 28 (1854); Stål, Bihang Svensk. Akad. Handl.
iv. (5) p. 26 (1876); Brunn. Prodr. Eur. Orth. pp. 85, 183
(1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 62, 224
(1884), xxx. (1) pp. 123, 169 (1888); Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. pp. 171, 195, 281 (1902).

- *1. **G. Obtusus, Fieb.** Lotos, iii. p. 129. n. 1 Rumelia,
(1853); Syn. Eur. Orth. p. 28. n. 1 Greece.
(1854); Brunn. Verh. zool.-bot. Ges.
Wien, xi. p. 303, pl. 15. f. 20 A-D
(1861); Prodr. Eur. Orth. p. 183. n. 1,
pl. 6. f. 43 (1882); Sauss. l. c. xxviii.
(9) p. 224. n. 1 (1884); Jacobs. &
Bianchi, l. c. pp. 195, 282 (1902).
2. **G. Heldreichi, Brunn.** Prodr. Eur. Orth. Greece.
pp. 183, 184. n. 2 (1882); Sauss. l. c. Macedonia.
p. 224. n. 2 (1884); Jacobs. & Bianchi,
l. c. pp. 195, 282 (1902).

Genus 398. **Tmethis.** (*Type no. 17.*)

Fieb. Lotos, iii. p. 128 (1853), iv. p. 201 (1854); Syn. Eur.
Orth. p. 27 (1854); Jacobs. & Bianchi, Prem. i Lozhn.
Ross. Imp. pp. 171, 195, 282 (1902).

|| *Eremobia, Serv. (nec Steph.)* Ins. Orth. p. 704 (1839); Stål,
Bihang Svensk. Akad. Handl. iv. (5) p. 26 (1876); Bol.
Ortópt. Españ. pp. 147, 158 (1876); An. Soc. Españ. v.
pp. 353, 364 (1876); Ann. Sci. Nat. Porto, iv. p. 217,
v. p. 25 (1897, 1898); Brunn. Prodr. Eur. Orth. pp. 85,
180 (1882); Finot, Orth. France, pp. 42, 77 (1883);
Faune France, Orth. pp. 101, 157 (1889); Ann. Soc. Ent.
France, lxiv. p. 483 (1895); Sauss. Mém. Soc. Genève,
xxviii. (9) pp. 61, 62, 224 (1884), xxx. (1) pp. 123, 126
(1888).

1. **T. Gibber, Stål**, (*Eremobia Gibbera*) l. c. Syria,
p. 27 (1876); Sauss. ll. cc. pp. 227, 231. Armenia.
n. 10 (1884), p. 127. n. 1 (1888).

- T. Gibber*, *Jacobs. & Bianchi*, l. c. pp. 195, 282 (1902).
2. **T. Festivus, Sauss.** (*Eremobia Festiva*) Armenia, Persia.
ll. cc. pp. 227, 231. n. 11 (1884), p. 127. n. 2 (1888).
T. Festivus, *Jacobs. & Bianchi*, l. c. pp. 195, 283 (1902).
- *3. **T. Cyanipennis, Sauss.** (*Eremobia C.*) Khiva.
ll. cc. pp. 227, 232. n. 12 (1884), p. 127. n. 3 (1888).
T. Cyanipennis, *Jacobs. & Bianchi*, l. c. pp. 195, 283 (1902).
4. **T. Persa, Sauss.** (*Eremobia P.*) l. c. Persia.
xxx. (1) pp. 127, 128. n. 5 (1888).
T. Persa, *Jacobs. & Bianchi*, l. c. pp. 195, 283 (1902).
5. **T. Grandis, Porch.** (*Eremobia G.*) Hor. Transcaucasia.
Soc. Ent. Ross. xx. pp. 111, 113, pl. 12. ff. 5, 7, 9, 11 (1886); Sauss. l. c. pp. 113, 127, 128. n. 4 (1888); *Jacobs. & Bianchi*, l. c. pp. 281, 283 (1902).
- *6. **T. Muricatus, Pall.** (*Gryllus M.*) Reise, S. Russia, Siberia.
i. p. 466. n. 47 (1771); *Fabr. Ent. Syst. Suppl.* p. 194 (1798).
Gryllus Locusta Pallasii, *Stoll*, *Spectres*, *Saut.* p. 25, pl. 11 b. f. 40 (1813).
Acridium Muricatum, *Herr.-Schäff.* *Nomencl. Ent.*, *Orth.* p. 7 (1840).
Thrinchus Muricatus, *Fisch.-Waldh.* *Bull. Mosc.* vi. p. 379. n. 2 (1833); *Ins. Orth.* p. 260. n. 3, pl. 11. f. 2 (1846); *Fisch. Orth. Eur.* p. 417. n. 2, pl. 15. ff. 15, 15 a (1853).
Tmethis Muricata, *Fieb.* ll. cc. p. 128. n. 2 (1853), p. 201. n. 2 (1854); p. 28. n. 2 (1854).
T. Muricatus, *Jacobs. & Bianchi*, l. c. pp. 196, 283, pl. 10 (1902).
Eremobia Muricata, *Charp. Orth.* pl. 23 (1842 ?); *Brunn. Prodr. Eur. Orth.* p. 181. n. 1, pl. 6. f. 42 (1882); *Sauss. l. c.* xxviii. (9) pp. 227, 230. n. 7 (1884), xxx. (1) p. 127. n. 6 (1888); *Porch. l. c.* pp. 113-117, pl. 12. ff. 2, 8, 10, 12 (1886).
Thrinchus Turritus, *Fisch.-Waldh.* ll. cc. p. 379. n. 3 (1833); p. 260, pl. 11. f. 3 (1846).

- Gryllus Lugubris*, Sturm, Panzer, Ins. Germ. fasc. clvi. pl. 20 (1838).
Thrinchus Muricatus, var. *Fasciatus*, Fisch.-Waldh. l. c. p. 261 (1846).
Eremobia Muricata, var. *Heptapotamica*, Zub. Ann. Mus. Zool. Pétersb. iii. p. 103. n. 66 (1898).
Tmethis Muricatus, var. *Heptapotamicus*, Jacobs. & Bianchi, l. c. pp. 196, 284 (1902).
7. **T. Serricornis**, Fisch.-Waldh. (*Thrinchus* S.) Orthopt. Ross. p. 264. n. 6 (1846). Kirghis Steppes.
8. **T. Versicolor**, Stoll, (*Gryllus Locusta* V.) l. c. p. 34, pl. 18 b. f. 66 (1813). Hab. — ?
9. **T. Bilobus**, Stål, (*Eremobia Biloba*) Bi-hang Svensk. Akad. Handl. iii. (14) p. 35. n. 1 (1876); Sauss. ll. cc. pp. 227, 230. n. 8 (1884), p. 127. n. 7 (1888). Daghestan, Armenia, Persia.
T. Bilobus, Jacobs. & Bianchi, l. c. pp. 196, 284 (1902).
10. **T. Holtzi**, Jacobs. & Bianchi, l. c. Asia Minor.
pp. 196, 284 (1902).
11. **T. Escherichi**, Krauss, (*Eremobia E.*) Zool. Jahrb. Syst. ix. p. 565. n. 15, pl. 8. f. 5 A-D (1896). id.
T. Escherichi, Jacobs. & Bianchi, l. c. pp. 196, 284 (1902).
12. **T. Semenowi**, Zub. (*Eremobia* S.) Hor. Trans-caspia.
Soc. Ent. Ross. xxxii. p. 581 (1898).
T. Semenowi, Jacobs. & Bianchi, l. c. pp. 196, 284 (1902).
13. **T. Accessorius**, Fisch.-Waldh. (*Thrinchus* A.) Bull. Mosc. vi. p. 379. n. 4 (1833); Orth. Ross. p. 262. n. 4, pl. 11. f. 4 (1846). Balkans, Dobrudschia, Trans-caucasia.
Tmethis Accessoria, Fieb. ll. cc. p. 128. n. 5 (1853), p. 201. n. 5 (1854); p. 28. n. 5 (1854).
Eremobia Limbata, Charp. l. c. pl. 24 (1842?); Brunn. l. c. p. 181. n. 2 (1882); Sauss. ll. cc. pp. 226, 229. n. 6 (1884), p. 127. n. 8 (1888).
Thrinchus Limbatus, Fisch.-Waldh. Orth. Ross. p. 265. n. 7 (1846); Fisch. l. c. p. 418. n. 3, pl. 15. f. 16 (1853).
Tmethis Limbata, Fieb. ll. cc. p. 128. n. 3 (1853), p. 201. n. 3 (1854); p. 28. n. 3 (1854).

- Tmethis Limbatus*, *Jacobs. & Bianchi*, l. c. pp. 196, 285 (1902).
14. **T. Tartarus, Sauss.** (*Eremobia Tartara*) Turkestan.
ll. cc. pp. 226, 229. n. 5 (1884), p. 128. n. 13 (1888).
T. Tartarus, *Jacobs. & Bianchi*, l. c. pp. 196, 285 (1902).
15. **T. Fuscipennis, Redt.** (*Eremobia F.*) Transcaspia.
Wien. Ent. Zeit. viii. p. 28. n. 3 (1889);
Zub. Hor. Soc. Ent. Ross. xxx. p. 187. n. 13 (1896).
T. Fuscipennis, *Jacobs. & Bianchi*, l. c. pp. 196, 285 (1902).
16. **T. Carinatus, Fabr.** (*Gryllus C.*) Syst. Egypt, Arabia, Palestine.
Ent. p. 288. n. 4 (1775).
Acrydium Carinatum, *Oliv.* Encycl. Méth., Ent. vi. p. 216. n. 5 (1791).
Eremobia Carinata, *Serv.* Ins. Orth. p. 706. n. 1 (1839); *Sauss.* ll. cc. pp. 226, 227. n. 1 (1884), pp. 127, 129. n. 9 (1888).
Tmethis Carinatus, *Jacobs. & Bianchi*, l. c. pp. 197, 285 (1902).
- *17. **T. Cisti, Fabr.** (*Gryllus C.*) Mant. Ins. Egypt, Tunis, Syria.
i. p. 237. n. 29 (1787).
Acrydium Cisti, *Oliv.* l. c. p. 222. n. 33 (1791); *Latr.* Hist. Nat. Crust. Ins. xii. p. 153. n. 9 (1804).
Thrinchus Cisti, *Fisch.* l. c. p. 416. n. 1, pl. 15. ff. 14, 14 a, b (1853).
Tmethis Cisti, *Fieb.* ll. cc. p. 128. n. 1 (1853), p. 201. n. 1 (1854); p. 28. n. 1 (1854).
Eremobia Cisti, *Serv.* l. c. p. 707. n. 3 (1839).
Acridium Hispidulum, *Beauv.* Ins. Afr. Amér. p. 200, Orth. pl. 5. f. 5 (1805).
Eremobia Pulchripennis, *Serv.* l. c. p. 708. n. 4 (1839); *Sauss.* ll. cc. pp. 226, 228. n. 4 (1884), pp. 127, 130. n. 10 (1888).
Tmethis Pulchripennis, *Jacobs. & Bianchi*, l. c. pp. 197, 286 (1902).
18. **T. Olivieri, Kirb.** (n. n.). Spain?, Algeria.
|| *Acrydium Cisti*, pt., *Oliv.* (nec *Fabr.*) l. c. p. 222. n. 33 (1791).
Eremobia Cisti, *Bol.* ll. cc. p. 158. n. 1 (1876); v. p. 364. n. 1 (1876); v. p. 25. n. 1 (1898); *Brunn.* l. c. pp. 181, 182. n. 3 (1882); *Sauss.* ll. cc. pp. 226, 228. n. 2 (1884), pp. 128, 129, 131. n. 12 (1888).

- Timethis Cisti*, *Jacobs. & Bianchi*, l. c. pp. 197, 286 (1902).
19. **T. Clavelii**, **Luc.** (*Eremobia C.*) Ann. Soc. Ent. France, (2) ix. p. 364. n. 18, pl. 8. ff. 1, 1 a-g (1851); *Sauss.* ll. cc. pp. 226, 228. n. 3 (1884), pp. 127, 130. n. 11 (1888).
T. Claveli, *Jacobs. & Bianchi*, l. c. pp. 197, 286 (1902).
- || *Eremobia Cisti*, *Finot (nec Fabr.)*, ll. cc. p. 77 (1883); p. 158, pl. 8. f. 110 (1889); p. 484 (1895).
- Eremobia Clavelii*, var. *Algerica*, *Sauss.* l. c. xxx. (1) p. 131 (1888).
- Eremobia Clavelii*, var. *Tunensis*, *Sauss.* l. c. xxx. (1) p. 131 (1888); *Krauss*, Wien. Ent. Mon. xi. p. 148 (1892). Tunis.
- Eremobia Clavelii*, var. *Gracilis*, *Sauss.* l. c. p. 131 (1888); *Krauss*, l. c. p. 148 (1892). id.
- Eremobia Claveli*, var. *Laciniuscula*, *Krauss*, l. c. p. 149 (1892). id.
- Eremobia Claveli*, var. *Mozabitica*, *Krauss*, Verh. zool.-bot. Ges. Wien, lii. p. 244. n. 20 a (1902). Sahara.
20. **T. Continuatus**, **Serv.** (*Eremobia Continuata*) l. c. p. 707. n. 2 (1839); *Sauss.* l. c. xxviii. (9) pp. 227, 231. n. 9 (1884), xxx. (1) pp. 128, 132. n. 14 (1888). Egypt, Syria.
T. Continuatus, *Jacobs. & Bianchi*, l. c. pp. 197, 286 (1902).
21. **T. Stummeri**, **Kuthy**, (*Eremobia S.*) Ann. Mus. Hungar. iii. p. 217 (1905). Hysk.
22. **T. Suschkini**, **Adel.** Mater. Faun. Flor. Ross. Imp. vi. p. 5. n. 16 (1906). Turga.

Genus 399. **Eremopeza.** (*Type no. 1.*)

Sauss. Mém. Soc. Genève, xxx. (1) p. 133 (1888); *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 197, 286 (1902).
 || *Eremoplana*, *Sauss.* (*nec Stål*) l. c. xxviii. (9) pp. 82, 232 (1884).

1. **E. Cinerascens**, **Stål**, (*Eremobia C.*) Bihang Svensk. Akad. Handl. iii. (14) p. 35. n. 2 (1875). Persia.
Eremoplana Cinerascens, *Sauss.* l. c. p. 233. n. 1 (1884).

Eremocharis Cinerascens, Sauss. l. c. xxx.

(1) p. 134. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 197, 286 (1902).

- * 2. **E. Granulosa**, Walk. (*Edipoda* G.) Beluchistan
Cat. Derm. Salt. B. M. v. Suppl. p. 76
(1871). Vf 221

Eremocharis Granulosa, Sauss. l. c. xxx.

(1) p. 134. n. 2 (1888); Jacobs. & Bianchi, l. c. p. 287 (1902).

Eremocharis Granulata, Jacobs. & Bianchi,
l. c. p. 197 (1902).

Genus 400. **Eremocharis**. (Type no. 3.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 233 (1884), xxx.
(1) pp. 123, 133 (1888); Finot, Ann. Soc. Ent. France,
lxiv. pp. 483, 486 (1895); Jacobs. & Bianchi, Prem. i
Lozhn. Ross. Imp. pp. 171, 197, 286, 287 (1902).

1. **E. Insignis**, Luc. (*Edipoda* I.) Ann. Algeria,
Soc. Ent. France, (2) ix. p. 370. n. 19 Tunis.
(1851).

Eremocharis Insignis, Bonn. & Fin. Rev.

Montp. (3) iv. p. 221 (1884); Sauss. l. c.
xxx. (1) pp. 134, 135. n. 3 (1888); Finot,
l. c. p. 487 (1895); Krauss, Verh. zool-
bot. Ges. Wien, lii. p. 244. n. 21 (1902).

Eremobia Jaminii, Luc. l. c. iii. (2) p. 711,
pl. 20. ff. 1, 1 a-d (1854).

Batrachotettix Elephas, Sauss. l. c. xxviii.
(9) pp. 236, 237. n. 1 (1884), immature.

2. **E. Syriaca**, Bol. Rev. Biol. Nord France, Palmyra.
v. p. 483 (1893); Jacobs. & Bianchi, l. c.
pp. 197, 287 (1902).

3. **E. Subsulcata**, Stål, (*Eremobia* S.) Persia.
Bihang Svensk. Akad. Handl. iii. (14)
p. 35. n. 3 (1875).

Eremocharis Subsulcata, Sauss. l. c. xxviii.
(9) p. 234. n. 1 (1884); Jacobs. &
Bianchi, l. c. pp. 197, 287 (1902).

Genus 401. **Eremotettix**.

Sauss. Mém. Soc. Genève, xxx. (1) pp. 123, 136 (1888).

- * 1. **E. Walkeri**, Sauss. l. c. p. 136. n. 1, pl. 2. S. Africa.
ff. 14, 14 a (1888).

Genus 402. **Batrachornis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 234 (1884),
xxx. (1) pp. 123, 137 (1888).

- | | |
|---|---------|
| *1. B. Perloides , Sauss. ll. cc. p. 235 (1884): | Namaqua |
| pp. 139, 140. n. 1 (1888). | Land. |
| 2. B. Peringueyi , Sauss. l. c. xxx. (1) | id. |
| pp. 139, 140. n. 2 (1888). | |
| 3. B. Namaquensis , Sauss. l. c. pp. 139, | id. |
| 141. n. 3 (1888). | |

Genus 403. **Batrachotetrix.** (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 660 (1838).

Batrachotetrix, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63,
236 (1884), xxx. (1) pp. 123, 142 (1888).

Trachypetra, White, Melhuus, Life in Wilderness, p. 316
(1846); Karsch, Ent. Nachr. xiii. pp. 260, 261 (1887).
(*Type* no. 5.)

- | | |
|---|------------|
| *1. B. Cantans , Sauss. (<i>Batrachotetrix</i> C.) | Namaqua |
| l. c. xxx. (1) pp. 144, 145. n. 1 (1888). | Land, |
| | Kimberley. |
| *2. B. Peringueyi , Sauss. (<i>Batrachotetrix</i> P.) | Griqua |
| ll. cc. pp. 144, 146. n. 2 (1888). | Land, |
| | Kimberley. |
| 3. B. Loricatus , Sauss. (<i>Batrachotetrix</i> L.) | Hab. ——— |
| l. c. xxviii. (9) pp. 236, 238. n. 3 (1884), | |
| xxx. (1) pp. 144, 147. n. 3 (1888). | |
| 4. B. Hottentotus , Sauss. (<i>Batrachotetrix</i> | Cape. |
| ll.) ll. cc. pp. 236, 237. n. 2 (1884), | |
| pp. 144, 147. n. 4 (1888). | |
| **5. B. Scutellaris , Walk. (<i>Trachypetra</i> S.) | S. Africa. |
| Cat. Derm. Salt. B. M. iv. p. 796. n. 3 | |
| (1870). | |
| <i>Trachypetra</i> Bufo, White (nec Burm.), l. c. | |
| p. 317, pl. 2. f. 3 (1846). | |
| <i>Batrachotetrix</i> White, Sauss. l. c. xxx. (1) | |
| p. 148. n. 5 (1888). | |
| *6. B. Pistrinarius , Sauss. (<i>Batrachotetrix</i> | Orange |
| P.) l. c. xxviii. (9) pp. 236, 238. n. 4 | River. |
| (1884), xxx. (1) p. 144. n. 6 (1888). | |

- | | |
|--|---|
| <p>7. B. Stollii, Sauss. (<i>Batrachotettix</i> S.)
 ll. cc. pp. 236, 239. n. 5 (1884), pp. 144,
 149, n. 7 (1888).
 [Stoll, Spectres, Saut. p. 20, pl. 8 b. f. 29.]</p> <p>8. B. Bufo, Burm. l. c. p. 661. n. 1 (1838).
 <i>Batrachotettix Bufo</i>, Sauss. ll. cc. pp. 236,
 239. n. 6 (1884), pp. 144, 150. n. 8
 (1888).</p> <p>**9. B. Scutigera, Walk. (<i>Trachypetra</i> S.)
 l. c. p. 796. n. 2 (1870).
 <i>Batrachotettix Scutigera</i>, Sauss. l. c. xxx.
 (1) pp. 144, 150. n. 9, pl. 2. f. 11 (1888).</p> <p>10. B. Acutus, Sauss. (<i>Batrachotettix</i> A.)
 l. c. pp. 144, 151. n. 11 (1888).</p> <p>11. B. Granulatus, Herbst, (<i>Acrydium</i>
 <i>Granulatum</i>) Fuessly, Arch. Insect. p. 190.
 n. 6, pl. 52. f. 5 (1786).
 <i>B. Granulata</i>, Burm. l. c. p. 661. n. 2
 (1838).
 <i>Batrachotettix Granulatus</i>, Sauss. l. c. xxviii.
 (9) pp. 236, 239. n. 7 (1884), xxx. (1)
 pp. 144, 151. n. 10 (1888).</p> | <p>Cape,
Namaqua
Land.</p> <p>Cape.</p> <p>S. Africa.</p> <p>Namaqua
Land.</p> <p>E. Indies(?).</p> |
|--|---|

Genus 404. **Trachypetrella**, **Kirb.** (n. n.). (*Type* no. 1.)

- ▽ || *Methone*, **Stål** (*nec Doubl.*), Bihang Svensk. Akad. Handl. iii.
 (14) p. 34 (1875); **Sauss.** Mém. Soc. Genève, xxviii. (9)
 pp. 63, 239 (1884), xxx. (1) pp. 124, 154 (1888).
 || *Trachypetra*, **Karsch** (*nec White*), Ent. Nachr. xiii. p. 41
 (1887).

- | | |
|---|--|
| <p>*1. T. Anderssonii, Stål, (<i>Methone</i> A.) l. c.
 p. 34. n. 1 (1875); Öfv. Vet.-Akad.
 Förh. xxxiii. (3) p. 53. n. 1 (1876);
 Sauss. ll. cc. p. 240. n. 1 (1884), p. 156.
 n. 1 (1888).
 <i>Trachypetra Mola</i>, Karsch, l. c. p. 41
 (1887).
 <i>Methone Anderssonii</i>, var. <i>Minor</i>, Sauss. l. c.
 xxx. (1) p. 157 (1888).</p> <p>2. T. Rana, Sauss. (<i>Methone</i> R.) l. c.
 p. 156. n. 2 (1888).
 <i>Methone Fallax</i>, Sauss. l. c. p. 158. n. 2
 (1888).</p> | <p>S. Africa.</p> <p>Namaqua
Land.</p> |
|---|--|

Genus 405. **Eneremius.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 124, 160 (1888).

1. **E. Mutus, Sauss.** l. c. p. 161. n. 1 | S.W.Africa.
(1888).

Genus 406. **Tanaocerus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 191 (1906).

1. **T. Koebelei, Brun.** l. c. p. 192. n. 1 | California.
(1906).

Genus 407. **Brachystola.** (*Type* no. 1.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 267 (1876);
Guide N. Amer. Orth. p. 38 (1897); Sauss. Mém. Soc.
Genève, xxviii. (9) pp. 63, 240 (1884), xxx. (1) pp. 124,
162 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 119,
192 (1905, 1906).

|| *Brachypeplus*, *Charp. (nec Erichs.)* Orth. pl. 51 (1845);
Gir., Marcy, Expl. Red River Louis. p. 260 (1854);
Thomas, Syn. Acrid. N. Amer. p. 142 (1873).

- *1. **B. Magna, Gir.** (*Brachypeplus Magnus*) United
l. c. p. 260. n. 3, pl. 15. ff. 1-4 (1854); States,
Glover, Ill. N. Amer. Orth. pl. 7. f. 11 Mexico.
(1872); Thomas, l. c. p. 143, pl. 1. f. 4
(1873).

Brachystola Magna, Scudd. Bull. U.S.
Geol. Surv. Territ. ii. p. 267 (1876);
Sauss. ll. cc. p. 241. n. 1 (1884), pp. 163,
164. n. 1 (1888); Sutt. Kansas Univ.
Quarterly, ix. pp. 135-160, pls. 32-35
(1900); Brun. l. c. p. 193. n. 1 (1906).

2. **B. Ponderosa, Brun.** l. c. pp. 193, 194. Mexico.
n. 2 (1906).

3. **B. Intermedia, Brun.** ll. cc. n. 3 (1906). id.

4. **B. Virescens, Charp.** (*Brachypeplus V.*) id.,
l. c. pl. 51 (1845); Glover, l. c. pl. 9. New
f. 3 (1872). Mexico,

Brachystola Virescens, Brun. Rep. U.S. Texas.

- Ent. Comm. iii. p. 58. n. 149 (1883);
 Biol. Centr.-Amer., Orth. ii. pp. 193, 195.
 n. 4 (1906); Sauss. ll. cc. p. 242. n. 2
 (1884), p. 163. n. 3 (1888).
 || *Brachystola Magna*, *Rehn & Heb. (nec Gir.)*
 Proc. Acad. Nat. Sci. Philad. lviii. p. 398
 (1906).
5. **B. Mexicana**, **Brun.** Biol. Centr.-Amer., Mexico.
 Orth. ii. pp. 193, 195. n. 5, pl. 2. f. 4
 (1906).
6. **B. Behrensi**, **Scudd.** Proc. Boston Soc. id.
 Nat. Hist. xix. p. 33. n. 68 (1877);
 Sauss. l. c. xxx. (1) pp. 163, 164. n. 2
 (1888); Brun. l. c. pp. 193, 196. n. 6,
 pl. 2. f. 6 (1906).
7. **B. Eiseni**, **Brun.** ll. cc. n. 7, pl. 2. f. 5 id.
 (1906).

Genus 408. **Tytthotyle.**

Scudd. Canad. Ent. xxix. p. 74 (1897); Guide N. Amer. Orth.
 p. 38 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 119,
 196 (1905, 1906).

1. **T. Maculata**, **Brun.** (*Thrincus* (?) *Macu-* California.
latus) Proc. U.S. Nat. Mus. xii. p. 79
 (1889).
Tytthotyle Maculata, *Brun.* Biol. Centr.-
 Amer., Orth. ii. p. 197. n. 1, pl. 2. f. 9
 (1906).

Genus 409. **Phrynotettix.** (*Type* no. 1.)

Glover, Ill. N. Amer. Orth. pl. 6. f. 25 (1872); Rehn, Proc.
 Acad. Nat. Sci. Philad. liv. p. 595 (1903); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 119, 197 (1905, 1906).
Haldemanella, *Sauss.* Mém. Soc. Genève, xxx. (1) pp. 123, 153
 (1888).
Haldemanella, *Brun.* Proc. U.S. Nat. Mus. xii. p. 80 (1889);
 Biol. Centr.-Amer., Orth. ii. p. 119 (1905); Scudd. Guide
 N. Amer. Orth. p. 38 (1897).
Haldemannia, *Towns.* Ins. Life, vi. p. 31 (1893).

1. **P. Verruculatus, Glov.** (*P. Verruculata*) Texas,
l. c. pl. 6. f. 25 (1872). New
Phrynotettix Verruculatus, Brun. Biol. Mexico,
Centr.-Amer., Orth. ii. pp. 197, 198. n. 1 Arizona,
(1906). Mexico.
- *2. **P. Trivavensis, Hald.** (*Ephippigera* T.) Mexico,
Stansbury, Exped. Great Salt Lake, Utah, New
pp. 371, 481, pl. 10. f. 3 (1852). ~~6-166~~ Mexico,
Ephippigera Tschiravensis, Walk. Cat. California.
Derm. Salt. B. M. iii. p. 545. n. 1 (1870);
Thom. Syn. Acrid. N. Amer. p. 250
(1873).
Haldemanella Tschiravensis, Sauss. l. c.
p. 153. n. 1 (1888).
Phrynotettix Tschiravensis, Rehn, Proc.
Acad. Nat. Sci. Philad. liv. pp. 595, 596
(1903); Brun. l. c. pp. 197, 198. n. 2
(1906).
Haldemanella Tschiravensis, Brun. l. c.
pl. 2. f. 1 (1906).
3. **P. Taosanus, Rehn,** l. c. pp. 595, 597 New
(1903). Mexico.
- *4. **P. Magnus, Thomas,** (*Eremobia Magna*) Arizona,
Field & Forest, i. p. 4 (1875); Wheeler. Mexico.
Rep. Expl. Surv. W. 100th Merid. v.
p. 886, pl. 45. f. 1 (1875).
Phrynotettix Magnus, Brun. l. c. pp. 197,
198. n. 4 (1906).
5. **P. Robusta, Brun.** (*Haldemanella* R.) iid.,
Proc. U.S. Nat. Mus. xii. p. 81 (1889); Texas,
Biol. Centr.-Amer., Orth. ii. pl. 2. ff. 2, 3 New
(1906). Mexico.
Haldemanella Robusta, Towns. l. c. p. 31
(1893).
Phrynotettix Robustus, Brun. Biol. Centr.-
Amer., Orth. ii. pp. 197, 199. n. 5 (1906).

Genus 410. **Bufonacris.** (Type no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 89 (1871);
Sauss. Mém. Soc. Genève, xxx. (1) pp. 124, 159 (1888).

- **1. **B. Terrestris, Walk.** l. c. p. 89. n. 1 Magellan,
(1871); Sauss. l. c. p. 159. n. 1, pl. 2. Patagonia.
f. 15 (1888).
- **2. **B. Walkeri, Kirb.** (n. n.) iid.,
B. Terrestris, var., Walk. l. c. (1871).

- *3. **B. Bruchii, Brancs.** Jahresh. Ver. Trens- | Patagonia.
sin. Com. xxiii.-xxiv. p. 190, pl. 3. f. 4a-c
(1901).

Genus 411. **Eremopachys.**

Brancs. Jahresh. Ver. Trens. sin. Com. xxiii.-xxiv. p. 188 (1901).

1. **E. Simplex, Brancs.** l. c. p. 189, pl. 3. | Patagonia.
f. 3a-d (1901).

SUBFAM. IX.

OMMEXYCHINÆ.

Genus 412. **Paulinia.** (Type no. 3.)

Blanch., D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216 (1843).
|| *Ossa*, *Giglio-Tos* (nec Motsch.), Boll. Mus. Torino, ix. (184)
p. 15 (1894); Bol. Rev. Chil. iii. p. 53 (1899); Brun.
2nd Rep. Locust Comm. B. Aires, pp. 46, 47 (1900); Rep.
U.S. Nat. Mus. xxx. p. 638 (1906).

- *1. **P. Bimaculata, Giglio-Tos**, (*Ossa B.*) l. c. | Argentina,
p. 15 (1894), xii. p. 27 (1897); Brun. | Paraguay.
ll. cc. p. 47 (1900); p. 638 (1906).
*2. **P. Viridis, Giglio-Tos**, (*Ossa B.*) l. c. xii. | iid.,
(302) p. 27 (1897); Brun. ll. cc. p. 47, | Bolivia.
p. 46. fig. (1900); p. 638, pl. 38. f. 5
(1906).
*3. **P. Muscosa, Blanch.** l. c. p. 216. n. 746, | Argentina.
pl. 27. f. 6 (1843).

Genus 413. **Ommexycha.** (Type no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 285 (1831); Ins. Orth. p. 696
(1839); Brullé, Hist. Nat. Ins. ix. p. 229 (1835); Blanch.
Ann. Soc. Ent. France, v. p. 607 (1836); Hist. Nat. Ins.
iii. p. 43 (1840); Burm. Handb. Ent. ii. p. 653 (1838);
Stål, Recens. Orth. i. pp. 119, 136 (1873); Bol. An.
Soc. Españ. xiii. pp. 21, 27, 493 (1884); Rev. Chil. iii.
pp. 53, 54 (1899); Brun. 2nd Rep. Locust Comm. B.
Aires, pp. 46, 47 (1900); Rep. U.S. Nat. Mus. xxx.
pp. 638, 639 (1906).

1. **O. Brunneri, Bol.** ll. cc. pp. 28, 493. n. 1 | Peru,
(1884); pp. 54, 55. n. 1 (1899). | Bolivia.

2. **O. Macropterum, Blanch.** Ann. Soc. Ent. France, v. pp. 610. n. 2, pl. 21. ff. 3, 4 (1836); Serv. Ins. Orth. p. 699. n. 2 (1839); Karsch, Ent. Nachr. xiv. p. 329. n. 1 (1888); Bol. Rev. Chil. iii. pp. 54, 55. n. 2 (1899); Brun. ll. cc. p. 47 (1900); p. 639 (1906).
O. Macroptera, Burm. l. c. p. 655. n. 3 (1838).
Spathalium Macropterum, Bol. An. Soc. Españ. xiii. pp. 34, 493. n. 5 (1884).
- * 3. **O. Gracilis, Walk.** Cat. Derm. Salt. B. M. iv. p. 798. n. 9 (1870).
 id. Santarem.
4. **O. Cœrulans, Bol.** Rev. Chil. iii. pp. 54, 55. n. 3 (1899).
 id. Paraguay.
5. **O. Cyanopterum, Blanch.** Ann. Soc. Ent. France, v. p. 608. n. 1, pl. 21. ff. 1, 2 (1836).
Ommexycha Cyanoptera, Burm. l. c. p. 655. n. 6 (1838).
Spathalium Cyanopterum, Bol. l. c. pp. 31, 34. n. 5 (1884).
6. **O. Giglio-Tosi, Bol.** Rev. Chil. iii. pp. 54, 55. n. 4 (1899).
 id.
- * 7. **O. Germari, Burm.** l. c. p. 655. n. 4 (1838); Bol. An. Soc. Españ. xiii. pp. 28, 493. n. 2, pl. 1. f. 1 (1884); Rev. Chil. iii. pp. 54, 55. n. 5 (1899); Brun. Proc. U.S. Nat. Mus. xxx. p. 639 (1906).
 id. Brazil, Paraguay.
- * 8. **O. Virens, Serv.** Ann. Sci. Nat. xxii. p. 286. n. 1 (1831); Ins. Orth. p. 701. n. 4, pl. 13. f. 2 (1839); Blanch. l. c. p. 612. n. 4, pl. 22. f. 1 (1836); Burm. l. c. p. 655. n. 7 (1838); Bol. ll. cc. pp. 28, 29. n. 3 (1884); pp. 55, 56. n. 6 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 47 (1900); Proc. U.S. Nat. Mus. xxx. p. 639 (1906).
 id.
- * 9. **O. Servillei, Blanch.** l. c. p. 613. n. 5, pl. 22. ff. 2, 3 (1836); Burm. l. c. p. 656. n. 8 (1838); Serv. Ins. Orth. p. 701. n. 5 (1839); Bol. ll. cc. pp. 28, 29, 493. n. 4 (1884); pp. 55, 56. n. 7 (1899); Brun. ll. cc. p. 47 (1900); p. 639 (1906).
 id.
- * 10. **O. Serrulata, Thunb.** (*Grullus Serrulatus*) Mém. Acad. Pétersb. ix. pp. 396, 414. n. 52 (1824).
Ommexycha Serrulata, Stål, Recens. Orth. i. p. 136. n. 1 (1873).
 id. Brazil.

- *11. **O. Klugii, Burm.** Handb. Ent. ii. p. 655. Brazil.
 n. 2 (1838).
 || *Spathalium Serrulatum, Bol. (nec Thunb.)*
 l. c. pp. 31, 33, 493. n. 4 (1884).

Genus 414. **Spathalium.** (Type no. 1.)

Bol. An. Soc. Españ. xiii. pp. 21, 30, 493 (1884); Rev. Chil.
 iii. pp. 53, 56 (1899); Brun. 2nd Rep. Locust Comm. B. v-vi.
 Aires, pp. 46, 48 (1900); Rep. U.S. Nat. Mus. xxx.
 pp. 638, 639 (1906).

- | | |
|---|-----------------------|
| 1. S. Sommeri, Burm. (<i>Ommexycha S.</i>)
Handb. Ent. ii. p. 654. n. 1 (1838).
<i>Spathalium Sommeri, Bol. An. Soc. Españ.</i>
xiii. pp. 31, 493. n. 1 (1884); Brun. 2nd
Rep. Locust Comm. B. Aires, p. 48 (1900). | Brazil,
Argentina. |
| *2. S. Stæli, Bol. (<i>S. Stæli</i>) l. c. pp. 31, 32,
493. n. 2, pl. 1. f. 2 (1884). | Brazil. |
| *3. S. Audouini, Blanch. (<i>Ommexycha A.</i>)
Ann. Soc. Ent. France, v. p. 611. n. 3,
pl. 21. ff. 5, 6 (1836); Hist. Nat. Ins. iii.
p. 43. n. 1, pl. 11. f. 4 (1840); Burm.
Handb. Ent. ii. pp. 655. n. 5 (1838);
Serv. Ins. Orth. p. 700. n. 3 (1839).
<i>S. Audouini, Bol. l. c. pp. 31, 32, 493. n. 3</i>
(1884); Brun. l. c. p. 48 (1900). | id.,
Argentina. |
| *4. S. Viridis, Brun. l. c. f. 17 (1900). | Argentina. |
| *5. S. Obscurum, Brun. l. c. pp. 48, 49
(1900). | id. |
| *6. S. Hispidum, Brun. l. c. pp. 48-51, ff. 18,
19 (1900); Proc. U.S. Nat. Mus. xxx.
p. 639, pl. 37. f. 8, pl. 38. f. 11 (1906). | id. |
| *7. S. Testaceum, Brun. 2nd Rep. Locust
Comm. B. Aires, pp. 48, 51 (1900). | id. |

Genus 415. **Graea.** (Type no. 1.)

Phil. Zeitschr. ges. Naturw. xxi. p. 447 (1863); Bol. Rev.
 Chilena, iii. pp. 51, 53, 57 (1899); Karsch, Ent. Nachr.
 xiv. p. 329 (1888); Brun. 2nd Rep. Locust Comm. B.
 Aires, pp. 46, 51 (1900); Proc. U.S. Nat. Mus. xxx.
 pp. 638, 640 (1906).

- | | |
|---|------------|
| *1. G. Horrida, Phil. l. c. p. 447 (1863);
Bol. l. c. pp. 52, 57 (1899); Brun. ll. cc.
pp. 51, 52. (1900); p. 640, pl. 37. f. 1
(1906). | Argentina. |
| 2. G. Monstrosa, Brun. 2nd Rep. Locust
Comm. B. Aires, pp. 51, 52. f. 20 (1900). | id. |

SUBFAM. X.

PYRGOMORPHINÆ.

Genus 416. **Tenuitarsus.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 90 (1904);

Gen. Ins. Orth., Acrid. Pyrg. p. 5 (1909).

1. **T. Revoili, Bol.**, Bol. Soc. Esp. Hist. Nat. | Somali.
iv. p. 90. n. 1 (1904).

Genus 417. **Chrotogonus.** (*Type* no. 17.)

Serv. Ins. Orth. p. 702 (1839); Bol. An. Soc. Españ. xiii.
pp. 21, 37, 493 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 91
(1904); Gen. Ins. Orth., Acrid. Pyrg. p. 6 (1909); Jacobs.
& Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 198, 288
(1902).

- *1. **C. Fumosus, Bol.** ll. cc. pp. 38, 42. n. 5 | Monomo-
(1884); pp. 92, 95. n. 1 (1904). | tapa.
2. **C. Meridionalis, Sauss.** Distant, Naturalist in Transvaal, p. 262, pl. 4. f. 5 | Transvaal.
(1892); Bol., Bol. Soc. Esp. Hist. Nat. |
iv. pp. 92, 96. n. 2 (1904).
3. **C. Rotundatus, Kirb.** Trans. Ent. Soc. Nyasa
Lond. 1902, p. 80. no. 53; Bol. l. c. | Land.
pp. 92, 97. n. 3 (1904).
4. **C. Abyssinicus, Bol.** l. c. pp. 92, 93, 97. Abyssinia.
n. 4 (1904).
5. **C. Pallidus, Blanch.** (*Ommexycha Pallidum*) Ann. Soc. Ent. France, v. p. 623. | Bombay.
n. 12, pl. 22. f. 10 (1836).
Ommexycha Pallida, Burm. Handb. Ent.
ii. p. 656. n. 9 (1838).
C. Pallidus, Bol. An. Soc. Españ. xiii.
pp. 38, 43, 493. n. 8 (1884); Bol. Soc.
Esp. Hist. Nat. iv. pp. 92, 98. n. 5 (1904).
- *6. **C. Scudderi, Bol.** ll. cc. pp. 38, 43, 493. | Egypt,
n. 6 (1884); pp. 92, 99. n. 6 (1904). | Somali.
- *7. **C. Senegalensis, Krauss,** Sitz. Akad. | W. Africa.
Wiss. Wien, lxxvi. (1) p. 58. n. 1, pl. 1.
f. 11 (1877); Bol. ll. cc. pp. 39, 48, 494.
n. 16 (1884); pp. 92, 93, 99. n. 7 (1904).

8. **C. Brevis, Bol.**, Bol. Soc. Españ. Hist. Nat. iv. pp. 92, 99. n. 8 (1904). Karachi.
- *9. **C. Lameerei, Bol.** l. c. pp. 92, 93, 100. n. 9 (1904). Congo.
- *10. **C. Savignyi, Blanch.** (*Ommexycha Savigny*) l. c. p. 624 (1836). Egypt.
Ommexycha Savignii, Burm. l. c. p. 657 (1838).
C. Savigny, Bol. An. Soc. Españ. xiii. pp. 38, 43, 493. n. 7 (1884).
C. Savignyi, Krauss, Verh. zool.-bot. Ges. Wien, xl. p. 256 (1900); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902); Bol., Bol. Soc. Españ. Hist. Nat. iv. pp. 92, 100. n. 10 (1904).
[Sav. Descr. Égypte, Orth. pl. 6. ff. 2 (2, 3).]
- *11. **C. Latus, Blanch.** (*Ommexycha Latum*) l. c. p. 624 (1836). Egypt,
C. Savignyi, pt., *Krauss*, l. c. pp. 256, 257 (1890). Muscat,
C. Savignyi, forma *Brachyptera*, Bol. l. c. Quetta.
pp. 93, 101 (1904).
[Sav. l. c. Orth. pl. 6. f. 2 (1).]
12. **C. Turanicus, Kuthy**, Ann. Mus. Ilysk.
Hungar. iii. p. 217 (1905).
13. **C. Incertus, Bol.** An. Soc. Españ. xiii. Silhet,
pp. 38, 45, 494. n. 11 (1884); Bol. Soc. China.
Esp. Hist. Nat. iv. pp. 93, 101. n. 11 (1904).
14. **C. Gracilis, Blanch.** (*Ommexycha Gracile*) l. c. p. 619. n. 9, pl. 22. f. 7 (1836). Australia.
Ommexycha Gracilis, Burm. l. c. p. 656. n. 11 (1838).
C. Gracilis, Bol. ll. cc. pp. 38, 44, 494. n. 10 (1884); pp. 93, 101. n. 12 (1904).
15. **C. Trachypterus, Blanch.** (*Ommexycha Trachypterum*) l. c. p. 618. n. 8, pl. 22. f. 6 (1836). Bombay.
Ommexycha Trachyptera, Burm. l. c. p. 656. n. 10 (1838).
C. Trachypterus, Bol. ll. cc. pp. 38, 44, 494. n. 9 (1884); pp. 93, 102. n. 13 (1904).
- *16. **C. Homalodema, Blanch.** (*Ommexycha Homalodemum*) l. c. p. 615. n. 6, pl. 22. f. 4 (1836). N. Africa,
W. Asia.

- Ommexycha Homalodema*, Burm. Handb. Ent. ii. p. 656. n. 12 (1838).
C. Homalodema, Bol. ll. cc. pp. 38, 45, 494. n. 12 (1884); pp. 93, 102. n. 14 (1904); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902).
- *17. **C. Lugubris, Blanch.** (*Ommexycha Lugubre*) l. c. p. 616. n. 7, pl. 22. f. 5 (1836); Hist. Nat. Ins. iii. p. 43. n. 2 (1840). Egypt, Abyssinia.
Ommexycha Lugubris, Burm. l. c. p. 656. n. 13 (1838).
C. Lugubris, Serv. l. c. p. 703. n. 1, pl. 13. f. 3 (1839); Bol. ll. cc. pp. 39, 46, 494. n. 14 (1884); pp. 93, 103. n. 15 (1904); Krauss, l. c. p. 257 (1900).
 [Sav. l. c. Orth. pl. 6. f. 3 (1, 2).]
18. **C. Liaspis, Blanch.** (*Ommexycha L.*) Ann. Soc. Ent. France, v. p. 620. n. 10, pl. 22. f. 8 (1836); Burm. l. c. p. 657. n. 14 (1838). Bombay.
C. Liaspis, Bol. ll. cc. pp. 38, 46, 494. n. 13 (1884); pp. 93, 103. n. 16 (1904).
- *19. **C. Oxypterus, Blanch.** (*Ommexycha Oxypterum*) l. c. p. 622. n. 11, pl. 22. f. 9 (1836). India.
Ommexycha Oxyptera, Burm. l. c. p. 657. n. 15 (1838).
C. Oxypterus, Bol. ll. cc. pp. 39, 48, 494. n. 17 (1884); pp. 93, 103. n. 17 (1904); Ann. Soc. Ent. France, lxx. p. 605 (1902).
- *20. **C. Blanchardi, Krauss,** l. c. p. 257 (1900); Bol., Bol. Soc. Españ. iv. pp. 95, 110. n. 32 (1904); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902). Egypt.
 [Sav. l. c. Orth. pl. 6. f. 2 (4).]
21. **C. Saussurei, Bol.** An. Soc. Esp. xiii. pp. 39, 47, 494. n. 15 (1884); Bol. Soc. Españ. Hist. Nat. iv. pp. 93, 104. n. 18 (1904). India.
22. **C. Occidentalis, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 94, 104. n. 19 (1904). Assinie.
23. **C. Gabonicus, Bol.** l. c. pp. 94, 105. n. 20 (1904). French Guinea.
24. **C. Rollini, Bol.** l. c. pp. 94, 106. n. 21 (1904). Boma, Sundi.

- | | |
|--|--------------------------|
| 25. C. Bloyeti , Bol. l. c. pp. 94, 106. n. 22
(1904). | Kondoa. |
| 26. C. Varelai , Bol. l. c. pp. 94, 107. n. 23
(1904). | Dar-es-Salaam. |
| 27. C. Marshalli , Bol. l. c. pp. 94, 107.
n. 24 (1904). | Mashona Land. |
| **28. C. Rendalli , Kirb. Trans. Ent. Soc. Lond. 1902, p. 79. n. 51; Bol. l. c. pp. 94, 108. n. 25 (1904). | NyasaLand. |
| *29. C. Hemipterus , Schaum , Ber. Akad. Berlin. 1853, p. 780. n. 25; Peters' Reise Mossamb. v. p. 143, pl. 7 A. f. 12 (1862); Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 31. n. 1 (1876); Bol. An. Soc. Españ. xiii. pp. 38, 41, 493. n. 3 (1884); Bol. Soc. Españ. Hist. Nat. iv. pp. 94, 108. n. 26 (1904). | E. Africa. |
| 30. C. Intermedius , Griff. (<i>C. Hemipterus</i> , subsp. <i>Intermedius</i>) Boll. Mus. Torino, xii. (290) p. 10. n. 5 (1897). | Zambesi. |
| *31. C. Micropterus , Bol. ll. cc. pp. 38, 40, 493 (1884); pp. 95, 109. n. 30 (1904). | Angola. |
| 32. C. Carinatus , Kirb. l. c. p. 80. n. 52 (1902); Bol. , Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 109. n. 27 (1904). | NyasaLand, Mashona Land. |
| 33. C. Brachypterus , Bol. Ann. Soc. Ent. France, lxx. p. 605 (1902); Bol. , Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 109. n. 28 (1904). | S. India. |
| **34. C. Distanti , Kirb. l. c. p. 78. n. 50 (1902); Bol. l. c. pp. 95, 109. n. 29 (1904). | Transvaal. |
| 35. C. Bormansi , Bol. An. Soc. Españ. xiii. pp. 37, 39, 147 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 110. n. 31 (1904). | Shoa. |

Genus 418. **Caconda.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 21, 36, 493 (1884);
Gen. Ins. Orth., Acrid. Pyrg. p. 8 (1909).

- | | |
|--|---------|
| 1. C. Fusca , Bol. An. Soc. Españ. xiii.
pp. 37, 493. n. 1 (1884). | Angola. |
| 2. C. Plicatula , Bol. , Bol. Soc. Españ.
Hist. Nat. iv. p. 110 (1904). | id. |

Genus 419. **Prospheua.**

Bol. An. Soc. Españ. xiii. pp. 24, 446, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 306 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 9 (1909); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 208 (1906).

1. **P. Scudderi**, **Bol.** ll. cc. pp. 447, 496. Guatemala, n. 1 (1884); p. 306 (1904); Brun. l. c. Costa Rica. p. 208. n. 1 (1906).

Genus 420. **Sphenarium.** (*Type* no. 11.)

(Carp. Orth. pl. 31 (1842?); Thom. Syn. Acrid. N. Amer. p. 199 (1873); Bol. An. Soc. Españ. xiii. pp. 24, 443, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 306 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 9 (1909); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 203 (1906).

1. **S. Histrio**, **Gerst.** Stettin. Ent. Zeit. xxxiv. Mexico. p. 196. n. 29 (1873); Brun. l. c. pp. 203, 204. n. 1 (1906).
2. **S. Carinatum**, **Bol.**, Bol. Soc. Esp. Hist. Guatemala. Nat. iv. p. 306. n. 2 (1904); Brun. l. c. pp. 203, 204. n. 2 (1906).
3. **S. Bolivari**, **Brun.** l. c. pp. 203, 205. n. 3 Mexico. (1906).
 || *S. Histrio*, **Bol.** (*nec Gerst.*) Ann. Soc. Españ. xiii. pp. 444, 496. n. 1, pl. 2. ff. 14, 14a (1884).
- *4. **S. Mexicanum**, **Sauss.** Rev. Zool. (2) id. xi. p. 390 (1859); Thomas, l. c. p. 200 (1873); Bol. l. c. p. 444. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 307. n. 3 (1904); Brun. l. c. pp. 203, 205. n. 4 (1906).
- **5. **S. Crassipes**, **Walk.** (*Opomala* (?) *C.*) id. Cat. Derm. Salt. B. M. iii. p. 507. n. 11 (1870); Thomas, l. c. p. 196 (1873).
- *5. **S. Ictericum**, **Gerst.** l. c. p. 196. n. 30 id. (1873).
6. **S. Marginatum**, **Brun.** l. c. pp. 204, 205. id. n. 5 (1906).
7. **S. Borrei**, **Bol.** An. Soc. Españ. xiii. id. pp. 444, 445, 493. n. 3 (1884); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 528 (1904); Brun. l. c. pp. 204, 206. n. 6, pl. 4. f. 21 (1906).

- | | |
|---|---------|
| *8. S. Rugosum, Brun. l. c. pp. 204, 206.
n. 7 (1906). | Mexico. |
| 9. S. Bruneri, Bol. Gen. Ins. Orth., Acrid.
Pyrg. p. 10. n. 8 (1909). | id. |
| 10. S. Barretti, Brun. l. c. pp. 204, 206. n. 8
(1906). | id. |
| 11. S. Purpurascens, Charp. l. c. pl. 31
(1842?); Thomas, l. c. p. 199 (1873);
Bol. An. Soc. Esp. xiii. pp. 444, 446, 496.
n. 4, pl. 2. f. 15 (1884); Brun. l. c.
pp. 204, 206. n. 9 (1906). | id. |
| 12. S. Planum, Brun. l. c. pp. 204, 207.
n. 10 (1906). | id. |
| 13. S. Minimum, Brun. ll. cc. n. 11 (1906). | id. |
| 14. S. Affine, Brun. l. c. p. 207 (1906). | id. |

Genus 421. **Camoensia.**

Bol. Jorn. Sci. Lisb. viii. p. 111 (1881), (2) i. p. 152 (1890);
An. Soc. Españ. xiii. pp. 26, 486, 498 (1884); Bol. Soc.
Esp. Hist. Nat. iv. p. 308 (1904); Gen. Ins. Orth., Acrid.
Pyrg. p. 11 (1909).

- | | |
|---|---------|
| 1. C. Insignis, Bol. ll. cc. p. 111. n. 18
(1881), p. 153. n. 125 (1890); pp. 486,
498. n. 1, pl. 4. f. 29 (1884); p. 308
(1904); p. 11. n. 1 (1909). | Angola. |
| <i>C. Insignis</i> , var. <i>Sculpturata</i> , Bol., Bol.
Soc. Esp. Hist. Nat. iv. p. 308 (1904). | |

Genus 422. **Dictyophorus.** (*Type* no. 7.)

Thunb. Mém. Acad. Pétersb. v. pp. 217, 258 (1815); Kirb.
Trans. Ent. Soc. Lond. 1902, p. 88.

- || *Petasia*, Serv. (*nec Steph.*) Ann. Sci. Nat. xxii. p. 278 (1831);
Ins. Orth. p. 628 (1839); Stål, Recens. Orth. i. pp. 12, 20
(1873); Öfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873);
Bol. An. Soc. Españ. xiii. pp. 25, 481, 498 (1884).
Tapesia, Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 309 (1904);
Gen. Ins. Orth., Acrid. Pyrg. p. 12 (1909).

- | | |
|---|---------------------|
| *1. D. Oberthuri, Bol. (<i>Petasia O.</i>) Bull.
Soc. Ent. France, lxiii. p. clxiii. n. 14
(1895). | Togoland,
Lagos. |
| <i>Tapesia Oberthuri</i> , Bol., Bol. Soc. Esp. Hist.
Nat. iv. pp. 310, 311. n. 1 (1904). | |

2. **D. Brunni, Bol.** (*Tapesia B.*) ll. cc. n. 2 (1904). Masai Land.
- *3. **D. Griseus, Reiche,** (*Petasia Grisea*) Ferret & Galinier, Voy. Abyss. iii. p. 428. n. 1, pl. 28. ff. 2, 2 a (1847); Bol. An. Soc. Españ. xiii. pp. 482, 488. n. 1, pl. 4. f. 25 (1884). Abyssinia, Nyasa.
- *4. **D. Productus, Bol.** (*Tapesia Producta*) l. c. pp. 310, 313. n. 4 (1904). E. Africa.
- **5. **D. Laticinctus, Walk.** (*Petasia Laticincta*) Cat. Derm. Salt. B.M. iii. p. 544. n. 3 (1870). W. & E. Africa.
- Petasia Anchietae, Bol. J. Sci. Lisb. viii. p. 110. n. 17 (1881); An. Soc. Españ. xiii. pp. 482, 483, 488. n. 2, pl. 4. f. 26 (1884); Karsch, Ent. Nach. xiv. p. 359. n. 73 (1888).*
- Tapesia Anchietae, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 311, 314. n. 5 (1904).*
6. **D. Karschi, Bol.** (*Tapesia K.*) l. c. pp. 310, 315. n. 6 (1904). W. Africa.
- *7. **D. Spumans, Thunb.** (*Gryllus S.*) Nov. Insect. Spec. v. p. 104, f. 112 (1789); Dissert. Acad. iii. p. 223, pl. 2. f. 21 (1801). D. *Spumans, Thunb.* Mém. Acad. Pétersb. v. p. 258 (1815). Cape.
- Pacilocera Spumans, Burm. Handb. Ent. ii. p. 621. n. 1 (1838).*
- Petasia Spumans, Stål, l. c. p. 20. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 482, 484, 498. n. 3, pl. 4. f. 24 (1884); Karsch, l. c. p. 359. n. 72 (1888).*
- Tapesia Spumans, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 315. n. 7 (1904).*
- **Petasia Spumans. var. Ater, Dist. Nat. Transvaal, p. 259, pl. 4. f. 3 (1892).*
- Tapesia Spumans, e. Atra, Bol. l. c. pp. 317, 318 (1904).*
- *Var. *Petasia Cruentata, Serv. ll. cc. p. 279. n. 1 (1831); p. 630. n. 1, pl. 14. f. 5 (1839).*
- D. Cruentatus, Blanch. Hist. Nat. Ins. iii. p. 39. n. 5 (1840).*
- Tapesia Spumans, f. Cruentata, Bol. l. c. pp. 316, 318 (1904).*

Transvaal,
Natal,
Deelfontein,
Cape,
Port
Elizabeth,
Congo.

- Gryllus Locusta Nympha*, Stoll, Spectres, Saut. p. 15, pl. 6 b. t. 20 (1813).
[Roes. Insect. Belust. ii. Locust. Ind. p. 41, pl. 6. f. 1.]
- *Var. *Petasia Olivacea*, Serv. Ann. Sci. Nat. xxii. p. 279. n. 2 (1831). Cape, Kalahari Desert, Transvaal.
- Petasia Cruentata*, var. *Olivacea*, Serv. Ins. Orth. p. 630. n. 1 (1839).
- Pavilocera Olivacea*, Burm. l. c. p. 622. n. 2 (1838).
- Tapesia Spumans*, d. *Olivacea*, Bol. l. c. pp. 316, 317 (1904).
- **Tapesia Spumans*, c. *Calceata*, Bol. l. c. pp. 316, 317 (1904). Damara Land, Natal.
- Petasia Spumans*, var., Stål, Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 34. n. 1 (1876).
- **Tapesia Spumans*, b. *Servillei*, Bol. l. c. p. 316 (1904). Cape, E. Karoo, Natal.
- **Tapesia Spumans*, a. *Pulchra*, Bol. l. c. (1904).

Genus 423. **Maura**. (Type no. 7.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens. Orth. i. pp. 12, 19 (1873); Bol. An. Soc. Esp. xiii. pp. 25, 478, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 318 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 12 (1909).

1. **M. Hecate**, Gerst. (*Petasia H.*) Arch. Naturg. xxxv. p. 217. n. 57 (1869); Vonder Decken, Reisen Ost-Afrika, Ins. p. 37. n. 57, pl. 2. f. 6 (1873). Endara; W. Africa (eadem?).
M. Hecate, Bol. ll. cc. pp. 478, 479, 498. n. 1 (1884); pp. 319, 320. n. 1 (1904).
- **2. **M. Lurida**, Fabr. (*Gryllus Luridus*) Spec. Ins. i. p. 366. n. 23 (1781). W. Africa.
- *3. **M. Apicalis**, Bol. ll. cc. pp. 479, 498. n. 2 (1884); pp. 319, 320. n. 2 (1904); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 84. n. 42 (1893). Abyssinia, W. Africa.
4. **M. Venusta**, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 320. n. 3 (1904). Kilimanjaro.
5. **M. Flavifrons**, Bol. Bull. Soc. Ent. France, lxiii. p. clxii. n. 12 (1895); Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 321. n. 4 (1904). Togoland.
- **6. **M. Bolivari**, Kirb. Trans. Ent. Soc. Lond. 1902, p. 87. n. 68; Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 321. n. 5 (1904). Nyasa Land, Zambesi.

7. **M. Modesta**, **Bol.** l. c. pp. 319, 322. n. 6 (1904). German E. Africa.
- *8. **M. Rubro-ornata**, **Stål**, (*Petasia R*) Æfv. Vet.-Akad. Förh. xii. p. 352. n. 1 (1855). Natal, Cape, Caffraria, Transvaal, Zululand.
- Maura Rubro-ornata*, **Stål**, Recens. Orth. i. p. 19. n. 1 (1873); **Bol. An. Soc. Españ.** xiii. pp. 479, 480, 498. n. 4 (1884); **Bol. Soc. Esp. Hist. Nat.** iv. pp. 319, 322. n. 7 (1904).
- ** *Petasia Pyrrhomela*, **Walk.** Cat. Derm. Salt. B. M. iii. p. 545. n. 4 (1870).
9. **M. Satanas**, **Gerst.** (*Petasia S.*) Stettin. S. Africa.
Ent. Zeit. xxxiv. p. 188. n. 11 (1873).
M. Satanas, **Bol.** ll. cc. pp. 479, 481, 498. n. 5 (1884); pp. 319, 323. n. 8 (1904).
- *10. **M. Marshalli**, **Bol.**, **Bol. Soc. Esp. Hist. Nat.** iv. pp. 319, 323. n. 9 (1904). Mashona Land.
11. **M. Rugulosa**, **Bol.** **An. Soc. Españ.** xiii. pp. 479, 481, 498. n. 3 (1884); **Bol. Soc. Esp. Hist. Nat.** iv. pp. 319, 324. n. 10 (1904); **Schulth. Bull. Soc. Vaud.** xxxv. p. 207. n. 1 (1899); **Sauss. Abhandl. Senckenb. Ges.** xxi. p. 647. n. 1 (1899). Angola.
- M. Rugulosa*, var. *Brevipennis*, **Bol.** ll. cc. pp. 480, 498, pl. 4. f. 27 (1884); p. 324 (1904); **Schulth. l. c.** p. 207 (1899).
M. Rugulosa, var. *Lugubris*, **Schulth. l. c.** p. 207 (1899).
12. **M. Atriceps**, **Kirb.** l. c. p. 86. n. 66 (1902). Transvaal.
- *13. **M. Flavomaculata**, **Kirb.** l. c. n. 67 (1902). id.
14. **M. Monacha**, **Gerst.** Mitth. Ver. Neuropomm. xx. p. 2. n. 2 (1889). Delagoa Bay.
M. Monacha, **Bol.**, **Bol. Soc. Esp. Hist. Nat.** iv. pp. 319, 325. n. 11 (1904).
Var. *Maura Brevipennis*, **Sauss. l. c.** p. 647. n. 2 (1899).
- *15. **M. Selysi**, **Bol.** l. c. pp. 320, 325. n. 12 (1904). Natal.

Genus 424. **Parapetasia.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 25, 484, 498 (1884); **Bol. Soc. Esp. Hist. Nat.** iv. p. 309 (1904); **Gen. Ins. Orth., Acrid.** Pyrg. p. 13 (1909).

1. **P. Femorata, Bol.** ll. cc. pp. 485, 498. Gaboon,
n. 1, pl. 4. ff. 28, 28 *a-c* (1884); p. 309
(1904); p. 14. n. 2 (1909); Karsch, Berlin.
Ent. Zeitschr. xxxvii. p. 70. n. 5 (1892).
2. **P. Impotens, Karsch, (Petasia L.)** Ent. Usegna.
Nachr. xiv. p. 360. n. 74 (1888).
Parapetasia Impotens, Bol., Bol. Soc. Esp.
Hist. Nat. iv. p. 309 (1904).

Genus 425. **Aularches.** (*Type* no. 1.)

Stal, Cefv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens.
Orth. i. pp. 11, 18 (1873); Bol. An. Soc. Españ. xiii.
pp. 25, 476, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv.
p. 393 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 14
(1909).

- *1. **A. Miliaris, Linn. (Gryllus Locusta M.)** India,
Syst. Nat. (ed. x.) i. p. 432. n. 43 (1758); Ceylon,
Mus. Ludov. Ulric. p. 142. n. 33 (1764). Burma,
Gryllus Miliaris, Fabr. Syst. Ent. p. 288. Java.
n. 7 (1775).
Acrydium Miliare, Oliv. Encycl. Méth., Ins.
vi. p. 218. n. 15 (1791).
Phymateus Miliaris, Thunb. Mém. Acad.
Pétersb. v. p. 258 (1815).
Aularches Miliaris, Stål, Recens. Orth. i.
p. 18. n. 1 (1873); Bol. ll. cc. pp. 477,
498. n. 1, pl. 3. f. 23 (1884); p. 393 (1904).
Acrydium Verrucosum, De Geer, Mém. Ins.
iii. p. 486. n. 1, pl. 40. f. 6 (1773).
- || *Gryllus Locusta Scabiosus, Stoll (nec Fabr.)*,
Spectres, Saut. p. 18, pl. 7 *b*. f. 24 (1813).
Gryllus Locusta Consersus, Stoll, l. c. p. 40,
pl. 22 *b*. f. 85.
- *2. **A. Punctatus, Drury, (Gryllus Locusta P.)** Thibet,
Ill. Exot. Ent. ii. pl. 41. f. 4 (1773); India,
Sulz. Gesch. Ins. p. 84, pl. 9. f. 3 (1776). Malacca,
Gryllus Punctatus, Fabr. Spec. Ins. i. p. 364. Java.
n. 14 (1781); Don. Ins. Ind. pl. 12. f. 2
(1800).
Phymateus Punctatus, Thunb. l. c. p. 258
(1815).
Locusta (Phymatea) Punctata, Westw. (ed.)
Drury, Ill. Exot. Ent. ii. pl. 41. f. 4
(1837); (ed.) Donovan, Ins. Ind. p. 21,
pl. 12. f. 2 (1842).

Pæcilocera Punctata, Burm. Handb. Ent. ii.
p. 624. n. 17 (1838).

23. **A. Scabiosus**, Fabr. (*Gryllus* S.) Entom. India,
Syst. ii. p. 51. n. 20 (1793). Ceylon,
Gryllus Scabiosus, Stoll, l. c. p. 18, pl. 7 b. Cambodia.
f. 24 (1813).
Phymatæus Scabiosus, Serv. Ins. Orth.
p. 626. n. 2 (1839).

Genus 426. **Taphronota.** (Type no. 3.)

Stål, Öfv. Vet.-Akad. Förh. xxx. p. 51 (1873); Recens. Orth.
i. pp. 11, 19 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 472,
497 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 394 (1904);
Gen. Ins. Orth., Acrid. Pyrg. p. 15 (1909); Sauss.
Abhandl. Senckenb. Ges. xxi. p. 644 (1899).
Epamontor, Kîrb. Trans. Ent. Soc. Lond. 1902, p. 87
(immature). (Type no. 2.)

1. **T. Cacuminata**, Karsch, Berlin. Ent. Adeli.
Zeitschr. xxxviii. p. 83. n. 41 (1893);
Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 394,
396. n. 1 (1904).
*2. **T. Stæli**, Bol. (*T. Ståli*) An. Soc. Esp. Natal,
xiii. pp. 473, 497 (1884); Bol. Soc. Esp. Transvaal.
Hist. Nat. iv. pp. 394, 396. n. 2 (1904);
Sauss. l. c. p. 644. n. 1 (1899).
Epamontor Antennalis, Kîrb. l. c. p. 88.
n. 69 (1902), larva.
*3. **T. Calliparea**, Schaum, (*Pæcilocerus* S. & E.
Callipareus) Ber. Akad. Berlin, 1853, Africa,
p. 778. n. 16; Peters' Reise Mossamb. v. Ruwenzori,
p. 130, pl. 7 A. f. 2 (1862). Uganda,
Taphronota Calliparea, Bol. ll. cc. pp. 473, Gaboon.
475, 498. n. 4 (1884); pp. 394, 396. n. 3
(1904); Sauss. l. c. p. 644. n. 2 (1899).
T. Calliparea, var. *Poultoni*, Bol., Bol. Soc. Mashona
Esp. Hist. Nat. iv. pp. 394, 397 (1904). Land.
Pæcilocerus Porosus, Stål, Öfv. Vet.-Akad.
Förh. xii. p. 352. n. 1 (1855).
|| *Pæcilocera Cineta*, Burm. (nec Fabr.) Handb.
Ent. ii. p. 623. n. 7 (1838).
4. **T. Dimidiata**, Bol. l. c. pp. 395, 397. n. 4 Abyssinia.
(1904).
5. **T. Merceti**, Bol. l. c. pp. 395, 398. n. 5 Congo.
(1904).

6. **T. Occidentalis, Karsch**, (*T. Calliparea* var. *Occidentalis*) l. c. xxxvii. p. 70. n. 4 (1892).
T. Occidentalis, Karsch, l. c. xxxviii. p. 83. n. 40 (1893); Bol. l. c. pp. 395, 399. n. 6 (1904).
7. **T. Rostrata, Sauss.** l. c. pp. 644, 645. n. 3 (1899); Bol. l. c. pp. 395, 399. n. 7 (1904). Cameroons.
8. **T. Subverrucosa, Sauss.** l. c. pp. 645, 646. n. 6 (1899); Bol. l. c. pp. 395, 399. n. 8 (1904). West Africa (?).
9. **T. Amaranthina, Bol.** l. c. pp. 395, 400. n. 9 (1904). Togoland.
- * 10. **T. Pulchripes, Walk.** (*Phymateus P.*) Cat. Derm. Salt. B. M. iii. p. 541. n. 7 (1870); Bol. l. c. pp. 396, 400. n. 10 (1904). Fernando Po, Cameroons.
- || *T. Thælephora*, Bol. (*nec Stoll*) An. Soc. Españ. xiii. pp. 473, 474, 497. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 401. n. 11 (1904); Sauss. l. c. pp. 645, 646. n. 4 (1899).
- * 11. **T. Ferruginea, Fabr.** (*Gryllus Ferrugineus*) Spec. Ins. i. p. 367. n. 27 (1781).
T. Ferruginea, Bol. An. Soc. Españ. xiii. pp. 127, 129, 152. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 396 (1904). W. Africa.
12. **T. Thælephora, Stoll**, (*Gryllus Locusta Thælephorus*) Spectres, Saut. p. 32, pl. 16 b. f. 59 (1813). Hab. — ?
- * 13. **T. Apicicornis, Fairm.** (*Acridium (Decticus) Apicicorne*) Thomson, Archives Ent. ii. p. 259. n. 456, pl. 9. f. 2 (1858). W. Africa.
 || *T. Ferruginea*, Sauss. (*nec Fabr.*) l. c. pp. 645, 646. n. 6 (1899).
14. **T. Gabonica, Karsch**, Ent. Nachr. xiv. p. 358. n. 67 (1888). Gaboon.

Genus 427. **Pyrgophyma.** (*Type no. 1.*)

Giglio-Tos, Boll. Mus. Torino, xxii. (547) p. 2, (554) p. 2 (1907).

1. **P. Sabaudum, Giglio-Tos**, ll. cc. p. 3 & Entebbe. p. 3 (1907).
 2. **P. Splendens, Giglio-Tos**, l. c. (554) Congo. p. 3 (1907).

Genus 428. **Rutidoderes.** (*Type* no. 1.)

Westw. Drury, Ill. Exot. Ent. i. pp. 119, 120 (1837).

Peristegus, Bol. An. Soc. Españ. xiii. pp. 25, 469, 497 (1884);
Bol. Soc. Esp. Hist. Nat. iv. p. 401 (1904); Gen. Ins.
Orth., Acrid. Pyrg. pp. 16, 17 (1909). (*Type* no. 1.)

1. **R. Squarrosus**, Linn. (*Gryllus Locusta* Sierra Leone.
S.) Mant. Plant. p. 533 (1771).

Libellula Squarrosus, Drury, Ill. Exot. Ins.
i. pl. 49. f. 1 (1773).

Gryllus Squarrosus, Fabr. Spec. Ins. i.
p. 364. n. 15 (1781).

Locusta (*Rutidoderes*) *Squarrosa*, Westw.
l. c. p. 119, pl. 41. f. 1 (1837).

Phymateus Squarrosus, Sauss. Ann. Soc.
Ent. Fr. (4) i. p. 477. n. 7 (1861); Stål,
Recens. Orth. i. p. 17. n. 1 (1873).

Peristegus Squarrosus, Bol. ll. cc. pp. 470,
497. n. 1, pl. 3. f. 20 (1884); p. 402
(1904); p. 17. n. 1 (1909).

Peristegus Squarrosus, var. *Luctuosa*, Bol.,
Bol. Soc. Esp. Hist. Nat. iv. p. 402
(1904).

2. **R. Acutus**, Walk. (*Phymateus* A.) Cat. W. Africa.
Derm. Salt. B.M. iii. p. 542. n. 9 (1870).

Genus 429. **Phyteumas.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 402 (1904);
Gen. Ins. Orth., Acrid. Pyrg. p. 17 (1909).

1. **P. Olivaceus**, Karsch, (*Phymateus* O.) E. Africa.
Stett. Ent. Zeit. lvii. p. 273. n. 36 (1896);
Bol., Bol. Soc. Esp. Hist. Nat. iii. p. 190.
n. 3 (1903), iv. p. 402 (1904).

2. **P. Pardalinus**, Walk. (*Phymateus* P.) Fantee.
Cat. Derm. Salt. B. M. iii. p. 541. n. 8
(1870).

Genus 430. **Maphyteus.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 403 (1904) ;
Gen. Ins. Orth., Acrid. Pyrg. p. 19 (1909).

- *1. **M. Leprosus, Fabr.** (*Gryllus* L.) Ent. S. Africa.
Syst. ii p. 51. n. 18 (1793).
Gryllus Locusta Leprosus, Stoll, Spectres,
Saut. pp. 8, 9, pl. 2 b. f. 5, pl. 3 b. f. 7 (1813).
Phymateus Leprosus, Thunb. Mém. Pétersb.
v. p. 258 (1815); Serv. Ins. Orth. p. 627.
n. 3 (1839); Stål, Recens. Orth. i. p. 18.
n. 4 (1873) ; Bol. Ann. Soc. Españ. xiii.
pp. 463, 497. n. 1, pl. 3. f. 21 (1884) ;
Bol. Soc. Esp. Hist. Nat. iii. p. 189. n. 1
(1903), iv. pp. 403, 406. n. 1 (1904).
Dictyophorus Leprosus, Blanch. Hist. Nat.
Ins. iii. p. 39. n. 4 (1840).
Pæcilocera Leprosa, Burm. Handb. Ent. ii.
p. 622. n. 5 (1838).
Phymateus Leprosus, var. *Compressicollis*,
Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 403,
406 (1904).
- *2. **M. Baccatus, Stål**, (*Phymateus* B.) Cefv. Damara
Vet.-Akad. Förh. xxxiii. (3) p. 33. n. 1 Land,
(1876) ; Bol. An. Soc. Españ. xiii. Congo.
pp. 462, 463, 497. n. 2, pl. 3. ff. 22, 22a
(1884) ; Bol. Soc. Esp. Hist. Nat. iii.
p. 189. n. 2 (1903), iv. pp. 403, 407.
n. 2 (1904).
Phymateus Baccatus, var. *Amplipennis*, Bol., S.W. Africa.
Bol. Soc. Esp. Hist. Nat. iv. pp. 403, 407
(1904).

Genus 431. **Phymateus.** (*Type* no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 216, 257 (1815); Serv.
Ann. Sci. Nat. xxii. p. 277 (1831) ; Ins. Orth. p. 624
(1839); Stål, Cefv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873);
Recens. Orth. i. pp. 11, 17 (1873); Bol. An. Soc. Españ.
xiii. pp. 25, 461, 497 (1884); Bol. Soc. Esp. Hist. Nat. iii.
p. 188 (1903), iv. p. 403 (1904) ; Gen. Ins. Orth., Acrid.
Pyrg. pp. 17-19 (1909).

- *1. **P. Morbillosus, Linn.** (*Gryllus Locusta* S. Africa.
M.) Syst. Nat. (ed. 10) i. p. 431. n. 42
(1758) ; Mus. Ludov. Ulr. p. 141. n. 32

- (1764): Stoll, Spectres. Saut. p. 7, pl. 2 b. ff. 3, 4 (1813).
- [Roos. Ins. Beust. ii. Locust. Ind. pp. 114, 115, pl. 18. f. 6.]
- Gryllus Morbillosus*, Fabr. Syst. Ent. p. 289. n. 8 (1775); Don. Ins. China, pl. 13 (1798); Herbst, Fuessly, Archiv, p. 195. n. 6, pl. 54. f. 1 (1786).
- Acrydium Morbillosum*, Oliv. En cycl. Méth. Ins. vi. p. 218. n. 16 (1791).
- Phymateus Morbillosus*, Thunb. l. c. p. 257 (1815); Serv. ll. cc. p. 277. n. 1 (1831); p. 625. n. 1 (1839); Stål, Rec. Orth. i. p. 18. n. 3 (1873); Bol. ll. cc. pp. 462, 467, 497. n. 7 (1884); p. 190. n. 9 (1903), pp. 405, 407. n. 3 (1904).
- Pæcilocera Morbillosa*, Burm. Handb. Ent. ii. p. 622. n. 4 (1838).
- Locusta (Phymatea) Morbillosa*, Westw. Don. Ins. China, p. 25, pl. 13 (1842).
- Dictyophorus Papillosus*, Thunb. Mém. Acad. Pétersb. v. p. 258 (1815), larva.
- Pæcilocera Papillosa*, Burm. l. c. p. 622. n. 3 (1838).
- Gryllus Locusta Morbillosi Nympha*, Stoll, l. c. p. 16, pl. 6 b. f. 21 (1813).
2. **P. Ægrotus, Gerst.** (*Pæcilocera Æ.*) Arch. Naturg. xxxv. p. 216. n. 54 (1869); Von der Decken, Reisen in Ost-Africa, Ins. p. 35. n. 54 (1873). S. & E. Africa.
- Phymateus Ægrotus*, Bol. ll. cc. pp. 462, 465, 497. n. 4 (1873); p. 190. n. 5 (1903), pp. 405, 407. n. 4 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 19. n. 4, pl. 1. f. 2 (1909).
3. **P. Hildebrandti, Bol.** ll. cc. p. 462. n. 5, pp. 466, 497. n. 6 (1884); p. 190. n. 8 (1903), pp. 405, 408. n. 5 (1904). Somali, Zanzibar.
4. **P. Pulcherrimus, Bol.,** Bol. Soc. Españ. Hist. Nat. iv. pp. 405, 408. n. 6 (1904). Abyssinia, Somali.
5. **P. Iris, Bol.** Jorn. Sci. Lisb. viii. p. 110. n. 16 (1881); An. Soc. Españ. xiii. pp. 463, 468, 497. n. 8 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 10 (1903), iv. pp. 405, 409. n. 7 (1904). Angola.
6. **P. Sjæstedti, Bol.** (*P. Sjæstedti*) Bol. Soc. Esp. Hist. Nat. iv. pp. 405, 409. n. 8 (1904). Natal.

- *7. **P. Purpurascens, Karsch**, Stettin. Ent. Zeit. lvii. p. 272. n. 35 (1896); Bol. II. cc. iii. p. 190. n. 7 (1903), pp. 405, 410. n. 9 (1904). Abyssinia.
- *8. **P. Verrucosus, Stoll**, (*Gryllus Locusta* L.) l. c. p. 9, pl. 2 b. f. 6 (1813). Cape, Transvaal.
P. Coralliferus, Bol. l. c. iv. pp. 406, 410. n. 10 (1904).
9. **P. Karschi, Bol.** l. c. pp. 406, 411. n. 11 (1904). Mozambique, Cape.
P. Morbillosus, var., Schaum, Peters' Reise Mossamb. v. p. 139 (1862).
- *10. **P. Stollii, Sauss.** Ann. Soc. Ent. France, (4) i. p. 478 (1861). E. & W. Africa.
|| *Gryllus Locusta Squarrosus*, Stoll (nec Linn.), l. c. p. 19, pl. 8 b. f. 25 (1813).
|| *Parcilocera Squarrosa*, Burm. l. c. p. 622. n. 6 (1838).
11. **P. Bolivari, Kirb.** (n. n.). S., E., & W. Africa.
|| *P. Stollii*, Bol. (nec Sauss.) An. Soc. Españ. xiii. pp. 462, 466, 497. n. 5 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 412. n. 12 (1904).
12. **P. Violaceus, Bol.**, Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 412. n. 13 (1904). Tanganyika.
- *13. **P. Cinctus, Fabr.** (*Gryllus C.*) Ent. Syst. ii. p. 50. n. 17 (1793); Coqueb. Icon. Ins. p. 6, pl. 1. f. 4 (1799). W. Africa.
P. Flavus, Bol. l. c. iii. p. 190. n. 4 (1903), pp. 406, 412. n. 14 (1904).
14. **P. Brunneri, Bol.** An. Soc. Españ. xiii. pp. 462, 464, 497. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 6 (1903), pp. 406, 412. n. 15 (1904); Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 4 (1907). Benguela, Congo.
- *15. **P. Viridipes, Stål**, (Efv. Vet.-Akad. Forh. xxx. (4) p. 51. n. 1 (1873); Recens. Orth. i. p. 17. n. 2 (1873). Caffraria, Tanganyika.
P. Viridipes, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 413. n. 16 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 19. n. 16, pl. 1. f. 3 (1909).
16. **P. Madagassus, Karsch**, Ent. Nachr. xiv. p. 357. n. 61 (1888); Bol. l. c. iii. p. 190. n. 11 (1903), iv. p. 414. n. 17 (1904). Madagascar.

17. **P. Grandidieri**, *Bol.* ll. cc. pp. 190, 191. Madagascar
n. 12 (1903), pp. 414, 415. n. 18 (1904).
18. **P. Puniceus**, *Bol.* l. c. iv. pp. 414, 415. id.
n. 19 (1904).
19. **P. Buyssoni**, *Bol.* ll. cc. iii. pp. 190, 192. id.
n. 13 (1903), iv. pp. 414, 416. n. 20
(1904).
P. Buyssoni, var. *Spinosus*, *Bol.* l. c. iv.
p. 416. n. 20 (1904).
20. **P. Cardinalis**, *Bol.* l. c. iv. pp. 414, 416. id.
n. 21 (1904).
- *21. **P. Saxosus**, *Coq.* Ann. Soc. Ent. France, id.
(4) i. p. 500, pl. 10. f. 1 (1861); *Bol.*
An. Soc. Españ. xiii. pp. 463, 469, 497.
n. 9 (1884); *Bol. Soc. Esp. Hist. Nat.* iii.
p. 190. n. 14 (1903), pp. 414, 418. n. 22
(1904).

Genus 432. **Zonocerus.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens.
Orth. i. pp. 10, 16 (1873); *Bol. An. Soc. Españ.* xiii.
pp. 25, 457, 497 (1884); *Bol. Soc. Esp. Hist. Nat.* iv.
p. 418 (1904); *Gen. Ins. Orth., Acrid. Pyrg.* pp. 17, 19
(1909).

- *1. **Z. Elegans**, *Thunb.* (*Grillus E.*) Mém. S. & E.
Acad. Petersb. v. p. 226 (1815), ix. Africa.
pp. 395, 407. n. 26, pl. 14. f. 2 (1824).
Zonocerus Elegans, Stål, Recens. Orth. i.
p. 17. n. 2 (1873); Öfv. Vet.-Akad.
Förh. xxxiii. (3) p. 33. n. 1 (1876); *Bol.*
ll. cc. pp. 458, 459, 497. n. 2, pl. 3. ff. 19,
19 a (1884); p. 418. n. 1 (1904).
Pakilocerus Roseipennis, *Serv.* Ann. Sci.
Nat. xxii. p. 276. n. 3 (1831); *Ins. Orth.*
p. 599. n. 4 (1839).
Pæcilocera Roseipennis, *Burm.* Handb. Ent.
ii. p. 623. n. 11 (1838).
Pæcilocera Atriceps, *Gerst.* Arch. Naturg.
xxxv. p. 216. n. 56 (1869); Von der
Decken, Reisen in Ost-Afrika, *Ins.* p. 36.
n. 56 (1873).
Zonocerus Atriceps, *Bol.* ll. cc. pp. 458,
497. n. 1 (1884); p. 418. n. 1 (1904).

- || *Gryllus Variegatus*, *Herbst* (*nec Linn.*),
 Fuessly, Arch. Insect. p. 194. n. 4, pl. 53.
 f. 3 (1786), *immature*.
Zonocerus Elegans, var. *Breripennis*, *Sauss.*
 Abhandl. Senckenb. Ges. xxi. p. 643.
 n. 1 (1899); Bol., Bol. Soc. Esp. Hist.
 Nat. iv. p. 418 (1904).
- *2. **Z. Variegatus**, **Linn.** (*Gryllus Locusta*
V.) Syst. Nat. (ed. 10) i. p. 432. n. 47
 (1758); Mus. Ludov. Ulr. p. 144. n. 35
 (1764).
Z. Variegatus, *Stål*, Recens. Orth. p. 16.
 n. 1 (1873); Bol. An. Soc. Españ. xiii.
 pp. 458, 460, 497. n. 3 (1884); Bol. Soc.
 Esp. Hist. Nat. iv. p. 418. n. 2 (1904).
Acrydium Sanguinolentum, *De Geer*, Mém.
 Ins. iii. p. 489. n. 5, pl. 40. f. 9 (1773);
 Oliv. Encycl. Méth., Ins. vi. p. 227. n. 51
 (1791).
Pækilocerus Sanguinolentus, *Serv.* ll. cc.
 p. 276. n. 1 (1831); p. 598. n. 3 (1839).
Gryllus Opacus, *Thunb.* ll. cc. p. 255 (1815);
 pp. 397, 416. n. 60 (1824).
Gryllus Lævis, *Thunb.* l. c. ix. pp. 393, 400.
 n. 2 (1824).
- **3. **Z. Sokotranus**, **Burr**, (*Pækilocerus S.*)
 Proc. Zool. Soc. Lond. 1898, p. 384,
 pl. 30. f. 4; Nat. Hist. Sokotra, p. 419.
 n. 22 (1903).
 4. **Z. Hova**, **Sauss.** l. c. p. 643. n. 2 (1899).
 5. **Z. (?) Rignaudii**, **Guér.** (*Pækilocerus R.*)
 Lefebvre, Voy. Abyssinie, Zool. vi. p. 338,
 pl. 6. f. 4 (1849).
- W. & E.
 Africa.
- Socotra.
- Madagascar
 Abyssinia.

Genus 433. **Petasida.**

- White, Eyre, Journ. Exped. Australia, i. p. 432 (1845); Bol.,
 Bol. Soc. Esp. Hist. Nat. iv. p. 432 (1904); Gen. Ins.
 Orth., Acrid. Pyrg. pp. 20, 21 (1909).
- **1. **P. Ephippigera**, **White**, l. c. p. 432,
 pl. 4. f. 1 (1845); Bol. ll. cc. p. 432
 (1904); p. 21. n. 1, pl. 1. f. 4 (1909).
- Australia.

Genus 434. **Pæcilocerus.** (*Type* no. 2.)

- Pæcilocerus*, *Serv.* Ann. Sci. Nat. xxii. p. 275 (1831); *Ins.* Orth. p. 595 (1839).
Pæcilocera, *Burm.* Handb. Ent. ii. p. 621 (1838).
Pæcilocerus, *Stål.* Gf. Ver.-Akad. Förh. xxx. (4) p. 51 (1873);
 Recens. Orth. i. p. 10 (1873); *Bol. An. Soc. Españ.* xiii.
 pp. 25, 452, 497 (1884); *Bol. Soc. Esp. Hist. Nat.* iv. p. 432
 (1904); *Gen. Ins. Orth., Acrid. Pyrg.* pp. 20, 21 (1909).
Dictyophorus, *1^{ière} Div., Blanch.* Hist. Nat. *Ins.* iii. p. 38
 (1840).

- | | |
|--|--|
| <p>*1. P. Tessellatus, Bol., <i>Bol. Soc. Esp.</i>
 <i>Hist. Nat.</i> iv. pp. 432, 433. n. 1
 (1904).</p> <p>*2. P. Pictus, Fabr. (<i>Gryllus P.</i>) <i>Syst. Ent.</i>
 p. 289. n. 10 (1775).
 <i>Acrydium Pictum</i>, <i>Oliv.</i> <i>Encycl. Méth., Ins.</i>
 vi. p. 220. n. 21 (1791).
 <i>Pæcilocera Picta</i>, <i>Burm.</i> <i>Handb. Ent.</i> ii.
 p. 624. n. 14 (1838).
 <i>Pækilocerus Pictus</i>, <i>Serv.</i> <i>Ins. Orth.</i> p. 597.
 n. 2 (1839); <i>Bol. An. Soc. Españ.</i> xiii.
 pp. 452, 497, pl. 3. f. 18 (1884); <i>Bol.</i>
 <i>Soc. Esp. Hist. Nat.</i> iv. pp. 432, 433.
 n. 2 (1904).
 <i>Pækilocerus Sonneratii</i>, <i>Serv.</i> <i>Ann. Sci. Nat.</i>
 xxxii. p. 276. n. 2 (1831).
 <i>Pæcilocera Sonneratii</i>, <i>Burm.</i> l. c. p. 624.
 n. 15 (1838).
 <i>Dictyophorus Sonneratii</i>, <i>Blanch.</i> l. c. p. 39.
 n. 2 (1840).</p> <p>*3. P. Hieroglyphicus, Klug, (<i>Decticus H.</i>)
 <i>Symb. Phys.</i> pl. 25. ff. 1, 2 (1832).
 <i>Pækilocerus Hieroglyphicus</i>, <i>Serv.</i> <i>Ins. Orth.</i>
 p. 596. n. 1 (1839).
 <i>Pæcilocera Hieroglyphica</i>, <i>Burm.</i> l. c. p. 623.
 n. 8 (1838).
 <i>Dictyophorus Hieroglyphicus</i>, <i>Blanch.</i> l. c.
 p. 38. n. 1 (1840).
 <i>Pæcilocerus Hieroglyphicus</i>, <i>Bol.</i> l. c. pp.
 452, 453, 497. n. 2 (1884); pp. 432, 434.
 n. 3 (1904).</p> <p>* <i>Pækilocera Polymita</i>, <i>Perch.</i> <i>Gen. Ins. Orth.</i>
 pl. 6 (1835). 0-3013,</p> | <p>N. India.</p> <p>India,
Tonkin.</p> <p>N.E. Africa.</p> |
|--|--|

In vol. I, p. 324 he gives date of *P. tessellatus*, which
 is next page to this species, as 1838? That date is more
 correct than 1835? — See *Encycl. Méth.* vi. p. 220.

- | | |
|--|--|
| <p>*4. P. Vittatus, Klug, (<i>Decticus</i> V.) l. c. pl. 25. ff. 6, 7 (1832).
 <i>Pæcilocera Vittata</i>, <i>Burm.</i> l. c. p. 623. n. 10 (1838).
 <i>Pæcilocerus Vittatus</i>, <i>Bol.</i> l. c. pp. 452, 454, 497. n. 3 (1884); pp. 433, 434. n. 5 (1904).</p> | <p>Arabia,
Somali,
Aden.</p> |
| <p>5. P. Punctiventris, Serv. (<i>Pækilocerus</i> P.) l. c. p. 601. n. 7 (1839).</p> | <p>Bombay.</p> |
| <p>*6. P. Bufonius, Klug, (<i>Decticus</i> B.) l. c. pl. 25. ff. 3-5 (1832).
 <i>Pæcilocera Bufonia</i>, <i>Burm.</i> l. c. p. 623. n. 9 (1838).
 <i>Pækilocerus Bufonius</i>, <i>Serv.</i> l. c. p. 599. n. 5 (1839).
 <i>Dictyophorus Bufonius</i>, <i>Blanch.</i> l. c. p. 39. n. 3 (1840).
 <i>Pæcilocerus Bufonius</i>, <i>Bol.</i> ll. cc. pp. 452, 454, 497. n. 4 (1884); pp. 433, 435. n. 6 (1904).</p> | <p>Egypt,
Syria,
Suez,
Dead Sea.</p> |
| <p>*7. P. Vulcanus, Serv. (<i>Pækilocerus</i> V.) l. c. p. 600. n. 6 (1839).
 <i>Pæcilocerus Vulcanus</i>, <i>Bol.</i> ll. cc. pp. 452, 455, 497. n. 5 (1884); pp. 433, 435. n. 7 (1904).</p> | <p>Egypt,
Sinai.</p> |
| <p>*8. P. Calotropidis, Karsch, <i>Ent. Nachr.</i> xiv. p. 346. n. 52 (1888).
 <i>P. Vittatus</i>, var. <i>Calotropidis</i>, <i>Bol.</i>, <i>Bol. Soc. Esp. Hist. Nat.</i> iv. pp. 433, 434 (1904).</p> | <p>Sennaar,
Suakin,
Arabia.</p> |
| <p>9. P. (?) Ornatus, Burm. (<i>Pæcilocera Ornata</i>) l. c. p. 624. n. 16 (1838).</p> | <p>India (?).</p> |

Genus 435. **Monistria.** (*Type* no. 4.)

Stal, *Cefv. Vet.-Akad. Förh.* xxx. (4) p. 50 (1873); *Recens. Orth.* i. pp. 10, 16 (1873); *Bol. An. Soc. Españ.* xiii. pp. 25, 450, 497 (1884); *Bol. Soc. Esp. Hist. Nat.* iv. p. 435 (1904); *Gen. Ins. Orth., Acrid. Pyrg.* pp. 20, 22 (1909).

- | | |
|--|----------------------|
| <p>1. M. Bolivari, Brancs. <i>Jahresh. Ver. Trens. Com.</i> xvii.-xviii. p. 251, pl. 9. f. 1 a (1895); <i>Bol.</i>, <i>Bol. Soc. Esp. Hist. Nat.</i> iv. pp. 435, 436. n. 1 (1904).</p> | <p>S. Australia.</p> |
|--|----------------------|

2. **M. Pustulifera**, Walk. (*Aceridium Pustuliferum*) Cat. Derm. Salt. B. M. v. Australia. Suppl. p. 62 (1871); Finot, Ann. Soc. Ent. France, lxxvi. p. 344 (1907).
M. Pustulifera, Bol. l. c. pp. 435, 436. n. 2 (1904).
3. **M. Consersa**, Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 25. n. 1 (1875); Bol. An. Soc. Esp. xiii. pp. 450, 497. n. 1, pl. 3. ff. 17, 17 a (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 436. n. 3 (1904). Australia, Tasmania.
4. **M. Pustulosa**, Stål, Öfv. Vet.-Akad. Förh. xxx. p. 50. n. 1 (1873); Recens. Orth. i. p. 16. n. 1 (1873); Bol. ll. cc. pp. 450, 451, 497. n. 2 (1884); p. 436. n. 4 (1908). N. Australia
5. **M. Discrepans**, Walk. (*Petasida D.*) l. c. p. 57 (1871). Australia.
M. Discrepans, Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 436. n. 5 (1904).
- *6. **M. Ligata**, Bol. l. c. p. 436. n. 6 (1904). Sydney.
- **7. **M. Concinna**, Walk. (*Petasida C.*) l. c. p. 57 (1871). Australia(?)
M. Concinna, Bol. l. c. pp. 436, 437. n. 7 (1904).

Genus 436. **Chlorizeina**.

Brunn. Ann. Mus. Genova, xxxiii. p. 130 (1893); Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 437 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 23 (1909).

1. **C. Unicolor**, Brunn. l. c. p. 131. n. 1, | Burma.
 pl. 5. f. 51 a, b (1893).

Genus 437. **Rubellia**. (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 24 (1875); Bol. An. Soc. Españ. xiii. pp. 24, 449, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 437 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 23 (1909); Karsch, Stettin. Ent. Zeit. lvii. p. 271 (1896).

- *1. **R. Nigrosignata**, Stål, l. c. p. 25. n. 1 | Madagascar
 (1875); Bol. ll. cc. pp. 449, 496. n. 1, |

- pl. 3. f. 16 (1884) : p. 437. n. 1 (1904) ;
 Sauss. Abh. Senckenb. Ges. xxi. p. 643
 (1899).
2. **R. Brancsiki, Bol.**, Bol. Soc. Esp. Hist. | Madagascar
 Nat. iv. p. 437. n. 2 (1904).

Genus 438. **Sphenexia.**

- Karsch, Stettin. Ent. Zeit. lvii. pp. 269, 271 (1896) ;
 Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 24 (1909).
1. **S. Fusiformis, Karsch**, l. c. p. 269. n. 33, | E. Africa.
 f. 10 (1896).

Genus 439. **Stenoscepa.**

- Karsch, Stettin. Ent. Zeit. lvii. p. 271 (1896) ;
 Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 24 (1909).
1. **S. Granulata, Karsch**, (*Cawendia* G.) | Tanganyika
 Ent. Nachr. xiv. p. 344. n. 47 (1888).

Genus 440. **Cawendia.** (*Type* no. 1.)

- Karsch, Ent. Nachr. xiv. p. 343 (1888) ; Stettin. Ent. Zeit.
 lvii. p. 272 (1896) ; Bol. Gen. Ins. Orth., Acrid. Pyrg.
 pp. 21, 25 (1909).
1. **C. Glabrata, Karsch**, ll. cc. p. 345. n. 48 | Tanganyika
 (1888) ; p. 272 (1896).
2. **C. Gallæ, Rehn**, Proc. Acad. Nat. Sci. | Gallaland.
 Philad. liii. p. 373 (1901).

Genus 441. **Humpatella.** (*Type* no. 1.)

- Karsch, Stettin. Ent. Zeit. lvii. pp. 270, 272 (1896) ;
 Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 25 (1909).
1. **H. Constricta, Karsch**, l. c. p. 270. | E. Africa.
 n. 34, f. 11 (1896).
2. **H. Severini, Bol.**, Bol. Soc. Esp. Hist. | Congo.
 Nat. iv. p. 438. n. 1 (1904).

Genus 442. **Parasphenia.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 23, 436, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 439 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 27 (1909).

- *1. **P. Pulchripes, Gerst.** (*Sphenarium* P.) Kilima-
Arch. Naturg. xxxv. p. 217. n. 58 njaro.
(1869); Von der Decken, Reisen Ost- Somali.
Afrika, Ins. p. 38. n. 58, pl. 2. f. 7
(1873).
P. Pulchripes, Bol. ll. cc. pp. 436, 496. n. 1
(1884); p. 440. n. 1 (1904); p. 27. n. 1
(1909).
2. **P. Carinata, Bol.** Gen. Ins. Orth., Acrid. Erythræa.
Pyrg. p. 28. n. 2 (1909).
- *3. **P. Dubia, Bol.,** Bol. Soc. Esp. Hist. Nat. E. Africa.
iv. p. 440. n. 2 (1904).
—, var. *Testaceus*, Bol. l. c. p. 441 (1904).
4. **P. Picta, Bol.** An. Soc. Españ. xiii. Massowa.
pp. 436, 437, 496. n. 2, pl. 2. ff. 10, 10 a
(1884); Bol. Soc. Esp. Hist. Nat. iv.
pp. 440, 441. n. 3 (1904).
5. **P. Nigropicta, Bol.** Jorn. Sci. Nat. Caconda.
Lisboa, (2) i. p. 150. n. 114 (1889); Bol.
Soc. Esp. Hist. Nat. iv. pp. 440, 441.
n. 4 (1904).
6. **P. Picticeps, Bol.,** Bol. Soc. Esp. Hist. Transvaal.
Nat. iv. pp. 440, 441. n. 5 (1904).

Genus 443. **Plerisca.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 442 (1904);
Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 28 (1909).

1. **P. Peringueyi, Bol.,** Bol. Soc. Esp. | Cape.
Hist. Nat. iv. p. 442. n. 1 (904).

Genus 444. **Protagasta.**

Bol. Mém. Soc. Ent. Belg. xiv. p. 91 (1908);
Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 28 (1909).

1. **P. Rosea, Bol.** Mém. Soc. Ent. Belg. xiv. | Congo.
p. 92. n. 40 (1908).

Genus 445. **Ochrophlegma.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 443 (1904) ;
Gen. Ins. Orth., Acrid. Pyrg. p. 29 (1909).

- **1. **O. Vittifera, Walk.** (*Xiphocera V.*) Cat. Natal,
Derm. Salt. B. M. v. Suppl. p. 55 Caffraria.
(1871).
Ochrophlebia Radiata, Stål, Recens. Orth. i.
p. 14. n. 1 (1873) ; Bol. An. Soc. Españ.
xiii. pp. 431, 432, 495. n. 2 (1884) ;
Bol. Soc. Esp. Hist. Nat. iv. p. 443. n. 1
(1904).
- *2. **O. Violacea, Stål**, (*Ochrophlebia V.*) Ovambo,
(Efv. Vet.-Akad. Förh. xxxiii. (3) p. 32. Mashona
n. 1 (1876) ; Bol. ll. cc. pp. 431, 495. Land,
n. 1 (1884) ; p. 443. n. 2 (1904). Mozam-
bique.
Delagoa
Bay.
3. **O. Pygmæa, Karsch**, (*Ochrophlebia P.*)
Ent. Nachr. xiv. p. 342. n. 37 (1888) ;
Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 443.
n. 3 (1904).

Genus 446. **Ochrophlebia.** (*Type* no. 1.)

Stål, Recens. Orth. pp. 10, 14 (1873) ; Bol. An. Soc. Españ.
xiii. pp. 23, 430, 495 (1884) ; Bol. Soc. Esp. Hist. Nat. iv.
p. 443 (1904) ; Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 29,
30 (1909).

- *1. **O. Ligneola, Serv.** (*Pækilocerus Ligne- Cape,*
olus) Ins. Orth. p. 602. n. 8 (1839). Caffraria.
Ochrophlebia Ligneola, Stål, l. c. p. 15. n. 2
(1873) ; Bol. ll. cc. pp. 431, 433, 496.
n. 4 (1884) ; pp. 443, 444. n. 4 (1904).
- *2. **O. Serpæ, Bol.** ll. cc. pp. 431, 434, 496. Angola,
n. 5 (1884) ; p. 443. n. 5 (1904). S. Africa.
- *3. **O. Caffra, Linn.** (*Gryllus Locusta Cafer*) S. Africa.
Mus. Ludov. Ulric. p. 148. n. 38 (1764).
O. Caffra, Stål, l. c. p. 15. n. 3 (1873).
O. Caffra, Bol. ll. cc. pp. 431, 435, 496.
n. 7 (1884) ; p. 443. n. 7, p. 444. n. 5
(1904).

- Gryllus Ornatus*, Thunb. Mém. Acad. Petersb. v. p. 228 (1815), ix. pp. 394, 405, n. 19 (1824).
- Gryllus Locusta Pennicornis*, Stoll, Spectres. Saut. p. 29, pl. 13*b*, f. 50 (1813).
- Pæcilocerus Pennicornis*, Burm. Handb. Ent. ii. p. 624. n. 12 (1838).
- O. Pennicornis*, Bol. An. Soc. Españ. xiii. pp. 431, 434, 496. n. 6 (1884).
- Xiphocera Intercepta*, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 54 (1871).
4. **O. Proxima**, Bol., Bol. Soc. Esp. Hist. Transvaal. Nat. iv. pp. 443, 444. n. 6 (1904).
5. **O. Prasina**, Karsch, Ent. Nachr. xiv. Delagoa Bay, Cape. p. 342. n. 36 (1888); Bol. l. c. pp. 443, 445. n. 8 (1904).

Genus 447. **Laufferia**.

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 445 (1904);
Gen. Ins. Orth., Acrid. Pyrg., pp. 26, 30 (1909).

1. **L. Chloronota**, Bol. (*Ochrophlebia Chloronota*) Journ. Sci. Lisb. (2) i. p. 111. n. 111 (1889). Angola.
- L. Chloronota*, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 445, 446 (1904).

Genus 448. **Tanita**. (Type no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 446 (1904);
Gen. Ins. Orth., Acrid. Pyrg., pp. 27, 30 (1909).

1. **T. Breviceps**, Bol. (*Pyrgomorpha B.*) Angola. Journ. Sci. Lisb. viii. p. 109. n. 10 (1881); An. Soc. Españ. xiii. pp. 423, 429, 495. n. 10 (1884).
- Ochrophlebia Breviceps*, Bol. Journ. Sci. Lisb. (2) i. p. 110. n. 108 (1889).
- T. Breviceps*, Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 446. n. 1 (1904).
2. **T. Subcylindrica**, Bol. (*Ochrophlebia S.*) id. Journ. Sci. Lisb. viii. p. 109. n. 12 (1881); An. Soc. Españ. xiii. pp. 431, 433, 495. n. 3 (1884).

- T. Subcylindrica*, *Bol.*, *Bol. Soc. Esp. Hist. Nat.* iv. pp. 446, 447. n. 2 (1904).
3. **T. Scabrosa**, *Bol.* (*Ochrophlebia* S.) Angola.
Jorn. Sci. Lisb. (2) i. p. 112. n. 112 (1889).
T. Scabrosa, *Bol.*, *Bol. Soc. Esp. Hist. Nat.* iv. p. 446. n. 3 (1904).
4. **T. Longiceps**, *Bol.* l. c. pp. 446, 447. E. Africa.
 n. 4 (1904).
5. **T. Linea-alba**, *Bol.* (*Pyrgomorpha* L.) Angola.
Jorn. Sci. Lisb. (2) i. p. 109. n. 107 (1889).
T. Linea-alba, *Bol.*, *Bol. Soc. Esp. Hist. Nat.* iv. p. 446. n. 5 (1904).
6. **T. Picturata**, *Karsch.* (*Pyrgomorpha* P.) San
Ent. Nachr. xiv. p. 340. n. 32 (1888). Salvador.
T. Picturata, *Bol.* l. c. pp. 446, 448. n. 6 (1904).
7. **T. Loosi**, *Bol.* l. c. pp. 447, 449. n. 7 Congo.
 (1904).
8. **T. Sanderi**, *Krauss.* (*Pyrgomorpha* S.) S.W. Africa.
Verh. zool.-bot. Ges. Wien. li. p. 287. n. 13 (1901).
T. Sanderi, *Bol.* l. c. pp. 447, 449. n. 8 (1904).
9. **T. Ferrierei**, *Bol.* l. c. pp. 447, 450. n. 9 French
 (1904). Congo.
10. **T. Purpurea**, *Bol.* ll. cc. n. 10 (1904). Transvaal.

Genus 449. **Pyrgomorpha.** (*Type* no. 6.)

Serv. Ins. Orth. p. 583 (1839); *Fisch. Orth. Eur.* p. 303 (1853); *Fieb. Lotos*, iii. p. 97 (1853), iv. p. 177 (1854); *Syn. Eur. Orth.* p. 8 (1854); *Stål, Recens. Orth.* i. p. 10 (1873); *Bol. Ortópt. Españ.* p. 77 (1876); *An. Soc. Españ.* v. p. 283 (1876), xiii. pp. 23, 422, 495 (1884); *Ann. Sci. Nat. Porto*, iv. p. 218 (1897), v. p. 26 (1898); *Bol. Soc. Esp. Hist. Nat.* iv. p. 451 (1904); *Gen. Ins. Orth., Acrid. Pyrg.* pp. 27, 31 (1909); *Brunn. Prodr. Eur. Orth.* pp. 85, 185 (1882); *Finot, Orth. Francee*, pp. 44, 77 (1883); *Faune Francee, Orth.* pp. 102, 158 (1889); *Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.* pp. 171, 198, 290 (1902); *Brun. Biol. Centr.-Amer., Orth.* ii. pp. 199, 202 (1906).

1. **P. Angolensis**, *Bol.* *Jorn. Sci. Lisb.* (2) Angola.
 i. p. 108. n. 106 (1889); *Bol. Soc. Esp. Hist. Nat.* iv. pp. 451, 452. n. 1 (1904).

- *2. **P. Inæqualipennis, Bol.**, Bol. Soc. Esp. Hist. Nat. iv. pp. 451, 452. n. 2 (1904). Hab. — ?
- *3. **P. Granulata, Stål**, Bihang Svensk. Akad. Handl. iii. (14) p. 26. n. 1 (1875); (Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 32. n. 1 (1876); Krauss, Sitz. Akad. Wiss. Wien, lxxvi. (1) p. 59. n. 2 (1877); Bol. An. Soc. Españ. xiii. pp. 423, 426, 495. n. 6 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 451, 453. n. 3 (1904). S., W., & E. Africa.
4. **P. Dispar, Bol.** ll. cc. pp. 423, 425, 495. n. 5 (1884); p. 451. n. 4 (1904); Brun. l. c. p. 202. n. 1 (1906). Mexico.
5. **P. Cylindrica, Bol.**, Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 453. n. 5 (1904). Angola.
- *6. **P. Conica, Oliv.** (*Acrydium Conicum*) Encycl. Méth., Ins. vi. p. 230. n. 64 (1791). S. Europe, N. & W. Africa, W. Asia.
P. Conica, Jacobs. & Bianchi, l. c. pp. 198, 291. f. 30 (1902); Bol. l. c. pp. 452, 454. n. 6 (1904).
- Truxalis Grylloides, Latr.* Hist. Nat. Crust. Ins. xii. p. 148. n. 3 (1804); Charp. Hor. Ent. p. 130 (1825); Burm. Handb. Ent. ii. p. 608. n. 6 (1838).
- P. Grylloides, Fisch.* ll. cc. p. 97. n. 1 (1853), p. 177. n. 1 (1854); p. 8. n. 1 (1854); Bol. An. Soc. Esp. xiii. pp. 423, 428, 495. n. 9 (1884); Ann. Sci. Nat. Porto, v. p. 26. n. 1 (1898); Brunn. l. c. p. 185. n. 1 (1882); Finot, ll. cc. p. 77 (1883); p. 158, pl. 8. f. 111 (1889).
- Truxalis Rosea, Charp.* Hor. Ent. p. 128, pl. 3. f. 8 (1825); Burm. l. c. p. 608. n. 5 (1838); Ramb. Faun. Andal. ii. p. 75. n. 2 (1838); Serv. l. c. p. 584. n. 6 (1839).
- Pyrgomorpha Rosea, Fisch.* l. c. p. 304. n. 1, pl. 15. f. 5 (1853); Bol. Ortópt. Españ. p. 77. n. 1, pl. 2. ff. 2, 3 (1876); An. Soc. Españ. v. p. 283. n. 1, pl. 11. ff. 2, 3 (1876).
- Truxalis Linearis, Charp.* l. c. p. 129, pl. 3. f. 2 (1825); Burm. l. c. p. 609. n. 7 (1838).
- Truxalis Rhodoptila, Herr.-Schöff.* Panz. Faun. Ins. Germ. fasc. 157, pl. 16 (1838).
- **Oponoma Cinquilata, Walt.* Cat. Derm. Salt. B. M. iii. p. 517. n. 41 (1870).

- P. Conica*, var. *Guentheri*, Burr, Journ. Linn. Soc. Lond., Zool. xxvii. p. 417 (1899); Jacobs. & Bianchi, l. c. p. 291 (1902); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 454. n. 6 (1904).
- **7. **P. Bispinosa**, Walk. l. c. iii. p. 499. S. India.
n. 8 (1870).
P. Indica, Bol. Ann. Soc. Ent. France, lxx. p. 606 (1902); Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 8 (1904).
8. **P. Cognata**, Krauss, Sitz. Akad. Wiss. Wien, lxxvi. (1) p. 58. n. 1 (1877); Bol. An. Soc. Españ. xiii. pp. 423, 427, 495. n. 8 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 454. n. 7 (1904). Senegal.
9. **P. Cypria**, Bol. Bull. Soc. Ent. France, 1901, p. 190. n. 16; Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 9 (1904); Jacobs. & Bianchi, l. c. pp. 198, 290 (1902). Cyprus.
10. **P. Agarena**, Bol. Actas Soc. Españ. xxiii. p. 86 (1894); Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 10 (1904). Larache.
11. **P. Maruxina**, Bol., Bol. Soc. Esp. Hist. Nat. viii. p. 326 (1908). Mogador.
12. **P. Candidina**, Bol. l. c. p. 327 (1908). id.
13. **P. Procera**, Bol. l. c. p. 328 (1908). Morocco.
14. **P. Acutegeniculata**, Bol. l. c. (1908). id.
- **15. **P. Rosacea**, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 50 (1871). Natal.
16. **P. Capensis**, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 455. n. 11 (1904). Cape.
17. **P. Tricarinata**, Bol. An. Soc. Españ. xiii. pp. 422, 424, 495. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 12 (1904). Brazil.
18. **P. Brevipennis**, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 456. n. 13 (1904). Aleppo.
- || *P. Brachyptera*, Bol. (nec De Haan) An. Soc. Españ. xiii. pp. 423, 427, 495. n. 7 (1884); Jacobs. & Bianchi, l. c. pp. 198, 291 (1902).

Genus 450. **Zarytes.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 456 (1904);
Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 32 (1909).

1. **Z. Squalina**, Bol. (*Pyrgomorpha* S.) An. Soc. Españ. xiii. pp. 422, 423, 495. n. 1 (1884). India

Genus 451. **Leptea.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 457 (1904);
 Gen. Ins. Orth., Acrid. Pyrg. p. 33 (1909).

1. **P. Debilis, Finot**, Bull. Soc. Ent. France, Algeria.
 lxiii. p. xii. n. 2 (1894).
Pyrgomorphella Debilis, Bol., Bol. Soc. Esp.
 Hist. Nat. iv. p. 457. n. 1 (1904).

Genus 452. **Pyrgomorphella.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 457 (1904);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 33 (1909).

1. **P. Spnenarioides, Bol.**, Bol. Soc. Esp. Abyssinia.
 Hist. Nat. iv. pp. 457, 458. n. 2 (1904).
2. **P. Madecassa, Bol.** ll. cc. n. 3 (1904). Madagascar
3. **P. Carinata, Bol.** l. c. pp. 457, 459. n. 4 Transvaal.
 (1904).
4. **P. Granosa, Stål**, (*Pyrgomorpha* G.) Beyrout.
 Bihang Svensk. Akad. Handl. iv. (5)
 p. 35 (1876); Bol. An. Soc. Españ. xiii.
 pp. 422, 424, 495. n. 3 (1884); Jacobs.
 & Bianchi, l. c. pp. 198, 290 (1902).
Pyrgomorphella Granosa, Bol., Bol. Soc.
 Esp. Hist. Nat. iv. p. 457. n. 5 (1904).
5. **P. Serbica, Brunn.** (*Pyrgomorpha* S.) Servia.
 Prodr. Eur. Orth. pp. 185, 186. n. 2, pl. 6.
 f. 44 A-C (1882); Bol. An. Soc. Españ.
 xiii. pp. 422, 425, 495. n. 4 (1884);
 Jacobs. & Bianchi, l. c. pp. 198, 290 (1902).
P. Serbica, Bol., Bol. Soc. Esp. Hist. Nat.
 iv. p. 457. n. 6 (1904).

Genus 453. **Anarchita.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 459 (1904);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 33 (1909).

1. **A. Aptera, Bol.** (*Pyrgomorpha* A.) Ann. Madura.
 Soc. Ent. France, lxx. p. 607 (1902).

Genus 454. **Stenoxypus**. (*Type* no. 1.)

Blanch. Voy. Pôle Sud, iv. (2) p. 369 (1853); Bol. An. Soc. Españ. xiii. pp. 22, 56, 494 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 105 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 35 (1909).

- | | |
|--|------------------------------|
| <p>1. S. Variegatus, Blanch. l. c. p. 370 (1853); Bol. ll. cc. pp. 56, 494. n. 1 (1884); p. 105. n. 1 (1905); p. 35. n. 1 (1909).
 <i>Xiphicera Variegata</i>, Blanch. l. c. Ins. Orth. pl. 3. f. 7 (1853).</p> <p>2. S. Aurantiacus, Karsch, (<i>Pyrgomorpha Aurantiaca</i>) Ent. Nachr. xxii. p. 345 (1896).
 <i>S. Aurantiacus</i>, Brancs. Jahresh. Ver. Trencs. Com. xix.-xx. p. 74, pl. 3. f. 16 a-c (1897); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 106. n. 2 (1905).</p> | <p>N. Guinea.</p> <p>id.</p> |
|--|------------------------------|

Genus 455. **Desmoptera**. (*Type* no. 3.)

Bol. An. Soc. Españ. xiii. pp. 57, 494 (1884); Ann. Mus. Genova, xxxix. p. 83 (1898); Bol. Soc. Esp. Hist. Nat. v. p. 107 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 35 (1909); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 233 (1898).

- | | |
|--|--|
| <p>1. D. Novæ-Guinææ, De Haan, (<i>Acridium</i> (<i>Pyrgomorpha</i>) N.) Temminck, Verhandel., Orth. pp. 149, 150. n. 5, pl. 23. f. 4 (1842).
 <i>D. Novæ-Guinææ</i>, Bol. An. Soc. Esp. xiii. pp. 57, 494. n. 1 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 107, 108. n. 1 (1905); Brunn. l. c. p. 233. n. 1 (1898).</p> <p>2. D. Moluc[c]ensis, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 107, 108. n. 2 (1905).</p> <p>3. D. Judicata, Bol. An. Soc. Españ. xiii. pp. 57, 58, 494. n. 2, pl. 1. f. 5 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 107, 109. n. 3 (1905); Brunn. l. c. p. 233. n. 2 (1898).</p> | <p>N. Guinea.</p> <p>Obi.</p> <p>Gilolo.</p> |
|--|--|

4. **D. Degenerata, Brunn.** l. c. n. 3 (1898); Celebes, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 107. Ké.
n. 4 (1905).
5. **D. Haani, Bol.** Ann. Mus. Genova, xxxix. N. Guinea.
p. 84. n. 34 (1898); Bol. Soc. Esp. Hist.
Nat. v. p. 107. n. 5 (1905).
6. **D. Marginata, Bol.** ll. cc. p. 84. n. 35 id.
(1898); p. 107. n. 6 (1905).
7. **D. Prasina, Bol.,** Bol. Soc. Esp. Hist. Bismarek
Nat. v. p. 107, 109. n. 7 (1905). Archipel.
8. **D. Biroi, Bol.** l. c. pp. 108, 109. n. 8 N. Guinea.
(1905).
9. **D. Explicata, Karsch, (Pyrgomorpha E.)** id.
Ent. Nachr. xiv. p. 341. n. 33 (1888);
Bol. l. c. pp. 108, 110. n. 9 (1905).
10. **D. Media, Bol.** Ann. Mus. Genova, xxxix. id.
p. 85. n. 36 (1898); Bol. Soc. Esp. Hist.
Nat. v. p. 108. n. 10 (1905); Karsch,
Denkschr. Med.-nat. Ges. Jena, viii. p. 759
(1903).

Genus 456. **Arbuscula.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 110 (1905);
Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 36 (1909).

1. **A. Cambodjiana, Bol.,** Bol. Soc. Esp. Cambodia.
Hist. Nat. v. p. 111 (1905).

Genus 457. **Annandalea.** (Type no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 111 (1905);
Gen. Ins. Orth., Acrid. Pyrg. p. 37 (1909).

1. **A. Robinsoni, Bol.** ll. cc. n. 1 (1905); Malay
p. 37. n. 2 (1909). Peninsula.
2. **A. Hæmatoptera, De Haan, (Acridium** Java.
(Pyrgomorpha) Hæmatopterum) Tem-
minck, Verhandel., Orth. p. 149. n. 4,
pl. 23. f. 5 (1842).
Mestra Hæmatoptera, Bol. An. Soc. Españ.
xiii. pp. 72, 495. n. 3 (1884).

Genus 458. **Tagasta.** (Type no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 112 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 37 (1909).

|| *Mestra*, Stål (nec Hübn.), (Efv. Vet.-Akad. Förh. xxxiv. (10) p. 52 (1877); Bol. An. Soc. Españ. xiii. pp. 23, 70, 495 (1884).

1. **T. Hoplosterna**, Stål, (*Mestra* H.) l. c. Philippines.
p. 52. n. 1 (1877); Bol. l. c. pp. 70, 71, 495. n. 1, pl. 1. ff. 9, 9 a (1884); Karsch, Ent. Nachr. xiv. p. 334. n. 26 (1888).

T. Hoplosterna, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 1 (1905).

2. **T. Celebesica**, Karsch, (*Mestra* C.) l. c. Celebes.
p. 334. n. 28 (1888).

T. Celebesica, Bol. l. c. pp. 112, 113. n. 2 (1905).

- * 3. **T. Inornata**, Walk. (*Opomala* I.) Cat. Philippines.
Derm. Salt. B. M. iii. p. 514. n. 34 (1870).

4. **T. Anoplosterna**, Stål, (*Mestra* A.) l. c. id.
p. 52. n. 2 (1877); Bol. An. Soc. Españ. xiii. pp. 70, 71, 495 (1884).

T. Anoplosterna, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 112. n. 3 (1905).

5. **T. Notata**, Brunn. (*Mestra* N.) Ann. Burma.
Mus. Genova, xxxiii. p. 130. n. 1, pl. 5. f. 50 (1893).

T. Notata, Bol. l. c. p. 112. n. 4 (1905).

6. **T. Concolor**, Karsch, (*Mestra* C.) l. c. Salanga.
p. 335. n. 29 (1888).

T. Concolor, Bol. l. c. p. 112. n. 5 (1905).

- * 7. **T. Marginella**, Thunb. (*Truxalis* Marginellus) Mém. Acad. Pétersb. v. p. 265 (1815); Act. Soc. Upsal. ix. pp. 79, 86. n. 18 (1827). Java.

Atractomorpha Marginella, Stål, Recens. Orth. i. p. 13. n. 2 (1873).

Mestra Marginella, Bol. An. Soc. Españ. xiii. pp. 71, 72, 495. n. 4 (1884).

T. Marginella, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 6 (1905).

Acridium (*Pyrgomorpha*) *Chloropum*, De Haan, Temminck, Verhandel. Orth. p. 149. n. 3, pl. 23. f. 3 (1842).

8. **T. Indica, Bol.**, Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 7 (1905). India,
Tonkin.
* *T. Indica*, var. *Tonkinensis*, Bol. l. c. pp. 113,
114 (1905).
9. **T. Insularis, Bol.** ll. cc. n. 8 (1905). Lombok.

Genus 459. **Atractomorpha.** (Type no. 3.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 474 (1861); Stål, Recens. Orth. i. p. 10 (1873); Bol. An. Soc. Españ. xiii. pp. 23, 63, 495 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 196 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 39 (1909); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 171, 198, 289 (1902).

Perena, Walk. Cat. Derm. Salt. B. M. iii. p. 506 (1870), v. Suppl. p. 50 (1871). (Type no. 26.)

1. **A. Rufopunctata, Bol.** Bull. Soc. Ent. France, lxiii. p. clxi. n. 8 (1894); Bol. Soc. Esp. Hist. Nat. v. pp. 197, 200. n. 1 (1905). Togo,
Congo,
Ashanti.
A. Rufopunctata, var. *Ashantica*, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 197, 200 (1905).
2. **A. Aberrans, Karsch**, Ent. Nachr. xiv. p. 333. n. 25 (1888); Bol. l. c. pp. 197, 200. n. 2 (1905). Cameroons.
3. **A. Crenulata, Fabr.** (*Truxalis Crenulatus*) Ent. Syst. ii. p. 28. n. 6 (1793); Thunb. Mém. Acad. Pétersb. v. p. 265 (1815). India,
Ceylon,
Siam,
Java,
Malay
Peninsula,
Africa
(eadem?).
Pyrgomorpha Crenulata, Walk. l. c. p. 497. n. 2 (1870).
A. Crenulata, Sauss. l. c. p. 475. n. 4 (1861); Stål, l. c. p. 12. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 64, 495. n. 1 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 197, 201. n. 3 (1905); Jacobs. & Bianchi, l. c. pp. 198, 289 (1902).
Truxalis Crenatus, Thunb. Act. Soc. Upsal. ix. pp. 79, 86. n. 17 (1827).
Truxalis Brevicornis, Thunb. (nec Fabr.) Mém. Acad. Pétersb. v. p. 264 (1815); Act. Soc. Upsal. ix. pp. 78, 84. n. 13 (1827).
A. Crenulata, var. *Fumosa*, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 197, 201 (1905).
A. Crenulata, var. *Prasinata*, Bol. ll. cc. (1905).

- Acridium (Pyrgomorpha) Crenulatum*, De Haan, Temminck, Verhandel., Orth. p. 149. n. 1 (1842).
Acridium Psittacinum, De Haan, (nec p. 146) l. c. pl. 23. f. 1 (1842).
- *4. **A. Scaber**, Thunb. (*Truxalis* S.) ll. cc. Ceylon.
 p. 266 (1815); pp. 78, 81. n. 6 (1827).
Truxalis Porrecta, Walk. Ann. Nat. Hist. (3) iv. p. 222 (1859).
5. **A. Sinuata**, Bol. l. c. pp. 197, 202. n. 4 Java (?).
 (1905).
6. **A. Lanceolata**, Bol. ll. cc. n. 5 (1905). Padang.
7. **A. Burri**, Bol. l. c. pp. 197, 203. n. 6 Khasia
 (1905). Hills.
8. **A. Consobrina**, Sauss. l. c. p. 475. n. 5 Ceylon,
 (1861); Bol. An. Soc. Españ. xiii. pp. 64, Sumatra.
 65, 495. n. 2 (1884); Bol. Soc. Esp. Hist.
 Nat. v. pp. 197, 204. n. 7 (1905).
- *9. **A. Himalayica**, Bol., Bol. Soc. Esp. Yergand,
 Hist. Nat. v. pp. 198, 204. n. 8 (1905). Sikkim.
10. **A. Sinensis**, Bol. l. c. pp. 198, 205. n. 9 China.
 (1905).
11. **A. Blanchardi**, Bol. l. c. pp. 198, 206. Sind,
 n. 10 (1905). Karachi.
12. **A. Angusta**, Karsch, l. c. p. 333. n. 24 Java,
 (1888); Bol. l. c. pp. 198, 207. n. 11 Mou-Pin
 (1905). (eadem?).
13. **A. Infumata**, Bol. l. c. pp. 198, 207. n. 12 Sumatra.
 (1905).
- *14. **A. Gerstaeckeri**, Bol. An. Soc. Españ. W., E., &
 xiii. pp. 64, 66. n. 4 (1884); Bol. Soc. S. Africa.
 Esp. Hist. Nat. v. pp. 198, 208. n. 13
 (1905).
 || *Truxalis Crenulatus*, Beauv. (nec Fabr.)
 Ins. Afr. Amér. p. 79, Orth. pl. 3. f. 1a, b
 (1805).
 || *Pyrgomorpha Crenulata*, Gerst. (nec Fabr.)
 Arch. Naturg. xxxv. (1) p. 216. n. 51
 (1869); Von der Decken's Reisen Ost-
 Afrika, Ins. p. 34. n. 51 (1869).
- *15. **A. Aurivillii**, Bol. ll. cc. pp. 64, 67. n. 5, S. & E.
 pl. 1. f. 8 (1884); pp. 198, 208, n. 14 Africa.
 (1905).
 || *Truxalis Crenulata*, Burm. (nec Fabr.)
 Handb. Ent. ii. p. 609. n. 8 (1838).
- *16. **A. Acutipennis**, Guér. (*Truxalis (Pyrgomorpha) A.*) Icon. R. Anim. p. 340
 (1844). Madagascar

- A. Hora*, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 640. n. 1 (1899); *Bol.*, *Bol. Soc. Esp. Hist. Nat.* v. pp. 198, 208. n. 15 (1905).
17. **A. Ambigua**, *Bol.* l. c. pp. 198, 209. n. 16 (1905). China.
- || *A. Auricilliusi*, *Jacobs. & Bianchi* (*nec Auricillii*, *Bol.*), l. c. pp. 198, 289 (1902).
18. **A. Australiana**, *Bol.* l. c. pp. 198, 209. n. 17 (1905). Rock-hampton.
19. **A. Dentifrons**, *Bol.* l. c. pp. 199, 210. n. 18 (1905). Ceram.
20. **A. Rhodoptera**, *Karsch*, l. c. p. 332. n. 23 (1888); *Bol.* l. c. pp. 199, 211. n. 19 (1905). ~~c-740 (In the only)~~ Java.
- *21. **A. Crenaticeps**, *Blanch.* (*Truxalis* C.) *N. Guinea*, *Voy. Pôle Sud, Zool. Atlas, Orth.* pl. 3. ff. 4, 5 (1853). *Australia*.
Pyrgomorpha Crenaticeps, *Blanch.* l. c. texte iv. (2) p. 368 (1853).
A. Crenaticeps, *Bol. An. Soc. Españ.* xiii. pp. 64, 65, 495. n. 3 (1884); *Bol. Soc. Esp. Hist. Nat.* v. pp. 199, 211. n. 20 (1905); *Frogg. Agric. Gazette N. S. Wales.* xv. p. 240. plate f. 4 (1904).
- *22. **A. Diminuta**, *Walk.* (*Tryxalis* D.) *Cat. Derm. Salt. B. M.* v. Suppl. p. 50 (1871). China, Formosa,
(?) || *A. Gerstaeckeri*, *Jacobs. & Bianchi* (*nec Bol.*), l. c. pp. 198, 289 (1902). Aru, Ké I.,
A. Similis, *Bol.* ll. cc. pp. 64, 68, 495. n. 6 Moluccas.
(1884); pp. 199, 211. n. 21 (1905).
23. **A. Bedeli**, *Bol.* ll. cc. pp. 64, 69, 495. n. 8 (1884); pp. 199, 212. n. 22 (1905); Japan, China.
Jacobs. & Bianchi, l. c. pp. 198, 289 (1902).
24. **A. Philippina**, *Bol.*, *Bol. Soc. Esp. Hist. Nat.* v. pp. 199, 212. n. 23 (1905). Philippines.
25. **A. Dohrni**, *Bol.* l. c. pp. 199, 212. n. 24 (1905). N. Borneo.
- *26. **A. Psittacina**, *DeHaan*, (*Acridium* *Truxalis* *Psittacinum*) l. c. p. 146 (1842). id.,
|| *Acridium Crenulatum*, *DeHaan* (*nec p. 149; nec Fabr.*), l. c. pl. 23. f. 2 (1842). Java, Siam,
A. Psittacina, *Bol. An. Soc. Españ.* xiii. Philippines,
pp. 64, 68, 495. n. 7 (1884); *Bol. Soc. Japan*,
Esp. Hist. Nat. v. pp. 199, 213. n. 25 Tondano.
(1905); *Jacobs. & Bianchi*, l. c. pp. 198, 290 (1902).

- ***Pyrgomorpha Parabolica*, Walk. l. c. iii.
 p. 498. n. 6 (1870).
 ***Pyrgomorpha Contracta*, Walk. l. c. p. 499.
 n. 7 (1870).
 ***Perenat Concolor*, Walk. l. c. p. 506. n. 1 (1870).
 27. **A. Australis**, Rehn, Bull. Amer. Mus. N. S. Wales.
 xxiii. p. 449 (1907).
 28. **A. (?) Oceanica**, Montr. (*Truxalis Oce-* Woodlark I.
anicus) Ann. Soc. Agric. Lyon, vii. p. 90
 (1855).
 29. **A. (?) Sylvatica**, Montr. (*Truxalis Syl-* id.
vaticus) l. c. (1855).

Genus 460. **Algete.**

- Bol., Bol. Soc. Esp. Hist. Nat. v. p. 213 (1905);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 40 (1909).
 1. **A. Brunneri**, Bol. ll. cc. p. 214 (1905); Pernam-
 p. 41. n. 1 (1909). buco.

Genus 461. **Omura.**

- Walk. Cat. Derm. Salt. B. M. iii. p. 503 (1870); Bol. An. Soc.
 Esp. Hist. Nat. v. p. 215 (1905); Gen. Ins. Orth., Acrid.
 Pyrg. pp. 39, 41 (1909).
Protomachus, Stål, Fihang Svensk. Akad. Handl. iv. (5) p. 53
 (1876); Bol. An. Soc. Españ. xiii. pp. 23, 60, 494 (1884).
 1. **O. Congrua, Walk. l. c. p. 504. n. 1 Pará, Upper
 (1870); Bol. Gen. Ins. Orth., Acrid. Amaz.,
 Pyrg. p. 41. n. 1, pl. 1. ff. 5, 5 a (1909). Peru,
Protomachus Depressus, Stål, l. c. p. 54. n. 1 Archidona.
 (1876); Bol. An. Soc. Españ. xiii. pp. 61,
 494. n. 1, pl. 1. f. 7 (1884).

Genus 462. **Minorissa.**

- Walk. Cat. Derm. Salt. B. M. iii. p. 503 (1870); Bol., Bol.
 Soc. Esp. Hist. Nat. v. p. 215 (1905); Gen. Ins. Orth.,
 Acrid. Pyrg. pp. 39, 41 (1909).
Phymaptera, Bol. An. Soc. Españ. xiii. pp. 23, 62, 495 (1884).
 1. **M. Pustulata, Walk. l. c. p. 503. n. 1 Colombia,
 (1870); Bol., Bol. Soc. Esp. Hist. Nat. v. Venezuela.
 p. 215 (1905).
Phymaptera Jucunda, Bol. An. Soc. Españ.
 xiii. pp. 62, 495. n. 1 (1884); Karsch,
 Ent. Nachr. xiv. p. 331. n. 17 (1888).

Genus 463. **Deraspiella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 216 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 42 (1909).

Deraspis, Bol. (nec Blanch.) An. Soc. Españ. xiii. pp. 23, 61, 494 (1884).

1. **D. Volkemi**, Bol. (*Deraspis* F.) l. c. Brazil (?). pp. 62, 494, n. 1, pl. 1, f. 6 (1884).

Genus 464. **Buyssoniella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 216 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 42 (1909).

1. **B. Madecassa**, Bol., Bol. Soc. Esp. Hist. Nossi-Bé. Nat. v. p. 216, n. 1 (1905).

Genus 465. **Schulthessia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 217 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 43 (1909).

1. **S. Biplagiata**, Bol. ll. cc. p. 217, n. 1 Madagascar (1905); p. 43, n. 1, pl. 1, f. 6 (1909).

Genus 466. **Uhagonia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 214 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 43 (1909).

1. **U. Sphenarioides**, Bol. ll. cc. p. 215, Madagascar n. 1 (1905); p. 44, n. 1 (1909).

Genus 467. **Ichthyotettix.**

Rehn, Canad. Ent. xxxiii. p. 271 (1901); Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 45 (1909).

Ichthyotettix, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 278 (1905).

Ichthydion, Sauss. (nec Dejean) Rev. Zool. (2) xi. p. 390 (1859);

Thomas, Syn. Acrid. N. Amer. p. 198 (1873); Brun. Biol.

Centr.-Amer., Orth. ii. pp. 199, 202 (1906).

Ichthydion, Bol. An. Soc. Españ. xiii. pp. 24, 440, 496 (1884).

1. **I. Mexicanum, Sauss.** (*Ichthydion M.*) l. c. Mexico.
 p. 390 (1859); Thomas, l. c. p. 198
 (1873); Brun. l. c. p. 202. n. 1, pl. 4.
 ff. 22, 22 a (1906).
Ichthydion Mexicanum, Bol. l. c. pp. 440,
 496. n. 1, pl. 2. ff. 13, 13 a (1884).

Genus 468. **Orthacris.** (*Type* no. 1.)

- Bol. An. Soc. Españ. xiii. pp. 24, 439, 496 (1884); Ann. Soc.
 Ent. France, lxx. p. 608 (1902); Bol. Soc. Esp. Hist. Nat.
 v. p. 278 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 44,
 45 (1909).
- O. Filiformis, Bol.** An. Soc. Españ. xiii. Ceylon.
 pp. 439, 496. n. 1, pl. 2. ff. 11, 11 a-c
 (1884); Ann. Soc. Ent. France, lxx. p. 608
 (1902).
2. **O. Maindroni, Bol.,** Bol. Soc. Esp. Hist. Coromandel.
 Nat. v. p. 278 (1905).
3. **O. Ruficornis, Bol.** Ann. Soc. Ent. Kodaikanal.
 France, lxx. p. 608 (1902).
4. **O. Elegans, Bol.** l. c. pp. 608, 609 (1902). id.
5. **O. Simulans, Bol.** l. c. pp. 608, 611 Madura.
 (1902).
6. **O. Acuticeps, Bol.** l. c. pp. 608, 610 (1902). id.

Genus 469. **Dyscolorhinus.**

- Sauss. Abhandl. Senckenb. Ges. xxi. p. 640 (1889).
Discolorhinus, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 280 (1905);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 46 (1909).
1. **D. Squalinus, Sauss.** l. c. p. 641. n. 1. Madagascar
 pl. 38. f. 38 (1899); Bol. ll. cc. p. 280
 (1905); p. 46. n. 1 (1909).

Genus 470. **Sphenacris.** (*Type* no. 1.)

- Bol. An. Soc. Españ. xiii. pp. 24, 441, 496 (1884); Bol. Soc.
 Esp. Hist. Nat. v. p. 279 (1905); Gen. Ins. Orth., Acrid.
 Pyrg. pp. 44, 46 (1909).
1. **S. Crassicornis, Bol.** An. Soc. Españ. xiii. Hab. — ?
 pp. 441, 496. n. 1 (1884).
2. **S. Granulatus, Bol.,** Bol. Soc. Esp. Hist. New
 Nat. v. p. 279 (1905). Caledonia.

Genus 471. **Caprorhinus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 641 (1899); Bol., Bol. Soc. Esp. Hist. Nat. p. 280 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 47 (1909).

1. **C. Fusiformis, Sauss.** l. c. p. 642. n. 1 Madagascar (1899).

Genus 472. **Calamacris.** (*Type* no. 1.)

Rehn. Proc. Acad. Nat. Sci. Philad. lvi. p. 529 (1904); Brun. Biol. Centr.-Amer., Orth. ii. p. 200 (1906); Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 47 (1909).

1. **C. Clendoni, Rehn,** l. c. p. 529 (1904); Mexico.
Brun. l. c. pp. 200, 201. n. 1 (1906).
2. **C. Californica, Brun.** l. c. pp. 200, 201. Lower
n. 2 (1906). California.
Atyphoscirtus Californicus, Brun. l. c. pl. 4.
ff. 24, 25, 25 a (1906).
3. **C. Mexicana, Brun.** l. c. pp. 200, 201. id.
n. 3 (1906).
Atyphoscirtus Mexicanus, Brun. l. c. pl. 4.
f. 26 (1906).
4. **C. Palmeri, Brun.** l. c. pp. 200, 202. n. 4 id.
(1906).
5. **C. Oculata, Brun.** ll. cc. n. 5 (1906). Arizona.

Genus 473. **Ichthiacris.** (*Type* no. 2.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 287 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 48 (1909).

Ichthyacris, Bol. Gen. Ins. Orth., Acrid. Pyrg. p. 45 (1909)

1. **I. Costulata, Bol.,** Bol. Soc. Esp. Hist. Lower
Nat. v. pp. 287, 288. n. 1 (1905). California.
2. **I. Rehni, Bol.** ll. cc. n. 2 (1905); Gen. id.
Ins. Orth., Acrid. Pyrg. p. 48. n. 2, pl. 1.
f. 7 (1909).
3. **I. Californica, Bol.,** Bol. Soc. Esp. Hist. id.
Nat. v. pp. 287, 289. n. 3 (1905).

Genus 474. **Nerenia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 280 (1905);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 49 (1909).

1. **N. Francoisi**, **Bol.** ll. cc. p. 281 (1905); | Madagascar
 p. 49. n. 1, pl. 1. f. 8 (1909).

Genus 475. **Verdulia.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 281 (1905);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 49 (1909).

1. **V. Cycloidea**, **De Haan**, (*Acridium* | N. Guinea.
 (*Pyrgomorpha*) *Cycloideum*) Temminck,
 Verhandel., Orth. p. 149. n. 6 (1842).
V. Cycloidea, **Bol.**, Bol. Soc. Esp. Hist. Nat.
 v. p. 282. n. 1 (1905).
Acridium (*Pyrgomorpha*) *Brachypterum*,
De Haan, l. c. p. 150 (1842).
Acridium Brachypterum, *De Haan*, l. c.
 pl. 21. f. 1 (1842).
2. **V. Dohrni**, **Bol.** l. c. pp. 282, 283. n. 2 | Sumatra.
 (1905).
3. **V. Olivacea**, **Bol.** l. c. pp. 282, 284. n. 3 | id.
 (1905).

Genus 476. **Geloius.** (*Type* no. 2.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 637 (1899); Bol., Bol.
 Soc. Esp. Hist. Nat. v. p. 284 (1905); Gen. Ins. Orth.,
 Acrid. Pyrg. p. 50 (1909).

1. **G. Finoti**, **Bol.** ll. cc. pp. 284, 285. n. 1 | Madagascar
 (1905); p. 51. n. 1, pl. 1. ff. 10, 10 a, b
 (1909).
2. **G. Nasutus**, **Sauss.** l. c. p. 638. n. 1, | id.
 pl. 38. ff. 36, 37 (1899); Bol. ll. cc.
 pp. 284, 285. n. 2 (1905); p. 51. n. 2,
 pl. 1. ff. 9, 9 a (1909).
3. **G. Crassicornis**, **Bol.**, Bol. Soc. Esp. | id.
 Hist. Nat. v. pp. 284, 285. n. 3 (1905).
4. **G. Decorsei**, **Bol.** l. c. pp. 284, 286. n. 4 | id.
 (1905).

Genus 477. **Doriella.** (*Type* no. 1.)*Doriella*, Bol. Ann. Mus. Genova, xxxix. p. 85 (1898).*Doriella*, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 298 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 52 (1909).

1. **D. Cinnabarina**, Bol. (*Doriella C.*) Ann. Mus. Genova, xxxix. p. 86. n. 37 (1898). Guinea.
2. **D. Paradoxa**, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 299 (1905). id.

Genus 478. **Brunniella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 299 (1905);
 Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 52 (1909).

1. **B. Antistes**, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 300 (1905). New Guinea (?).

Genus 479. **Trigonopteryx.** (*Type* no. 1.)

(Charp. Orth. pl. 5 (1841); De Haan, Temminck, Verhandel., Orth. p. 150 (1842); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 301 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 53 (1909).

1. **T. Punctata**, Charp. l. c. pl. 5 (1841); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 301. n. 1 (1905). Java, Ceylon.
Acridium (*Trigonopteryx*) *Punctatum*, De Haan, l. c. p. 151 (1842).
Systella Punctata, Bol. An. Soc. Españ. xiii. pp. 52, 494. n. 1 (1884).
T. Punctata, var. *Multireticulata*, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 302 (1905).
- *2. **T. Hopei**, Westw. (*Systella H.*) Arcana Ent. i. p. 12, pl. 4. ff. 3, 3* (1841); Bol. An. Soc. Españ. xiii. pp. 52, 53, 494. n. 2 (1884). China, Java, Borneo, Sumatra.
T. Hopei, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 302. n. 2 (1905).

Genus 480. **Systella.** (*Type* no. 4.)

Westw. Arcana Ent. i. p. 12 (1841); Bol. An. Soc. Españ. xiii. pp. 22, 51, 52, 494 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 303 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 53 (1909).

Gyrtona, Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 25 (1875); Bol. An. Soc. Españ. xiii. pp. 22, 55, 494 (1884). (*Type* no. 7.)

- *1. **S. Philippinensis**, Walk. (*Trigonopteryx Philippensis*) Cat. Derm. Salt. B. M. iii. p. 518. n. 2 (1870). Philippines.
- 2. **S. Westwoodii**, Stål, Öfv. Vet.-Akad. Förh. xxxiv. (10) p. 52. n. 1 (1877); Bol. l. c. pp. 52, 54, 494. n. 5, pl. 1. ff. 3, 3a, b (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 303, 304. n. 1 (1905). id.
- 3. **S. Siccifolia**, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 303, 304. n. 2 (1905). Hab. — ?
- *4. **S. Rafflesii**, Westw. l. c. p. 22, pl. 4. ff. 1, 2 (1841). Sumatra, Malacca, Borneo.
S. Rafflesii, Bol. An. Soc. Españ. xiii. pp. 52, 53, 494. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 303. n. 4, p. 304. n. 3 (1905).
- 5. **S. Platyptera**, De Haan, (*Aceridium (Trigonopteryx) Platypteron*) Temminck, Verhandel., Orth. p. 151, pl. 23. f. 6 (1842). Cape (?)
- *6. **S. Obliqua**, Walk. (*Trigonopteryx O.*) l. c. p. 519. n. 5 (1870). Malacca, Borneo.
 || *Systella Platyptera*, Bol. (nec De Haan) An. Soc. Españ. xiii. pp. 52, 54, 494. n. 4 (1884).
- 7. **S. Compressa**, Stål, (*Gyrtona C.*) l. c. p. 25. n. 1 (1875); Bol. l. c. pp. 55, 494. n. 1, pl. 1. f. 4 (1884). Malacca.
- 8. **S. Annandalei**, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 303. n. 3, p. 305. n. 4 (1905). id.
- 9. **S. Gestroi**, Bol. l. c. pp. 303, 306. n. 5 (1905). Engano.
- 10. **S. Dusmeti**, Bol. ll. cc. n. 6 (1905). Kina Balu.

Genus 481. **Xyronotus**.

Bol. An. Soc. Españ. xiii. pp. 24, 442, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 308 (1904); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 202 (1906).

- *1. **X. Aztecus**, Bol. An. Soc. Españ. xiii. pp. 442, 496. n. 1, pl. 2. ff. 12, 12b (1884); Brun. l. c. p. 203. n. 1, pl. 4. ff. 23, 23a (1906). Mexico.

SUBFAM. XI.
PAMPHAGINÆ.

Genus 482. **Schinzia.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 648 (1899).

1. **S. Horrida, Sauss.** l. c. p. 649. n. 1, | Angola.
pl. 38. ff. 39, 40 (1899). |

Genus 483. **Geloiomimus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 649 (1899).

1. **G. Nasicus, Sauss.** l. c. p. 651. n. 2, | Orange
pl. 38. ff. 41, 42 (1899). | River.

Genus 484. **Thrincotropis.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 649 (1899).

1. **T. Caffra, Sauss.** l. c. p. 652. n. 3, pl. 38. | Natal.
ff. 43-48 (1899). |

Genus 485. **Charilaus.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 26 (1875);
 Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 34 (1876); Bol. An.
 Soc. Españ. xiii. pp. 26, 487, 498 (1884); Karsch, Stettin.
 Ent. Zeit. lvii. p. 274 note (1896); Sauss. Abhandl.
 Senckenb. Ges. xxi. p. 653 (1899).

1. **C. Carinatus, Stål**, ll. cc. p. 26. n. 1 | Transvaal,
 (1875); p. 34. n. 1 (1876); Bol. l. c. | Damara
 pp. 488, 498, pl. 4. ff. 30, 30 a (1884). | Land.
2. **C. Miraculum, Karsch**, l. c. p. 273. | Transvaal.
 n. 37, f. 12 (1896).
3. **C. Brunneri, Sauss.** l. c. p. 654. n. 1, | S. Africa.
 pl. 38. f. 49 (1899). |

Genus 486. **Pamphagodes.**

Bol. An. Soc. Españ. vii. p. 429 (1878),
 xiii. pp. 26, 489, 498 (1884).

1. **P. Riffensis**, Bol. ll. cc. p. 430, pl. 5. ff. 1, Morocco.
 1 *a-e* (1878), xiii. pp. 489, 498. n. 1,
 pl. 4. f. 31 (1884).

Genus 487. **Aspidophyma.** (Type no. 2.)

Bol. An. Soc. Españ. xiii. pp. 26, 491, 498 (1884).

1. **A. Indica**, Bol. l. c. pp. 491, 498. n. 1 | Ceylon.
 (1884).
 2. **A. Americana**, Bol. l. c. pp. 492, 498. | Ecuador.
 n. 2, pl. 4. ff. 32, 32 *a* (1884).

Genus 488. **Adephagus.**

Sauss. Spic. Ent. ii. pp. 18, 23 (1887).

- *1. **A. Cristatus**, Burm. (*Pamphagus C.*) | S. Africa.
 Handb. Ent. ii. p. 618. n. 6 (1838).
A. Cristatus, Sauss. l. c. p. 23. n. 1, pl. 3.
 f. 22 (1887).

Genus 489. **Acicera.**

Akicera, Serr. Ann. Sci. Nat. xxii. p. 268 (1831) ; Ins. Orth.
 p. 603 (1839).

Acicera, Burm. Handb. Ent. ii. p. 616 (1838).

Acocera, Sauss. Spic. Ent. ii. pp. 18, 24 (1887).

Parmilis, Stål, Recens. Orth. i. p. 21 (1873) ; Öfv. Vet.-Akad.
 Förh. xxxiii. (3) p. 35 (1876).

- *1. **A. Fusca**, Thunb. (*Pamphagus Fuscus*) | S. Africa.
 Mém. Acad. Pétersb. v. p. 261 (1815).
Pamphagus (Parmilis) Fuscus, Stål, l. c.
 p. 22. n. 1 (1873).
Acocera Fusca, Sauss. l. c. p. 25. n. 1 (1887).
Gryllus Locusta Nympha, Stoll, Spectres,
 Saut. p. 11, pl. 3 b. f. 11 (1813).
Akicera Grisea, ♀ (*nec* ♂), Serr. ll. cc.
 p. 269. n. 1 (1831) ; p. 606. n. 2, pl. 12.
 f. 2 (1839).
Pamphagus Griseus, Burm. Handb. Ent. ii.
 p. 617. n. 2 (1838).

Genus 490. **Lamarckiana**, Kirb. (n. n.). (*Type* no. 1.)

Xiphicera, pt., *Lamarck*, Anim. sans Vertèbres, iv. p. 243 (1817); Kirb. Trans. Ent. Soc. Lond. 1902, p. 90.

Xiphicera, Latr. Cuv. Règne Anim. v. p. 186 (1829).

|| *Xiphocera*, Stål (*nec* Macq.), Öfv. Vet.-Akad. Förh. xxxiii. (3) p. 35 (1876); Sauss. Spicil. Ent. ii. pp. 19, 27, 35 (1887); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 199, 292 (1902).

*1. **L. Cucullata**, Stoll, (*Gryllus Locusta* S. Africa *Cucullatus*) Spectres, Saut. p. 40, pl. 22 b. f. 86 (1813).

Gryllus Locusta Nympha, Stoll, l. c. pp. 23, 40, pl. 11 a. f. 41, pl. 22 b. f. 87 (1813).

Pamphagus Cucullatus, Burm. Handb. Ent. ii. p. 616. n. 1 (1838).

|| *Pamphagus Canescens* [Thunb. Hem. Max. (ap. p. 5 (1822) *sec.* Stål; *nec* Thunb. 1784, 1815].

|| *Pamphagus (Porthetis) Canescens*, Stål, Recens. Orth. p. 24. n. 4 (1873).

|| *Xiphocera Canescens*, Sauss. l. c. pp. 31, 37. n. 1, pl. 1. ff. 2-4 (1887).

|| *Akicera Carinata*, Serv. (*nec* Linn.) Ins. Orth. p. 605. n. 1 (1839).

|| *Pamphagus Carinatus*, Blanch. Hist. Nat. Ins. iii. p. 37. n. 2 (1840).

*2. **L. Arenosa**, Stål, (*Xiphocera A.*) Öfv. Damara
Vet.-Akad. Förh. xxxiii. (3) p. 37. n. 3 Land.
(1876); Sauss. l. c. pp. 31, 39. n. 1 a
(1887).

3. **L. Punctosa, Walk. (*Akicera P.*) Cat. E. Africa.
Derm. Salt. B. M. iii. p. 532. n. 7
(1870).

4. **L. Sparrmani**, Stål, (*Xiphocera S.*) l. c. Damara
p. 37. n. 2 (1876); Sauss. l. c. pp. 31, 40. Land.
n. 1 c (1887).

*5. **L. Spinulosa**, Sauss. (*Xiphocera S.*) Natal.
pp. 31, 40. n. 2 (1887).

*6. **L. Stuhlmanniana**, Karsch, (*Xiphocera S.*) E. Africa.
Stettin. Ent. Zeit. lvii. p. 275. n. 38
(1896).

7. **L. Gibba, Kirb. (*Xiphicera G.*) Proc. Central
Zool. Soc. Lond. 1902, p. 98. n. 18. Africa.

8. **L. Menyharthi**, Brancs. (*Xiphocera M.*) Zambesi.
Ver. Trencsin. Com. xvii.-xviii. p. 252,
pl. 8. f. 3 a-d (1896).

9. **L. Spectrum, Sauss.** (*Xiphocera S.*) l. c. pp. 31, 41. n. 3 (1887). E. Africa, Angola.
- *10. **L. Brunneriana, Sauss.** (*Xiphocera B.*) l. c. pp. 31, 43. n. 4, pl. 2. ff. 7, 7 a, b (1887); Schulth. Ann. Mus. Genov. xxxix. p. 191. n. 1 (1898). Abyssinia, Somali.
- *11. **L. Cristata, Sauss.** (*Xiphocera C.*) l. c. pp. 31, 44. n. 5, pl. 2. f. 9 (1887). Somali.
- *12. **L. Ensicornis, Sauss.** (*Xiphocera E.*) Ent. M. Mag. xxix. p. 152 (1893). Transvaal.
- *13. **L. Nasuta, Sauss.** (*Xiphocera N.*) Spicil. Ent. ii. pp. 31, 45. n. 6, pl. 2. ff. 6, 6 a, b (1887). Zululand.
Xiphocera Nasuta, Kirb. Trans. Ent. Soc. Lond. 1902, p. 92. n. 76.
14. **L. Eblis, Kirb.** (*Xiphocera E.*) l. c. p. 93. n. 77 (1902). Pretoria.
15. **L. Angolensis, Sauss.** (*Xiphocera A.*) l. c. pp. 31, 47. n. 7 (1887). Angola.
Xiphocera Angolæ, Sauss. l. c. pl. 2. ff. 8, 8 a, b (1887).
- *16. **L. Haploscelis, Schaum,** (*Pamphagus H.*) Ber. Akad. Berlin, 1853, p. 780. n. 24; Peters' Reise Mossamb., Zool. v. p. 142, pl. 7 A. f. 11 (1862). Mozambique.
Xiphocera Haploscelis, Sauss. l. c. pp. 31, 48. n. 8 (1887).
17. **L. Peringueyi, Sauss.** (*Xiphocera P.*) Ann. Soc. Ent. France, (6) viii. p. 157. n. 2, pl. 5. ff. 4, 4 a-c (1888). S. Africa.
- *18. **L. Euryscelis, Schaum,** (*Pamphagus E.*) ll. cc. p. 779. n. 22 (1853); p. 140, pl. 7 A. ff. 8, 9 (1862). Mozambique.
Xiphocera Euryscelis, Sauss. Spicil. Ent. ii. pp. 32, 49. n. 10 (1887).
- *19. **L. Loboscelis, Schaum,** (*Pamphagus L.*) ll. cc. p. 780. n. 23 (1853); p. 141, pl. 7 A. f. 10 (1862). E. Africa.
Xiphocera Loboscelis, Sauss. Spicil. Ent. ii. pp. 32, 50. n. 11 (1887).
- ***Akicera Femoralis*, Walk. l. c. p. 532. n. 8 (1870).
- Xiphocera Latipes*, Sauss. l. c. pp. 32, 54. n. 16, pl. 2. ff. 12, 12 a (1887); Karsch, l. c. p. 276. n. 38 bis (1896).
- **20. **L. Rugosipes, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 94. n. 80. Transvaal. Delagoa B.

21. **L. Paupercula, Kirb.** l. c. p. 95. n. 81 Pretoria.
(1902).
- * 22. **L. Cinerascens, Stål,** (*Porthetis* C.) S. & E.
Recens. Orth. i. p. 23. n. 3 (1873). Africa.
Xiphocera Cinerascens, Sauss. l. c. pp. 32,
50, pl. 2. ff. 10, 11, 11 a (1887).
- * 23. **L. Puncticornis, Stål,** (*Xiphocera* (*Port-* Damara
hetis) *Puncticornis*) Gsfv. Ver.-Akad. Land,
Förh. xxxiii. (3) p. 39. n. 5 (1876). Transvaal,
Xiphocera Puncticornis, Sauss. l. c. pp. 32. Delagoa B.
52. n. 13 (1887).
- * 24. **L. Æstuans, Sauss.** (*Xiphocera* Æ.) Transvaal,
l. c. pp. 32, 52. n. 14 (1887). Delagoa B.
- * 25. **L. Atrox, Gerst.** (*Pamphagus* A.) Archiv | Zanzibar,
Naturg. xxxv. p. 218. n. 67 (1869); Mombasa,
Von der Decken, Reisen Ost-Afrika. Ins. B.E. Africa.
p. 42. n. 67, pl. 2. f. 9 (1873).
Xiphocera Atrox, Sauss. l. c. pp. 32, 54.
n. 15 (1887).
26. **L. Bolivariana, Sauss.** (*Xiphocera* B.) Mozam-
l. c. pp. 33, 57. n. 19 (1887); Ann. Soc. bique.
Ent. France, (6) viii. p. 158. n. 3, pl. 5.
f. 5 (1888).
27. **L. Compressa, Kirb.** (*Xiphocera* C.) l. c. Pretoria.
p. 96. n. 84 (1902).
28. **L. Granulosa, Kirb.** (*Xiphocera* G.) l. c. id.
p. 97. n. 85 (1902).
- * 29. **L. Brevis, Walk.** (*Pamphagus* B.) l. c. Natal.
p. 531. n. 3 (1870).
30. **L. Obsoleta, Kirb.** (*Xiphocera* O.) l. c. | Pretoria.
p. 97. n. 87 (1902).
31. **L. Saussurei, Bol.** (*Xiphocera* S.) Jorn. Angola.
Sci. Lisb. (2) i. p. 153. n. 128 (1890).

Genus 491. **Pagopedilum.** (Type no. 2.)

Karsch, Stettin. Ent. Zeit. lvii. p. 276 (1896).

- * 1. **P. (?) Bradyanum, Sauss.** (*Xiphocera* Transvaal.
Bradyana) Spicil. Ent. ii. pp. 33, 55. n. 17,
pl. 2. f. 1 (1887); Ann. Soc. Ent. France, |
(6) viii. p. 156. n. 1, pl. 5. ff. 3, 3b, c (1888).
2. **P. Subcruciatum, Karsch,** l. c. p. 277. | id.
n. 39. f. 13 (1896).
- * 3. **P. Mannulus, Sauss.** (*Xiphocera* M.) Graham's-
Spicil. Ent. ii. pp. 33, 56. n. 18, pl. 2. | town,
ff. 5, 5 a (1887). Natal.
4. **P. Rendalli, Kirb.** (*Xiphocera* R.) Trans. Transvaal.
Ent. Soc. Lond. 1902. p. 98. n. 88.

- *5. **P. Distanti, Sauss.** (*Xiphocera D.*) Transvaal.
Distant, Naturalist in Transvaal, p. 261,
pl. 4. f. 1 (1892).
- **6. **P. Pictum, Sauss.** (*Xiphocera Picta*) l. c. id.
f. 2 (1892).
7. **P. Sabulosa, Stål,** (*Porthetis Sabulosus*) Damara
Bihang Svensk. Akad. Handl. iii. (14) Land.
p. 26. n. 1 (1875).
Xiphocera (Porthetis) Sabulosa, Stål, Æfv.
Vet.-Akad. Förh. xxxiii. (3) p. 38. n. 4
(1876).
Xiphocera Sabulosa, Sauss. Spicil. Ent. ii.
pp. 33, 58. n. 20 (1887).
- **8. **P. Sordidum, Walk.** (*Pamphagus Sor-* S. Africa.
didus) Cat. Derm. Salt. B. M. iii. p. 535.
n. 6 (1870).
- **9. **P. Apicale, Walk.** (*Pamphagus Apicalis*) E. Africa.
l. c. p. 533. n. 2 (1870).
Xiphocera Apicalis, Sauss. l. c. pp. 31, 49.
n. 9 (1887) ; Ann. Soc. Ent. France, (6)
viii. p. 157 (1888).

Genus 492. **Porthetis.** (*Type no. 1.*)

Serv. Ann. Sci. Nat. xxii. p. 270 (1831) ; Ins. Orth. p. 607
(1839) ; Stål, Recens. Orth. pp. 21, 23 (1873) ; Æfv.
Vet.-Akad. Förh. xxxiii. (3) p. 37 (1876) ; Sauss. Spicil.
Ent. ii. pp. 33, 60 (1887).

- *1. **P. Carinata, Linn.** (*Gryllus (Bulla)* S. Africa.
Carinatus) Syst. Nat. (ed. x.) i. p. 427.
n. 16 (1758) ; Mus. Ludov. Ulric. p. 122.
n. 13 (1864).
Porthetis Carinatus, Stål, Recens. Orth. i.
p. 23. n. 2 (1873).
Xiphocera Carinata, Stål, Æfv. Vet.-Akad.
Förh. xxxiii. (3) p. 39 (1876) ; Sauss.
l. c. pp. 33, 60. n. 22, pl. 2. f. 13
(1887).
Acrydium Dentatum, De Geer, Mém. Ins.
iii. p. 496. n. 12, pl. 42. f. 3 (1773).
Porthetis Dentata, Serv. ll. cc. p. 270. n. 1
(1831) ; p. 608. n. 1 (1839).
Gryllus Canescens, Thunb. Nov. Spec. Ins.
v. p. 105, f. 113 (1779).
Pamphagus Canescens, Thunb. Mém. Acad.
Pétersb. v. p. 260 (1815).

- || *Gryllus Elephas*, *Fabr.* (nec *Linn.*) *Syst.*
Ent. p. 287. n. 1 (1775).
 [Roes. *Ins. Belust.* ii. *Locust. Ind.* p. 43,
 pl. 6. f. 2.]
- || *Acrydium Elephas*, *Oliv.* *Encycl. Méth.*,
Ins. vi. p. 215. n. 1 (1791).
- || *Gryllus Locusta Elephas*, *Stoll*, *Spectres*,
Saut. p. 10, pl. 3 b. f. 9 (1813).
- || *Pamphagus Elephas*, *Thunb.* l. c. p. 262
 (1815); *Blanch. Hist. Nat. Ins.* iii. p. 37.
 n. 3 (1840).
- ♂. *Gryllus Serripes*, *Fabr. Mant. Ins.* i.
 p. 236. n. 8 (1787).
- Gryllus Locusta Serripes*, *Stoll*, *Spectres*,
Saut. p. 11, pl. 3 b. f. 10 (1813).
- Gryllus* —, *Zachach*, *Mus. Lesk. Ins.*
 p. 48. n. 39 (1788).
- Gryllus Rugosus*, *Gmel. Syst. Nat.* i. (4)
 p. 2087. n. 228 (1888).
- Acrydium Serripes*, *Oliv.* l. c. p. 216. n. 8
 (1791).
- Gryllus Remora*, *Licht. Cat. Mus. Zool.*
Hamburg, iii. p. 88 (1796).
- Pamphagus Serripes*, *Thunb.* l. c. p. 261
 (1815); *Burm. Handb. Ent.* ii. p. 617.
 n. 4 (1838).
- Gryllus Locusta Taurus*, *Stoll*, l. c. p. 36,
 pl. 19 b. f. 72 (1813).
2. **P. Consobrina**, **Sauss.** l. c. pp. 33, 62. *Transvaal.*
 n. 23 (1887).

Genus 493. **Hoplolopha.** (*Type* no. 4.)

Stål, *Cefv. Vet.-Akad. Förh.* xxxiii. (3) p. 36 (1876);
Sauss. Spicil. Ent. ii. pp. 34, 63 (1887).

- *1. **H. Horrida**, **Burm.** (*Pamphagus Horridus*) *Handb. Ent.* ii. p. 617. n. 3 (1838). *S. Africa.*
Xiphocera Horrida, *Sauss.* l. c. pp. 35, 69.
 n. 29 (1887).
- Xiphocera Dromadaria*, *Sauss.* l. c. pp. 35,
 64. n. 23, pl. 3. ff. 14, 15 (1887).
2. **H. Reflexa**, **Walk.** (*Pamphagus Reflexus*) *Cat. Derm. Salt. B. M.* iii. p. 535. *id.*
 n. 5 (1870).
3. **H. Lineata**, *Stål*, (*Porthetis Lineatus*) *Cape.*
Recens. Orth. i. p. 24. n. 5 (1873).
Xiphocera Lineata, *Sauss.* l. c. pp. 34, 35,
 65. n. 24, pl. 3. ff. 16, 17 (1887).

- Porthetis Ignota*, McLachl. Zool. Rec. x. |
p. 443 (1873).
4. **H. Serrata**, Stål, (*Xiphocera* (*Hoplo-* Damara
lopha) S.) Öfv. Vet.-Akad. Förh. xxxiii. Land.
(3) p. 36. n. 1 (1876).
Porthetis Serratus, Stål, Bihang Svensk.
Akad. Handl. iii. (14) p. 27. n. 2 (1875).
- *5. **H. Fissa**, Sauss. (*Xiphocera F.*) l. c. S. Africa.
pp. 35, 66. n. 25 (1887).
- *6. **H. Grisea**, Serv. (*Akicera G. ♂ nec ♀*) id.
Ann. Sci. Nat. xxii. p. 269. n. 1 (1831);
Ins. Orth. p. 606. n. 2 (1839).
- ** *Pamphagus Lineosus*, Walk. l. c. p. 534.
n. 4 (1870).
Akicera Lineosa, Walk. l. c. v. Suppl.
p. 55 (1871).
7. **H. Camelina**, Sauss. (*Xiphocera C.*) l. c. Cape,
pp. 34, 35, 67. n. 26, pl. 3. ff. 18, 19 Transvaal.
(1887).
- *8. **H. Asina**, Sauss. (*Xiphocera A.*) l. c. Cape.
pp. 35, 68. n. 27, pl. 3. ff. 20, 21, 21 a
(1887).

Genus 494. **Bolivarella**. (*Type* no. 1.)

Sauss. Spicil. Ent. ii. pp. 19, 70 (1887).

1. **B. Calens**, Sauss. l. c. p. 70. n. 1 (1887); Benguela.
Bol. Jorn. Sci. Nat. Lisb. (2) i. p. 155.
n. 133 (1889).
2. **B. Acuminata**, Bol. l. c. n. 134, pl. 1. Angola.
f. 2 (1889).

Genus 495. **Tropidauchen**. (*Type* no. 1.)

Sauss. Spicil. Ent. ii. pp. 19, 72 (1887); Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. pp. 172, 199, 293 (1902).

- *1. **T. Securicolle**, Sauss. l. c. p. 73. n. 1, Syria,
pl. 3. ff. 23, 23 a (1887). Persia.
T. Securicollis, Jacobs. & Bianchi, l. c.
pp. 199, 293 (1902).
2. **T. Cultricolle**, Sauss. l. c. p. 74. n. 2 Askhabad.
(1887). *Cultricollis*, Sauss. l. c. p. 73. n. 2
(1887); Jacobs. & Bianchi, l. c. pp. 199,
293 (1902).

Genus 496. **Orchamus.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30 (1876).

1. **O. Zebratus, Brunn.** (*Pamphagus* Z.) Syria.
Prodr. Eur. Orth. pp. 197, 199. n. 3
(1882); Jacobs. & Bianchi, Prem. i.
Lozhn. Ross. Imp. pp. 199, 295 (1902).
- *2. **O. Gracilis, Brunn.** (*Pamphagus* G.) Cyprus.
l. c. pp. 197, 200. n. 4 (1882); Jacobs.
& Bianchi, l. c. pp. 199, 295 (1902).
- *3. **O. Yersini, Brunn.** (*Pamphagus* Y.) l. c. Crete,
pp. 197, 200. n. 5 (1882); Werner, Beyrout.
Verh. zool.-bot. Ges. Wien, liii. p. 67.
n. 10 (1903); Jacobs. & Bianchi, l. c.
pp. 200, 295 (1902).
|| *Porthetis Raulinii, Yers. (nec Luc.)* Ann.
Soc. Ent. France, (3) viii. p. 529. n. 9,
pl. 10. ff. 26-29 (1860).
4. **O. Raulinii, Luc.** (*Acinipe* R.) *Rev. Crete.
Zool. (2) vi. p. 167. n. 127, pl. 2. f. 2 (1854).
Pamphagus Raulinii, Brunn. l. c. pp. 197,
201 (1882); Jacobs. & Bianchi, l. c.
pp. 200, 296 (1902).

Genus 497. **Prionosthenus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 435 (1878).

- *1. **P. Galericulatus, Stål,** (*Pamphagus* G.) Egypt,
Bihang Svensk. Akad. Handl. iv. (5) Syria.
p. 29 (1876); Bol. l. c. p. 435, pl. 5. f. 4
(1878); Brunn. Prodr. Eur. Orth.
pp. 197, 198. n. 1 (1882); Jacobs. &
Bianchi, Prem. i Lozhn. Ross. Imp.
pp. 199, 294 (1902).
[Savigny, Descr. Égypte, Ins. Orth. pl. 7.
f. 17.]
2. **P. Brunnerianus, Sauss.** (*Pamphagus* Syria,
B.) Spicil. Ent. ii. p. 75. n. 1, pl. 3. Armenia.
ff. 24, 25 (1887); Jacobs. & Bianchi, l. c.
pp. 200, 296 (1902).
3. **P. Verrucosus, Brunn.** (*Pamphagus* V.) Syria.
l. c. pp. 197, 199. n. 2 (1882); Jacobs. &
Bianchi, l. c. pp. 200, 295 (1902).
4. **P. Bethlehemita, Bol.** (*Pamphagus* B.) Hebron.
Rev. Biol. Nord France, v. p. 484 (1893);
Jacobs. & Bianchi, l. c. pp. 199, 294 (1902).

Genus 498. **Acinipe.** (Type no. 1.)

Ramb. Faun. Andal. ii. p. 68 (1838) ; Bol. An. Soc. Españ. vii. p. 435 (1878).

|| *Acocera*, Bol. (nec Sauss.) Ortópt. Españ. pp. 78, 81 (1876) ; An. Soc. Españ. v. pp. 284, 287 (1876).

1. **A. Hesperica**, Ramb. l. c. p. 69, pl. 6. ff. 1, 2 (1838). Spain,
Algeria.
Porthetis Hesperica, Fisch. Orth. Eur. p. 384. n. 2 (1853).
Pamphagus Hespericus, Fieb. Lotos, iii. p. 126. n. 2 (1853); iv. p. 199. n. 2 (1854) ; Syn. Eur. Orth. p. 26. n. 2 (1854) ; Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30 (1876) ; Bol. l. c. p. 435, pl. 4. f. 4 (1878) ; Ann. Sci. Nat. Porto, v. pp. 27, 28. n. 2 (1898) ; Brunn. Prodr. Eur. Orth. pp. 197, 201. n. 6, pl. 6. f. 47 A, B (1882) ; Krauss, Zool. Jahrb. Syst. ix. p. 537. n. 38 (1897).
2. **A. Saharae**, Pict. & Sauss. (*Pamphagus* S.) Mitth. Schweiz. Ent. Ges. viii. p. 293. n. 1 (1891). Algeria.
3. **A. Muelleri**, Krauss, (*Pamphagus* M.) Jahresh. Ver. Württemb. Sitz. xlix. p. xcv (1893) ; Zool. Jahrb. Syst. ix. p. 537. n. 39, pl. 7. ff. 6, 6 a (1897). id.
4. **A. Foreli**, Pict. & Sauss. (*Pamphagus* F.) l. c. p. 294. n. 2, pl. 1. ff. 1, 1 a (1891) ; Krauss, Wien. Ent. Zeit. xi. p. 149. n. 23 (1892) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 200, 296 (1902). Tunis,
Palestine.
- * 5. **A. Deceptorius**, Bol. (*Pamphagus* (Acinipe) *Deceptorius*) ll. cc. pp. 431, 435, pl. 4. f. 5 (1878) ; pp. 27, 28. n. 3 (1898). Spain.
Pamphagus Deceptorius, Brunn. l. c. pp. 198, 206. n. 14 (1882).
6. **A. Mabiliei**, Bol. (*Pamphagus* (Acinipe) M.) An. Soc. Españ. v. pp. 431, 436, pl. 5. f. 6 (1878). id.
Pamphagus Mabiliei, Brunn. l. c. pp. 198, 203. n. 9 (1882) ; Bol. Ann. Sci. Nat. Porto, v. pp. 28, 29. n. 4 (1898).
|| *Acocera Hesperica*, Bol. (nec Ramb.) An. Soc. Esp. v. pp. 287, 288. n. 1, pl. 11. ff. 5, 5 a (1876) ; Ortópt. Españ. pp. 81, 82. n. 1, pl. 2. ff. 5, 5 a (1876).

7. **A. Paulinoi, Sauss.** (*Pamphagus P.*) Portugal.
Spicil. Ent. ii. p. 77. n. 2 (1887); Bol.
Ann. Sci. Nat. Porto, v. pp. 28, 29. n. 1
(1898).
8. **A. Algerica, Brunn.** (*Pamphagus Algericus*) l. c. pp. 198, 204. n. 11 (1882);
Krauss, Zool. Jahrb. Syst. ix. p. 539.
n. 40 (1896). Algeria.
9. **A. Mauretanica, Bol.** (*Pamphagus (Acinipe) Mauretanicus*) An. Soc. Esp. vii.
l. c. p. 451 (1878). Morocco.
Pamphagus Mauretanicus, Brunn. l. c.
pp. 198, 204. n. 10 (1882).
10. **A. Simillima, Yers.** (*Porthetis S.*) Ann. Sicily.
Soc. Ent. France, (3) viii. p. 532. n. 10,
pl. 10. ff. 30-32 (1860).
Pamphagus Simillimus, Brunn. l. c. pp. 198,
205. n. 12 (1882).
11. **A. Brevicornis, Costa,** (*Porthetis B.*) Naples.
Ann. Mus. Zool. Nap. ii. p. 129, pl. 1.
f. 2 (1864).
12. **A. Tibialis, Fieb.** (*Pamphagus T.*) Lotos, Portugal.
iii. p. 126. n. 4 (1853); Syn. Eur. Orth.
p. 26. n. 4 (1854).
Porthetis Tibialis, Bol. Ortópt. Españ. p. 80.
n. 3 (1876); An. Soc. Españ. v. p. 286.
n. 3 (1876).
13. **A. Expansa, Brunn.** (*Pamphagus Expansus*) l. c. pp. 198, 206. n. 13 (1882);
Bol. Ann. Sci. Nat. Porto, v. pp. 27, 28.
n. 5 (1898). Spain,
Algeria.

Genus 499. **Eumigus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 436 (1878).

1. **E. Monticolus, Ramb.** (*Acinipe Monticola*) Faune Andal. ii. p. 71, pl. 6. ff. 3, 4
(1838). Spain,
Algeria.
Porthetis Monticola, Fisch. Orth. Eur. p. 384.
n. 3 (1853).
Pamphagus Monticolus, Fieb. Lotos, iii.
p. 126. n. 3 (1853), iv. p. 199. n. 3 (1854);
Syn. Eur. Orth. p. 26. n. 3 (1854).
Pamphagus Monticola, Bol. An. Soc. Españ.
vii. p. 436, pl. 4. f. 6 (1878); Ann. Sci.
Nat. Porto, v. pp. 27, 29. n. 7 (1898);
Brunn. Prodr. Eur. Orth. pp. 198, 202.
n. 7 (1882).

2. **E. Punctatus, Bol.** (*Pamphagus P.*) Bol. Spain.
Soc. Esp. Hist. Nat. ii. p. 86 (1902).

Genus 500. **Pamphagus.** (Type no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 217, 260 (1815); Burm. Handb. Ent. ii. p. 613 (1838); Fieb. Lotos, iii. p. 126 (1853), iv. p. 199 (1854); Syn. Eur. Orth. p. 26 (1854); Stål, Recens. Orth. i. pp. 21, 25 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 28 (1876); Bol. An. Soc. Españ. vii. pp. 434, 436 (1878); Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 26 (1898); Brunn. Prodr. Eur. Orth. pp. 86, 196 (1882).

- *1. **P. Elephas, Linn.** (*Gryllus Locusta L.*) Algeria.

Syst. Nat. (ed. x.) i. p. 431. n. 40 (1758).

Gryllus Elephas, Charp. Germar, Zeitschr.

Ent. i. p. 378 (1839), iii. p. 307 (1841).

Pamphagus Elephas, Stål, ll. cc. p. 25. n. 1

(1873); p. 30 (1876); Bol. An. Soc.

Españ. vii. p. 436, pl. 5. f. 5 (1878);

Brunn. l. c. pp. 198, 207. n. 17 (1882).

Pamphagus Virens, Thunb. Mém. Acad. Pétersb. v. p. 262 (1815).

Pamphagus Numidicus, Lucas, Expl. Alg.

iii. p. 27. n. 45, iv. Orth. pl. 3. ff. 2, 2 a

(1849).

- *2. **P. Marmoratus, Burm.** Handb. Ent. ii. Sicily.

p. 617. n. 5 (1838); Charp. Germar, Sardinia.

Zeitschr. Ent. iii. p. 307 (1841); Charp. | Tunis.

Orth. pl. 13 (1841); Fieb. ll. cc. p. 126.

n. 1 (1853), p. 199. n. 1 (1854); p. 26.

n. 1 (1854); Bol. l. c. p. 436 (1878);

Brunn. l. c. pp. 198, 206. n. 15 (1882).

Porthetis Marmorata, Fisch. Orth. Eur.

p. 382. n. 1, pl. 15. ff. 9, 9 a, 10 (1853).

Porthetis Elephas, Serr. (nec Linn.) Ins.

Orth. p. 610. n. 2 (1839).

Podisma Calabrum, Costa, Faun. Nap., Ort.

p. 45. n. 2 (1836).

Acridium Sardeum, Herr.-Schäff. Nomencl.

Ins. ii. p. 7 (1840).

P. Marmoratus, var. *Tunetanus*, Vosseler,

Zool. Jahrb. Syst. xvi. p. 391. n. 60, pl. 18.

f. 3 (1902).

3. **P. Djelfensis, Vosseler**, l. c. p. 392. N. Africa,

n. 61, pl. 18. ff. 4-6 (1902). Jelfa.

Genus 501. **Sygrus.**

Bol. Journ. Sci. Lisb. (2) i. p. 156 (1889).

1. **S. Sepositus**, **Bol.** l. c. n. 135, pl. 1. f. 3 | Angola.
(1889).

Genus 502. **Euryparyphes.** (Type no. 8.)

Fisch. Orth. Eur. pp. 52, 382 (1853).

Eunapius, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30
(1876); Bol. An. Soc. Españ. vii. pp. 434, 436 (1878);
Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 29 (1898);
Sauss. Spicil. Ent. ii. pp. 19, 78 (1887); Brunn. Prodr. Eur.
Orth. pp. 86, 208 (1882); Jacobs. & Bianchi, Prem. i Lozhn.
Ross. Imp. pp. 172, 200, 297 (1902). (Type no. 11.)

1. **E. Sitifensis**, **Bris.** (*Acridium Sitifense*) | Algeria.
Bull. Soc. Ent. France, (3) ii. p. lxxi
(1855).
2. **E. Brunneri**, **Stål**, (*Pamphagus B.*) l. c. | id.
p. 34 (1876).
Eunapius Brunneri, **Bol.** An. Soc. Esp. vii.
p. 438, pl. 5. ff. 10, 10 a-c (1878); Sauss.
l. c. p. 78. n. 1 (1887); Brunn. l. c.
pp. 208, 209. n. 1 (1882).
3. **E. Quadridentatus**, **Bris.** (*Acinipe Qua-* | id.
dridentata) l. c. (2) x. p. lxxvii (1852).
Eunapius Quadridentatus, **Krauss**, Zool.
Jahrb. Syst. ix. p. 540. n. 42, pl. 7. f. 7
(1896); Bonn. & Fin. Rev. Montp. (3)
iv. p. 341 (1885).
4. **E. Numida**, **Sauss.** (*Eunapius N.*) l. c. | Tunis.
pp. 78, 79, n. 2, pl. 3. f. 26 (1887).
5. **E. Maroccanus**, **Sauss.** (*Eunapius M.*) | Morocco.
l. c. pp. 78, 80. n. 3, pl. 3. f. 27 (1887).
- *6. **E. Granosus**, **Stål**, (*Pamphagus G.*) l. c. | Algeria,
p. 31 (1876); Jacobs. & Bianchi, l. c. | Afghanistan
pp. 200, 297 (1902). | (eadem?).
Eunapius Granosus, **Sauss.** l. c. p. 78. n. 4
(1887).
7. **E. Syriacus**, **Bris.** (*Acridium Syriacum*) | Syria.
l. c. (3) ii. p. lxxiii (1855).
Eunapius Syriacus, **Jacobs. & Bianchi**, l. c.
pp. 200, 297 (1902).

8. **E. Terrulentus, Serv.** (*Porthetis Terrulenta*) Ins. Orth. p. 610. n. 3 (1839); Fisch. Orth. Eur. p. 385. n. 4 (1853); Bol. Ortópt. Españ. p. 80. n. 2 (1876); An. Soc. Españ. v. p. 286. n. 2 (1876).
Pamphagus Terrulentus, Fieb. Lotos, iii. p. 127. n. 7 (1853), iv. p. 199. n. 7 (1854); Syn. Eur. Orth. p. 27. n. 7 (1854).
E. Terrulentus, Brunn. l. c. pp. 209, 210. n. 3, pl. 6. f. 48 A, B (1882); Sauss. l. c. p. 79. n. 5 (1887); Bol. Ann. Sci. Nat. Porto, v. pp. 29, 30. n. 1 (1898).
Pamphagus Rugulosus, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 33 (1876).
Eunapius Rugulosus, Bol. An. Soc. Españ. vii. p. 437, pl. 5. f. 9 (1878).
- *9. **E. Stæli, Borm.** (*Eunapius Stæli*) C. R. Soc. Ent. Belg. xxii. p. clxvii (1880); Bol. Ann. Sci. Nat. Porto, v. pp. 29, 30. n. 2 (1898). Portugal.
- *10. **E. Cucullatus, Bol.** (*Eunapius C.*) An. Soc. Españ. vii. pp. 432, 437 (1878); Brunn. l. c. pp. 198, 203. n. 8 (1882). Aranjuez.
 || *Acocera Monticola*, Bol. (nec Ramb.) Ortópt. Españ. p. 82. n. 2, pl. 2. ff. 4, 4 a (1876); An. Soc. Españ. v. p. 288. n. 2, pl. 11. ff. 4, 4 a (1876).
Pamphagus Cucullatus, Bol. Ann. Sci. Nat. Porto, v. pp. 27, 28. n. 6 (1898).
11. **E. Bolivarii, Stål**, (*Pamphagus B.*) l. c. p. 33 (1876). Malaga.
E. Bolivarii, Bol. An. Soc. Españ. vii. p. 437, pl. 5. ff. 7, 7 a, b (1878); Ann. Sci. Nat. Porto, v. pp. 29, 30. n. 3 (1898); Brunn. l. c. pp. 209, 211. n. 5 (1882); Sauss. l. c. p. 79. n. 7 (1887).
- *12. **E. Vaucherianus, Sauss.** (*Eunapius V.*) p. 79. n. 8, p. 81. n. 3, pl. 3. f. 28 (1887). Morocco.

Genus 503. **Nocarodes.** (Type no. 5.)

Fisch.-Waldh. Orth. Ross. p. 266 (1846); Fieb. Lotos, iii. p. 127 (1853), iv. p. 199 (1854); Syn. Eur. Orth. p. 27 (1854); Stål, Bihang Svensk. Akad. Handl. (4) v. p. 28 (1876); Bol. An. Soc. Españ. vii. p. 438 (1878); Brunn. Prodr. Eur. Orth. pp. 86, 188 (1882); Sauss. Spicil. Ent.

ii. pp. 19, 82 (1887); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 200, 297 (1902).

- *1. **N. Straubei, Fieb.** (*Pamphagus* S.) Lotos, iii. p. 127. n. 6 (1853); Syn. Eur. Orth. p. 26. n. 6 (1854); Stål. l. c. p. 29 (1876).
N. Straubei, Brunn. l. c. pp. 188, 189. n. 1, pl. 6. f. 45 A-C (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).
 Bosphorus, Asia Minor, Syria, Transcaucasia.
2. **N. Fieberi, Brunn.** l. c. p. 189. n. 2 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).
 Asia Minor.
3. **N. Opacus, Brunn.** l. c. p. 189. n. 3 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).
 Khiva.
4. **N. Cyanipes, Fisch.-Waldh.** l. c. p. 269. n. 2, pl. 31. f. 2 (1846); Fieb. Lotos, iii. p. 127. n. 2 (1853), iv. p. 200. n. 2 (1854); Syn. Eur. Orth. p. 27. n. 2 (1854); Bol. l. c. p. 439 (1878); Brunn. l. c. pp. 189, 190. n. 4 (1882); Porch. Hor. Soc. Ent. Ross. xx. p. 118, pl. 12. ff. 4, 4 b (1886); Jacobs. & Bianchi, l. c. pp. 200, 298. f. 32 (1902); Adel. Hor. Soc. Ent. Ross. xxxviii. p. 58. n. 16 (1907).
Pamphagus Cyanipes, Stål. l. c. p. 28 (1876).
N. Rubripes, Fisch.-Waldh. l. c. p. 270. n. 3 (1846); Fieb. ll. cc. p. 127. n. 3 (1853), p. 200. n. 3 (1854); p. 27. n. 3 (1854).
N. Rufipes, Fisch.-Waldh. l. c. pl. 31. f. 3 (1846).
 ¶ *N. Straubei, Bol. (nec Fieb.)* l. c. p. 439, pl. 5. f. 2 (1878).
 Roumelia, Asia Minor, Transcaucasia.
5. **N. Serricollis, Fisch.-Waldh.** l. c. p. 268. n. 1, pl. 31. f. 1 (1846); Fieb. ll. cc. p. 127. n. 1 (1853), p. 200. n. 1 (1854); p. 27. n. 1 (1854); Brunn. l. c. pp. 189, 191. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).
 Armenia.
6. **N. Femoralis, Fisch.-Waldh.** l. c. p. 270. n. 4 (1846); Fieb. ll. cc. p. 127. n. 4 (1853), p. 200. n. 4 (1854); p. 27. n. 4 (1854); Jacobs. & Bianchi, l. c. p. 299 (1902).
 Caucasus.

7. **N. Variegatus, Fisch.-Waldh.** l. c. | Caucasus.
 p. 271. n. 5 (1846); Fieb. ll. cc. p. 127.
 n. 5 (1853), p. 200. n. 5 (1854); p. 27.
 n. 5 (1854); Jacobs. & Bianchi, l. c.
 p. 299 (1902).

Genus 504. **Eunothrotes.**

Adel. Hor. Soc. Ent. Ross. xxxviii. p. 60 (1907).

1. **E. Derjugini, Adel.** l. c. p. 60. n. 17, pl. 1. | Trans-
 ff. 3, 3 *a-c* (1907). | caucasia.

Genus 505. **Ocnerodes.** (*Type* no. 1.)

Brunn. Prodr. Eur. Orth. pp. 86, 191 (1882); Sauss. Spicil.
 Ent. ii. pp. 20, 83 (1887); Bol. Ann. Sci. Nat. Porto, iv.
 p. 218 (1897), v. p. 26 (1898).

- *1. **O. Brunnerii, Bol.** (*Acocera* B.) Ortópt. Spain.
 Españ. pp. 82, 84. n. 3, pl. 2. ff. 7, 7 *a*
 (1876); An. Soc. Españ. v. pp. 288, 290.
 n. 3, pl. 11. ff. 7, 7 *a* (1876).
Nocarodes Brunnerii, Bol. An. Soc. Españ.
 vii. p. 438, pl. 5. f. 11 (1878).
O. Brunneri, Brunn. l. c. p. 192. n. 1
 (1882); Pant. An. Soc. Españ. xv. p. 276
 (1886); Borm. Bull. Soc. Toulouse, xvii.
 p. 229, pl. 1. ff. 3, 3 *a, b* (1883); Bol.
 Ann. Sci. Nat. Porto, v. p. 26. n. 1 (1898).
O. Brunneri, var. *Cyanipes*, Bol., Bol. Soc.
 Esp. Hist. Nat. ii. p. 86 (1902).
 2. **O. Affinis, Fieb.** (*Pamphagus* A.) Lotos, id.
 iii. p. 127. n. 5 (1853), iv. p. 199. n. 5
 (1854); p. 26. n. 5 (1854); Bol. Ortópt.
 Españ. p. 81 (1876); An. Soc. Españ.
 v. p. 287 (1876).
 3. **O. Durieui, Bol.** An. Soc. Españ. vii. Morocco.
 n. 452 (1878); Brunn. l. c. pp. 192, 193.
 n. 2 (1882).
 *4. **O. Canonicus, Fisch.** (*Porthetis* C.) Orth. Sicily,
 Eur. p. 386. n. 5, pl. 15. ff. 12, 12 *a, b* | Tunis.
 (1853).

- Nocarodes Canonicus*, *Bol.* l. c. p. 439, pl. 5. f. 3 (1878).
O. Canonicus, *Krauss*, Verh. zool.-bot. Ges. Wien, xxxvii. p. 11. n. 46 (1887); *Brunn.* l. c. pp. 192, 193. n. 3 (1882).
5. **O. Micropterus, Bris.** (*Acinipe Microptera*) *Bull. Soc. Ent. France*, (2) viii. p. lxxiii. n. 2 (1850).
O. Micropterus, *Brunn.* l. c. pp. 192, 194. n. 4, pl. 6. f. 46 (1882).
Acridium Decipiens, *Bris.* l. c. (3) ii. p. lxxii (1854).
6. **O. Nigropunctatus, Luc.** (*Pamphagus N.*) *Expl. Alg.* iii. p. 28. n. 47, iv. Orth. pl. 3. f. 3 (1849).
Nocarodes Nigropunctatus, *Bol.* l. c. p. 439 (1878).
O. Nigropunctatus, *Brunn.* l. c. pp. 192, 195. n. 5 (1882).
7. **O. Volxemi, Bol.** (*Pamphagus (Nocarodes) V.*) *Ann. Soc. Ent. Belg.* xxi. p. 69 (1878).
Nocarodes Volxemi, *Bol. An. Soc. Españ.* vii. p. 439 (1878).
O. Volxemi, *Brunn.* l. c. pp. 192, 195. n. 6 (1882).
8. **O. Longicornis, Bol.** (*Pamphagus (Nocarodes) L.*) *Ann. Soc. Ent. Belg.* xxi. p. 70 (1878).
Nocarodes Longicornis, *Bol. An. Soc. Esp.* vii. p. 439 (1878).

Algeria.

id.

id.

id.

Genus 506. **Finotia.**

Bonnet, *Le Nat.* ii. p. 548 (1884); *Bonnet & Finot*, *Rev. Montp.* (3) iv. p. 333 (1885); *Sauss. Spicil. Ent.* ii. pp. 20, 83 (1887).

1. **F. Spinicollis, Bonn.** l. c. p. 548 (1884); *Tunis.*
Bonn. & Fin. l. c. p. 334, pl. 16. ff. 1-7 (1885); *Sauss.* l. c. p. 84. n. 1, pl. 3. ff. 29, 29^a (1887).

SUBFAM. XII.

CYRTACANTHACRINÆ.

Genus 507. **Orestera.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 331 (1887);
Giglio-Tos, Bull. Mus. Torino, xiii. (311) p. 40 (1898).

1. **O. Ephippium, Pict. & Sauss.** l. c. | Peru.
p. 332. n. 1 (1887). O'426.

Genus 508. **Batrachopus.** (*Type* no. 1.)

Blanch. Gay, Hist. Chil., Zool. vi. p. 82 (1851);
Phil. Zeitschr. ges. Naturw. xxi. p. 242 (1863).

- | | |
|---|--------|
| 1. B. Tibialis, Blanch. l. c. p. 82. n. 1 [pl. 3. f. 9, ined.] (1851). | Chile. |
| 2. B. Cinerascens, Phil. l. c. p. 242. n. 1 (1863). | id. |
| 3. B. (?) Obesus, Phil. l. c. p. 243. n. 2 (1863). | id. |

Genus 509. **Tropidostethus.**

Phil. Zeitschr. ges. Naturw. xxi. p. 245 (1863); Stal, Bihang
Svensk. Akad. Handl. v. (4) p. 13 (1877); Pict. & Sauss.
Mitth. Schweiz. Ent. Ges. vii. p. 334 (1887); Giglio-Tos,
Boll. Mus. Torino, xiii. (311) p. 40 (1898).

1. **T. Bicarinatus, Phil.** (*Batrachopus* (?) Chile.
B.) l. c. p. 244. n. 3 (1863).
T. Batrachopus (?) *Bicarinatus*, Pict. &
Sauss. l. c. p. 334. n. 1 (1887).

Genus 510. **Prionolopha.**

Stal, Recens. Orth. i. p. 27 (1873); Bihang Svensk. Akad. Handl.
v. (4) p. 14 (1877); Pict. & Sauss. Mitth. Schweiz. Ent.
Ges. vii. p. 335 (1887); Giglio-Tos, Boll. Mus. Torino,
xiii. (311) p. 41 (1898); Brun. 2nd Rep. Locust Comm.
B. Aires, pp. 53, 55 (1900); Biol. Centr.-Amer., Orth. ii.
pp. 209, 224 (1907); Proc. U.S. Nat. Mus. xxx. pp. 640,
644 (1906).

- *1. **P. Serrata, Linn.** (*Gryllus Bulla Serratus*) | S. America.
Syst. Nat. (ed. x.) i. p. 427. n. 15 (1758); | Trinidad.
Mus. Ludov. Ulric. p. 121. n. 12 (1764).

- Aceridium Serratum*, *De Geer*, Mém. Ins. iii. p. 493. n. 10, pl. 41. f. 6 (1773); *Oliv.* Encycl. Méth. vi. p. 216. n. 9 (1791).
Gryllus Serratus, *Fabr.* Syst. Ent. p. 288. n. 6 (1775).
Pamphagus Serratus, *Thunb.* Mém. Acad. Pétersb. v. p. 260 (1815); *Hem. Max.* Cap. p. 5 (1822).
Xiphocera Serrata, *Burm.* Handb. Ent. ii. p. 614. n. 6 (1838).
Tropidonotus Serratus, *Serv.* Ann. Sci. Nat. xxii. p. 273. n. 1 (1831); *Ins. Orth.* p. 618. n. 1 (1839).
P. Serrata, *Stål*, Recens. Orth. i. p. 44. n. 1 (1873); *Pict. & Sauss.* l. c. p. 335. n. 1 (1887); *Brun.* Biol. Centr.-Amer., Orth. ii. p. 224. n. 1 (1907); *Rehn*, Proc. Acad. Nat. Sci. Philad. lix. p. 169 (1907).
 [Roesel, *Ins. Belust.* ii. Locust. Ind. ii. p. 109, pl. 16. f. 2.]
 ♂. *Aceridium Serratofoveatum*, *De Geer*, l. c. p. 495. n. 11, pl. 42. f. 2 (1773).
 ♂. *Pamphagus Lateralis*, *Thunb.* Mém. Acad. Pétersb. v. p. 260 (1815).
Gryllus Locusta Cymbiformis, *Stoll*, Spectres. Saut. p. 12, pl. 4 b. ff. 14, 15 (1813).
Pamphagus Cymbiformis, *Blanch.* Hist. Ins. iii. p. 38. n. 4 (1840).
Gryllus Locusta Scutatus, *Stoll*, l. c. p. 39, pl. 21 b. f. 81 (1813). *See note this, but as we are not sure.*
Aceridium Dentatum, *Oliv.* l. c. p. 217. n. 10 (1791).
 ***Xiphocera Elegans*, *Walk.* Cat. Derm. Salt. B. M. iii. p. 525. n. 18 (1870).

Genus 511. **Diedronotus.** (*Type* no. 2.)

Bol., *Bol. Soc. Españ.* vi. p. 396 (1906).

|| *Tropidonotus*, *Serv.* (*nee Kuhl*) Ann. Sci. Nat. xxii. p. 272 (1831); *Ins. Orth.* p. 617 (1839); *Burm.* Handb. Ent. ii. p. 614 (1838); *Stål*, Recens. Orth. i. pp. 27, 44 (1873); *Brun.* Proc. U.S. Nat. Mus. xxx. pp. 640, 645 (1906); *Biol. Centr.-Amer.*, Orth. ii. pp. 209, 225 (1907).

|| *Tropidonotus*, *Stål* (*nee Schleg.*), Bihang Svensk. Akad. Handl. v. (4) p. 14 (1878); *Pict. & Sauss.* Mitth. Schweiz. Ent. Ges. vii. p. 335 (1887); *Giglio-Tos*, Boll. Mus. Torino, xiii. (311) p. 41 (1898); *Brun.* 2nd Rep. Locust Comm. B. Aires, pp. 53, 55 (1900).

1. **D. Rosulentus, Stål**, (*Tropidonotus R.*) N. Granada.
 Bihang Svensk. Akad. Handl. v. (9) p. 19.
 n. 3 (1878).
Tropidonotus Rosulentus, Brun. Bull. Lab.
 Nat. Hist. Iowa, iii. (3) p. 64. n. 27, pl. 3.
 f. 5 (1895).
T. Rosulentus, Brun. Proc. U.S. Nat. Mus.
 xxx. p. 645 (1906); Biol. Centr.-Amer.,
 Orth. ii. p. 225. n. 1 (1907).
- *2. **D. Discoideus, Serv.** (*Tropinotus D.*) Brazil,
 Argentina,
 &c.
 ll. cc. p. 273. n. 2 (1831); p. 619. n. 2
 (1839); Brun. Proc. U.S. Nat. Mus. xxx.
 pp. 645, 646 (1906); Rehn, Proc. Acad.
 Nat. Sci. Philad. lix. p. 170 (1907).
Xiphocera Discoidea, Burm. l. c. p. 613.
 n. 7 (1838).
Pamphagus Discoideus, Blanch. Hist. Nat.
 Ins. iii. p. 38. n. 5 (1840).
Tropinotus Discoideus, Bol. Viaje al
 Pacif. p. 32 (1884); Brun. 2nd Rep.
 Locust Comm. B. Aires, pp. 55, 56 (1900).
 || *Acridium Tuberculatum*, Beauv. (nec Fabr.)
 Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 1
 (1805).
- *3. **D. Angulatus, Stål**, (*Tropinotus A.*) iid.
 (Efv. Vet.-Akad. Förh. xxx. (4) p. 52.
 n. 1 (1873); Recens. Orth. i. p. 44. n. 1
 (1873); Brun. Proc. U.S. Nat. Mus. xxx.
 pp. 645, 646 (1906).
Tropidonotus Angulatus, Brun. 2nd Rep.
 Locust Comm. B. Aires, pp. 55, 56 (1900).
4. **D. Mexicanus, Brun.** (*Tropinotus M.*) Mexico,
 Yucatan.
 Proc. U.S. Nat. Mus. xxx. p. 645 (1906);
 Biol. Centr.-Amer., Orth. ii. p. 225. n. 2,
 pl. 3. f. 2 (1907).
- *5. **D. Schulzi, Brun.** (*Tropidonotus S.*) 2nd Argentina.
 Rep. Locust Comm. B. Aires, pp. 55, 56
 (1900). 0 - 16 ♀.
Tropinotus Schulzi, Brun. Proc. U.S. Nat.
 Mus. xxx. p. 645 (1906).
6. **D. Modestus, Giglio-Tos**, (*Tropidonotus* id.
M.) Boll. Mus. Torino, ix. (184) p. 16
 (1894); Brun. 2nd Rep. Locust Comm.
 B. Aires, pp. 55, 56 (1900).
Tropinotus Modestus, Brunn. Bull. U.S.
 Nat. Mus. xxx. pp. 645, 646 (1906).

- *7. **D. Conspersus, Brun.** (*Tropidonotus C.*) Argentina, Brazil, N. Granada.
2nd Rep. Locust Comm. B. Aires, p. 56 (1900).
Tropinotus Conspersus, Brun. Proc. U.S. Nat. Mus. xxx. p. 645 (1906).
- *8. **D. Insignis, Giglio-Tos,** (*Tropidonotus I.*) l. c. p. 16 (1894); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 56, 57 (1900). Argentina, Theresopolis.
Tropinotus Insignis, Brun. Proc. U.S. Nat. Mus. xxx. pp. 645, 646 (1906).
- *9. **D. Affinis, Brun.** (*Tropinotus A.*) ll. cc. iid. (1906).
- *10. **D. Regularis, Brun.** (*Tropinotus R.*) Ent. Paraguay.
News, xvi. pp. 215, 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 645, 647 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. ~~lxix~~ p. 173 (1907).
11. **D. Guarani, Rehn,** (*Tropinotus G.*) l. c. id.
pp. 170, 173, ff. 7-9 (1907).
- *12. **D. Scabripes, Stål,** (*Trapidonotus S.*) Brazil.
Bihang Svensk. Akad. Handl. v. (9) p. 19. n. 4 (1878).
Tropinotus Scabripes, Brun. Ent. News, xvi. p. 216 (1905); Bull. U.S. Nat. Mus. xxx. pp. 645, 648 (1906).
- *13. **D. Lævipes, Stål,** (*Tropidonotus L.*) Brazil, Argentina, Paraguay.
l. c. p. 20. n. 5 (1878); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 56, 57. f. 21 (1900).
Tropinotus Lævipes, Brun. Ent. News, xvi. p. 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 646, 648, pl. 37. f. 7 (1906).
- *14. **D. Gracilis, Brun.** (*Tropinotus G.*) Ent. Brazil.
News, xvi. p. 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 646, 648 (1906).
- *15. **D. Lineatus, Brun.** (*Tropinotus L.*) Proc. Paraguay.
U.S. Nat. Mus. xxx. pp. 646, 648 (1906); Rehn, l. c. p. 174 (1907).
16. **D. Laufferi, Bol.** (*Tropidonotus L.*) An. Peru.
Soc. Españ. xix. p. 317 (1890).
Tropinotus Laufferi, Brun. l. c. p. 646 (1906).
17. **D. (?) Angusticollis, Blanch.** (*Tropinotus (?) A.*) Gay, Hist. Chil., Zool. vi. Chile.
p. 65. n. 1 [pl. 3. f. 5, ined.] (1851).
18. **D. (?) Panteli, Bol.** (*Tropidonotus P.*) Madura.
Ann. Soc. Ent. France, lxx. p. 612 (1902).

Genus 512. **Alcamenes.** (*Type* no. 1.)

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 14, 54 (1878);
 Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 336 (1887);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898);
 Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 57 (1900);
 Bull. U.S. Nat. Mus. xxx. pp. 640, 649 (1906).

- *1. **A. Granulatus, Stål**, (*Tropinotus* G.) Uruguay,
 Bihang Svensk. Akad. Handl. iii. (14) Monte
 p. 27, n. 1 (1875). Video.
- A. Granulatus, Stål*, l. c. v. (4) p. 54, n. 1
 (1878); Pict. & Sauss. l. c. p. 336, n. 1
 (1887); Brun. Bull. U.S. Nat. Mus. xxx.
 p. 649 (1906).
- 2. **A. Cristatus, Brun.** l. c. pp. 649, 650 Paraguay.
 (1906).
- 3. **A. Brevicollis, Stål**, l. c. v. (4) p. 54. Corrientes.
 n. 2 (1878); Brun. 2nd Rep. Locust
 Comm. B. Aires, p. 57 (1900); Bull.
 U.S. Nat. Mus. xxx. p. 649 (1906).
- *4. **A. Clarazianus, Pict. & Sauss.** l. c. Argentina.
 p. 336, n. 3 (1887); Brun. Bull. U.S.
 Nat. Mus. xxx. p. 649 (1906).
- 5. **A. Brevipennis, Giglio-Tos**, (*Prionolopha* B.) Matto
 Boll. Mus. Torino, xv. (377) Grosso.
 p. 3 (1900).

Genus 513. **Colpolopha.** (*Type* no. 4.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873); Recens.
 Orth. i. pp. 28, 45 (1873); Bihang Svensk. Akad. Handl.
 (5) iv. p. 14 (1878); Pict. & Sauss. Mitth. Schweiz. Ent.
 Ges. vii. p. 338 (1887); Giglio-Tos, Boll. Mus. Torino,
 xiii. (311) p. 41 (1898); Brun. Biol. Centr.-Amer., Orth.
 ii. pp. 210, 227 (1907).

- *1. **C. Burmeisteri, Stål**, Bihang Svensk. Peru,
 Akad. Handl. iii. (14) p. 27, n. 1 (1875); N. Granada.
 Pict. & Sauss. l. c. p. 338, n. 1 (1887).
- 2. **C. Latipennis, Stål**, l. c. v. (9) p. 19. Peru,
 n. 3 (1878); Pict. & Sauss. l. c. p. 338. Central
 n. 2 (1887); Brun. l. c. pp. 227, 228. America.
 n. 1 (1907).
- ‡ *C. Sinuata, Brun. (nec Stål)* l. c. pl. 2.
 ff. 25, 25 a (1907).

3. **C. Præmorsa, Gerst.** Mitth. Ver. Neu-Peru.
Vorpomm. xx. p. 9. n. 7 (1889).
4. **C. Sinuata, Stål,** Öfv. Vet.-Akad. Förh. | id.,
xxx. (4) p. 53. n. 1 (1873); Recens. Orth. i. N. Granada.
p. 45. n. 1 (1873); Bihang Svensk. Akad.
Handl. v. (9) p. 19. n. 1 (1878); Pict. &
Sauss. l. c. p. 338. n. 3 (1887); Brun. l. c.
pp. 227, 228. n. 3 (1907).
- *5. **C. Obsoleta, Serv.** (*Tropinotus Obsoletus*) | iid.,
Ann. Sci. Nat. xxii. p. 274. n. 3 (1831); Demerara.
Ins. Orth. p. 620. n. 3 (1839). Brazil.
Xiphocera Obsoleta, Burm. Handb. Ent. ii. "Cape."
p. 613. n. 8 (1838). | "Australia."
C. Obsoleta, Pict. & Sauss. l. c. p. 338. n. 4
(1887); Brun. l. c. pp. 227, 228. n. 2
(1907).
| *Xiphocera Basalis, Walk.* Cat. Derm. Salt.
B. M. iii. p. 522. n. 13 (1870).
- *6. **C. Biloba, Pict. & Sauss.** l. c. p. 338. Peru.
n. 5 (1887).
- *7. **C. (?) Cyanoptera, Gerst.** (*Xiphocera C.*) Brazil,
Stettin. Ent. Zeit. xxiv. p. 186. n. 5 Caveta.
(1873).
8. **C. Bruneri, Rehn,** Proc. Acad. Nat. Sci. Costa
Philad. lvii. p. 406, ff. 6, 7 (1905); Brün. Rica.
l. c. p. 228. n. 4 (1907).

Genus 514. **Xomana.** (Type no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 40, 51 (1898).

1. **X. Gonagra, Gerst.** (*Procolpia (Pro-* Fonte
rhachis) G.) Mitth. Ver. Neu-Vorpomm. Boa.
xx. p. 6. n. 5 (1889).
X. Gonagra, Giglio-Tos, l. c. p. 51 (1898).
2. **X. Nuptialis, Gerst.** (*Procolpia N.*) l. c. Ega.
p. 7. n. 6 (1889).
X. Nuptialis, Giglio-Tos, l. c. p. 51 (1898).
[Rösel, Ins. Belust. ii. Locust. Ind. p. 111,
pl. 16. f. 3.]

Genus 515. **Procolpia.** (*Type* no. 1)

Stål, Cefv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873); Recens. Orth. i. pp. 28, 45 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 15 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. P. U.S. Nat. Mus. xxx. pp. 640, 643 (1906); Biol. Centr.-Amer., Orth. ii. pp. 209, 223 (1907).

- | | |
|--|------------------------------|
| <p>*1. P. Emarginata, Serv. (<i>Xiphocera E.</i>)
 Ann. Sci. Nat. xxii. p. 271. n. 1 (1832);
 Ins. Orth. p. 612. n. 1 (1839); Blanch. Cuv.
 Règne Anim., Ins. pl. 85. ff. 2 a, 3 (1862).
 <i>Xiphocera Emarginata</i>, Burm. Handb. Ent.
 ii. p. 614. n. 4 (1838).
 <i>Pamphagus Emarginatus</i>, Blanch. Hist.
 Nat. Ins. iii. p. 37. n. 1 (1840).
 <i>Procolpia Emarginata</i>, Stål, Recens. Orth.
 i. p. 45. n. 1 (1873); Brun. Biol. Centr.-
 Amer., Orth. ii. p. 223. n. 1 (1907).
 <i>Xiphocera</i> (?) <i>Inclarata</i>, Walk. Cat. Derm.
 Salt. B. M. iii. p. 523. n. 14 (1870);
 Thomas, Syn. Acrid. N. Amer. p. 242
 (1873).
 <i>Munatia Inclarata</i>, Brun. l. c. pl. 3. ff. 1,
 1 a (1907).</p> | <p>Mexico
to Brazil.</p> |
| <p>2. P. Minor, Giglio-Tos, Boll. Mus. Torino,
 ix. (184) p. 17 (1894); Rehn, Proc.
 Acad. Nat. Sci. Philad. lix. p. 169
 (1907).
 <i>Munatia Australis</i>, Brun. Proc. U.S. Nat.
 Mus. xxx. p. 644 (1906).</p> | <p>Paraguay.</p> |
| <p>3. P. Sphingiformis, Stoll, (<i>Gryllus Lo-</i>
 <i>custa S.</i>) Spectres, Saut. p. 17, pl. 7 b.
 f. 23 (1813).</p> | <p>"Tartary."</p> |

Genus 516. **Prorhachis.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 269 (1875).
Prorhachis, Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 40 (1878).

1. **P. Granulosa, Scudd.** l. c. n. 22 (1875). | Peru.

Genus 517. **Xiphophora.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 391 (1859).

1. **X. Americana**, Sauss. l. c. (1859). Guiana.
2. **X. Auroripennis**, Burm. (*Xiphocera* A.) Surinam.
Handb. Ent. ii. p. 613. n. 2 (1838).
3. **X. Cyanoptera**, Gerst. Mitth. Ver. Neu- Amazons.
Vorpom. xx. p. 11. n. 9 (1888). Peru.

Genus 518. **Elæochlora.** (*Type* no. 4.)

Stål. Öfv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873); Recens. Orth. i. pp. 28, 45 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 16 (1877); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 343 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 58 (1900); Bull. U.S. Nat. Mus. xxx. pp. 640, 651 (1906); Biol. Centr.-Amer., Orth. ii. pp. 210, 230 (1907).

- *1. **E. Trilineata**, Serv. (*Xiphicera* T.) Ann. Brazil.
Sci. Nat. xxii. p. 272. n. 2 (1831); Ins.
Orth. p. 614. n. 3, pl. 14. f. 2 (1839).
Xiphocera Trilineata, Burm. Handb. Ent.
ii. p. 614. n. 5 (1838).
E. Trilineata, Stål, Recens. Orth. i. p. 46.
n. 2 (1873); Pict. & Sauss. l. c. pp. 343,
344. n. 1 (1887); Brun. 2nd Rep. Locust
Comm. B. Aires, p. 58 (1900); Bull. U.S.
Nat. Mus. xxx. p. 651 (1906).
- *2. **E. Viridicata**, Serv. (*Xiphicera* V.) Ins. Argentina.
Orth. p. 614. n. 4, pl. 14. f. 3 (1839). Brazil,
E. Viridicata, Stål, l. c. p. 46. n. 3 (1873); Paraguay.
Pict. & Sauss. l. c. pp. 343, 344. n. 2 Uruguay.
(1887); Bol. Viaje al Pacifico, p. 33
(1884); Brun. Rep. Locust Comm. B.
Aires, i. pp. 82, 83, f. 27 (3. 6) (1898),
ii. pp. 58-60, ff. 22, 23 (1900); Bull.
U.S. Nat. Mus. xxx. p. 651, pl. 36. f. 9,
pl. 38. f. 7 (1906).
3. **E. Parvispina**, Pict. & Sauss. l. c. Brazil.
p. 344. n. 4 (1887).
- *4. **E. Scabra**, Thunb. (*Gryllus Scaber*) Mém. id.
Acad. Pétersb. ix. pp. 393, 400. n. 1 (1824).
E. Scabra, Stål, l. c. p. 46. n. 1 (1873);
Pict. & Sauss. l. c. pp. 344, 345. n. 5
(1887).

- ** *Xiphocera Auripennis*, Walk. Cat. Derm. Salt. B. M. iii. p. 522. n. 12 (1870).
- *5. **E. Granulosa**, Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 28. n. 1 (1875); Pict. & Sauss. l. c. pp. 344, 345. n. 6 (1887). N. Granada, Venezuela.
6. **E. Hymenæa**, Gerst. (*Xiphocera H.*) Stettin. Ent. Zeit. xxiv. p. 186. n. 6 (1873). Brazil, N. Granada.
- E. Longispina*, Pict. & Sauss. l. c. pp. 344, 345. n. 7 (1887).
7. **E. Brunneri**, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 270. n. 23 (1875). Peru.
8. **E. Hilaris**, Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 10. n. 8 (1889). id.
9. **E. Angustipennis**, Brun. 2nd Rep. Locust Comm. B. Aires, p. 58 (1900). Argentina.
10. **E. Fruhstorferi**, Bol. An. Soc. Españ. xix. p. 318, pl. 1. f. 4 (1890). Santa Catharina.
- **11. **E. Spoliata**, Walk. (*Xiphocera S.*) l. c. p. 524. n. 16 (1870). Brazil, Peru.
- **12. **E. Jucunda**, Walk. (*Xiphocera J.*) l. c. p. 523. n. 15 (1870). Venezuela.
13. **E. Bilunata**, Gerst. (*Xiphocera B.*) Stett. Ent. Zeit. xxiv. p. 187. n. 7 (1873). Colombia.
14. **E. Psittacina**, Gerst. (*Xiphocera P.*) l. c. n. 8 (1873). id.
15. **E. Bivittata**, Gerst. (*Xiphocera B.*) l. c. n. 9 (1873). Bogota.
16. **E. Picticollis**, Gerst. (*Xiphocera P.*) l. c. p. 188. n. 10 (1873). id.
- Elaeochlora Picticollis*, Pict. & Sauss. l. c. pp. 343, 344. n. 3 (1887); Bol. Viaje al Pacifico, p. 34, pl. 1. f. 4 (1884). o-x-x.

Genus 519. **Munatia**. (Type no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 28 (1875), v. (4) p. 15 (1877); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 494 (1905); Brun. Proc. U.S. Nat. Mus. xxx. p. 640 (1906); Biol. Centr.-Amer., Orth. ii. pp. 209, 223 (1907).

1. **M. Punctata**, Stål, l. c. iii. (14) p. 28. (Chiriqui, n. 1 (1875); Rehn, l. c. p. 405, ff. 4, 5 Costa Rica, (1905); Brun. Biol. Centr.-Amer., Orth. Panama. ii. p. 223. n. 1 (1907).

Genus 520. **Cibotopteryx.**

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 408 (1905);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 229 (1907).

1. **C. Variegata, Rehn**, l. c. pp. 408-410, Costa Rica.
 ff. 8, 9 (1905); Brun. l. c. p. 229, n. 1
 (1907).
Elacochlora Juvenalis, Brun. l. c. pl. 2.
 ff. 23, 24, 24 a (1907).

Genus 521. **Dracotettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xii. p. 49 (1889);
 Biol. Centr. Amer., Orth. ii. pp. 210, 226 (1907).

1. **D. Monstrosus, Brun.** ll. cc. p. 50, pl. 1. California.
 f. 1 (1889); p. 226, n. 1 (1907).
Draconotus Monstrosus, Brun. Biol. Centr.-
 Amer., Orth. ii. pl. 3, ff. 3, 3 a, 4 (1907).
2. **D. Californicus, Brun.** l. c. p. 226, n. 2 | id.,
 (1907). | Arizona.
3. **D. Plutonium, Brun.** N. Amer. Fauna, California.
 vii. p. 267 (1893); Biol. Centr.-Amer.,
 Orth. ii. pp. 226, 227, n. 3 (1907).
Draconotus Plutonium, Brun. l. c. pl. 3.
 ff. 5, 5 a (1907).

Genus 522. **Æolacris.** (*Type* no. 1.)

Seudd. Proc. Boston Soc. Nat. Hist. xvii. p. 269 note (1875); ^{♂-12}
 Pict. & Sauss. Mith. Schweiz. Ent. Ges. vii. p. 340 (1887);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 209, 224 (1907).

1. **Æ. Caternaultii, Feisth.** (*Xiphicera* C.) Cayenne.
 Mag. Zool. vii. (9) pl. 184 (1837). | Colombia.
Xiphicera Octolunata, Serv. Ins. Orth. Ecuador.
 p. 615, n. 5 (1839).
Æ. Caternaultii, Pict. & Sauss. l. c. p. 340.
 n. 2 (1887); Giglio-Tos, Boll. Mus.
 Torino, xii. (301) p. 3 (1897).
Xiphicera Octomaculata, Seudd. Proc.
 Boston Soc. Nat. Hist. xii. p. 337, n. 16
 (1869).
2. **Æ. (?) Tricristata, Serv.** (*Xiphicera* Colombia.
 T.) l. c. p. 613, n. 2 (1839).

Genus 523. **Catreus.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 15 (1878).

- *1. **C. Sulcaticollis, Blanch.** (*Tropinotus* S.) Chile.
Gay, Hist. Chile, Zool. vi. p. 66. n. 2
[pl. 3. f. 6, ined.] (1851).
♂. *Caloptenus* (?) Dorsiger, Walk. Cat.
Derm. Salt. B. M. v. Suppl. p. 66 (1871).
- *2. **C. Ornaticollis, Blanch.** (*Tropinotus* O.) id.
l. c. p. 66. n. 3 (1851).

Genus 524. **Locheuma.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 207 (1896).

Locheuma, Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 41, 59
(1898).

- 1. **L. Brunneri, Scudd.** (*Elaeochlora* B.) l. c. | Peru.
xvii. p. 270. n. 23 (1875).

Genus 525. **Draconata.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 341 (1887);

Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 229 (1907).

- 1. **D. Mancus, Pict. & Sauss.** l. c. p. 342. | Colombia.
n. 1 (1887).

Genus 526. **Conometopus.** (*Type* no. 1.)

Blanch., Gay, Hist. Chile, Zool. vi. p. 67 (1851).

- 1. **C. Ochraceus, Blanch.** l. c. p. 68. n. 1 | Chile.
[Orth. pl. 3. f. 7, ined.] (1851).
- 2. **C. Cristaticollis, Blanch.** l. c. p. 69. n. 2 id.
(1851).

Genus 527. **Agriacris.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. iv. p. 644 (1870).

- **1. **A. Plagiata, Walk.** (*Niphocera P.*) l. c. Bogota,
iii. p. 524. n. 17 (1870). | Colombia.
2. **A. Ferox, Walk. l. c. iv. p. 645. n. 1 Colombia.
(1870). |

Genus 528. **Alophonota.**

Stål. Öfv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873); Recens.
Orth. i. pp. 29, 47 (1873); Bihang Svensk. Akad. Handl.
v. (4) p. 16 (1878); Pict. & Sauss. Mitth. Schweiz. Ent.
Ges. vii. p. 346 (1887); Giglio-Tos, Boll. Mus. Torino,
xiii. (311) p. 41 (1898).

- *1. **A. Pierretii, Blanch.** (*Niphocera P.*) | Brazil.
Mag. Zool. vii. (ix.) pl. 185 (1837). |
Niphocera Dorsalis, Burm. Handb. Ent. ii.
p. 613. n. 1 (1838). |
** ? *Niphocera Funesta, Walk.* Cat. Derm.
Salt. B. M. iii. p. 521. n. 11 (1870). |

Genus 529. **Rhomalea.** (*Type* no. 1.)

Romalea, Serv. Ann. Sci. Nat. xxii. p. 280 (1831); Ins. Orth.
p. 621 (1839); Blanch. Hist. Nat. Ins. iii. p. 40 (1840).
Rhomalea, Burm. Handb. Ent. ii. p. 619 (1838); Thom. Syn.
Aerid. N. Amer. p. 178 (1873).
Dictyophorus, pt., *Thunb.* Mém. Acad. Pétersb. v. pp. 214, 258
(1815); Stål, Recens. Orth. i. pp. 32, 50 (1873); Bihang
Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss.
Mitth. Schweiz. Ent. Ges. vii. p. 347 (1887); Giglio-Tos,
Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Biol.
Centr.-Amer., Orth. ii. pp. 210, 230 (1907).

- *1. **R. Microptera, Beauv.** (*Acridium* Southern
Micropterum) Ins. Afr. Amér. p. 116. United
Orth. pl. 4. f. 4 (1805). | States.
Romalea Microptera, Serv. ll. cc. p. 280.
n. 1 (1831); p. 622. n. 1 (1839); Glover, |
Ill. N. Amer. Orth. pl. 3. f. 4 (♂ nec ♀)
(1872). |
Rhomalea Microptera, Charp. Orth. pl. 49
(1843).

- Acridium (Rhomalea) Micropterum*, De Haan, Temminck, Verhandel., Orth. p. 151 (1842).
- Dictyophorus Micropterus*, Pict. & Sauss. l. c. p. 347. n. 1 (1887); Brun. l. c. p. 230. n. 1 (1907).
- Gryllus Locusta Guttatus*, Stoll, Spectres, Saut. p. 23, pl. 10 b. f. 34 (1813).
- Dictyophorus Guttatus*, Blanch. Hist. Nat. Ins. iii. p. 40. n. 6 (1840).
- Dictyophorus Reticulatus*, Thunb. Mém. Acad. Petersb. v. p. 259 (1815); Stal, Recens. Orth. p. 50. n. 1 (1873); Caud. Proc. U.S. Nat. Mus. xxvi. p. 759. n. 83 (1903).
- Rhomalea Gigantea*, Burm. l. c. p. 619. n. 1 (1838).
- *2. **R. Gloveri, Kirb.** (n. n.) Missouri.
 || *Romalea Microptera* (♀ nec ♂), Glover, l. c. pl. 3. f. 4 (1872).
 || *Rhomalea Centurio*, ♀, Thomas (nec Drury), Syn. Acrid. N. Amer. p. 179 (1873).
- *3. **R. Marci, Serv.** (*Romalea Marci*) Ins. Southern United States.
 Orth. p. 623. n. 2 (1839).
Rhomalea Marci, Thom. l. c. p. 180 (1873).
Dictyophorus Marci, Pict. & Sauss. l. c. 347. n. 2 (1887); Brun. l. c. p. 230. n. 1 (1907).

Genus 530. **Litoscirtus.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 231 (1907).

1. **L. Insularis, Brun.** l. c. p. 231. n. 1, California,
 pl. 3. ff. 6, 6 a (1907). Central America.

Genus 531. **Hippacris.** (Type no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 267 (1865).

1. **H. Crassa, Scudd.** l. c. p. 268. n. 19 E. Peru.
 (1875); Psyche, v. p. 441 (1890).
2. **H. Picticornis, Scudd.** Psyche, v. p. 441 Upper
 (1890). Amazons.

Genus 532. **Tæniopoda.** (*Type* no. 6.)

Stål, Recens. Orth. i. pp. 32, 50 (1873); Bilang Svensk. Akad. Handl. v. (4) p. 17 (1878); Piet. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 347 (1887); Giglio-Tos. Boll. Mus. Torino, xiii. (311) p. 42 (1898); Bol. Bol. Soc. Esp. Hist. Nat. i. p. 264 (1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 231 (1907).

- *1. **T. Burmeisteri**, **Bol.** l. c. pp. 265, 266 Mexico,
(1901); Rehn, Proc. Acad. Nat. Sci. Georgia (?),
Philad. lvi. p. 530 (1904); Brun. l. c.
pp. 232, 233, n. 1 (1907).
|| *Rhomalea Centurio*, *Burm.* (*nee Drury*)
Handb. Ent. ii. p. 620, n. 2 (1838).
- **2. **T. Picticornis**, **Walk.** (*Rhomalea P.*) Mexico,
Cat. Derm. Salt. B. M. iii. p. 538, n. 6 Texas,
(1870). Arizona.
Rhomalea Pecticornis, *Thomas*, Syn. Acrid.
N. Amer. p. 240 (1873).
T. Pecticornis, *Caud.* Proc. U.S. Nat. Mus.
xxvi. p. 795 (1903).
T. Picticornis, *Brun.* l. c. p. 232, n. 82,
p. 234, n. 2, pl. 2. f. 17 (1907).
|| *Gryllus Locusta Centurio*, *Stoll* (*nee Drury*),
Spectres, Sant. p. 15, pl. 6 b. f. 19 (1813).
3. **T. Stæli**, **Brun.** (*T. Stæli*) l. c. pp. 232, Mexico,
234, n. 3, pl. 2. f. 18 (1907).
|| *T. Picticornis*, *Stål* (*nee Walk.*), Recens.
Orth. i. p. 51, n. 2 (1873); Bol. l. c.
pp. 265, 267 (1901).
4. **T. Citricornis**, **Brun.** l. c. pp. 232, 234. id.
n. 4 (1907).
|| *T. Centurio*, *Brun.* (*nee Drury*) l. c. pl. 2.
ff. 19, 19 a (1907).
5. **T. Tamaulipennis**, **Rehn**, Proc. Acad. id.
Nat. Sci. Philad. lvi. p. 531 (1904);
Brun. l. c. pp. 232, 234, n. 5 (1907).
- *6. **T. Superba**, **Stål**, (*Monachidium Super-* Honduras
bum) Öffv. Vet.-Akad. Förh. xii. p. 352. Guatemala.
n. 1 (1855); Thomas, l. c. p. 239 (1873).
T. Superba, *Stål*, Recens. Orth. i. p. 50.
n. 1 (1873); Bol. l. c. pp. 265, 267
(1901); Brun. l. c. pp. 233, 235, n. 6
(1907).

- *7. **T. Eques, Burm.** (*Rhomalea E.*) l. c. Mexico,
p. 620. n. 3 (1838); Sauss. Rev. Zool. Honduras,
(2) xi. p. 392 (1859); Thomas, l. c. p. 239 Costa Rica.
(1873).
T. Marima, Brun. l. c. pp. 233, 235. n. 7
(1907).
8. **T. Gutturosa, Bol.** l. c. pp. 265, 268 Guatemala.
(1901); Brun. l. c. pp. 233, 235. n. 8
(1907).
9. **T. Aurantia, Brun.** l. c. p. 265³ (1907). id.
10. **T. Obscura, Brun.** l. c. pp. 233, 235. Mexico.
n. 9, pl. 2. ff. 21, 21 a (1907).
11. **T. Bicristata, Brun.** l. c. pp. 233, 236. id.
n. 10 (1907).
- *12. **T. Centurio, Drury,** (*Gryllus Locusta* id.,
C.) Ill. Exot. Ent. ii. p. 78, pl. 41. f. 3 Honduras,
(1773). Nicaragua.
Locusta (Rutidoderes) Centurio, Westw.
Drury, Ill. Exot. Ent. ii. p. 88, pl. 41. f. 3
(1837).
Rhomalea Centurio, Sauss. l. c. p. 392
(1859).
T. Centurio, Pict. & Sauss. l. c. p. 348. n. 3
(1887); Bol. l. c. pp. 265, 268 (1901);
Brun. l. c. pp. 233, 236. n. 11 (1907).
- ** *Gryllus Reticulatus, Fabr.* Spec. Ins. i.
p. 362. n. 7 (1781); Don. Ins. Ind. pl. 12.
f. 1 (1800).
Locusta (Monachidia) Reticulata, Westw.
Don. Ins. Ind. p. 20, pl. 12. f. 1 (1842).
13. **T. Reticularis, Bol.** (*T. Centurio*, var. Mexico.
Reticularis) l. c. p. 269 (1901).
- ** 14. **T. Auricornis, Walk.** (*Rhomalea A.*) id.
l. c. p. 538. n. 7 (1870); Thomas, l. c.
p. 241 (1873).
T. Auricornis, Rehn, Proc. Acad. Nat. Sci.
Philad. lvi. p. 532 (1904), lvii. pp. 413,
414. f. 13 (1905); Brun. l. c. pp. 233,
237. n. 12, pl. 2. ff. 22, 22 a (1907).
15. **T. Varipennis, Rehn,** l. c. pp. 410-414. Nicaragua,
ff. 10-12 (1905); Brun. l. c. pp. 233, 237. Costa Rica.
n. 13 (1907).
T. Flavida, Brun. l. c. pl. 2. ff. 20, 20 a
(1907).
16. **T. Pulchella, Bol.** l. c. pp. 266, 269 Mexico.
(1901); Rehn, l. c. pp. 413, 414. f. 14
(1905); Brun. l. c. pp. 233, 237. n. 14
(1907).

(Genus 533. **Chromacris.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. iv. p. 643 (1870); Thomas, Syn. Acrid. N. Amer. p. 167 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 238 (1907).

Rhomalea, Sect. ii., *Burm. (nec Serv.)* Handb. Ent. ii. p. 620 (1838); Stål, Recens. Orth. i. pp. 32, 51 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 348 (1887); Gigliot-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 59 (1900).

*1. **C. Miles, Drury**, (*Gryllus Locusta* M.) Honduras.

Ill. Exot. Ent. ii. p. 79, pl. 42. f. 2 (1773).

Locusta (*Rutolideres*) *Miles*, Westw. Drury,

Ill. Exot. Ent. ii. p. 89, pl. 42. f. 2 (1837).

Rhomalea Miles, pt., *Pict. & Sauss.* l. c. pp. 349, 350. n. 1 (1887).

Chromacris Miles, Brun. Biol. Centr.-Amer.,

Orth. ii. pp. 238, 239. n. 2 (1907).

*2. **C. Speciosa, Thunb.** (*Gryllus Speciosus*) S. America.

Mém. Acad. Pétersb. ix. pp. 394, 404. n. 15, pl. 14. f. 1 (1824).

Acridium Speciosum, *Serv.* Ann. Sci. Nat. xxii. p. 283. n. 6 (1831); Ins. Orth. p. 673. n. 36 (1839).

Rhomalea Speciosa, Stål, Recens. Orth. i. p. 51. n. 1 (1873) (?); Bol. Viaje al Pacif. p. 35 (1884).

|| *Gryllus Locusta Miles*, Stoll (*nec Drury*), Spectres, Saut. p. 32, pl. 16 b. f. 60 (1813).

|| *Rhomalea Miles*, *Burm.* l. c. p. 620. n. 4 (1838).

Rhomalea Stoll, *Pict. & Sauss.* l. c. pp. 349, 351. n. 2 (1887); Brun. Rep. Locust Comm. B. Aires, i. pp. 82-84. ff. 1, 5 (1898), ii. pp. 59, 60. ff. 24, 25 (1900).

C. Stoll, Brun. Proc. U.S. Nat. Mus. xxx. p. 651, pl. 38. f. 2 (1906).

*3. **C. Psittacus, Gerst.** (*Romalea P.*) Stett. Bogota,
Ent. Zeit. xxxiv. p. 185 (1873).

Rhomalea Psittacus, *Pict. & Sauss.* l. c. Nicaragua,
pp. 350, 354. n. 9 (1887). Costa Rica

(?) *C. Psittacus*, Brun. Biol. Centr.-Amer.,
Orth. ii. pp. 238, 239. n. 3 (1907). (eadem?).

4. **C. Latipennis, Pict. & Sauss.** (*Rhomalea L.*) Brazil.
l. c. pp. 349, 351. n. 3 (1887). |

- | | |
|--|--|
| <p>*5. C. Nuptialis, Gerst. (<i>Romalea N.</i>) l. c. p. 185. n. 2 (1873).
 <i>Rhomalea Nuptialis, Pict. & Sauss.</i> l. c. pp. 349, 352. n. 4 (1887).</p> <p>6. C. Xanthoptera, Hahn, (<i>Acridium Xanthopterum</i>) Icones Orth. pl. A. f. 2 (1836).</p> <p>*7. C. Colorata, Serv. (<i>Acridium Coloratum</i>) Ins. Orth. p. 674. n. 37 (1839).
 <i>Rhomalea Colorata, Stål.</i> l. c. p. 51. n. 2 (1873); <i>Pict. & Sauss.</i> l. c. pp. 349, 352. n. 5 (1887).
 <i>C. Colorata, Thom.</i> l. c. p. 168 (1873); Rehn, Trans. Amer. Ent. Soc. xxix. p. 12 (1902); Brun. l. c. p. 238. n. 1 (1907).
 <i>Rhomalea Pedes, Sauss.</i> Rev. Zool. (2) xi. p. 392 (1859); Thom. l. c. p. 240 (1873).</p> <p>*8. C. Peruviana, Pict. & Sauss. (<i>Rhomalea P.</i>) l. c. pp. 350, 352. n. 6 (1887).</p> <p>*9. C. Icterus, Pict. & Sauss. (<i>Rhomalea I.</i>) l. c. pp. 350, 353. n. 7 (1887); Brun. 2nd Rep. Locust. Comm. B. Aires, pp. 59, 60 (1900).</p> <p>*10. C. Opulenta, Gerst. (<i>Rhomalea O.</i>) Mitth. Ver. Neu-Vorpommern, xx. p. 32. n. 26 (1889).</p> <p>11. C. Trogon, Gerst. (<i>Romalea T.</i>) Stett. Ent. Zeit. xxxiv. p. 186. n. 4 (1873).
 <i>Rhomalea Trogon, Pict. & Sauss.</i> l. c. pp. 350, 353. n. 8 (1873).
 <i>C. Trogon, Brun.</i> Biol. Centr.-Amer., Orth. ii. pp. 238, 239. n. 4 (1907).</p> | <p>Brazil.</p> <p>id. (?)</p> <p>Southern United States, Mexico, Honduras, Central America.</p> <p>Peru, Upp. Amaz.</p> <p>Argentina, Ecuador, Peru, Upp. Amaz.</p> <p>Peru, Upp. Amaz.</p> <p>Costa Rica, Honduras, Panama.</p> |
|--|--|

Genus 534. **Cyphacris.**

Gerst. Mitth. Ver. Neu-Vorpommern, xx. p. 3 (1889);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898).

- | | |
|---|-----------------|
| <p>1. C. Decorata, Gerst. l. c. p. 4. n. 3 (1889).</p> | <p>Amazons.</p> |
|---|-----------------|

Genus 535. **Clarazella.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 354 (1887);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898);
 Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 62 (1900).

- | | |
|---|------------------------------|
| <p>1. C. Patagona, Pict. & Sauss. l. c. p. 355. n. 1 (1887).</p> | <p>Argentina, Patagonia.</p> |
|---|------------------------------|

Genus 536. **Anaia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 18, 54 (1878);
Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898).

1. **A. Fissa**, Stål, l. c. p. 54. n. 1 (1878). | Peru.

Genus 537. **Acidacris.** (*Type* no. 2.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 30 (1889).

1. **A. Amethystina**, Gerst. (*Acridium* Pará.
Amethystinum) Stett. Ent. Zeit. xxxiv.
p. 189. n. 12 (1873).
2. **A. Violacea**, Gerst. Mitth. Ver. Neu- Upper
Vorpomm. xx. p. 31. n. 24 (1889). | Amazons.
3. **A. Miniacea**, Gerst. l. c. n. 25 (1889). Peru.

Genus 538. **Hermistria.**

Stål, Recens. Orth. i. pp. 33, 52 (1873).

1. **H. Pulchripes**, Stål, l. c. p. 52. n. 1 | Mexico.
(1873).

Genus 539. **Zoniopoda.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 32, 51 (1873); Bihang Svensk. Akad.
Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz.
Ent. Ges. vii. p. 356 (1887); Giglio-Tos, Boll. Mus.
Torino, xiii. (311) p. 42 (1898); Brun. Rep. Locust Comm.
B. Aires, ii. pp. 53, 60 (1900); Bull. U.S. Nat. Mus. xxx.
pp. 640, 652 (1906).

Zoniopoda, Brunn. Ann. Mus. Genova, xxxiii. p. 134 (1893).

- *1. **Z. Tarsata**, Serv. (*Acridium Tarsatum*) Brazil,
Ann. Sci. Nat. xxxi. p. 283. n. 7 (1831); Bolivia,
Ins. Orth. p. 668. n. 29 (1839); Porch. Uruguay,
Hor. Soc. Ent. Ross. xx. p. 122, pl. 12. Paraguay,
f. 6 (1886). Argentina.

Z. Tarsata, Stål, Recens. Orth. i. p. 51.
n. 1 (1873); Bol. Viaje al Pacif. p. 36
(1884); Pict. & Sauss. l. c. p. 356. n. 1
(1887).

Acrydium Tarsatum, Gray, Griffith, Anim.
Kingd. xv. p. 781 (1832); Guér. Icon.
R. Anim., Ins. p. 339 (1844).

- Gryllus Servillei*, Guér. l. c. pl. 54. f. 9 (1829); Gray, l. c. pl. 113. n. 9 (1832).
- *2. **Z. Cruentata, Blanch.** (*Acridium Cruentatum*) D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216. n. 745, pl. 27. f. 5 (1837-1843).
Z. Cruentata, Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 175 (1907).
 || *Z. Tarsata*, Brun. (nec Serv.) ll. cc. i. pp. 82, 83. f. 2 (1898), ii. pp. 60, 61. f. 26 (1900); p. 652. n. 1, pl. 37. f. 2 (1906).
- *3. **Z. Similis, Brun.** P. U.S. Nat. Mus. xxx. p. 652. n. 2 (1906). Paraguay.
- *4. **Z. Iheringi, Pict. & Sauss.** l. c. pp. 356, 357. n. 3 (1887); Brun. l. c. pp. 652, 653. n. 3 (1906). S. Brazil, Paraguay.
5. **Z. Juncorum, Pict. & Sauss.** l. c. p. 356. n. 2 (1887); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 60, 61 (1900); P. U.S. Nat. Mus. xxx. pp. 652, 653. n. 4 (1906). Argentina, Bolivia, Paraguay.
6. **Z. Fissicauda, Brun.** P. U.S. Nat. Mus. xxx. pp. 652, 653. n. 5 (1906). Paraguay.
- *7. **Z. Exilipes, Brun.** l. c. pp. 652, 654. n. 6 (1906). id.
8. **Z. Emarginata, Stål,** l. c. p. 52. n. 2 (1873); Pict. & Sauss. l. c. pp. 356, 357. n. 4 (1887); Brun. l. c. pp. 652, 655. n. 7 (1906). Brazil.
- *9. **Z. Omnicolor, Blanch.** (*Acridium O.*) l. c. p. 216. n. 743, pl. 27. f. 3 (1837-1843).
Z. Omnicolor, Brun. 2nd Rep. Locust Comm. B. Aires, pp. 60, 61. f. 27 (1900); Proc. U.S. Nat. Mus. xxx. pp. 652, 655. n. 8, pl. 37. f. 3 (1906). Paraguay, Argentina.
- *10. **Z. Picta, Bol.** Viaje al Pacif. p. 37 (1884). Paraguay.
Z. Picta, Pict. & Sauss. l. c. pp. 356, 357. n. 5 (1887); Brun. 2nd Rep. Locust Comm. B. Aires, p. 61, f. 27 (1900); P. U.S. Nat. Mus. xxx. pp. 652, 655. n. 9 (1906).
Diponthus Puelchus, Pict. & Sauss. l. c. p. 375. n. 9 (1887); Brun. ll. cc. pp. 63, 65 (1900); p. 656 (1906).

Genus 540. **Prionacris.** (*Type* no. 1.)

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 19, 55 (1878);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 242 (1906).

- | | |
|---|---------------------------|
| *1. P. Compressa , Stål, l. c. p. 55. n. 1
(1878). | N. Granada,
Low. Amaz. |
| 2. P. Erosa , Rehn, Proc. Acad. Nat. Sci.
Philad. lix. pp. 176-179, ff. 10, 11
(1907). | Paraguay. |
| 3. P. Cœrulescens , Bol. An. Soc. Españ.
xix. p. 319 (1890). | Upper
Amazons. |

Genus 541. **Aplatacris.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 271 (1875);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898).
Thrasyderes, Bol. An. Soc. Españ. x. p. 481 (1881); Viaje al
 Pacif. p. 39 (1884). (*Type* no. 2.)

- | | |
|---|----------------------------|
| 1. A. Colorata , Scudd. l. c. p. 271. n. 24
(1875). | Peru. |
| *2. A. Leprosa , Bol. (<i>Thrasyderes Leprosus</i>)
ll. cc. p. 482, pl. 9. f. 1 (1881); p. 40,
pl. 1. f. 5 (1884). | id.,
Ecuador,
Chile. |

Genus 542. **Titanacris.** (*Type* no. 2.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 352 (1869); Stål,
 Recens. Orth. i. pp. 31, 50 (1873); Bihang Svensk. Akad.
 Handl. v. (4) p. 18 (1878); Pict. & Sauss. Mitth. Schweiz.
 Ent. Ges. vii. pp. 362, 363 (1887); Giglio-Tos, Boll.
 Mus. Torino, xiii. (311) p. 42 (1898); Brun. Biol. Centr.-
 Amer., Orth. ii. pp. 211, 241 (1906).

- | | |
|---|--------------------|
| *1. T. Carinata , Stoll, (<i>Gryllus Locusta</i>
<i>Carinatus</i>) Spectres, Saut. p. 12, pl. 5 b.
ff. 16, 16 A (1813). | British
Guiana. |
| <i>Acridium Albipes</i> , Burm. (nec De Geer)
Handb. Ent. ii. p. 628. n. 3 (1838); De
Haan, Temminck, Verhandel., Orth. p. 151.
n. 5 (1842). | |
| <i>T. Carinata</i> , Scudd. l. c. p. 352. n. 1 (1869);
Pict. & Sauss. l. c. p. 364. n. 5 (1887). | |
| <i>Lophacris Violacea</i> , Brunn. Obs. Color. Ins.
p. 2, pl. 1. f. 1 (1897). | |

- *2. **T. Albipes, De Geer**, (*Acrydium Albipes*) Surinam,
 Mém. Ins. iii. p. 487. n. 2, pl. 40. f. 7 Parâ,
 (1773). Rio de
T. Albipes, Scudd. l. c. p. 353. n. 2 (1869); Janeiro.
Pict. & Sauss. l. c. p. 364. n. 4 (1887).

Genus 543. **Lophacris.** (Type no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 353 (1869); Thomas,
 Syn. Acrid. N. Amer. p. 237 (1873); *Pict. & Sauss.*
Mith. Schweiz. Ent. Ges. vii. p. 363 (1887).

- *1. **L. Flavicornis, Stoll**, (*Gryllus Locusta F.*) Brazil,
 Spectres, Saut. p. 19, pl. 8 b. f. 26 (1813). Cayenne.
Acridium Olfersii, *Burm. Handb. Ent.* ii.
 p. 628. n. 4 (1838).
L. Olfersii, Scudd. l. c. p. 354. n. 1 (1869).
Titanacris Olfersii, *Pict. & Sauss.* l. c.
 p. 363. n. 1 (1887).
Acridium Semirubrum, *Serv. Ins. Orth.*
 p. 653. n. 13 (1839).
- *2. **L. Cristata, Linn.** (*Gryllus Locusta Cristatus*) Mexico,
 Syst. Nat. (ed. 10) i. p. 431. Honduras,
 n. 41 (1758); Mus. Ludov. Ulric. p. 137. Panama,
 n. 28 (1764). Guiana.
 [Linn. Amœn. Acad. i. p. 502. n. 21, pl. 17.
 f. iv.]
Acridium Velasquezii, Nieto, *Rev. Zool.* (2)
 ix. pp. 359, 360, pl. 12 (1857); Sauss.
Rev. Zool. (2) xiii. p. 163 (1861).
L. Velasquezii, Scudd. l. c. p. 354. n. 1
 (1869); Thomas, l. c. p. 238 (1873).
Titanacris Velasquezii, *Pict. & Sauss.* l. c.
 pp. 363, 364. n. 2 (1887); Brun. *Biol.*
Centr.-Amer., Orth. ii. p. 241. n. 1, pl. 3.
 ff. 7, 7 a (1907).
 || *Acridium Semirubrum*, *Sauss. (nec Serv.)*
Rev. Zool. (2) xiii. p. 162 (1861).
3. **L. Humboldtii, Scudd.** l. c. p. 354. n. 3 Guayaquil,
 (1869); Bol. Viaje al Pacif. p. 42 (1884). Brazil
Titanacris Humboldtii, *Pict. & Sauss.* l. c. (eadem?).
 pp. 363, 364. n. 3 (1887).

Genus 544. **Tropidacris.** (*Type* no. 3.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 346 (1869); Thomas, Syn. Acrid. N. Amer. p. 176 (1873); Stål, Recens. Orth. i. pp. 31, 48 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 18 (1878); Piet. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 358 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Rep. Locust Comm. B. Aires, ii. pp. 53, 62 (1900); Proc. U.S. Nat. Mus. xxx. pp. 640, 655 (1906); Biol. Centr.-Amer., Orth. ii. pp. 211, 240 (1907).

- *1. **T. Collaris, Stoll**, (*Gryllus Locusta* C.) S. America. Spectres, Saut. p. 39, pl. 21 b. f. 80 (1813).

Gryllus Rugosus, Thunb. Mém. Acad. Pétersb. ix. pp. 393, 401. n. 4 (1824).

Gryllus Locusta Cristatus, pt., Linn. Syst. Nat. (ed. 10) i. p. 431. n. 41 (1758).

Gryllus Locusta Cristatus, var. 2, Linn. Mus. Ludov. Ulric. p. 137. n. 28 (1764).

Acrydium Cristatum, Oliv. Encycl. Méth., Ins. vi. p. 215. n. 3 (1791).

Gryllus Locusta Cristatus, Stoll, l. c. pp. 21, 22, pl. 9 b. f. 30, pl. 10 b. f. 33 (1813).

Acridium Cristatum, Burm. Handb. Ent. ii. p. 627. n. 1 (1838); Serv. Ins. Orth. p. 650. n. 10, pl. 14. ff. 6, 7 (1839); De Haan, Temminck, Verhandel., Orth. p. 151. n. 3 (1842).

Locusta Cristata, Dunc. Introd. Ent. p. 257, pl. 16. f. 1 (1840).

T. Cristata, Scudd. l. c. p. 351. n. 5 (1869); Stål, Recens. Orth. i. p. 49. n. 4 (1873); Bol. Viaje al Pacif. p. 43 (1884); Piet. & Sauss. l. c. pp. 359, 362. n. 4 (1887); Brun. ll. cc. i. pp. 81-83. f. 2 (1898), ii. p. 62 (1900); p. 656 (1906); p. 241. n. 5 (1907).

[Roes. Insect. Belust. ii. Locust. Ind. p. 25, pl. 5. ff. 1, 2.]

Gryllus Carinatus, Thunb. l. c. v. p. 222 (1815), ix. pp. 393, 401. n. 3 (1824).

- *2. **T. Latreillei, Perty**, (*Acrydium L.*) Del. id. Anim. Art. p. 123, pl. 24. f. 4 (1832).

- Acrydium Latreillei*, Fitch, 3rd Rep. Ins. N. York, p. 172, pls. 3, 4 (1856).
- Acridium Latreillei*, Serv. Ins. Orth. p. 652. n. 11 (1839); De Haan, l. c. p. 151. n. 2 (1842).
- T. Latreillei*, Scudd. l. c. p. 349. n. 3 (1869).
- || *Gryllus Locusta Cristatus*, pt., Linn. Syst. Nat. (ed. 10) i. p. 431. n. 41 (1758).
- Gryllus Locusta Cristatus*, var. 1, Linn. Mus. Ludov. Ulric. p. 137. n. 28 (1764).
- Gryllus Cristatus*, Thunb. l. c. ix. pp. 393, 402. n. 6 (1824).
- [Frisch, Ins. Teutschl. ix. p. 3, f. 1.]
- || *Gryllus Locusta Dux*, Stoll (*nec Dru.*) l. c. pp. 6, 7, pl. 1 b. ff. 1, 2 (1813).
- Gryllus Dux*, Thunb. l. c. pp. 393, 402. n. 7 (1824).
- T. Dux*, Stål, l. c. p. 48. n. 1 (1873); Pict. & Sauss. l. c. p. 359. n. 1 (1887).
- T. Princeps*, Stål, l. c. p. 48. n. 2 (1873).
- Locusta Dux*, Dunc. l. c. pl. 15. f. 2 (1840) (*nec text*).
3. **T. Dux, Drury**, (*Gryllus Locusta D.*) Honduras, Guatemala.
 Ill. Exot. Ent. ii. p. 82, pl. 44 (1773).
Locusta (Rutidoderes) Dux, Westw. Drury, Ill. Exot. Ent. ii. p. 92, pl. 44 (1837).
Acrydium Dux, Oliv. l. c. p. 215. n. 4 (1791).
Acridium Dux, Burm. l. c. p. 628. n. 2 (1838).
Locusta Dux, Dunc. l. c. p. 257 (1840), *nec fig.*
T. Imperialis, Pict. & Sauss. l. c. pp. 359, 361. n. 2 a (1887); Brun. l. c. p. 240. n. 3, pl. 3. f. 9 (1907).
4. **T. Rex, Scudd.** l. c. p. 348. n. 2 (1869). Ecuador.
- *5. **T. Cardinalis, Pict. & Sauss.** l. c. Guatemala,
 pp. 359, 360. n. 2 (1887); Brun. l. c. Honduras.
 p. 240. n. 2, pl. 3. f. 10 (1907).
 || *Gryllus Dux*, Fabr. (*nec Drury*) Spec. Ins. i. p. 362. n. 4 (1781).
- || *T. Dux*, Scudd. l. c. p. 347. n. 1 (1869); Thomas, l. c. p. 177 (1873); Brun. l. c. p. 240. n. 1, pl. 3. ff. 8, 8 a (1907).
- *6. **T. Grandis, Thunb.** (*Gryllus G.*) l. c. ix. S. America.
 pp. 393, 403. n. 8 (1824).

- T. Grandis*, Stål, l. c. p. 49, n. 3 (1873);
 Piet. & Sauss. l. c. pp. 359, 361, n. 3
 (1887); Brun. l. c. p. 241, n. 4 (1907).
T. Fabricii, Seudd. l. c. p. 349, n. 4 (1869).
Aceridium Dux, Brullé (nec Drury), Hist.
 Ins. ix. p. 225, n. 1, pl. 20 (1835);
 Serv. l. c. p. 653, n. 12 (1839); De Haan,
 l. c. p. 151, n. 1 (1842).

Genus 545. **Nichelius.**

Bol. Mém. Soc. Zool. France, i. p. 144 (1888); Gündl. Ent.
 Cuban. ii. p. 343 (1886); Giglio-Tos, Boll. Mus. Torino,
 xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth.
 ii. pp. 211, 242 (1907).

1. **N. Fuscipictus**, Bol. l. c. p. 145, n. 145 Cuba.
 (1888); Gündl. l. c. p. 343 (1886);
 Brun. l. c. p. 242, n. 1 (1907).

Genus 546. **Diponthus.** (*Type* no. 5.)

Stål, Eugenies Resa, Orth. p. 328 (1860); Recens. Orth. i.
 pp. 30, 47 (1873); Bihang Svensk. Akad. Handl. v. (4)
 p. 19 (1878); Piet. & Sauss. Mith. Schweiz. Ent. Ges. vii.
 p. 365 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 135
 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43
 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53,
 62 (1900); Proc. U.S. Nat. Mus. xxx. pp. 641, 656
 (1906). 5-774
Eynisacris, Walk. Cat. Derm. Salt. B. M. iv. p. 638 (1870).
 (*Type* no. 2.)

1. **D. Electus**, Serv. (*Aceridium Electum*) Monte
 Ins. Orth. p. 671, n. 33 (1839). | Video,
D. Electus, Stål, Recens. Orth. i. p. 47, n. 1 | Argentina,
 (1873); Piet. & Sauss. l. c. pp. 366, 368, | Patagonia.
 369, n. 1 (1887); Brun. ll. cc. pp. 62, 63.
 n. 1 (1900); p. 656 (1906).
 * 2. **D. Maculiferus**, Walk. (*Aceridium Ma-* Monte
culiferum) l. c. p. 622 (1870). | Video.
 ** *Eynisacris Extranea*, Walk. l. c. p. 639.
 n. 1 (1870).
D. Dispar, Gerst. Stett. Ent. Zeit. xxxiv.
 p. 193, n. 23 (1873); Piet. & Sauss. l. c.
 pp. 366, 368-370, n. 2 (1887); Brun.
 Proc. U.S. Nat. Mus. xxx. p. 656 (1906).

3. **D. Festivus, Gerst.** l. c. p. 193. n. 22 (1873); Pict. & Sauss. l. c. pp. 366, 368, 369, 371. n. 4 (1887); Brun. l. c. pp. 656, 657 (1906). Brazil.
4. **D. Clarazianus, Pict. & Sauss.** l. c. pp. 366-370. n. 3 (1887); Brun. 2nd Rep. Locust Comm. B. Aires. pp. 62, 63 (1900); Proc. U.S. Nat. Mus. xxx. p. 656 (1906). Argentina.
5. **D. Nigroconspersus, Stål,** (*Aceridium Nigroconspersum*) Eugenes Resa, Orth. p. 327. n. 72, pl. 5. f. 7 (1860). id.
D. Nigroconspersus, Stål, Recens. Orth. i. p. 47. n. 2 (1873); Pict. & Sauss. l. c. pp. 367-369, 374 (1887); Brun. ll. cc. pp. 62, 65 (1900); p. 656 (1906).
6. **D. Permistus, Serv.** (*Aceridium Permistum*) l. c. p. 669. n. 31, pl. 13. f. 1, pl. 14. f. 10 (1839). id., Buenos Aires.
D. Permistus, Pict. & Sauss. l. c. pp. 367-369, 372. n. 6 (1887); Brun. ll. cc. pp. 62, 64 (1900); p. 656 (1906).
7. **D. Paraguayensis, Brun.** Proc. U.S. Nat. Mus. xxx. pp. 656, 657 (1906). Paraguay.
- *8. **D. Schulzi, Brun.** 2nd Rep. Locust Comm. B. Aires. pp. 62, 63 (1900); Proc. U.S. Nat. Mus. xxx. p. 656 (1906). ♂-77 ♀. Argentina.
- *9. **D. Argentinus, Pict. & Sauss.** l. c. pp. 367-369, 372. n. 5 (1887); ^{♂-77 ♀} Brun. l. c. pp. 62, 63 (1900); p. 656 (1906). id., Buenos Aires.
- *10. **D. Pycnostictus, Pict. & Sauss.** l. c. pp. 367-369, 373. n. 7 (1887); Brun. ll. cc. pp. 62, 65 (1900); p. 656 (1906). Argentina.
- *11. **D. Communis, Brun.** ll. cc. pp. 62, 64. f. 28 (1900); pp. 656, 657, pl. 37. f. 6 (1906). ♂-77 ♀. id., Buenos Aires.

Genus 547. **Dericorys.** (*Type* no. 5.)

- Serv. Ins. Orth. pp. 568, 638 (1839); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 135 (1893).
Derocorys, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 299 (1902).
Derocorystes, Redt. Wien. Ent. Zeit. viii. p. 29 (1889).

Cyphophorus, Fisch.-Waldh. Orth. Ross. pp. 228, 253 (1846);
Fieb. Lotos. iii. p. 121 (1853); Syn. Eur. Orth. p. 20 (1854).

1. **D. Curvipes**, Redt. (*Derocorystes* (*Cyphophorus*) C.) l. c. p. 29. n. 5 (1889).
Derocorys Curvipes, Jacobs. & Bianchi, l. c.
pp. 201, 300, pl. 10 (1902). Turcomania.
2. **D. Millierei**, Bonnet & Finot, Bull. Tunis.
Soc. Ent. France, (6) iv. p. xxvii (1884);
Rev. Sci. Nat. Montpellier. (3) iv. p. 223,
pl. 7. ff. 7-14 (1884); Bol. Actas Soc.
Españ. 1897. p. 170.
- *3. **D. Carthago-Novæ**, Bol. (*D. Millierei*,
var. *Carthago-Novæ*) l. c. p. 171 (1897). Cartagena.
4. **D. Fumipennis**, Adel. Mater. Faun. Flor. Central
Ross. Imp. vi. p. 88. n. 17 (1906). Asia.
5. **D. Lobata**, Brullé, (*Aceridium Lobatum*) Canaries.
Webb & Berthelot. Hist. Nat. Iles Canar..
Ins. p. 78. n. 36, pl. 5. ff. 9, 9 A (1838).
D. Lobata, Bol. An. Soc. Españ. xv. p. 516
(1886).
- *6. **D. Albidula**, Serv. l. c. p. 639. n. 1 Egypt,
(1839). Syria.
[Sav. Deser. Égypte. Orth. pl. 7. f. 20.]
Derocorys Albidula, Jacobs. & Bianchi, l. c.
pp. 201, 300 (1902).
7. **D. Acutispina**, Stål, l. c. iii. (14) p. 27. Egypt.
n. 1 (1875).
8. **D. Gibbosa**, Fisch.-Waldh. (*Aceridium*
Gibbosum) Bull. Soc. Nat. Moscou, 1839,
p. 301. Daghestan.
Cyphophorus Maculatus, Fisch.-Waldh. Orth.
Ross. p. 254. n. 1, pl. 19. ff. 3, 4 (1846).
Derocorys Maculata, Jacobs. & Bianchi, l. c.
pp. 201, 300 (1902).
9. **D. Roseipennis**, Redt. (*Derocorystes*
(*Cyphophorus*) R.) l. c. p. 30. n. 6 (1889). Turcomania
10. **D. Tibialis**, Fieb. (*Cyphophorus* T.) Asia
ll. cc. p. 121. n. 1 (1853); p. 20. n. 1 Minor.
(1854).
D. Tibialis, Jacobs. & Bianchi, l. c. p. 300
(1902).
11. **D. Annulata**, Fieb. (*Cyphophorus Annu-* id.
latus) ll. cc. p. 121. n. 2 (1853); p. 21.
n. 2 (1854).
D. Annulata, Jacobs. & Bianchi, l. c. p. 300
(1902).

Genus 548. **Mitricephala.**

Bol. Ann. Mus. Genova, xxxix. p. 91 (1898).

- | | | |
|--|--|-----------|
| 1. M. Vittata , Bol. l. c. p. 92. n. 44 | | Mentawai. |
| (1898). | | |

Genus 549. **Hysiella.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (1906).

|| *Hysia*, Stål (*nee* Muls.), Bihang Svensk. Akad. Handl. iii. (14) p. 30 (1875), v. (4) p. 44 (1878).

- | | | |
|---|--|------------|
| 1. H. Nigricornis , Stål, (<i>Hysia</i> N.) l. c. | | Madagascar |
| iii. (14) p. 30. n. 1 (1875). | | |
| 2. H. Inermis , Karsch, (<i>Hysia</i> L.) Stett. | | id. |
| Ent. Zeit. lvii. p. 278. n. 40 (1896). | | |

Genus 550. **Euthymia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 29 (1875), v. (4) p. 45 (1878); Finot, Ann. Soc. Ent. France, lxxi. p. 620 (1903).

- | | | |
|---|--|--------------------------|
| 1. E. Melanocerca , Stål, l. c. iii. (14) p. 29. n. 1 (1875); Finot, l. c. pp. 622, 623. n. 1, ff. 1, 2 (1903). | | Madagascar |
| 2. E. Polychroma , Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 190, pl. 11. f. 2 (1893); Finot, l. c. pp. 622, 625. n. 2 (1903). | | Nossi-Bé,
Madagascar |
| 3. E. Saussurei , Finot, ll. cc. n. 3 (1903). | | id. |
| 4. E. Bolivari , Finot, l. c. pp. 622, 627, 628. n. 4, ff. 3-5 (1903). | | id. |
| 5. E. Brevifrons , Stål, l. c. v. (4) p. 90. n. 1 (1878); Finot, l. c. pp. 621, 629. n. 5 (1903). | | Borneo. |
| 6. E. Kirbyi , Finot, l. c. pp. 622, 629, 630. n. 6, ff. 6, 7 (1903). | | S. India,
Kodaikanal. |
| 7. E. Scudderi , Finot, l. c. pp. 622, 630-632. n. 7, f. 8 (1903). | | Madagascar |
| ** 8. E. Fasciata , Walk. (<i>Oxya</i> F.) Cat. Derm. Salt. B. M. iv. p. 646. n. 5 (1870).
<i>E. Kraussi</i> , Finot, l. c. pp. 622, 632. n. 8 (1903). | | id. |
| 9. E. (?) Brunneri , Finot, l. c. pp. 622, 633-639. n. 9, ff. 9-13 (1903). | | id. |

Genus 551. **Gemeneta.**

Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 71 (1892).

1. **G. Terrea, Karsch**, l. c. p. 72. n. 10, | Cameroons.
f. 1 (1892).

Genus 552. **Gymnidium.**

Karsch, Stettin. Ent. Zeit. lvii. p. 278 (1896).

1. **G. Turbinatum, Karsch**, l. c. p. 279. | Cape.
n. 41, f. 14 (1896).

Genus 553. **Ixalidium.** (*Type* no. 1.)

Gerst Arch. Naturg. xxxv. p. 220 (1869) ;
Von der Decken's Reisen in Ost-Afrika, Ins. p. 46 (1873).

1. **I. Hæmatoscelis, Gerst.** ll. cc. p. 220. E. Africa.
n. 73 (1869) ; p. 47, n. 73, pl. 3, ff. 6, 6a
(1873).
2. **I. (?) Gabonense, Bris.** (*Aeridium G.*) Gaboon.
Bull. Soc. Ent. France, (2) ix. p. lxxviii
(1851).

Genus 554. **Lentula.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 45, 90 (1878).

- *1. **L. Obtusifrons, Stål**, l. c. p. 90. n. 1 | Natal.
(1878).
2. **L. Modicicrus, Karsch**, Stettin. Ent. Kilima-
Zeit. lvii. p. 279. n. 42 (1896). | njaro.
3. **L. Turgidicrus, Karsch**, l. c. p. 280. E. Africa,
n. 43 (1896). | Kitui.

Genus 555. **Gergis.**

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 29 (1875).

1. **G. Pallidinervis**, Stål, l. c. p. 29. n. 1 | Madagascar.
(1875).

Genus 556. **Mazæa.**

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 54 (1876) ;
v. (4) p. 12 (1878).

1. **M. Granulosa**, Stål, l. c. iv. (5) p. 54. n. 1 | Cameroons,
(1876) ; Karsch, Berlin. Ent. Zeitschr. Guinea.
xxxvi. p. 179. n. 13 (1891).
M. Granulosa, var. *Cingulata*, Bol. Mém.
Soc. Ent. Belg. xvi. p. 105. n. 92 (1908).

Genus 557. **Barombia.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 180 (1891).

1. **B. Tuberculosa**, Karsch, l. c. p. 180. | Cameroons,
n. 14, fig. (1891). | Guinea.
B. Tuberculosa, var. *Sublevis*, Bol. Mem.
Soc. Españ. i. p. 226 (1905).

Genus 558. **Pterotiltus.** (*Type no. 2.*)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 108 (1893) ; Dominique, Bull. Soc. Ouest France, x. p. 206 (1900).

|| *Pygostolus*, Karsch (*nec Hal.*), l. c. xxxvi. p. 192 (1891).

1. **P. Cœruleocephalus**, Bol. Mem. Soc. Cameroons.
Españ. i. p. 227 (1905).
2. **P. Impennis**, Karsch, (*Pygostolus I.*) id.
l. c. p. 193. n. 23, fig. (1891).
Pterotiltus Impennis, var. *Multicolor*, Bol.
l. c. p. 228 (1905).
3. **P. Finoti**, Dominique, l. c. p. 207, pl. 3. | Congo.
ff. 11-13 (1900).

4. **P. Inuncatus, Karsch**, (*Pygostolus* L.) Cameroons.
l. c. xxxvii. p. 72. n. 11 (1892).
Pterotiltus Inuncatus, var. *Nigroantennata*,
Bol. Mém. Soc. Ent. Belge, xvi. p. 106.
n. 94 (1908).
5. **P. Miniatulus, Karsch**, l. c. xxxviii. Adeli.
p. 108. n. 75 (1893).
6. **P. Apicalis, Bol.** *Mem. Soc. Españ. i.* Fernando
p. 226 (1905). Po.

Genus 559. **Opiptacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 650 (1870).

- *1. **O. Hilaris, Walk.** l. c. p. 650. n. 1 | New
(1870). | Hebrides.

Genus 560. **Cranaë.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 41, 85 (1878);
Brunn. Abhandl. Senckenb. Ges. xxiv. p. 236 (1898).

1. **C. Patagiata, Stål**, l. c. p. 85. n. 1 Amboina.
(1878); Brunn. l. c. p. 236. n. 1 (1898). |
 2. **C. Emendata, Brunn.** l. c. pp. 236, 237. Borneo.
n. 2 (1898).
 3. **C. Tibialis, Brunn.** ll. cc. n. 3 (1898). | Kei.
 4. **C. Marginata, Brunn.** ll. cc. n. 4 (1898). | Gilolo.
 5. **C. Kuekenthali, Brunn.** (*C. Kuekenthali*) id.
l. c. pp. 236, 238. n. 5. pl. 18. f. 36
(1898).
 6. **C. Pervittata, Brunn.** l. c. pp. 236, 238. Amboina.
n. 6 (1898).
 7. **C. Nigroreticulata, Brunn.** l. c. pp. 236. Gilolo.
239. n. 7 (1898).
 8. **C. Unistrigata, De Haan**, (*Oryza Unistrigatum*) Temminck. Verhandel. Orth. N. Guinea,
p. 156. n. 23 (1842). Waigiu.
- Acridium* (*Oryza*) *Unistrigatum* (♂ nec ♀).
De Haan, l. c. p. 158. n. 21. pl. 21. f. 7
(1842).
Acridium Unistrigatum, Stål. Recens. Orth.
i. p. 53 (1873).
C. Unistrigata, Brunn. Ann. Mus. Genova,
xxxix. p. 88. n. 40 (1898).
Toniophora Unistrigata, Brun. Biol. Centr.-
Amer., Orth. ii. pp. 245, 247. n. 6 (1907).

Genus 561. **Pseudocranaë.**

Bol. Ann. Mus. Genova, xxxix. p. 89 (1898). 6-696.

1. **P. Loriæ**, Bol. l. c. p. 90. n. 42 (1898). | N. Guinea.

Genus 562. **Lucretilis.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 41, 85 (1878).

- | | |
|---|-----------|
| 1. L. Tæniata , Stål, l. c. p. 85. n. 1 (1878). | Sumatra. |
| 2. L. Antennata , Bol. Ann. Mus. Genova, xxxix. p. 88. n. 41 (1898). | Mentawai. |

Genus 563. **Kapaoria.**

Bol. Ann. Mus. Genova, xxxix. p. 87 (1898). 6-676.

1. **K. Novæ-Guinææ**, Bol. l. c. n. 39 (1898). | N. Guinea.

Genus 564. **Phalaca.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. vi. p. 392 (1906).

|| *Phemonoe*, Stål (*ner Reich.*), Bihang Svensk. Akad. Handl. v. (4) pp. 41, 86 (1878).

- | | |
|---|--------------------|
| **1. P. Grylloides , Walk. (<i>Oryza</i> G.) Cat. Derm. Salt. B. M. iv. p. 649. n. 25 (1870). | Ceram.
Amboina. |
| <i>Phemonoe Rufovittata</i> , Stål, l. c. p. 86. n. 1 (1878). | |
| **2. P. Antica , Walk. (<i>Oryza</i> A.) l. c. p. 649. n. 26 (1870). | Philippines. |
| 3. P. Coleoptrata , Bol. Ann. Mus. Genova, xxxix. p. 90. n. 43 (1898). | N. Guinea. |

Genus 565. **Tarbaleus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 234 (1898).

1. **T. Pilosus, Brunn.** l. c. p. 235. n. 1. Gilolo.
pl. 18. f. 35 (1898).
2. **T. Decoloratus, Brunn.** l. c. p. 235. n. 2. Amboina.
(1898).

Genus 566. **Nautia.** (*Type* no. 1.)

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 42, 87 (1878);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 242 (1907).
Ædalometopon, Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 418
 (1905). (*Type* no. 2.)

1. **N. Flavomarginata, Stål**, l. c. p. 87. n. 1. Panama.
(1878); Brun. l. c. p. 243. n. 1 (1907).
2. **N. Petasata, Rehn**, (*Ædalometopon Petasatum*) l. c. pp. 418-420, ff. 19, 20
(1905).
N. Petasata, Brun. l. c. p. 243. n. 2 (1907).
3. **N. Consersipes, Brun.** l. c. pp. 243, 244. n. 3 (1907). Nicaragua.
4. **N. Vittagenæ, Brun.** l. c. p. 243. n. 4. British
(1907). Guiana.
5. **N. Ornatipes, Brun.** l. c. n. 5 (1907). id.

Genus 567. **Ophthalmolampis.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 394 (1859); Stål, Recens. Orth. i.
 p. 33 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 42
 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43
 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 244
 (1907).

1. **O. Colibri, Sauss.** l. c. p. 394 (1859). Guiana.
2. **O. Yersini, Sauss.** l. c. (1859). S. Amer.(?).
3. **O. Geniculata, Stål**, (*Teniphora G.*) Brazil.
Recens. Orth. i. p. 54. n. 2 (1873).
4. **O. Cinctipennis, Stål**, Bihang Svensk. Peru.
Akad. Handl. v. (4) p. 87. n. 1 (1878).
5. **O. Trochilus, Gerst.** (*Acridium T.*) Bogota.
Stett. Ent. Zeit. xxxiv. p. 189. n. 14
(1873).

- | | |
|---|--------------------|
| 6. O. Bracteata, Gerst. (<i>Acridium Bracteatum</i>) l. c. p. 190. n. 15 (1873). | Brazil. |
| 7. O. Pulchripes, Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 23. n. 18 (1889). | Amazons. |
| 8. O. Modesta, Gerst. l. c. p. 24. n. 19 (1889). | Amazons, Itaituba. |
| 9. O. Punicea, Gerst. l. c. p. 25. n. 20 (1889). | Peru. |
| 10. O. Speciosissima, Gerst. l. c. p. 26. n. 21 (1889). | Fonte Boa. |
| 11. O. Dichroa, Gerst. l. c. p. 27. n. 22 (1889). | Ega. |

Genus 568. **Tæniophora.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 34, 53 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 42, 88 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 244 (1907).

- | | |
|---|--------------|
| 1. T. Dentipes, Stål, Recens. Orth. i. p. 53. n. 1 (1873); Brun. l. c. p. 245. n. 1 (1907). | New Granada. |
| 2. T. Pulchripes, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 88. n. 1 (1878); Brun. l. c. p. 245. n. 2 (1907). | id. |
| 3. T. Femorata, Brun. l. c. n. 3 (1907). | Costa Rica. |
| 4. T. Carinipes, Gerst. (<i>Ommatolampis C.</i>) Stett. Ent. Zeit. xxxiv. p. 195. n. 28 (1873); Brun. l. c. pp. 245, 246. n. 4 (1907). | Bogota. |
| 5. T. Megacephala, Brun. ll. cc. n. 5 (1907). | Panama. |

Genus 569. **Mezentia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 43, 88 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 247 (1907).

1. **M. Gibbera, Stål,** l. c. p. 88. n. 1 (1878). Panama.

Genus 570. **Hisychius.** (*Type* no. 1.)

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 44, 89 (1878);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 43, 52 (1898);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 247 (1907).

1. **H. Nigrispinus**, Stål, l. c. p. 89. n. 1 | Peru.
 (1878); Giglio-Tos, l. c. p. 52 (1898).
2. **H. Festæ**, Giglio-Tos, l. c. xii. (301) p. 3 | Panama.
 (1897), xiii. (311) p. 52 (1898).
3. **H. Minor**, Giglio-Tos, l. c. xiii. (311) | Ecuador.
 p. 53 (1898).

Genus 571. **Dicæarchus.**

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 44, 89 (1878);
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898);
 Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 250 (1907-8).

1. **D. Cribellatus**, Stål, l. c. p. 89. n. 1 | Colombia.
 (1878); Brun. l. c. p. 250. n. 1 (1908).

Genus 572. **Rhicnoderma.** (*Type* no. 1.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 28 (1889); Giglio-Tos,
 Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 212, 247 (1907).

1. **R. Olivacea**, Gerst. l. c. p. 29. n. 23 | Chiriqui.
 (1889); Brun. l. c. p. 248. n. 1 (1907).
2. **R. Basalis**, Brun. l. c. n. 2 (1907). | Mexico.
3. **R. Glabra**, Brun. l. c. pp. 248, 249. n. 3 | Costa Rica.
 (1907-1908).
4. **R. Pugnax**, Brun. ll. cc. n. 4 (1907-8). | Mexico.
Aristia Megacephala, Brun. l. c. pl. 3.
 ff. 21, 21 a-d (1907).
5. **R. Humilis**, Rehn, (*R. Humile*) Proc. | Costa Rica.
 Acad. Nat. Sci. Philad. lvii. p. 415,
 ff. 15, 16 (1905).
R. Humilis, Brun. l. c. pp. 248, 250. n. 5
 (1907-1908).

Genus 573. **Trybliophorus.** (Type no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 274 (1831); Ins. Orth. p. 631 (1839); Brullé, Hist. Nat. Ins. ix. p. 219 (1835); Burm. Handb. Ent. ii. p. 618 (1838); Walk. Cat. Derm. Salt. B. M. iii. p. 546, iv. pp. 606, 607 (1870); Brunn. Ann. Mus. Genova, xxxiii. p. 136 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 251 (1907-8).

Stegastris, Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 21 (1889).
(Type no. 3.)

- | | |
|--|--|
| <p>* 1. T. Bivittatus, Walk. l. c. iv. p. 608 (1870).</p> <p>2. T. Octomaculatus, Serv. ll. cc. p. 275. n. 1 (1831); p. 632. n. 1 (1839); Burm. l. c. p. 619 (1838); Brun. l. c. p. 251. n. 1 (1908).</p> <p>3. T. Volucris, Gerst. (<i>Stegastris</i> V.) l. c. p. 22. n. 16 (1889).</p> <p>4. T. Corallipes, Gerst. (<i>Stegastris</i> C.) l. c. n. 17 (1889).</p> | <p>Brazil.</p> <p>Gayenne.</p> <p>Ega.</p> <p>Fonte Boa.</p> |
|--|--|

Genus 574. **Antandrus.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 19 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 136 (1893).

|| *Podisma*, Blanch. (nec Latr.) Gay, Hist. Chil., Zool. vi. p. 74 (1851).

- * 1. **A. Viridis**, Blanch. (*Podisma* V.) l. c. Chile. p. 75. n. 1 [Orth. pl. 3. f. 8, ined.] (1851).
A. Viridis, Bol. Viaje al Pacif. p. 44 (1884).

Genus 575. **Quilta.**

Quilta, Stål, Eugénies Resa, Orth. p. 337 (1860); Recens. Orth. i. pp. 41, 80 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 46 (1878).

1. **Q. Mitrata**, Stål, (*Acridium* (*Quilta*)¹ I. Keelong. *Mitratum*) Eugénies Resa, Orth. p. 337. n. 89 (1860).

Genus 576. **Gesonia.** (Type no. 1.)

Stål, Bihang Svensk Akad. Handl. v. (4) p. 47 (1878).

- * 1. **G. Punctifrons**, Stål, (*Acridium* (*Oxya*) P.) Eugenes Resa, Orth. p. 336. n. 87 (1860).
Oxya Punctifrons, Stål, Recens. Orth. i. p. 81. n. 1 (1873).
 ** *Heteracris Tenais*, Walk. Cat. Derm. Salt. B. M. iv. p. 668. n. 26 (1870).
 2. **G. Zonocera**, Navás, Bol. Soc. Aragon, Philippines. iii. p. 136. n. 11 (1904).

Genus 577. **Oxya.** (Type no. 1.)

Serv. Ann. Sci. Nat. xxii. pp. 264, 286 (1831); Ins. Orth. p. 675 (1839); Burm. Handb. Ent. ii. pp. 602, 634 (1838); De Haan, Temminck, Verhandel., Orth. p. 155 (1842); Stål, Recens. Orth. i. pp. 41, 81 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878); Brunn. Ann. Mus. Genova, xxxiii. pp. 136, 151 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 301 (1902).

- * 1. **O. Hyla**, Serv. Ann. Sci. Nat. xxii. S., E., & W. p. 287. n. 1 (1831).
Acridium Hyla, Serv. Ins. Orth. p. 678. n. 40, pl. 12. f. 4 (1839).
 ** *Heteracris Viridivitta*, Walk. Cat. Derm. Salt. B. M. iv. p. 660. n. 10 (1870).
Oxya Serrulata, Krauss, Zool. Jahrb. Syst. v. p. 662. n. 15, pl. 45. ff. 8, 8 A, B (1891); Brunn. l. c. pp. 151, 152. n. 1 (1893).
 ** ♀. *Heteracris Humeralis*, Walk. l. c. p. 662. n. 16 (1870).
 2. **O. Cyanoptera**, Stål, Recens. Orth. i. S. Leone. p. 83. n. 5 (1873).
 * 3. **O. Velox**, Fabr. (*Gryllus V.*) Mant. Ins. i. p. 239. n. 50 (1787).
O. Velox, Burm. l. c. p. 635. n. 3 (1838); Brunn. l. c. p. 152. n. 2 (1893); Jacobs. & Bianchi, l. c. pp. 201, 301 (1902); Frogg. Agric. Gaz. N. S. Wales, xv. p. 243, f. 3 (1905).
 Asia et insulis;
 Australia.

- Acridium (Oxya) Velox*, *De Haan*, l. c. pp. 156, 157. n. 15 (1842).
O. Hyla, *Serv.*, pt. (*nec typ.*), *Ann. Sci. Nat.* xxii. p. 287. n. 1 (1831).
Acridium Hyla, pt., *Serv. Ins. Orth.* p. 678. n. 40 (1839).
Gryllus Chinensis, *Thunb.* *Mém. Acad. Pétersb.* v. p. 253 (1815), ix. pp. 398, 419. n. 71 (1824).
O. Chinensis, *Stål*, l. c. p. 82. n. 4 (1873).
Gryllus Lutescens, *Thunb.* ll. cc. p. 254 (1815), pp. 399, 427. n. 99 (1824).
Gryllus Japonicus, *Thunb.* ix. pp. 400, 429. n. 105 (1824).
** *Acridium Sinense*, *Walk.* l. c. p. 628 (1870); *Finot*, *Ann. Soc. Ent. France*, lxxvi. p. 343 (1907).
** *Acridium Nitidulum*, *Walk.* l. c. p. 631 (1870); *Finot*, l. c. p. 333 (1907).
** *Heteracris Apta*, *Walk.* l. c. p. 666. n. 23 (1870).
** *Heteracris Straminea*, *Walk.* l. c. n. 24 (1870).
4. **O. Vicina, Brunn.** l. c. p. 152. n. 3 (1893); *Rehn*, *Proc. Acad. Nat. Sci. Philad.* liv. p. 635 (1903); *Jacobs. & Bianchi*, l. c. pp. 201, 302 (1902). China, Japan, Himalaya.
*5. **O. Intricata, Stål**, (*Acridium (Oxya) Intricatum*) *Eugenies Resa*, *Orth.* p. 335. n. 86 (1860). China, Ceylon, Malacca, Java, Philippines, &c.
O. Intricata, *Stål*, *Recens. Orth.* i. p. 82. n. 3 (1873); *Brunn.* l. c. pp. 152, 153. n. 4 (1893).
6. **O. Prasinifera, Walk. (*Heteracris (?) P.*) l. c. v. Suppl. p. 65 (1871). Bombay.
7. **O. Simplex, Walk. (*Heteracris S.*) l. c. iv. p. 669. n. 31 (1870). Philippines.
O. Lobata, *Stål*, *Öfv. Vet.-Akad. Förh.* xxxiv. (10) p. 53. n. 1 (1877).
8. **O. Vittigera, Blanch.** (*Acridium Vittigerum*) *Voy. Pôle Sud*, iv. p. 371, *Orth.* pl. 3. f. 9 (1853). // *Paris. Mus. Hist. Nat.* 1853. New Guinea.
*9. **O. Rufipes, Brunn.** l. c. pp. 152, 153. n. 5 (1893). Cochin China, Penang, &c. Buitenzorg.
10. **O. (?) Obtusa, De Haan**, (*Acridium (Oxya) Obtusum*) l. c. pp. 155, 156. n. 12 (1842).

11. **O. (?) Luteola, De Haan,** (*Acridium* Kravang,
(*Oxya*) *Luteolum*) l. c. pp. 155, 157. n. 14 Amboina.
(1842).
12. **O. (?) Unistrigata, De Haan,** (♀ nec ♂) New
(*Acridium* (*Oxya*) *Unistriatum*) l. c. Guinea.
p. 158. n. 21, pl. 21. f. 8 (1842).
13. **O. Vitticollis, Blanch.** (*Acridium Vitti-* id.
colle) l. c. p. 373, pl. 1. f. 10 (1853).
- **14. **O. Gavis, Walk.** (*Heteracris G.*) l. c. Ceram.
iv. p. 669. n. 30 (1870).
15. **O. (?) Dorsigera, Burm.** l. c. p. 635. n. 2 St. Johanna.
(1838).
16. **O. (?) Clavuligera, Serv.** (*Acridium* N. America.
Clavuliger) Ins. Orth. p. 676. n. 38, pl. 14.
f. 11 (1839).

Genus 578. **Caryanda.** (*Type* no. 2.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878).

1. **C. Sanguineo-annulata, Brun.** Ann. Pegu.
Mus. Genova, xxxiii. p. 154. n. 1, pl. 5.
f. 52 (1893).
2. **C. Spuria, Stål,** (*Acridium* (*Oxya*) Java.
Spurium) Eugénies Resa. Orth. p. 336.
n. 88 (1860). ~~Stål~~
Oxya Spuria, Stål, Recens. Orth. i. p. 83.
n. 6 (1873).
3. **C. Agomena, Karsch,** Stettin. Ent. Zeit. Togo.
lvii. p. 282. n. 45 (1896).

Genus 579. **Digentia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878).

1. **D. Punctatissima, Stål,** (*Oxya P.*) l. c. | W. Africa.
iii. (14) p. 33. n. 2 (1875).

Genus 580. **Pododula.**

Karsch, Stettin. Ent. Zeit. lvii. p. 283 (1896).

1. **P. Ancisa, Karsch,** l. c. n. 47, f. 17 | Togo.
(1896).

Genus 581. **Dibastica.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 9 (1907).

1. **D. Modesta**, Giglio-Tos, l. c. p. 10 Congo.
(1907).
2. **D. Major**, Bol. Mém. Soc. Ent. Belge, Umangi.
xvi. p. 106. n. 96 (1908).
3. **D. Viridis**, Bol. l. c. n. 97 (1908). Kinchassa.

Genus 582. **Badistica.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 194 (1891).

1. **B. Bellula**, Karsch, l. c. p. 195. n. 35, Cameroons.
fig. (1891).
2. **B. Lauta**, Karsch, Stettin. Ent. Zeit. lvii. Togo.
p. 282. n. 46, ff. 16, 16 a (1896).
3. **B. Ornata**, Bol. Mem. Soc. Españ. i. Ashanti.
p. 229 (1905).

Genus 583. **Bermius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 48, 91 (1878).

1. **B. Brachycerus**, Stål, l. c. p. 92. n. 1 Sydney.
(1878).
2. **B. Odontocercus**, Stål, l. c. n. 2 (1878). N. Australia.
3. **B. Infirmus**, Stål, l. c. n. 3 (1878). id.
4. **B. Acutus**, Stål, l. c. p. 93. n. 4 (1878). id.

Genus 584. **Hieroglyphus.** (*Type* no. 1.)Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Classe, lxxvi. (1)
p. 41 (1877); Stål, Bihang Svensk. Akad. Handl. v. (4)
pp. 48, 93 (1878).

1. **H. Daganensis**, Krauss, l. c. p. 42. n. 1, Senegal.
pl. 1. ff. 6, 6 A, B (1877); Stål, l. c. p. 93.
n. 1 (1878).
- *2. **H. Banian**, Fabr. (*Gryllus* B.) Suppl. China,
Ent. Syst. p. 194 (1798). India.

- Acridium Furcifer*, *Serr.* Ins. Orth. p. 677. n. 39, pl. 14. f. 12 (1839).
Oryza Furcifer, *De Haan*, Temminck, Verhandel., Orth. p. 155. n. 10 (1842).
 *3. **H. Concolor**, **Walk.** (*Oryza* C.) Cat. China, Derm. Salt. B. M. iv. p. 646. n. 7 (1870). India.
H. Tarsalis, *Stål*, l. c. p. 94. n. 3 (1878).
 4. **H. Citrinolimbatus**, **Brunn.** Ann. Mus. India, Genova, xxxiii. p. 154. n. 2 (1893). Burma.

Genus 585. **Tauchira.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 48 (1878).

1. **T. Polychroa**, *Stål*, (*Oryza* P.) l. c. iii. Malacca.
 (14) p. 32. n. 1 (1875).
 2. **T. Abbreviata**, *Serv.* (*Acridium Abbreriatum*) Ins. Orth. p. 678. n. 41 (1839). Java,
 Sumatra.
 3. **T. Buæ**, *Bol.* Ann. Mus. Genova, xxxix. Engano.
 p. 92. n. 45 (1898). ♀ - 626
 4. **T. Lucida**, *Karsch*, Denkschr. Med.-nat. Java.
 Ges. Jena, viii. p. 760, pl. 67. f. 7 (1903).

Genus 586. **Racilia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 48, 94 (1878).

1. **R. Femoralis**, *Stål*, l. c. p. 94. n. 1 Philippines.
 (1878).
 2. **R. Aurora**, *Brunn.* Ann. Mus. Genova, Burma.
 xxxiii. p. 155. n. 1, pl. 5. f. 53 (1893).

Genus 587. **Praxibulus.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. Hist. Nat. vi. p. 393 (1906).

|| *Praxilla*, *Stål* (*nec Reich.*), Bihang Svensk. Akad. Handl. v. (4) pp. 49, 95 (1878).

1. **P. Laminata**, *Stål*, (*Praxilla* L.) l. c. N. S. Wales.
 p. 95. n. 1 (1878).
 2. **P. Latipennis**, *Stål*, (*Praxilla* L.) l. c. Lord
 p. 96. n. 2 (1878). Howe's I.
 3. **P. Geniculata**, *Stål*, (*Praxilla* G.) l. c. N. Australia.
 n. 3 (1878).

Genus 588. **Cercina.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 49, 97 (1878).

1. **C. Obtusa**, Stål, l. c. p. 97. n. 1 (1878). † Ceylon.

Genus 589. **Diexis.**

Zub. Hor. Soc. Ent. Ross. xxxii. p. 594 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 301 (1902).

1. **D. Varentzowi**, Zub. l. c. p. 595 (1898); Trans-Jacobs. & Bianchi, l. c. pp. 201, 302, caspia. ff. 33, 34 (1902).

Genus 590. **Pezotettix.*** (Type no. 1).

Burm. Germar, Zeitschr. Ent. ii. p. 51 (1840); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 201, 302 (1902).

Pelecycus, Fieb. Lotos, iii. p. 119 (June 1853); Syn. Eur. Orth. p. 19 (1854).

Pelecycleis, Fieb. Lotos, iv. p. 196 (1854).

Platyphyma, Fisch. Orth. Eur. pp. 298, 373 (Nov. 1853); Bol. Ortopt. Españ. pp. 87, 94 (1876); An. Soc. Españ. v. pp. 293, 300 (1876); Ann. Sci. Nat. Porto, iv. p. 219 (1897), v. p. 31 (1898); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (4) p. 49 (1878); Brunn. Prodr. Eur. Orth. pp. 87, 230 (1882); Finot, Orth. France, pp. 45, 82 (1883); Faune France, Orth. pp. 102, 164 (1889); Tümp. Geradfl. Mitteleuropas, pp. 215, 220, 251 (1900).

- | | |
|---|---|
| <p>* 1. P. Giornæ, Rossi, (<i>Gryllus</i> G.) Mant. Ins. ii. p. 104. n. 72 (1794); Charp. Hor. Ent. p. 175 (1825).
 <i>Acridium Giornæ</i>, Serv. Ins. Orth. p. 680. n. 43 (1839).
 <i>Pelecycus Giornæ</i>, Fieb. Lotos, iii. p. 119. n. 1 (1853); Syn. Eur. Orth. p. 19. n. 1 (1854).
 <i>Pelecycleis Giornæ</i>, Fieb. Lotos, iv. p. 196. n. 12 (1854).</p> | <p>S. Europe,
 Asia
 Minor.</p> |
|---|---|

- Platyphyma Giorna*, *Fisch.* l. c. p. 374. n. 1, pl. 15. ff. 24, 24 a (1853); *Stål*, l. c. iv. (5) p. 18. n. 1 (1876); *Bol.* ll. cc. p. 95. n. 1, pl. 2. f. 12 (1876); v. p. 301. n. 1, pl. 11. f. 12 (1876); v. p. 31. n. 1 (1898); *Brunn.* l. c. p. 230. n. 1, pl. 7. f. 54 A, B (1882); *Finot*, ll. cc. p. 82 (1883); p. 164, pl. 8. f. 115 (1889); *Tümp.* l. c. pp. 220, 251, pl. 20 (1900); *Jacobs. & Bianchi.* l. c. pl. 7 (1902).
- Pezotettix Giorna*, *Jacobs. & Bianchi.* l. c. p. 201 (1902).
- Podisma Commune*, *Costa*, *Faun. Nap.* *Ortott.* p. 48. n. 4, pl. 4. ff. 6 A b, d, 7 A b, d (1836).
- Platyphyma Giorna*, var. *Rugipes*, *Brunn.* l. c. p. 231 (1882). Spain,
Algeria.
2. **P. Platycerca**, **Stål**, (*Platyphyma P.*) l. c. iv. (5) p. 18. n. 2 (1876). Asia
Minor,
Syria.
- Pezotettix Platycercus*, *Jacobs. & Bianchi.* l. c. pp. 202, 303 (1902).
3. **P. Rugulosa**, **Stål**, (*Platyphyma R.*) l. c. p. 18. n. 3 (1876). iid.
- Pezotettix Rugulosus*, *Jacobs. & Bianchi.* l. c. pp. 202, 303 (1902).

Genus 591. **Jivarus**.

Giglio-Tos. *Boll. Mus. Torino.* xiii. (311) pp. 41, 51 (1898);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 251 (1907-8).

1. **J. Americanus**, **Giglio-Tos**, l. c. p. 54 (1898). Ecuador.

Genus 592. **Conophyma**. (*Type* no. 1.)

Zub. *Ann. Mus. Pétersb.* iii. p. 105 (1898); *Jacobs. & Bianchi*,
Prem. i Lozhn. Ross. Imp. pp. 173, 202, 303 (1902).

1. **C. Semenovi**, **Zub.** l. c. p. 106. n. 73 (1898). Semi-
palatinsk.
C. Semenovi, *Jacobs. & Bianchi*, l. c. pp. 202, 303. f. 35 (1902).
2. **C. Weberi**, **Zub.** *Hor. Soc. Ent. Ross.* xxxii. p. 584 (1898); *Jacobs. & Bianchi*, l. c. pp. 202, 304 (1902). Samarkand.

- | | |
|--|------------|
| 3. C. Fedtschenkoi, Zub. l. c. xxxiv. p. 23
(1900); Jacobs. & Bianchi, l. c. pp. 202,
304 (1902). | Zerafshan. |
| 4. C. Sokolowi, Zub. l. c. xxxii. p. 588
(1898); Jacobs. & Bianchi, l. c. pp. 202,
304 (1902). | Tashkend. |
| 5. C. Simile, Zub. l. c. p. 591 (1898);
Jacobs. & Bianchi, l. c. pp. 202, 305
(1902). | Samarkand. |

Genus 593. **Arminda.**

Krauss, Zool. Anz. xv. p. 168 (1892).

- | | |
|--|-----------|
| 1. A. Brunneri, Krauss, l. c. (1892). | Tenerife. |
|--|-----------|

Genus 594. **Loryma.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 49 (1878).

- | | |
|--|-------|
| 1. L. Vittipennis, Stål, (<i>Platyphyma</i> F.)
l. c. iii. (14) p. 32. n. 1 (1875). | Cape. |
|--|-------|

Genus 595. **Spathosternum.** (Type no. 1.)Karsch, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1)
p. 44 (1877); Stål, Bihang Svensk. Akad. Handl. v. (4)
pp. 50, 97 (1878).

- | | |
|---|--|
| 1. S. Nigrotæniatum, Stål, (<i>Tristria Nigro-
tæniata</i>) Öfv. Vet.-Akad. Förh. xxxiii.
(3) p. 45. n. 1 (1876).
<i>S. Nigrotæniatum, Karsch,</i> l. c. p. 45. n. 1,
pl. l. f. 7 (1877). | Damara
Land,
Senegal,
India,
Siam. |
| 2. S. Pygmæum, Karsch, Berlin. Ent.
Zeitschr. xxxviii. p. 110. n. 78 (1893). | Adeli. |
| 3. S. Venulosum, Stål, Bihang Svensk.
Akad. Handl. v. (4) p. 97. n. 1 (1878). | India (?). |
| ** 4. S. Caliginosum, Walk. (<i>Caloptenus
Caliginosus</i>) Cat. Derm. Salt. B. M. v.
Suppl. p. 69 (1871). | Bombay. |
| *** <i>Stenobothrus Strigulatus, Walk.</i> l. c. p. 82
(1871). | |

Genus 596. **Tristria.** (*Type* no. 1.)

Stal. Recens. Orth. i. pp. 40, 80 (1873): Bihang Svensk. Akad. Handl. v. (4) p. 50 (1878): Karny. Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 295 (1907).

- | | |
|---|-------------------------|
| 1. T. Lacerta, Stål , Recens. Orth. i. p. 80.
n. 1 (1873); Karny, l. c. p. 295. n. 1
(1907). | China. |
| 2. T. Pallida, Karny , l. c. p. 295. n. 2,
p. 296. n. 44, pl. 1. ff. 7, 8 (1907). | Gondokoro,
Kordofan. |
| 3. T. Pulla, Karny , l. c. p. 295. n. 3
(1907). | Sierra
Leone. |
| 4. T. Sudanensis, Karny , l. c. p. 295.
n. 4, p. 297. n. 45, pl. 1. ff. 9, 10 (1907). | Soudan. |
| 5. T. Brunneri, Karny , l. c. p. 296. n. 5
(1907). | German
E. Africa. |
| 6. T. Tristis, Karny , l. c. n. 6 (1907). | Bogos. |
| 7. T. Discoidalis, Bol. Journ. Sci. Lisboa,
(2) i. p. 212. n. 183 (1890). | Braganza. |
| 8. T. Angolensis, Bol. l. c. p. 213. n. 184
(1890). | Angola. |
| 9. T. Suturalis, Karsch , Stettin. Ent. Zeit.
lvii. pp. 283, 286. n. 48 (1896); Karny,
l. c. p. 296. n. 7 (1907). | Togo. |
| <i>T. Discoidalis, Karsch (nec Bol.)</i> , Berlin.
Ent. Zeitsch. xxxviii. p. 110. n. 79 (1893). | |
| 10. T. Conops, Karsch , Stettin. Ent. Zeit.
lvii. pp. 284, 287. n. 49, f. 18 (1896);
Karny, l. c. p. 296. n. 9 (1907). | id. |
| 11. T. Marginicosta, Karsch , l. c. pp. 285,
288. n. 50 (1896); Karny, l. c. p. 296.
n. 8 (1907). | id. |
| 12. T. Ornata, Karny , l. c. n. 10 (1907). | Slave Coast. |

Genus 597. **Oraistes.**

Karsch, Stettin. Ent. Zeit. lvii. p. 288 (1896).

- | | |
|--|------------------------------|
| 1. O. Luridus, Karsch , l. c. p. 289. n. 51,
f. 19 (1896). | Zanzibar,
Delagoa
Bay. |
|--|------------------------------|

Genus 598. **Oxyrrhepes.** (*Type* no. 1.)

Stål, Öfv. Vet.-Akad. Förh. xxx. (4) pp. 40, 53 (1873); *Recens.* Orth. i. pp. 40, 79 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 51 (1878); Bol. An. Soc. Españ. xv. pp. 342, 343 (1886); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 111, 112 (1893).

- | | |
|--|---|
| <p>**1. O. Extensa, Walk. (<i>Acridium Extensum</i>)
Ann. Nat. Hist. (3) iv. p. 222 (1859);
Finot, Ann. Soc. Ent. France, lxxvi.
p. 337 (1907).
<i>Opsomula Lineatitarsis</i>, Stål, Eugenes
Resa, Orth. p. 324. n. 66 (1860).
<i>Oxyrrhepes Lineatitarsis</i>, Stål, <i>Recens.</i>
Orth. i. p. 79. n. 1 (1873); Bol. l. c.
p. 343. n. 1 (1886).
**<i>Heteracris Strangulata</i>, Walk. Cat. Derm.
Salt. B. M. iv. p. 665. n. 22 (1870).
**<i>Heteracris Antica</i>, Walk. l. c. p. 668. n. 29
(1870).</p> | <p>China,
India,
Ceylon,
Burma,
Java,
Gilolo.</p> |
| <p>*2. O. Virescens, Stål, l. c. p. 79. n. 2
(1873); Bol. l. c. p. 343. n. 2 (1886);
Karsch, l. c. pp. 112, 113. n. 81 (1893).</p> | <p>W. Africa.</p> |
| <p>3. O. Elegans, Bol. Jorn. Sci. Lisb. viii.
p. 116. n. 32 (1882); An. Soc. Españ. xv.
p. 343. n. 3 (1886); Karsch, l. c. pp. 112,
113. n. 82 (1893).</p> | <p>Ambriz.</p> |
| <p>*4. O. Procera, Burm. (<i>Oxya P.</i>) Handb.
Ent. ii. p. 635. n. 1 (1838).
<i>Oxyrrhepes Procera</i>, Bol. An. Soc. Españ.
xv. p. 343. n. 4 (1886).
<i>O. Procerus</i>, Karsch, l. c. pp. 112, 113.
n. 80 (1893).</p> | <p>E. Africa.</p> |
| <p>*5. O. Iradierii, Bol. l. c. pp. 342, 343. n. 5
(1886).</p> | <p>W. Africa.</p> |
| <p>6. O. Prosternalis, Karny, Sitz. Akad.
Wiss. Wien, Math.-nat. Kl. cxvi. p. 297.
n. 46 (1907).</p> | <p>Gondokoro.</p> |

Genus 599. **Petamella.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 11 (1907).

1. **F. Fallax**, Giglio-Tos, l. c. p. 12 (1907). | Congo.

Genus 600. **Metapula.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 10 (1907).

1. **M. Olivacea, Giglio-Tos**, l. c. p. 11 | Congo.
(1907).

Genus 601. **Tropidopola.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 43, 86 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 51 (1878); Bol. Ortópt. Españ. pp. 87, 98 (1876); An. Soc. Españ. v. pp. 293, 304 (1876); Ann. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 35 (1898); Jacobs. & Bianchi, l. c. pp. 173, 202, 306 (1902).

|| *Opsomala, Fieb.* (*nee Opshomala, Serv.* 1831) Lotos, iii. p. 98 (1853), iv. p. 178 (1854); Syn. Eur. Orth. p. 9 (1854).

|| *Opomala, Fisch.* (*nee Agass.*) Orth. Eur. pp. 296, 305 (1853); Brunn. Prodr. Eur. Orth. pp. 87, 232 (1882).

- *1. **T. Cylindrica, Marsch.** (*Gryllus Cylindricus*) Ann. Wien. Mus. i. p. 310. n. 3, pl. 18. f. 2 (1835).
Minorea, Sicily, Greece,

Opsomala Cylindrica, Fieb. ll. cc. iii. p. 98. n. 1 (1853), iv. p. 178. n. 1 (1854); p. 9. n. 1 (1854).
Egypt, Syria, Java (?).

Opomala Cylindrica, Fisch. l. c. p. 306. n. 2, pl. 15. ff. 6, 6a, 7 (1853); Brunn. l. c. p. 232. n. 1, pl. 7. f. 55 (1882).

T. Cylindrica, Bol. ll. cc. p. 98. n. 1, pl. 2. f. 13 (1876); v. p. 304. n. 1, pl. 11. f. 13 (1876); v. p. 35. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 202, 306. f. 36 (1902).

Opsomala Fasciculata, Charp. Germar, Zeitschr. Ent. iii. p. 306 (1841); Charp. Orth. pl. 14 (1841).

Opsomala Pisciformis, Serv. Ins. Orth. p. 594. n. 13 (1839).

2. **T. Sicula, Serv.** (*Opsomala S.*) l. c. n. 14 (1839).
Sardinia.

Opomala Sicula, Fisch. l. c. p. 307. n. 3 (1853).

3. **T. (?) Longicornis, Fieb.** (*Opsomala L.*) Greece, Lotos, iii. p. 98. n. 2 (1853); Syn. Eur. Orth. p. 9. n. 2 (1854).
Egypt.

4. **T. (?) Syriaca, Walk.** (*Opomala (?) Syrica*) Cat. Derm. Salt. B. M. v. Suppl. p. 51 (1871); Jacobs. & Bianchi, l. c. p. 306 (1902).
Dead Sea.

5. **T. (?) Japonica, Motsch.** (*Truvalis J.*) Japan.
 Bull. Soc. Nat. Mosc. xxxix. (1) p. 181
 (1866); Jacobs. & Bianchi, l. c. p. 307
 (1902).

Genus 602. **Metapa.** (*Type no. 1.*)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 51, 97 (1878).

- | | |
|--|-----------|
| 1. M. Natalensis, Stål, l. c. p. 97. n. 1
(1878). | Natal. |
| 2. M. Usambarica, Karsch, Stettin. Ent.
Zeit. lvii. p. 290. n. 53 (1896). | Usambara. |
| <i>Ischnacrida Natalensis, Krauss (nec Stål),</i>
Sitz. Akad. Wiss. Wien, Math.-nat. Cl.
lxxvi. (1) p. 46. n. 2, pl. 2. ff. 17, 17 A, B
(1878). | |

Genus 603. **Peitharchicus.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 240 (1898).

- | | |
|---|-------------------|
| 1. P. Fasciatus, Brunn. l. c. n. 1, pl. 18.
f. 37 (1898). | Borneo,
Baram. |
|---|-------------------|

Genus 604. **Leptacris.** (*Type no. 1.*)

Walk. Cat. Derm. Salt. B. M. iv. p. 676 (1870).

Capellea, Bol. Ann. Soc. Ent. France, lxx. p. 616 (1902).
(Type no. 1.)

- | | |
|---|---------------------|
| *1. L. Filiformis, Walk. l. c. p. 676. n. 1
(1870). | S. India,
Ceylon |
| <i>Capellea Argenteovittata, Bol.</i> l. c. p. 616,
pl. 9. ff. 33, 33 a (1902). | (eadem?). |
| 2. L. Maxima, Karny, (<i>Ischnacrida M.</i>)
Sitz. Akad. Wiss. Wien, Math.-nat. Kl.
cxvi. p. 298. n. 1 (1907). | Himalaya. |

Genus 605. **Ischnacrida.** (*Type no. 1.*)

Ischnacrida, Stål, Öfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873).

Ischnacrida, Stål, Recens. Orth. i. pp. 44, 87 (1873); Bihang
Svensk. Akad. Handl. v. (4) p. 52 (1878); Karsch, Berlin.

Ent. Zeitschr. xxxviii. pp. 112, 114 (1893) : Karny, Sitz.
Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 298 (1907).

- **1. I. Convergens, Walk.** (*Opomala* C.) Cat. Bengal.
Derm. Salt. B. M. iii. p. 511. n. 26 (1870).
Ischnacrida Taniata, Stål, Öf. Vet.-Akad.
Förh. xxx. (4) p. 53. n. 1 (1873).
Ischnacrida Taniata, Stål, Recens. Orth. i.
p. 87. n. 2 (1873) ; Karny, l. c. p. 299.
n. 2 (1907).
- 2. I. Violacea, Karny**, l. c. n. 3, p. 301. Soudan.
n. 48 (1907).
- **3. I. Tarsalis, Walk.** (*Opomala* T.) l. c. Silhet.
p. 512. n. 27 (1870).
- 4. I. Pallida, Burm.** (*Opsomala* P.) Handb. W. Africa.
Ent. ii. p. 611. n. 2 (1838).
I. Pallida, Krauss, Sitz. Akad. Wiss. Wien,
Math.-nat. Classe, lxxvi. p. 45. n. 1, pl. 2.
ff. 16, 16 A (1878) ; Karny, l. c. pp. 299,
300. n. 4 (1907).
- 5. I. Testacea, Karny**, l. c. p. 299. n. 5 Gaboon.
(1907).
- 6. I. Hova, Karsch**, Stettin. Ent. Zeit. lvii. Madagascar
pp. 289, 290. n. 52, f. 20 (1896) ; Karny,
l. c. p. 299. n. 6 (1907).
- *7. I. Monteiroi, Bol.** Journ. Sci. Lisboa, (2) Braganza,
i. p. 214. n. 189, pl. 1. f. 6 (1890) ; Ambriz,
Karsch, Berlin. Ent. Zeitschr. xxxviii. Zomba.
p. 114. n. 84 (1893) ; Karny, l. c. p. 299.
n. 8 (1907).
- 8. I. Pulchra, Karny**, l. c. p. 300. n. 9 Madagascar
(1907).
- 9. I. Fusca, Karny**, l. c. n. 10 (1907). Ceylon.
- *10. I. Vittata, Fabr.** (*Truxalis* Vittatus) China,
Mant. Ins. p. 231. n. 3 (1787) ; Thunb. Java,
Nova Acta Upsal. ix. p. 80 (1827). Timor
Gryllus Vittatus, Donovan, Ins. China, (eadem ?).
pl. 10. f. 2 (1798).
Truxalis (*Mesops*) Vittatus, Westw. Don.
Ins. China, p. 23, pl. 10. f. 2 (1842).
I. Vittata, Stål, Recens. Orth. i. p. 87. n. 1
(1873) ; Karny, l. c. p. 300. n. 11 (1907).
| (?) *Acridium* (*Opsomala*) *Pisciforme*, De
Haan (nec Serv.), Temminck, Verhandel.,
Orth. p. 147. n. 1 a (1842).

Genus 606. **Rhamphacrida.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 112, 114 (1893).

1. **R. Kraussii**, **Bol.** (*Ischnacrida* K.) Journ. Sci. Lisboa, (2) i. p. 215. n. 190 (1890); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 299. n. 7 (1907).
R. Kraussi, *Karsch*, l. c. p. 115. n. 84 (1893). | Braganza, Adeli.

Genus 607. **Bactrophora.**

Westw. Arcana Ent. i. p. 66 (1842).

- **1. **B. Dominans**, **Westw.** l. c. pl. 17. f. 2 | Hab. — ?
 (1842).

Genus 608. **Scolecocephalus.**

Brun. Entom. News, xvi. p. 315 (1905).

|| *Bactrophora*, *Brun.* (*nec Westw.*) Biol. Centr.-Amer., Orth. ii. pp. 212, 250 (1907-8).

1. **S. Mirabilis**, **Brun.** Ent. News, xvi. p. 315. pl. 11 (1907). | Costa Rica.
 || *Bactrophora Dominans*, *Brun.* (*nec Westw.*) Biol. Centr.-Amer., Orth. ii. p. 250. n. 1 (1908).

Genus 609. **Escalera.**

Bol. Mem. Soc. Esp. i. p. 231 (1905).

1. **E. Opilionoides**, **Bol.** l. c. p. 232 (1905). | Biafra.

Genus 610. **Pristocorypha.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 291 (1896).

- *1. **P. Corneola**, **Karsch**, l. c. p. 292. n. 54, f. 21 (1896). | Zanzibar.
 2. **P. Latruncularia**, **Karsch**, l. c. p. 292. n. 55 (1896); Bol. Mem. Soc. Españ. i. p. 232 (1905). | Cameroons, Biafra.

Genus 611. **Gerista.**

Bol. Mem. Soc. Esp. i. p. 233 (1905).

1. **G. Dimidiata**, Bol. l. c. p. 234 (1905). Fernando Po.

Genus 612. **Acanthoxia.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (1906).

! *Gonyacantha*, Stål (*nee* Thoms.), Recens. Orth. i. p. 43 note (1873).

- | | | | | | | | |
|---|--|---------------|--|--------|--|----------------------|--|
| <ol style="list-style-type: none"> *1. A. Gladiator, Westw. (<i>Opsomala G.</i>) Arcana Ent. i. p. 65, pl. 17. f. 1 (1842).
<i>Gonyacantha Gladiator</i>, Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 302. n. 49 (1902). **2. A. Ensator, Walk. (<i>Mesops E.</i>) Cat. Derm. Salt. B. M. iii. p. 501. n. 5 (1870). *3. A. Cultrifer, Brancs. (<i>Gonyacantha C.</i>) Jahresb. Ver. Trenes. Com. xvii.-xviii. p. 252, pl. 8. f. 4 a, b (1895). | <table border="0"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Sierra Leone.</td> <td></td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Natal.</td> <td></td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Zambesi, Nyasa Land.</td> <td></td> </tr> </table> | Sierra Leone. | | Natal. | | Zambesi, Nyasa Land. | |
| Sierra Leone. | | | | | | | |
| Natal. | | | | | | | |
| Zambesi, Nyasa Land. | | | | | | | |

Genus 613. **Gonyacanthella.**

Gonyacanthella (*err. impr.*), Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 13 (1907).

- | | | |
|--|--|---------|
| <ol style="list-style-type: none"> 1. G. Lanceolata, Bol. (<i>Gonyacantha L.</i>) J. Sci. Lisb. (2) i. p. 215, pl. 1. ff. 7, 7 a (1890).
<i>Gonyacanthella Lanceolata</i>, Giglio-Tos, l. c. p. 13 (1907). | <table border="0"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Angola.</td> </tr> </table> | Angola. |
| Angola. | | |

Genus 614. **Carsula.**

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 53, 100 (1878) ;
Brunn. Ann. Mus. Genova, xxxiii. pp. 137, 156 (1893).

- | | | | |
|---|---|--------------|--------|
| <ol style="list-style-type: none"> 1. C. Sulciceps, Stål, l. c. p. 100. n. 1 (1878). 2. C. (?) Tenera, Brunn. l. c. p. 157. n. 1, pl. 5. f. 53* (1893). | <table border="0"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Philippines.</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Burma.</td> </tr> </table> | Philippines. | Burma. |
| Philippines. | | | |
| Burma. | | | |

Genus 615. **Xenippa.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 52, 98 (1878).

- | | |
|--|-----------------------|
| 1. X. Viridula , Stål, l. c. p. 98. n. 1 (1878). | Khartoum. |
| 2. X. Prasina , Bol. Ann. Soc. Ent. France, lxx. p. 617 (1902). | S. India
(Madura). |

Genus 616. **Cervidia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 53, 99 (1878).

- | | |
|--|------------|
| *1. C. Lobipes , Stål, l. c. p. 99. n. 1 (1878). | Cape York. |
| **2. C. (?) Brevitibia , Walk. (<i>Opomala B.</i>)
Cat. Derm. Salt. B. M. iii. p. 515. n. 37 (1870). | Australia. |
| **3. C. (?) Amæna , Walk. (<i>Opomala A.</i>) l. c. n. 36 (1870). | id. |

Genus 617. **Legua.**

Walk. Cat. Derm. Salt. B. M. iii. p. 502 (1870); Brun. Biol. Centr.-Amer., Orth. ii. p. 251 (1908).
Prorachthes, Brun. l. c. p. 212 (1907). *ms Gerst.*

- | | |
|---|-------------|
| *1. L. Crenulata , Stoll, (<i>Gryllus Locusta Crenulatus</i>) Spectres, Saut. p. 14, pl. 6 b. f. 18 (1813).
<i>Mesops Crenulatus</i> , Burm. Handb. Ent. ii. p. 610. n. 4 (1838).
<i>Acridium (Opsomala) Stollii</i> , De Haan, Temminck, Verhandel., Orth. pp. 147, 148. n. 13 (1842).
<i>L. Crenulata</i> , Walk. l. c. p. 503. n. 1 (1870); Brun. Biol. Centr.-Amer., Orth. ii. p. 251. n. 1 (1908). | Costa Rica. |
|---|-------------|

Genus 618. **Prorachthes.**

Gerst. Mitth. Ver. Neu-Vorpommern, xx. p. 38 (1889).
Prorachthes, Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 44 (1898).

- | | |
|---|-------------------|
| 1. P. Insignis , Gerst. l. c. p. 40. n. 34 (1889). | Amazons,
Peru. |
|---|-------------------|

Genus 619. **Gelastorrhinus.** (*Type* no. 3.)

Gelastorrhinus, *Brunn.* Ann. Mus. Genova, xxxiii. pp. 137, 157 (1893); *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 633 (1899).

Gelastorrhinus, *Burr.* Trans. Ent. Soc. Lond. 1902, pp. 154, 180. -0-1050

- *1. **G. Edax**, *Sauss.* l. c. p. 634. n. 2, pl. 38. Madagascar
ff. 31, 32 (1899); *Burr.* l. c. p. 180. n. 1,
p. 181. n. 26 (1902). Abyssinia,
India, Ceyl.
- **2. **G. Semipictus**, *Walk.* (*Opomala Semi-* S. India.
picta) Cat. Derm. Salt. B. M. iii. p. 512.
n. 28 (1870).
- Var. *G. Tryxaloides*, *Bol.* Ann. Soc. Ent.
France, lxx. p. 617, pl. 9. f. 34 (1902).
- 3. **G. Albolineatus**, *Brunn.* l. c. p. 158. Burma.
n. 1, pl. 5. f. 54 (1893); *Burr.* l. c.
p. 181. n. 2, p. 182. n. 27 (1902).
- 4. **G. Selache**, *Burr.* l. c. p. 181. n. 3, p. 182. Sikkim.
n. 28 (1902).
- 5. **G. Glacialis**, *Fritze*, Rev. Suisse Zool. Sumatra.
vii. p. 338, pl. 16. f. 1 *a-c* (1899).
- *6. **G. Bicolor**, *De Haan*, (*Acridium* (*Opsomala*) *B.*) Temminck, Verhandel., Orth. Japan,
pp. 147, 148. n. 7 (1842). Java,
G. Lucius, *Burr.* l. c. p. 181. n. 4, p. 182. Singapore.
n. 29 (1902).
- *7. **G. Tæniata**, *Serv.* (*Opsomala T.*) Ins. Java.
Orth. p. 591. n. 7 (1839).
Acridium (*Opsomala*) *Tæniatum*, *De Haan*,
l. c. pp. 147, 148. n. 8 (1842).
- **8. **G. Pictus**, *Walk.* (*Opomala Picta*) l. c. Hab. — ?
iii. p. 516. n. 40 (1870).
- *9. **G. Esox**, *Burr.* l. c. p. 181. n. 5, p. 183 Japan.
(1902).
- **10. **G. Sinensis**, *Walk.* (*Tryxalis S.*) l. c. China.
v. Suppl. p. 49 (1871).
- **11. **G. (?) Filatus**, *Walk.* (*Mesops F.*) l. c. N. India.
iii. p. 502. n. 8 (1870).
- 12. **G. (?) Tibialis**, *Serv.* (*Opsomala T.*) Hab. — ?
l. c. p. 591. n. 9 (1839).
- 13. **G. (?) Laticornis**, *Serv.* (*Opomala L.*) Bombay.
l. c. p. 590. n. 6 (1839).

Genus 620. **Gonista.**

Bol. Ann. Mus. Genova, xxxix. p. 92 (1898).

1. **G. Antennata**, **Bol.** l. c. p. 93. n. 46 | Sumatra.
(1898). |

Genus 621. **Mesopsis.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. Hist. Nat. vi. p. 392 (1906).

|| *Mesops*, *Serv.* (*nec Billb.*) Ann. Sci. Nat. xxii. p. 267 (1831);
Ins. Orth. pp. 566, 585 (1839); Burm. Handb. Ent. ii.
p. 609 (1838); Stål, Recens. Orth. i. p. 44 (1873);
Bihang Svensk. Akad. Handl. v. (4) p. 53 (1878).

- | | |
|--|--|
| <p>*1. M. Abbreviatus, Beauv. (<i>Truxalis</i> A.)
Ins. Afr. Amér. p. 18, Orth. pl. 2. f. 4
(1805).
<i>Mesops Abbreviatus</i>, <i>Serv.</i> ll. cc. p. 267.
n. 1 (1831); p. 586. n. 1 (1839); Burm.
l. c. p. 610. n. 1 (1838).</p> | <p>W. Africa.</p> |
| <p>*2. M. Laticornis, Krauss, (<i>Mesops</i> L.)
Sitz. Akad. Wiss. Wien, Math.-nat. Kl.
lxxvi. (1) p. 49. n. 1, pl. 2. ff. 13, 13 A-H
(1876).
<i>M. Laticornis</i>, var. <i>Infuscata</i>, <i>Krauss</i>, l. c.
p. 50 (1876).</p> | <p>Senegal,
Sierra
Leone,
Nigeria.</p> |
| <p>3. M. Carinulatus, Bol. Mém. Soc. Ent.
Belge, xvi. p. 107. n. 103 (1908).</p> | <p>Banana
(Congo?).</p> |
| <p>*4. M. Gracilicornis, Krauss, (<i>Mesops</i> G.)
l. c. p. 51. n. 2, pl. 2. ff. 14, 14 A (1876).</p> | <p>Senegal,
Sierra
Leone.</p> |
| <p>5. M. Filum, Bol. (<i>Mesops</i> F.) Jorn. Sci.
Lisboa, (2) i. p. 216. n. 193 (1890).</p> | <p>Braganza.</p> |

Genus 622. **Leptysma.** (*Type* no. 6.)

Stål, Recens. Orth. i. pp. 42, 85 (1873); Bihang Svensk. Akad.
Handl. v. (4) p. 40 (1878); Scudd. Guide N. Amer. Orth.
p. 41 (1897); Blatchley, Rep. Indiana Dept. Geol. xxvii.
pp. 286, 287 (1903); Giglio-Tos, Boll. Mus. Torino, xiii.
(311) p. 44 (1898); Brun. 2nd Locust Comm. B. Aires,

pp. 53, 65 (1900); P. U.S. Nat. Mus. xxx. pp. 641, 657 (1906); Journ. N. York Ent. Soc. xiv. pp. 151, 152 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 252 (1907-8).

- *1. **L. Marginicollis, Serv.** (*Opsomala M.*) Southern States, Mexico.
 Ins. Orth. p. 591 (1839).
Opomala Marginicollis, Thomas, Syn. Acrid. N. Amer. pp. 66, 196 (1873).
L. Marginicollis, Stål, Recens. Orth. i. p. 86. n. 3 (1873); Scudd. Psyche, ix. p. 116 (1900); Blatchl. l. c. p. 288. n. 54, f. 61 (1903); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. p. 788 (1905); Brun. Biol. Centr.-Amer., Orth. ii. p. 253. n. 3 (1908).
Leptysmia Marginicollis, Comst. Man. Stud. Ins. p. 111, f. 123 (1895).
- || *L. Mexicana*, Brun. (nec Sauss.) Biol. Centr.-Amer., Orth. ii. pl. 3. ff. 24, 24 a (1908).
2. **L. Mexicana, Sauss.** (*Opomala M.*) Mexico, Lower California.
 Rev. Zool. (2) xiii. p. 156 (1861); Thomas, Syn. Acrid. N. Amer. p. 197 (1873).
L. Mexicana, Riley, N. Amer. Fauna, vii. p. 252 (1893); Brun. Biol. Centr.-Amer., Orth. ii. p. 253. n. 2 (1908).
Cornops Mexicanum, Brun. l. c. pl. 3. ff. 25, 25 a (1908).
3. **L. Argentina, Brun.** Proc. U.S. Nat. Mus. xxx. p. 658 (1906). Argentina.
4. **L. Gracilis, Brun.** l. c. (1906). Brazil.
5. **L. Minima, Brun.** Journ. N. York Ent. Soc. xiv. p. 152. n. 58 (1906); Biol. Centr.-Amer., Orth. i. p. 253. n. 1 (1908). Trinidad.
- *6. **L. Dorsalis, Burm.** (*Mesops D.*) Handb. Ent. ii. p. 610. n. 3 (1838). Brazil, Argentina, Paraguay.
Opsomala Filiformis, Serv. l. c. p. 593. n. 12 (1839); Waterh. Aid Ident. Ins. i. pl. 23 (1881).
L. Filiformis, Stål, l. c. p. 85. n. 1 (1873); (?) Bol. Viaje al Pacif. p. 50 (1884); Brun. Proc. U.S. Nat. Mus. xxx. p. 658 (1906).
- *7. **L. Obscura, Thunb.** (*Truxalis Obscurus*) Brazil, Paraguay.
 Nova Acta Upsal. ix. pp. 77, 79. n. 1 (1827).

- L. Obscura*, Stål, l. c. p. 86. n. 2 (1873);
 Brun. l. c. p. 658 (1906).
 8. **L. Cyanoptera**, Gerst. Mitth. Ver. Neu-Amazonas
 Vorpomm. xx. p. 37. n. 33 (1889). (Iquitos).
 9. **L. (?) Flavipes**, Burm. (*Truxalis* F.) Brazil.
 l. c. p. 609. n. 9 (1838).

Genus 623. **Oxyphyma.**

Sauss. Rev. Zool. (2) xiii, p. 156 (1861).

1. **O. Jurinei**, Sauss. l. c. p. 157 (1861). | S. Amer.(?).

Genus 624. **Leptysmia.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 34 (1894), xiii.
 (311) p. 44 (1898); Brun. 2nd Locust Comm. B. Aires,
 pp. 53, 65 (1900); Journ. N. York Ent. Soc. xiv. p. 151
 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 658 (1906).

- *1. **L. Pallida**, Giglio-Tos, l. c. ix. (184) | S. America.
 p. 35, pl. 1. ff. 8, 8' (1894); Brun. 2nd
 Rep. Locust Comm. B. Aires, p. 65
 (1900); P. U.S. Nat. Mus. xxx. p. 658,
 pl. 38. f. 1 (1906).
 || *L. Rosea*, Brun. (*nec text, nec Giglio-*
Tos) 2nd Rep. Locust Comm. B. Aires,
 p. 65, f. 29 (1900).
 2. **L. Rosea**, Giglio-Tos, l. c. p. 35 (1894); | Argentina.
 Brun. l. c. p. 65 (1900).

Genus 625. **Cylindrotettix.** (*Type* no. 1.)

Brun. Journ. N. York Ent. Soc. xiv. pp. 151, 153 (1906);
 Biol. Centr.-Amer., Orth. ii. pp. 212, 252 (1907-8).

1. **C. Insularis**, Brun. ll. cc. xiv. p. 153. | Trinidad.
 n. 59 (1906); ii. p. 252. n. 1 (1908).
 2. **C. Herbaceus**, Brun. Biol. Centr.-Amer., | Honduras,
 Orth. ii. p. 252 (1908). Costa Rica.

Genus 626. **Stenacris.** (*Type* no. 8.)

Walk. Cat. Derm. Salt. B. M. iv. p. 651 (1870).

Arnilia, Stål, Recens. Orth. i. pp. 42, 85 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 40 (1878); Scudd. Guide N. Amer. Orth. p. 41 (1897); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 44 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 65 (1900); Journ. N. York Ent. Soc. xiv. pp. 151, 153 (1906); Proc. U.S. Nat. Mus. xxx. p. 641 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 254 (1907-8). (*Type* no. 9.)

- | | |
|--|--|
| <p>*1. S. Vitreipennis, Marsch. (<i>Gryllus</i> V.)
Ann. Wien. Mus. i. p. 214. n. 7, pl. 18.
f. 6 (1835).</p> | <p>Southern
United
States.</p> |
| <p><i>Arnilia Vitreipennis</i>, Brun. Biol. Centr.-
Amer., Orth. ii. pp. 255, 256. n. 2 (1908).</p> | |
| <p>**<i>S. Chlorizans</i>, Walk. l. c. p. 652. n. 3
(1870); Rehn & Heb. Proc. Acad. Nat.
Sci. Philad lvi. p. 787 (1905).</p> | |
| <p><i>Mesops Chlorizans</i>, Thomas, Syn. Acrid.
N. Amer. p. 60 (1873).</p> | |
| <p><i>Arnilia Chlorizans</i>, Scudd. Proc. Boston
Soc. Nat. Hist. xix. p. 88 (1877).</p> | |
| <p><i>Arnilia Cylindrodes</i>, pt., Stål, Recens. Orth.
i. p. 85. n. 1 (1873).</p> | |
| <p>2. S. Marschalli, Brun. (<i>Arnilia M.</i>) l. c.
pp. 255, 256. n. 3 (1908).</p> | <p>Costa Rica.</p> |
| <p>3. S. Minor, Brun. (<i>Arnilia M.</i>) Ohio Nat.
vii. p. 11. n. 21 (1906); Biol. Centr.-
Amer., Orth. ii. pp. 255, 257. n. 4
(1908).</p> | <p>Mexico,
Guatemala.</p> |
| <p>4. S. Propinqua, Brun. (<i>Arnilia P.</i>) Biol.
Centr.-Amer., Orth. ii. pp. 255, 257. n. 5
(1908).</p> | <p>id.</p> |
| <p>5. S. Fissicauda, Brun. (<i>Arnilia F.</i>) l. c.
pp. 255, 258. n. 6 (1908).</p> | <p>Trinidad,
British</p> |
| <p> <i>Arnilia Cylindrodes</i>, Brun. (<i>nec</i> Stål)
Journ. N. York Ent. Soc. xiv. p. 153.
n. 60 (1906).</p> | <p>Guiana.</p> |
| <p>6. S. Colombiæ, Brun. (<i>Arnilia C.</i>) Biol.
Centr.-Amer., Orth. ii. pp. 255, 258. n. 7
(1908).</p> | <p>Colombia.</p> |
| <p>**7. S. Concolor, Walk. l. c. p. 652. n. 2
(1870).</p> | <p>Pará.</p> |

- **8. **S. Lanceolata**, Walk. l. c. p. 651. n. 1. Santarem.
(1870).
- *9. **S. Cylindrodes**, Stål, (*Opsomala* C.) S. America.
Eugenies Resa, Orth. p. 325. n. 67
(1860).
Arnilia Cylindrodes, Stål, Recens. Orth. i.
p. 85. n. 1 (1873); Brun. 2nd Rep.
Locust Comm. B. Aires, pp. 65, 66
(1900); Proc. U.S. Nat. Mus. xxx. p. 659
(1906).
10. **S. Gracilis**, Giglio-Tos, (*Arnilia* G.) Argentina,
l. c. xii. (302) p. 30 (1897); Brun. 2nd
Rep. Locust Comm. B. Aires, pp. 65, 66
(1900); Biol. Centr.-Amer., Orth. ii.
p. 254 (1908). Paraguay.
11. **S. (?) Coriacea**, Burm. (*Truxalis* C.) Brazil.
Handb. Ent. ii. p. 608. n. 4 (1838).

Genus 627. **Oxybleptella.**

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 33 (1894), xiii. (311)
p. 44 (1898); Brun. Journ. N. York Ent. Soc. xiv.
p. 151 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 660
(1906).

1. **O. Sagitta**, Giglio-Tos, l. c. ix. (184) Brazil,
p. 33, pl. 1. f. 7 (1894). Paraguay.

Genus 628. **Inusia.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 30 (1897), xiii.
(311) p. 44 (1878); Brun. Journ. N. York Ent. Soc. xiv.
p. 151 (1906); P. U.S. Nat. Mus. xxx. pp. 641, 660 (1906);
Biol. Centr.-Amer., Orth. ii. pp. 212, 259 (1907-8).

1. **I. Gracillima**, Giglio-Tos, l. c. xii. (302) Bolivia,
p. 31 (1897); Brun. Biol. Centr.-Amer.,
Orth. ii. p. 259 (1908).
2. **I. Chipmani**, Brun. (*I. Chimpani*, err.
impr.) Journ. N. York Ent. Soc. xiv. Trinidad,
p. 154. n. 61 (1906). Guiana.
I. Chipmani, Brun. Biol. Centr.-Amer.,
Orth. ii. pp. 259, 260. n. 2 (1908).

3. **I. Pallida, Brun.** P. U.S. Nat. Mus. xxx. p. 660 (1906) ; Biol. Centr.-Amer., Orth. ii. p. 259 (1908). Paraguay.
4. **I. Nana, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 259, 260. n. 1 (1908). Costa Rica.
5. **I. Janeiroensis, Brun.** l. c. p. 259 (1908). Rio Janeiro.
6. **I. Bicolor, Brun.** l. c. pp. 259, 260. n. 3 (1908). Mexico, Centr.Amer.
7. **I. Inornatipes, Brun.** ll. cc. n. 4 (1908). Mexico.
8. **I. Antillarum, Rehn,** Proc. U.S. Nat. Mus. xxxv. pp. 395, 396. ff. 1, 2 (1908). St. Thomas (W. Indies).

Genus 629. **Stenopola.**

Stål, Recens. Orth. i. pp. 42, 83 (1873).

- *1. **S. Dorsalis, Thunb.** (*Truxalis D.*) Nova Pará. Acta Upsal. ix. p. 80 (1827).
S. Dorsalis, Stål, Recens. Orth. i. p. 83. n. 1 (1873).
- ** *Opomala Femoralis, Walk.* Cat. Derm. Salt. B. M. iii. p. 509. n. 18 (1870).
- **2. **S. (?) Vittata, Walk.** (*Opomala V.*) l. c. p. 509. n. 17 (1870). Amazons.

Genus 630. **Oxyblepta.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 84 (1873).

Stenopola, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 39 (1878) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898) ; Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906) ; P. U.S. Nat. Mus. xxx. pp. 641, 661 (1906) ; Biol. Centr.-Amer., Orth. ii. pp. 213, 260 (1907-8).

- *1. **O. Puncticeps, Stål,** (*Opsomala P.*) Rio Janeiro, Eugenes Resa, Orth. p. 325. n. 68 Paraguay. (1860).
Stenopola (Oxyblepta) Puncticeps, Stål, Recens. Orth. i. p. 84. n. 2 (1873).
(?) S. Puncticeps, Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 31 (1894).

- | | |
|--|--|
| <p>*2. O. Bohlsii, Giglio-Tos, (<i>Stenopola B.</i>)
Zool. Jahrb. Syst. viii. p. 813 (1895).</p> <p>*3. O. Limbatipennis, Stål, (<i>Stenopola (Oxyblepta) L.</i>) l. c. p. 85. n. 3 (1873).
<i>Stenopola Limbatipennis, Brun. Journ. N. York Ent. Soc. xiv. p. 154. n. 62 (1906); Biol. Centr.-Amer., Orth. ii. p. 261. n. 2 (1908).</i></p> <p>4. O. Xanthochlora, Marsch. (<i>Gryllus Xanthochlorus</i>) Ann. Wien. Mus. i. p. 215. n. 8, pl. 18. f. 7 (1835).
<i>Stenopola Xanthochlora, Giglio-Tos, Boll. Mus. Torino, xii. (301) p. 4 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 261. n. 1 (1908).</i></p> <p>5. O. (?) Vorax, Sauss. (<i>Caloptenus V.</i>)
Rev. Zool. (2) xiii. p. 162 (1861).</p> <p>6. O. (?) Porphyreus, Gerst. (<i>Acridium Porphyreum</i>) Stett. Ent. Zeit. xxxiv. p. 191. n. 17 (1873).</p> | <p>Paraguay.</p> <p>N. Granada,
Trinidad.</p> <p>Panama,
Brazil.</p> <p>Brazil.</p> <p>id. (?)</p> |
|--|--|

Genus 631. **Henia.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 45, 55 (1898);
Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906); Biol.
Centr.-Amer., Orth. ii. pp. 213, 261 (1907-8).

- | | |
|--|--|
| <p>1. H. Frenata, Marsch. (<i>Gryllus Frenatus</i>)
Ann. Wien. Mus. i. p. 212. n. 5, pl. 18. f. 4 (1835).
<i>H. Frenata, Giglio-Tos, l. c. p. 56 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 261. n. 1 (1908).</i></p> | <p>Brazil,
Ecuador
(eadem?),
Colombia.</p> |
|--|--|

Genus 632. **Euparnops.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 275 (1875).

1. **E. Cæruleum, Scudd.** l. c. n. 32 (1875). | Peru.

Genus 633. **Cornops.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 276 (1875);
 Giglio-Tos. Boll. Mus. Torino, ix. (184) p. 31 (1894),
 xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc.
 xiv. p. 152 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641,
 662 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 262
 (1907-8).

1. **C. Bivittatum**, Scudd. l. c. p. 276. n. 33 | Peru,
 (1875); Giglio-Tos, l. c. ix. (184) p. 32 | Paraguay.
 (1894).
 2. **C. Scudderi**, Brun. Ohio Nat. vii. p. 12. | Mexico,
 n. 24 (1906); Biol. Centr.-Amer., Orth. | Guatemala
 ii. p. 262. n. 2 (1908).
 3. **C. Insularis**, Brun. Biol. Centr.-Amer., | Trinidad.
 Orth. ii. p. 262. n. 1 (1908).
- ¶ *Cornops Bivittatum*, Brun. (nec Scudd.)
 Journ. N. York Ent. Soc. xiv. p. 154.
 n. 63 (1906).

Genus 634. **Paracornops.** (*Type* no. 1.)

Giglio-Tos. Boll. Mus. Torino, ix. (184) p. 31 (1894), xiii. (311)
 p. 45 (1898); Brun. 2nd Rep. Locust Comm. B. Aires,
 pp. 54, 66 (1900); Journ. N. York Ent. Soc. xiv. p. 152
 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 662 (1906).
 ¶ *Paracornops Stål* (nec Scudd.), Bihang Svensk. Akad. Handl. v.
 (4) p. 40 (1878).

- *1. **P. Longipenne**, De Geer, (*Aerydium* L.) Surinam,
 Mém. Ins. iii. p. 501. n. 18, pl. 42. f. 9 | Brazil,
 (1773). | Paraguay
Oecia Longipennis, Stål, Recens. Orth. i. (eadem?).
 p. 81. n. 2 (1873).
P. Longipenne, Brun. Proc. U.S. Nat. Mus.
 xxx. p. 662 (1906).
2. **P. Paraguayense**, Brun. l. c. pp. 662. | Paraguay.
 663 (1906).
3. **P. Aquaticum**, Brun. ll. cc. (1906). | id.
- *4. **P. Politum**, Brun. l. c. pp. 662. 664 | Rio Janeiro.
 (1906).

Genus 635. **Mastusia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 39, 84 (1878) ;
 Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898) ;
 Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906).

1. **M. Quadricarinata**, Stål, l. c. p. 84. n. 1 | Peru.
 (1878).
- *2. **M. Spectabilis**, Bol. An. Soc. Españ. | Upper
 xix. p. 325 (1890). | Amazons.

Genus 636. **Tetrataenia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 34, 53 (1873); Bihang Svensk.
 Akad. Handl. v. (4) p. 39 (1878); Bol. Viaje al Pacif.
 p. 48 (1884); Giglio-Tos, Boll. Mus. Torino, xiii. (311)
 p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv.
 p. 152 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 263
 (1907-8).

- *1. **T. Surinama**, Linn. (*Gryllus Surinamus*) | S. America.
 Mus. Ludov. Ulric. p. 146 (1764).
Acrydium Surinamum, Olic. Encycl. Méth.,
 Ins. p. 224. n. 39 (1791).
Acridium Surinamum, Serr. Ins. Orth.
 p. 671. n. 34 (1839).
T. Surinama, Stål, Recens. Orth. i. p. 53.
 n. 1 (1873); Bol. l. c. p. 49 (1884);
 Brun. Biol. Centr.-Amer., Orth. ii. p. 263.
 n. 1 (1908).
Acrydium Variegatum, De Geer, Mém. Ins.
 iii. p. 500. n. 17, pl. 42. f. 8 (1773).
Ommatolampis Variegata, Burm. Handb.
 Ent. ii. p. 637. n. 1 (1838).
2. **T. Nitidula**, Bol. An. Soc. Españ. xix. | Upper
 p. 324 (1890). | Amazons.
3. **T. Brachyptera**, Gerst. Mitth. Ver. | Fonte Boa.
 Neu-Vorpomm. xx. p. 19. n. 14 (1889).
4. **T. Virgata**, Gerst. (*Acridium Virgatum*) | id.
 l. c. p. 20. n. 15 (1889).

Genus 637. **Opsomala.** (Type no. 1.)

- Opsomala*, **Serr.** Ann. Sci. Nat. xxii. p. 267 (1831).
Opsomala, **Burm.** Handb. Ent. ii. p. 610 (1838); **Serv. Ins.**
 Orth. p. 586 (1839).
Opsomala, **Agass.** Nomencl. Zool. Ind. Univ. p. 262 (1846);
Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878);
Wak. Cat. Derm. Salt. B. M. v. Suppl. p. 51 (1871).
Chrosthelipus, **Bol.** Ann. Mus. Genova, xxxiii. p. 137 (1893);
Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898).

- *1. **O. Viridis, Serv.** (*Opsomala* V.) Ann. Brazil.
 Sci. Nat. xxii. p. 268. n. 1 (1831).
Opsomala Viridis, **Burm.** l. c. p. 611. n. 1
 (1838); **Serv. Ins. Orth.** p. 588. n. 1
 (1839).
Arnilia Viridis, **Brun.** Biol. Centr.-Amer.,
 Orth. ii. pp. 254, 255. n. 1 (1908).
 2. **O. Coccineipes, Brun.** (*Arnilia* C.) P. Paraguay,
 U.S. Nat. Mus. xxx. p. 659 (1906); **Biol.** | Brazil.
 Centr.-Amer., Orth. ii. pp. 254, 255
 (1908).
 3. **O. Interior, Brun.** (*Arnilia* I.) Biol. | Brazil.
 Centr.-Amer., Orth. ii. p. 254 (1908).
 4. **O. (?) Nasica, Gerst.** (*Acridium Nasica*) id.
 Stettin. Ent. Zeit. xxxiv. p. 191.
 n. 18 (1873).
 5. **O. (?) Falconina, Gerst.** (*Acridium* Rio-Janeiro.
Falconinum) l. c. n. 19 (1873).
 6. **O. (?) Stæli, Brun.** (*Arnilia Stæli*) l. c. | Brazil.
 p. 254 (1908).

Genus 638. **Epiprora.**

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 32 (1889);
Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 note (1898).

1. **E. Hilaris, Gerst.** l. c. p. 33. n. 27 | Amazons.
 (1889).

Genus 639. **Copiocera.** (Type no. 4.)

Burm. Handb. Ent. ii. pp. 602, 611 (1838); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. pp. 152, 155 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 263 (1907-8).

Glaphyracris, Walk. Cat. Derm. Salt. B. M. iv. p. 653 (1870). (Type no. 7.)

- | | |
|--|-----------------------|
| 1. C. Lepida , Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 34. n. 28 (1889). | Fonte Boa. |
| *2. C. Specularis , Gerst. l. c. p. 35. n. 29 (1889); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. pp. 417, 418. ff. 17, 18 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 263, 264. n. 2 (1908). | Chiriqui, Costa Rica. |
| 3. C. Læta , Gerst. l. c. p. 35. n. 30 (1889). | Fonte Boa. |
| *4. C. Erythrogastra , Perty, (<i>Xiphicera</i> E.) Del. Anim. Art. p. 122, pl. 24. f. 2 (1844).
<i>C. Erythrogastra</i> , Burm. l. c. p. 612. n. 2 (1838); Gerst. l. c. p. 36. n. 31 (1889); Brun. Biol. Centr.-Amer., Orth. ii. p. 263. n. 1 (1908).
<i>Opsomala Erythrogastra</i> , Serv. Ins. Orth. p. 589. n. 3 (1839). | Minas Geraes. |
| 5. C. Eucera , Marsch. (<i>Gryllus Euceros</i>) Ann. Wien. Mus. Naturg. i. p. 216. n. 9, pl. 18. f. 8 (1835).
<i>C. Eucera</i> , Burm. l. c. p. 612. n. 1 (1838). | Brazil. |
| 6. C. Austera , Gerst. l. c. p. 36. n. 32 (1889). | Iquitos. |
| *7. C. Nigricans , Walk. (<i>Glaphyracris</i> N.) l. c. p. 653. n. 1 (1870). | "Nauta." |
| 8. C. (?) Hæmotonota , Burm. (<i>Acridium Hæmatonotum</i>) l. c. p. 634. n. 19 (1838). | Brazil. |

Genus 640. **Anthinochroma.**

Berg, Com. Mus. Nac. Buenos Aires, i. p. 78 (1899).

|| *Pacilochroma*, Brancs. (nec Steph.) Jahresh. Ver. Trenchs. xix.-xx. p. 75 (1897).

- | | |
|--|-------------|
| 1. A. Jucunda , Brancs. (<i>Pacilochroma</i> J.) l. c. p. 76, pl. 3. f. 18 a-d (1897). | New Guinea. |
|--|-------------|

Genus 641. **Episcopotettix.**

Rehn, Trans. Amer. Ent. Soc. xxix. p. 13 (1902);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 213, 264 (1907-8).

1. **E. Sulcirostris**, Rehn, Trans. Amer. Ent. Soc. xxix. p. 13 (1902). Mexico.

Genus 642. **Eucopiocera.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 213, 265 (1907-8).

1. **E. Rubripes**, Brun. l. c. p. 265. n. 1. Mexico.
pl. 3. ff. 26, 26 a (1908).

Genus 643. **Proctolabus.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 393 (1859); Stal, Recens. Orth. i. p. 34 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 36 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 265 (1907-8).

Proctolabus, Thomas, Syn. Acrid. N. Amer. p. 224 (1873).
Calacris, Walk. Cat. Derm. Salt. B. M. iv. p. 639 (1870);
Thomas, l. c. p. 227 (1873). (*Type* no. 1.)

- *1. **P. Mexicanus**, Sauss. (*Ommatolampis Mexicana*) l. c. p. 393 (1859); Thom. l. c. p. 224 (1873). Mexico.

***Calacris Pudica*, Walk. l. c. p. 641. n. 12 (1870); Thomas, l. c. p. 228 (1873).

P. Mexicanus, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 533 (1904); Brun. l. c. p. 265. n. 1 (1908).

2. **P. Gracilis**, Brun. l. c. pp. 265, 266. n. 2 (1908). id.

3. **P. Brachypterus**, Brun. ll. cc. n. 3, pl. 3. ff. 19, 19 a (1908). id.

Dellia Mexicana, Brun. (*nec* Sauss.) l. c. pl. 3. ff. 14, 14 a (1908).

4. **P. Bullatus**, Rehn, Proc. U.S. Nat. Mus. xxxv. pp. 396-398. ff. 3, 4 (1908). Peru.

Genus 644. **Leioscapheus.** (*Type* no. 2.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 267 (1907-8.)

- | | |
|---|-------------|
| 1. L. Gracilicornis , Brun. l. c. p. 267. n. 1 | Costa Rica. |
| (1908). | |
| 2. L. Variegatus , Brun. l. c. pp. 267, 268. | Mexico. |
| n. 2 (1908). | |
| <i>Anniceris Variegata</i> , Brun. l. c. pl. 3. | |
| ff. 15, 15 a (1908). | |
| 3. L. Annulicornis , Brun. l. c. pp. 267, | Guatemala. |
| 268. n. 3 (1908). | |

Genus 645. **Anniceris.** (*Type* no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 37, 82 (1878) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1873) ; Giglio-
 Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898) ; Brun.
 Biol. Centr.-Amer., Orth. ii. pp. 214, 268 (1907-8).

- | | |
|---|-------------|
| 1. A. Olivaceus , Giglio-Tos, Boll. Mus. | Darien. |
| Torino, xii. (301) p. 4 (1897) ; Brun. l. c. | |
| pp. 269, 270. n. 4 (1908). | |
| 2. A. Truncatus , Rehn, Proc. Acad. Nat. | Costa Rica. |
| Sci. Philad. lvii. p. 421, f. 21 (1905) ; | |
| Brun. l. c. pp. 269, 271. n. 6 (1908). | |
| 3. A. Genuiculatus , Stål, l. c. p. 82. n. 1 | Peru. |
| (1878) ; Brun. l. c. p. 269. n. 1 (1908). | |
| 4. A. Nigrinervis , Stål, l. c. p. 83. n. 2 | N. Granada. |
| (1878) ; Brun. l. c. pp. 269, 270. n. 3 | Guatemala. |
| (1908). | |
| 5. A. Viridulus , Brun. l. c. p. 269. n. 2, | Mexico. |
| pl. 3. ff. 16, 17, 17 a (1908). | |
| 6. A. Meridionalis , Brun. l. c. pp. 269, 271. | Costa Rica. |
| n. 5 (1908). | |
| 7. A. Apicalis , Brun. ll. cc. n. 7 (1908). | id. |

Genus 646. **Bucephalacris.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 30 (1894), xiii. (311)
 p. 46 (1898) ; Brun. 2nd Rep. Locust Comm. B. Aires,
 pp. 54, 66 (1900) ; Proc. U.S. Nat. Mus. xxx. pp. 641, 664
 (1906).

1. **B. Borellii, Giglio-Tos**, l. c. xii. (302) p. 31 (1897). Bolivia,
Argentina,
¶ *B. Bucciphala, Giglio-Tos (nec Matsch.)*, Paraguay.
l. c. ix. (184) p. 31 (1894).
2. **B. Paraguayensis, Brun.** Proc. U.S. Nat. Mus. xxx. p. 665 (1906). Paraguay.

Genus 647. **Dellia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 37, 83 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 272 (1907-8).

1. **D. Insulana, Stål**, l. c. p. 83. n. 1 (1878); Brun. l. c. p. 272. n. 1 (1908). Cuba.
2. **D. Miniatula, Rehn**, Proc. Acad. Nat. Sci. Philad. lvii. pp. 423-426, ff. 22, 23 (1905); Brun. l. c. pp. 272-273. n. 4 (1908). Costa Rica.
3. **D. Bimaculata, Rehn**, l. c. pp. 426-428. f. 26, p. 424. ff. 25, 26 (1905); Brun. l. c. p. 272. n. 3 (1908). id.
4. **D. Ovatipennis, Rehn**, l. c. pp. 428-430. f. 27, p. 424. f. 24 (1905); Brun. l. c. p. 272. n. 2 (1908). id.

Genus 648. **Coscineuta.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 33, 52 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 37 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 273 (1908).

1. **C. Coxalis, Serv.** (*Aeridium Coxale*) Ins. Orth. p. 672. n. 35 (1839). N. Granada,
Peru.
C. Coxalis, Stål, Recens. Orth. i. p. 52. n. 1 (1873); Brun. l. c. p. 273. n. 1 (1908).
2. **C. Virens, Thunb.** (*Gryllus* L.) Mém. Acad. Petersb. v. p. 250 (1815), ix. pp. 398, 419. n. 70 (1824). W Indies
(St. Bar-
C. Virens, Stål, l. c. p. 52. n. 2 (1873); thelemy).
Brun. l. c. p. 273. n. 2 (1908).

- | | |
|--|---------------------------------|
| 3. C. Cicatricosa , Bol. An. Soc. Españ. | Upper
Amazons.
Nicaragua. |
| xix. p. 323 (1890). | |
| 4. C. Olivacea , Brun. l. c. pp. 273, 274. | |
| n. 3 (1908). | |

Genus 649. **Eritrichius.**

Bol. Ann. Mus. Genova, xxxix. p. 97 (1898).

- | | |
|---|----------|
| 1. E. Modiglianii , Bol. l. c. p. 98. n. 53 | Sumatra. |
| (1898). | |

Genus 650. **Zosperamerus.** (*Type* no. 2.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 274 (1907-8).

- | | |
|---|------------|
| **1. Z. Marginalis , Walk. (<i>Acridium Marginalis</i>) Cat. Derm. Salt. B. M. iv. p. 622 | Pará. |
| (1870). | |
| 2. Z. Zonatipes , Brun. l. c. p. 274. n. 1 | Nicaragua. |
| (1908). | |
| <i>Anniceris Nicaragua</i> , Brun. l. c. pl. 3. f. 18 | |
| (1908). | |

Genus 651. **Abila.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 21, 56 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); **Giglio-Tos**, Boll. Mus. Torino, xiii. (311) p. 46 (1898); **Brun.**
 Biol. Centr.-Amer., Orth. ii. pp. 214, 275 (1907-8).

- | | |
|--|-----------|
| 1. A. Latipes , Stål , l. c. p. 56. n. 1 (1878). | Brazil. |
| 2. A. Bolivari , Giglio-Tos , l. c. xv. (377) | Paraguay. |
| p. 4 (1900). | |
| 3. A. (?) Collaris , Brun. l. c. p. 275. n. 1 | Yucatan. |
| pl. 3. ff. 11, 11 a (1908). | |

Genus 652. **Psilotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 276 (1907-8).

- | | |
|---|---------|
| 1. P. Obesus , Brun. l. c. p. 276. n. 1, pl. 4. | Mexico. |
| ff. 12, 12 a (1908). | |

Genus 653. **Aristia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 21, 56 (1878) ;
 Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893) ; Giglio-
 Tos. Boll. Mus. Torino, xiii. (311) p. 46 (1898) ; Brun.
 Biol. Centr.-Amer., Orth. ii. pp. 215, 277 (1907-8).

1. **A. Megacephala, Brun.** (*Pezotettix* M.) Venezuela.
 Verh. zool.-bot. Ges. Wien, xi. p. 226
 (1861).
A. Megacephala, Stål, l. c. p. 56. n. 1
 (1878).
2. **A. Mordax, Stål**, (*Phæoparia* M.) Recens. New
 Orth. i. p. 58. n. 3 (1873). Granada.
3. **A. Depressicornis, Brun.** l. c. p. 277. Costa Rica.
 n. 1 (1908).

Genus 654. **Phæoparia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 36, 56 (1873) ; Bihang Svensk. Akad.
 Handl. v. (4) pp. 21, 57 (1878) ; Brunn. Ann. Mus. Genova,
 xxxiii. p. 138 (1893) ; Giglio-Tos, Boll. Mus. Torino, xiii.
 (311) p. 46 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii.
 pp. 215, 277 (1907-8).

- *1. **P. Linea-alba, Linn.** (*Gryllus Locusta* L.) Brazil.
 Mus. Ludov. Ulric. p. 150. n. 40
 (1764).
Truxalis Sanguineus, Thunb. Mem. Acad.
 Pétersb. v. p. 270 (1815) ; Nova Acta
 Upsal. ix. pp. 77, 80. n. 4 (1827).
P. Linea-alba, Stål, ll. cc. p. 57. n. 1
 (1873) ; p. 57. n. 1 (1878) ; Brun. l. c.
 p. 278. n. 1 (1908).
2. **P. Castanea, Brunn.** (*Opomula* C.) Paramaribo.
 Verh. zool.-bot. Ges. Wien, xi. p. 225 (1861).
P. Castanea, Stål, Bihang Svensk. Akad.
 Handl. v. (4) p. 57. n. 2 (1878) ; Brun.
 l. c. p. 278. n. 2 (1908).
3. **P. Annulicornis, Stål**, Recens. Orth. i. New
 p. 57. n. 2 (1873) ; Bihang Svensk. Akad. Granada.
 Handl. v. (4) p. 57. n. 3 (1873) ; Brun.
 l. c. pp. 278, 279. n. 3 (1908).

- | | |
|--|-------------|
| 4. P. Rotundata , Stål, Bihang Svensk. Akad. Handl. v. (4) p. 57. n. 4 (1878); Brun. l. c. pp. 278, 279. n. 4 (1908). | Chiriqui. |
| 5. P. Maculipennis , Stål, l. c. p. 58. n. 5 (1878); Brun. l. c. pp. 278, 279. n. 5 (1908). | N. Granada. |
| 6. P. Obtusa , Stål, l. c. p. 58. n. 6 (1878). | Peru. |
| 7. P. Emarginata , Stål, l. c. p. 59. n. 7 (1878); Brun. l. c. pp. 278, 280. n. 7 (1908). | Venezuela. |
| 8. P. Curtipennis , Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 274. n. 28 (1875). | Peru. |
| 9. P. Immaculata , Brun. l. c. pp. 278, 279. n. 6 (1908). | Demerara. |

Genus 655. **Adimantus**. (Type no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 666 (1906).

- | | |
|---|-----------|
| 1. A. Ornatissimus , Burm. (<i>Oryza Ornaticissima</i>) Handb. Ent. ii. p. 636. n. 4 (1838). | Brazil. |
| *2. A. Vitticeps , Blanch. (<i>Acridium V.</i>) D'Orbigny, Voy. Amér. Mér., Ins. p. 216. n. 744, pl. 27. f. 4 (1846). <i>A. Vitticeps</i> , Brun. l. c. p. 666 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 181 (1907). ♂ - ♀♀. | Paraguay. |
| 3. A. Cubiceps , Gerst. (<i>Acridium C.</i>) Stett. Ent. Zeit. xxxiv. p. 189. n. 13 (1873). ♂ - ♀♀. | Brazil. |

Genus 656. **Zygoclistron**. (Type no. 1.)

Rehn, Entom. News, xvi. p. 39 (1905); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 666 (1906).

- | | |
|---|-----------|
| *1. Z. Trachystictum , Rehn, l. c. pp. 39-41. ff. 1-3 (1905); Proc. Acad. Nat. Sci. Philad. lix. p. 181 (1907); Brun. l. c. p. 666 (1906). | Paraguay. |
| 2. Z. Superbum , Rehn, Proc. Acad. Nat. Sci. Philad. lix. pp. 181-184. f. 12 (1907). | id. |

Genus 657. **Aleuas.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 25, 69 (1878);
 Brun. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-
 Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898); Brun.
 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900);
 Proc. U.S. Nat. Mus. xxx. pp. 642, 667 (1906).

- | | |
|---|-----------|
| 1. A. Vitticollis , Stål, l. c. p. 69. n. 1 | Monte |
| (1878); Brun. Proc. U.S. Nat. Mus. xxx. | Video. |
| p. 667 (1906). | |
| 2. A. Gracilis , Stål, l. c. p. 70. n. 2 (1878); | Brazil, |
| Brun. l. c. pp. 667, 668 (1906). | Paraguay. |
| 3. A. Brachypterus , Brun. l. c. pp. 667. | Paraguay. |
| 678 (1906). | |
| 4. A. Lineatus , Stål, l. c. p. 70. n. 3 (1878); | Buenos |
| Brun. 2nd Rep. Locust Comm. B. Aires, | Aires, |
| p. 66, f. 30 (1900); Proc. U.S. Nat. Mus. | Uruguay. |
| xxx. pp. 667, 668, pl. 28. f. 10 (1906). | |

Genus 658. **Chariacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 653 (1870).

- | | |
|--|-------|
| **1. C. Dulcis , Walk. l. c. p. 654. n. 1 (1870). | Pará. |
| <i>Aceridium Amethystinum</i> , Gerst. Stett. Ent. | |
| Zeit. xxxiv. p. 189. n. 12 (1873). | |

Genus 659. **Paraleuas.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 57 (1898);
 Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 668 (1906).

- | | |
|--|-----------|
| 1. P. Bohlsii , Giglio-Tos, l. c. p. 57 | Paraguay. |
| (1898); Brun. l. c. p. 669 (1906). | |
| 2. P. Fosteri , Brun. l. c. (1906). | id. |
| 3. P. Punctipennis , Brun. l. c. pp. 669, | id. |
| 670 (1906). | |
| 4. P. Minor , Brun. l. c. p. 669 note (1906). | Brazil. |

Genus 660. **Orthoscapheus.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 671 (1906).

- | | |
|---|-----------|
| 1. O. Roseipennis , Brun. l. c. p. 672 (1906). | Paraguay. |
|---|-----------|

Genus 661. **Jodacris.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 32 note (1897),
 xiii. (311) p. 47 (1898); Brun. 2nd Rep. Locust Comm.
 B. Aires, pp. 54, 66 (1900); Proc. U.S. Nat. Mus. xxx.
 pp. 642, 672 (1906).

1. **J. Ferruginea, Giglio-Tos, (*Anniceris* | Paraguay.
Ferruginea)** l. c. ix. (184) p. 30 (1894).
J. Ferruginea, Brun. ll. cc. p. 66 (1900);
 p. 672 (1906).

Genus 662. **Abracris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 642 (1870).
Omalotettix, Brun. Proc. U.S. Nat. Mus. xxx. p. 642 (1906).
Omalotettix, Brun. l. c. p. 672 (1906); Biol. Centr.-Amer.,
 Orth. ii. pp. 215, 280 (1907-8). (*Type* no. 1.)

- *1. **A. Nebulosa, Brun.** (*Jodacris* (?) N.) 2nd | Brazil,
 Rep. Locust Comm. B. Aires, pp. 66, 67 | Argentina,
 (1900). | Paraguay.
Omalotettix Nebulosa, Brun. Proc. U.S.
 Nat. Mus. xxx. p. 673 (1906); Biol.
 Centr.-Amer., Orth. ii. pp. 280, 281. n. 1
 (1908).
- **2. **A. Dilecta, Walk.** l. c. p. 642. n. 1 (1870). | Yucatan,
Omalotettix Signatipes, Brun. ll. cc. p. 673, | Brazil,
 (1906); pp. 280, 281. n. 3 (1908). | Paraguay.
 3. **A. Cæruleipennis, Brun.** (*Jodacris* (?) | Paraguay,
 C.) 2nd Rep. Locust Comm. B. Aires, | Argentina.
 pp. 66, 68 (1900).
Omalotettix Cæruleipennis, Brun. Proc.
 U.S. Nat. Mus. xxx. pp. 673, 674 (1906);
 Biol. Centr.-Amer., Orth. ii. pp. 281, 282.
 n. 5 (1908).
4. **A. Meridionalis, Brun.** (*Omalotettix* M.) | Demerara,
 Biol. Centr.-Amer., Orth. ii. pp. 280, 281. | Brazil.
 n. 2 (1908).
5. **A. Chapadensis, Brun.** (*Omalotettix* C.) | S. Brazil.
 l. c. pp. 280, 282. n. 4 (1908).

Genus 663. **Chrysopsacris.** (*Type* no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 282 (1907-8).

1. **C. Bucephalus, Marsch.** (*Geryllus* B.) | British
Ann. Wien. Mus. i. p. 217. n. 10, pl. 18. | Guiana,
f. 9 (1835). | Brazil.
C. Bucephala, Brun. l. c. p. 282. n. 1 (1908).
2. **C. Atrocephala, Brun.** l. c. pp. 282, 283. | British
n. 2 (1908). | Guiana.
3. **C. Costaricensis, Rehn,** (*Jodacris* (?) C.) | Costa Rica,
Proc. Acad. Nat. Sci. Philad. lvii. pp. 430- | Demerara.
433. ff. 28, 29 (1905).
C. Costaricensis, Brun. Biol. Centr.-Amer.,
Orth. ii. pp. 282, 283. n. 3 (1908).

Genus 664. **Caletes.**

Redt. Proc. Zool. Soc. Lond. 1892, p. 209 : Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 284 (1907-8).

- **1. **C. Apteris, Redt.** l. c. p. 210. n. 1, | St. Vincent,
pl. 16. f. 11 *a, b* (1892) ; Brun. l. c. | Grenada.
p. 284. n. 1 (1908).

Genus 665. **Clematodes.**

Scudd. Journ. N.Y. Ent. Soc. viii. p. 213 (1900) ;
Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 284 (1907-8).

1. **C. Larreæ, Scudd.** l. c. pp. 214 (1900) ; | New
Brun. l. c. p. 284. n. 1, pl. 4. ff. 1, 2 | Mexico.
(1908).

Genus 666. **Vilerna.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 38, 71 (1873) ; Bihang Svensk. Akad. Handl. v. (4) p. 22 (1878) ; Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 68 (1900) ; Proc. U.S. Nat. Mus. xxx. pp. 642, 674 (1906) ; Biol. Centr.-Amer., Orth. ii. pp. 216, 284 (1907-8).

- *1. **V. Æneo-oculata, De Geer**, (*Acrydium Æneo-oculatum*) Mém. Ins. iii. p. 502. n. 20, pl. 42. f. 11 (1773).
V. Æneo-oculata, Stål, Recens. Orth. i. p. 71. n. 1 (1873); Brun. Biol. Centr.-Amer., Orth. ii. p. 285. n. 1 (1908).
Acrydium Sanguinipes, Oliv. Encycl. Méth., Ins. vi. p. 231. n. 69 (1791).
Acridium Sanguinipes, Serr. Ins. Orth. p. 670. n. 32 (1839).
2. **V. Rugulosa, Stål**, Bihang Svensk. Akad. Handl. v. (4) p. 61. n. 1 (1878); Brun. 2nd Locust Comm. B. Aires. p. 68 (1900); Proc. U.S. Nat. Mus. xxx. p. 674 (1906).
3. **V. Tibialis, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 13. n. 10 (1889).
4. **V. Flavipennis, Gerst.** l. c. n. 11 (1889).
5. **V. Reducta, Brunn.** Berlin. Ent. Zeitschr. xlv. p. 256. n. 17, pl. 3. ff. 2, 2 a (1900); Brun. l. c. p. 285. n. 3 (1908).
6. **V. Pygmea, Sauss.** (*Xiphicera P.*) Rev. Zool. (2) xiii. p. 156 (1861).
Xiphocera Pygmea, Thomas, Syn. Acrid. N. Amer. p. 242 (1873).
V. Pygmæa, Brun. l. c. p. 285. n. 2, pl. 3. ff. 22, 23, 23 a (1908).

Surinam,
Brazil,
W. Indies.

Peru, Braz.,
Argentina,
Paraguay.

Upp. Amaz.,
Colombia.
Fonte Boa.
Colombia.

Mexico.

Genus 667. **Aptoceras.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 286 note (1908).

1. **A. Margaritatus, Brun.** l. c. n. 1 (1908). | Demerara.

Genus 668. **Nuciera.**

Bol., Bol. Soc. Españ. vi. p. 392 (1906).

|| *Nuceria, Stål* (*nec Walk.*), Bihang Svensk. Akad. Handl. v. (4) pp. 23, 61 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1878).

1. **N. Roseipennis, Stål**, (*Nuceria R.*) l. c. | Brazil.
 p. 61. n. 1 (1878).

Genus 669. **Caletodes.** (*Type no. 1.*)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 58 (1898).

1. **C. Alatus**, Giglio-Tos, l. c. pp. 58, 59 | Ecuador.
(1898).
2. **C. Festæ**, Giglio-Tos, l. c. p. 59 (1898). | id.

Genus 670. **Leptomerinthophora.** (*Type no. 1.*)Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 436 (1905);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 287 (1907-8).

1. **L. Brevipennis**, Rehn, l. c. pp. 436-439. Costa Rica.
ff. 32, 33 (1905); Brun. l. c. p. 287. n. 1
(1908).
2. **L. Smaragdipes**, Brun. l. c. p. 287. n. 2 | id.
(1908).
3. **L. Flavovittata**, Brun. l. c. pp. 287, 288. | id.
n. 3 (1908).
4. **L. Modesta**, Brun. ll. cc. n. 4 (1908). | id.

Genus 671. **Saparus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 60 (1898).

1. **S. Æquatorialis**, Giglio-Tos, l. c. p. 61. Ecuador.
(1898).

Genus 672. **Syletria.**Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 433 (1905);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1907-8).

1. **S. Angulata**, Rehn, l. c. pp. 433-436. Costa Rica.
ff. 30, 31 (1905); Brun. l. c. p. 289. n. 1
(1908).

Genus 673. **Syntomacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 650 (1870).

- **1. **S. Vittipennis**, Walk. l. c. p. 651. n. 1. "Nautae."
(1870). (S. Amer.)

Genus 674. **Xiphiola.** (*Type* no. 1.)

Bol. Actas Soc. Españ. xxv. p. 17 (1896); Giglio-Tos, Boll. Mus. Torino, xiii. p. 48 (1898); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 674 (1906).

- | | |
|--|-------------------------------|
| 1. X. Cyanoptera , Bol. l. c. p. 17 (1896); | Peru.
Brazil,
Paraguay. |
| Giglio-Tos, l. c. xv. (377) p. 5 (1900). | |
| 2. X. Borellii , Giglio-Tos, l. c. (1900). | |

Genus 675. **Osmiliola.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 32 (1897), xiii. (311) p. 48 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 68 (1900); Bull. U.S. Nat. Mus. xxx. pp. 642, 674 (1906).

- | | |
|--|-----------------------------------|
| 1. O. Aurita , Giglio-Tos, l. c. xii. (302) | Brazil,
Argentina,
Bolivia. |
| p. 33 (1897). | |

Genus 676. **Antiphanes.**

Stål. Bihang Svensk. Akad. Handl. v. (4) p. 35 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

- | | |
|---|---------|
| 1. A. Nodicollis , Burm. (<i>Ommatolampis</i> N.) | Brazil. |
| Handb. Ent. ii. p. 637. n. 2 (1838). | |

Genus 677. **Cocama.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 48, 61 (1898).

- | | |
|--|----------|
| 1. C. Trivittata , Giglio-Tos, l. c. p. 62 | Ecuador. |
| (1898). | |
| 2. C. Affinis , Giglio-Tos, l. c. p. 63 (1898). | id. |

Genus 678. **Anablysis.** (*Type* no. 1.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 14 (1889); Giglio-Tos, Boll. Mus. Torino, xiii. p. 48, 63 (1898).

- | | |
|--|-------------------|
| 1. A. Pantherina , Gerst. l. c. p. 15. n. 12 | Peru,
Ecuador. |
| (1889); Giglio-Tos, l. c. p. 63 (1898). | |
| 2. A. Teres , Giglio-Tos, l. c. p. 63 (1898). | Ecuador. |

Genus 679. **Demochares.**

Bol., Bol. Soc. Españ. vi. p. 391 (1906).

|| *Demonax*, Stål (see *Knab*), Bihang Svensk. Akad. Handl. v. (4) pp. 35, 80 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

1. **D. Cristulatus**, Stål, (*Demonax* C.) l. c. Peru. p. 80, n. 1 (1878).

Genus 680. **Hypsipages.**

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 17 (1889):

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

1. **H. Dives**, Gerst. l. c. p. 18, n. 13 (1889). † Amazons.

Genus 681. **Nicarchus.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 34, 78 (1878):

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898):

Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1907-8).

1. **N. Erinaceus**, Stål, l. c. p. 78, n. 1 Panama. (1878); Brun. l. c. pp. 289, n. 1 (1908).

Genus 682. **Ommatolampis.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 636 (1838): Sauss. Rev. Zool. (2)

xi. p. 393 (1859); Stål, Recens. Orth. i. pp. 33, 35 (1873);

Bihang Svensk. Akad. Handl. v. (4) pp. 35, 81 (1878);

Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-

Tos, Boll. Mus. Torino, xiii. (311) pp. 48, 64 (1898);

Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1908).

- *1. **O. Perspicillata**, Johanss. (*Gryllus Perspicillatus*) Amœn. Acad. vi. p. 398, n. 34 (1763). | S. America.

Gryllus Locusta Perspicillatus, Linn. Syst.

Nat. (ed. xii.) i. (2) p. 703, n. 61 (1767). |

- O. Perspicillata*, *Burm.* l. c. p. 637. n. 3 (1838); *Sauss.* l. c. p. 393 (1859); *Brun.* l. c. p. 290. n. 1 (1908).
- ***Trybliophorus Bimaculatus*, *Walk.* *Cat.* *Derm. Salt. B. M.* iv. p. 608 (1870).
2. *O. Palpata*, *Stål*, *Bihang Svensk. Akad. Handl. v. (4)* p. 81. n. 1 (1878). Peru.
3. *O. Venusta*, *Gerst.* *Stettin. Ent. Zeit.* xxxiv. p. 194. n. 24 (1873). Mexico.
4. *O. Cardinalis*, *Gerst.* l. c. n. 25 (1873). Guiana.
5. *O. Pugnax*, *Gerst.* l. c. n. 26 (1873). Bogota.
6. *O. Acanthopus*, *Gerst.* l. c. p. 195. n. 27 (1873). Guayaquil.
7. *O. Carinipes*, *Gerst.* l. c. n. 28 (1873). Bogota.
8. *O. Leucoptera*, *Scudd.* *Proc. Boston Soc. Nat. Hist.* xvii. p. 272. n. 25 (1875). Peru.
9. *O. Aptera*, *Scudd.* l. c. p. 273. n. 26 (1875). id.
10. *O. Nigroguttata*, *Scudd.* l. c. n. 27 (1875). id.
11. *O. Cincta*, *Sauss.* l. c. p. 394 (1859). Brazil.
12. *O. Cingulata*, *Bol.* (*O. Cingulatus*) *An. Soc. Españ.* x. p. 483 (1881); *Viaje al Pacif.* p. 46, pl. 1. ff. 6, 6a (1884). Ecuador.
13. *O. Pazii*, *Bol.* *An. Soc. Españ.* x. p. 484 (1881). id.
O. Pazi, *Bol.* *Viaje al Pacif.* p. 47 (1884).
14. *O. Festæ*, *Giglio-Tos*, l. c. p. 64 (1898). id.
15. *O. Torquata*, *Giglio-Tos*, l. c. p. 65 (1898). id.
16. *O. Flavipes*, *Giglio-Tos*, l. c. p. 66 (1898). id.
17. *O. Dorsalis*, *Giglio-Tos*, l. c. (1898). id.
18. *O. Brevipennis*, *Thomas*, *Bull. U.S. Geol. Surv. Territ.* i. p. 67 (1874). New Jersey.
19. *O. Annulicornis*, *Brun.* *Biol. Centr.-Amer., Orth.* ii. p. 290. n. 2 (1908). Costa Rica.

Genus 683. **Sitalces.** (*Type* no. 1.)

Stål, *Bihang Svensk. Akad. Handl. v. (9)* p. 16 (1878); *Brunn. Ann. Mus. Genova*, xxviii. p. 139 (1893); *Giglio-Tos*, *Boll. Mus. Torino*, xiii. (311) p. 48 (1898); *Brun.* *Biol. Centr.-Amer., Orth.* ii. pp. 216, 291 (1907-8).

1. **S. Volxemi, Stål**, l. c. p. 16. n. 1 (1878); Brazil.
Brun. l. c. p. 291 (1908).
2. **S. Vittiventris, Stål**, l. c. p. 17. n. 2 id.
(1878); Brun. l. c. p. 291 (1908).
3. **S. Punctifrons, Stål**, l. c. p. 18. n. 3 Caracas.
(1878); Brun. l. c. pp. 291, 292. n. 2 (1908).
4. **S. Coxalis, Stål**, l. c. p. 18. n. 4 (1878); id.
Brun. l. c. pp. 291, 292. n. 1 (1908).
5. **S. Trinitatis, Brun.** Journ. N. York Trinidad.
Ent. Soc. xiv. p. 155. n. 66 (1906);
Biol. Centr.-Amer., Orth. ii. pp. 291, 292.
n. 3 (1908).
6. **S. Robustus, Brun.** Biol. Centr.-Amer., Brazil.
Orth. ii. p. 291 (1908).
7. **S. Nudus, Brun.** l. c. (1908). Santarem.
8. **S. Varipennis, Brun.** l. c. (1908). Brazil (?).
9. **S. Ovatipectus, Brun.** l. c. pp. 291, 292. Demerara.
n. 4 (1908).
10. **S. Infuscatus, Brun.** l. c. p. 291 (1908). S. Brazil.

Genus 684. **Ædomerus.** (Type no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 293 (1907-8).

1. **Æ. Corallipes, Brun.** l. c. p. 293. n. 1, Lower
pl. 4. ff. 10, 10a, 14, 14a (1908). California.
2. **Æ. Nigropleurus, Brun.** l. c. p. 294. n. 2 id.
(1908).

Genus 685. **Coryphistes.** (Type no. 2.)

Charp. Orth. pls. 58, 59 (1844); Stål, Bihang Svensk. Akad.
Handl. v. (4) pp. 22, 59 (1878); Brunn. Ann. Mus.
Genova, xxxiii. p. 139 (1893).

1. **C. Rhodoptilus, Charp.** l. c. pl. 58 Australia.
(1844).
- *2. **C. Cyanopterus, Charp.** l. c. pl. 59 id.
(1844); Stål, l. c. p. 59. n. 1 (1878);
Frogg. Agric. Gaz. N. S. Wales. xv.
p. 241, plate, f. 6 (1904).
Xiphocera Ruricola, Burm. Handb. Ent. ii.
p. 613. n. 3 (1838).
- ***Xiphocera Adusta, Walk.* Cat. Derm. Salt.
B. M. iii. p. 528. n. 25 (1870), immature.

- | | |
|--|---------------|
| *3. C. Cyanopteroides, Tepp. Trans. R. Soc. S. Australia, xxviii. p. 164 (1904). | S. Australia. |
| *4. C. Nigrinervis, Stål , l. c. p. 59. n. 2 (1878). | Peak Downs. |
| *5. C. Obscurobrunneus, Tepp. (<i>Choryphistes O.</i>) Horn Exped. Centr. Australia, ii. p. 367 (1896). | Australia. |
| *6. C. Sordida, Serv. (<i>Opsomala S.</i>) Ins. Orth. p. 592. n. 10 (1839); McCoy, Prodr. Zool. Viet. xiv. p. 151, pl. 139. ff. 1-4 (1887). | id. |
| *7. C. Nutans, Stål , l. c. p. 60. n. 3 (1878). | Rock-hampton. |
| *8. C. Validicornis, Stål , l. c. n. 4 (1878). | Peak Downs. |
| *9. C. Serratus, Tepp. Trans. R. Soc. S. Australia, xxviii. p. 165 (1904). | Australia. |
| 10. C. Nigroconspersus, Tepp. l. c. p. 166 (1904). | id. |
| 11. C. Interioris, Tepp. (<i>Choryphistes I.</i>) Horn Exped. Centr. Australia, ii. p. 368 (1896). | id. |
| **12. C. Exempta, Walk. (<i>Xiphocera E.</i>) l. c. iii. p. 527. n. 21 (1870). | id. |
| 13. C. (?) Brevicornis, Walk. (<i>Opomala B.</i>) l. c. p. 516. n. 38 (1870). | id. |

Genus 686. **Eumecistes.**

Brancs. Jahresh. Ver. Trenes. Com. xvii.-xviii. p. 253 (1896).

1. **E. Gratosus, Brancs.** l. c. pl. 8. f. 5 a-f. S Australia. (1896).

Genus 687. **Goniæa.** (*Type no. 10.*)

Stål, Recens. Orth. i. pp. 35, 56 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 23, 62 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 140 (1893).

- **1. **G. Australasiæ, Leach**, (*Gryllus A.*) Australia. Zool. Misc. i. p. 56, pl. 24 (1814).
Xiphocera Australasiæ, Burm. Handb. Ent. ii. p. 615. n. 9 (1838).

- Tropinotus Australasia*, Walk. Cat. Derm. Salt. B. M. iii. p. 530. n. 7 (1870).
G. Australasie, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 62. n. 1 (1878); Froggatt, Agric. Gaz. N. S. Wales, xv. p. 241, plate, f. 5 (1904).
Tropinotus Australis, McCoy, Prodr. Zool. Victoria, xiv. p. 155, pl. 140 (1887).
 ** ♂. *Tropinotus Australasie*, var. *Deducta*, Walk. l. c. p. 530 (1870).
Tropinotus Cinnamomeus, Serv. Ins. Orth. p. 620. n. 4 (1839).
 2. **G. Arcuata**, Tepp. Horn Exped. Centr. Australia. Australia, ii. p. 368 (1896).
 3. **G. Vocans, Fabr. (*Gryllus V.*) Syst. id. Ent. p. 290. n. 14 (1775).
 ** *Tropinotus Australasie*, var. *Alta*, Walk. l. c. p. 530 (1870).
 *4. **G. Fusca**, Tepp. l. c. p. 368 (1896). id.
 5. **G. Nigropunctata**, Brancs. Jahresh. Yorktown. Ver. Trencs. Com. xvii.-xviii. p. 254, pl. 8. f. 6 a, b (1896).
 6. **G. Maculicornis**, Stål, l. c. p. 62. n. 2 Queensland. (1878).
 *7. **G. Distincta**, Brancs. l. c. p. 255, pl. 8. Yorktown, f. 7 a, b (1896). Paramatta.
 *8. **G. Ensicornis**, Stål, l. c. p. 63. n. 3 Cape York. (1878).
 9. **G. Carinata**, Stål, l. c. n. 4 (1878). Gayndah.
 10. **G. Rugulosa**, Stål, Recens. Orth. i. Australia. p. 56. n. 1 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 63. n. 5 (1878).
 *11. **G. Limbata**, Stål, Bihang Svensk. Akad. N. Australia, Handl. v. (4) p. 63. n. 6 (1878). Queensland.
 12. **G. Fuscula**, Stål, l. c. p. 64. n. 7 Sydney. (1878).
 13. **G. Plana**, Stål, l. c. n. 8 (1878). Peak Downs
 *14. **G. Flava**, Tepper, l. c. p. 368 (1896). Alice Springs.
 15. **G. Furcifera, Walk. (*Acridium Furciferum*) l. c. p. 593. n. 58 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 342 (1907). Australia.

Genus 688. **Stropis.** (Type no. 1.)

Stål, Recens. Orth. i. p. 69 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 23, 65 (1878); Bruhn. Ann. Mus. Genova, xxxiii. p. 140 (1893).

- *1. **S. Maculosa, Stål**, (*Acridium Maculosum*) Eugenes Resa, Orth. p. 328. n. 73 (1860). Australia.
Acridium (Stropis) Maculosum, Stål, Recens. Orth. i. p. 69. n. 22 (1873).
S. Maculosa, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 65. n. 1 (1878); Froggatt, Agric. Gaz. N. S. Wales, xv. p. 242, plate, f. 7 (1904).
- 2. **S. Rufipes, Stål**, l. c. p. 65. n. 2 (1878). Sydney.
- 3. **S. Pictipes, Stål**, l. c. n. 3 (1878). Peak Downs
- **4. **S. Brunnea, White**, (*Calliptamus Brunneus*) Grey, Journ. Exped. Australia, ii. p. 470 (1841). Australia.
Caloptenus Brunneus. Walk. Cat. Derm. Sult. B. M. iv. p. 708. n. 64 (1870).
- **5. **S. Opomaloides, Walk.** (*Xiphocera O.*) Port l. c. iii. p. 527. n. 22 (1870). Stephen.
- 6. **S. Rugifrons, Stål**, l. c. p. 66. n. 6 Victoria.
- 7. **S. Reticulata, Stål**, l. c. p. 67. n. 7 Peak Downs
- 8. **S. Limbatella, Stål**, l. c. p. 68. n. 8 id.
- 9. **S. Vermiculata, Stål**, l. c. n. 9 (1878). Rock-hampton.
- 10. **S. Hospita, Bol.** Ann. Mus. Genova, xxxix. p. 93. n. 47 (1898). N. S. Wales.
- **11. **S. Tuberculata, Walk.** (*Acridium Tuberculatum*) l. c. iii. p. 592. n. 56 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 338 (1907). Australia.
S. Cristulata, Stål, l. c. p. 68. n. 10 (1878).
- 12. **S. (?) Ocellata, Tepp.** (*S. Ocellatus*) Alice Horn Exped. Centr. Australia, ii. p. 369 Springs. (1896).

Genus 689. **Cratilopus.** (Type no. 1.)

Bol., Bol. Soc. Españ. vi. p. 391 (1906).

Cratippus, Stål (nec Bate), Bihang Svensk. Akad. Handl. iii. (14) p. 31 (1875), v. (4) p. 24 (1878).

- *1. **C. Bufo**, Stål, (*Cratippus B.*) l. c. iii. Australia.
(14) p. 31. n. 1 (1875).
- *2. **C. Rana**, Stål, (*Cratippus R.*) l. c. n. 2 id.
(1875).
- *3. **C. (??) Dispar**, Tepp. (*Cratippus (?)* id.
D.) Horn Exped. Centr. Australia, ii.
p. 369 (1896).

Genus 690. **Cirphula.** (Type no. 1.)

Stål, Recens. Orth. i. pp. 39, 71 (1873);

Bihang Svensk. Akad. Handl. v. (4) p. 24 (1878).

- *1. **C. Pyrrhocnemis**, Stål, (*Acridium P.*) Australia.
Eugenies Resa, Orth. p. 329. n. 74
(1860).
C. Pyrrhocnemis, Stål, Recens. Orth. i.
p. 71. n. 1 (1873); Frogg. Agric. Gaz.
N. S. Wales, xiv. p. 1109, plate, f. 6
(1903).
- ** *Acridium Alienum*, Walk. Cat. Derm. Salt.
B. M. iv. p. 634 (1870); Finot, Ann.
Soc. Ent. France, lxxvi. p. 317 (1907).
- ** *Caloptenus Coloratus*, Walk. l. c. p. 708.
n. 66 (1870).
- *2. **C. Carbonaria**, Serv. (*Calliptamus Car-* id.
bonarius) Ins. Orth. p. 691. n. 5 (1839).
- 3. **C. Jungi**, Brancs. Jahresh. Ver. Trenes. Yorktown.
Com. xvii.—xviii. p. 255 (1896).
- 4. **C. Sculpta**, Karsch, Denkschr. Med.- Queensland.
nat. Ges. Jena, viii. p. 761, pl. 67. f. 8
(1903).

Genus 691. **Apotropis.** (Type no. 1.)

Bol., Bol. Soc. Esp. vi. p. 393 (1906).

|| *Tritropis*, Brumm. (nec Fitz.) Ann. Mus. Genova, xxxiii. p. 140
(1893).

1. **A. Tricarinata, Stål**, (*Stropis T.*) Bihang Svensk. Akad. Handl. v. (4) p. 66. n. 4 (1878). N. Australia.
2. **A. Bivittata, Stål**, (*Stropis B.*) l. c. n. 5 (1878). Gayndah.
3. **A. Vittata, Tepp.** (*Tritropis Vittatus*) Horn Exped. Centr. Australia, ii. p. 370 (1896). Central Australia.
4. **A. Striata, Tepp.** (*Tritropis Striatus*) l. c. p. 371 (1896). id.
5. **A. Brunneri, Bol.** (*Tritropis Brunneri*) Ann. Mus. Genova, xxxix. p. 94. n. 48 (1898). N. Guinea.
- **6. **A. Subpustulata, Walk.** (*Acridium Subpustulatum*) Cat. Derm. Salt. B. M. v. Suppl. p. 61 (1871); Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907). W. Australia.
- **7. **A. Exclusa, Walk.** (*Acridium Exclusum*) l. c. iv. p. 634 (1870); Finot, l. c. p. 342 (1907). id.
- **8. **A. Plebeia, Walk.** (*Heteracris P.*) l. c. p. 673. n. 39 (1870). Sandwich Isles (?).

Genus 692. **Mesambria.** (Type no. 3.)

- Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 28, 72 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 140 (1893).
- **1. **M. Scabra, Walk.** (*Caloptenus Scaber*) Cat. Derm. Salt. B. M. iv. p. 707. n. 61 (1870). Burdwan.
 - **2. **M. Nepalensis, Walk.** (*Caloptenus N.*) l. c. n. 62 (1870). Nepal.
 3. **M. Maculipes, Stål**, l. c. p. 72. n. 1 (1878). Celebes.
 - *4. **M. Geniculata, Stål**, l. c. p. 73. n. 2 (1878). Ceylon.
 5. **M. Ferrugata, Brancs.** Jahresh. Ver. Trenes. Com. xv.-xvi. p. 190 (1893). Nossi-Bé.
 - **6. **M. Ginctifemur, Walk.** (*Acrydium C.*) Ann. Nat. Hist. (3) iv. p. 223 (1859). Ceylon.
 - **7. **M. Dubia, Walk.** (*Acridium Dubium*) Cat. Derm. Salt. B. M. iv. p. 632 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907). id.
 - **8. **M. Tarsalis, Walk.** (*Acridium Tarsale*) l. c. (1870); Finot, l. c. p. 344 (1907). id.
 - **9. **M. Punctaria, Walk.** (*Acridium Punctarium*) l. c. p. 630 (1870); Finot, l. c. p. 334 (1907). S. India.

Genus 693. **Apoboleus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 183 (1891).
Apoboleus, Brunn. Ann. Mus. Genova. xxxiii. p. 141 (1893).

1. **A. Degener, Karsch**, l. c. p. 184. n. 22 Barombi.
 (1891).

Genus 694. **Sigaüs.**

Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 140 (1898),
 xxxi. p. 45 (1899).

1. **S. Piliferus, Hutton**, l. c. xxx. p. 140. New
 pl. 14. f. 1 *a-d* (1898), xxxi. p. 45 Zealand.
 (1899).

Genus 695. **Trigoniza.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893); Hutton,
 Trans. N. Zealand Inst. xxx. pp. 139, 147 (1898), xxxi.
 pp. 44, 45 (1899).

- *1. **T. Campestris, Hutton**, l. c. xxx. p. 148. New
 pl. 14. f. 6 *a-c* (1898), xxxi. p. 45, pl. 2. Zealand.
 f. 9 (1899).
- *2. **T. Directa, Hutton**, l. c. xxx. p. 148, id.
 pl. 14. f. 7 *a, b* (1898), xxxi. p. 45, pl. 2.
 f. 8 *a-c* (1899).
- *3. **T. Rugosa, Hutton**, l. c. xxx. p. 148, id.
 pl. 14. f. 8 (1898), xxxi. p. 45, pl. 2. f. 10
 (1899).
4. **T. Sulcata, Tepper**, (*T. Sulcatus*) Horn Central
 Exped. Centr. Australia, ii. p. 371 (1896). Australia.
5. **T. Maculata, Tepp.** (*T. Maculatus*) l. c. id.
 p. 372 (1896).
- *6. **T. Tasmaniensis, Bol.** Ann. Mus. Tasmania.
 Genova. xxxix. p. 94. n. 49 (1898).
7. **T. Albertisi, Bol.** l. c. p. 95. n. 50 id.
 (1898).
8. **T. Australiensis, Bol.** l. c. n. 51 (1898). Sydney.
- *9. **T. Manca, Bol.** l. c. p. 96. n. 52 (1898). Australia.
 Tasmania.
- *10. **T. (?) Inscita, Walk.** (*Calopienus In-* Hab. — ?
scitus) Cat. Derm. Salt. B. M. iv. p. 712.
 n. 72 (1870).

Genus 696. **Phaulacridium.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 151, 216 (1893);
Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 140 (1898),
xxxi. p. 45 (1899).

- **1. **P. Marginale, Walk.** (*Caloptenus Marginalis*) Cat. Derm. Salt. B. M. iv. p. 710. N. Zealand.
n. 69 (1870).
P. Marginale, Hutton, l. c. xxx. p. 141,
pl. 14. f. 2 *a-d* (1898), xxxi. p. 45, pl. 2.
f. 2 *a-c* (1899).
*2. **P. Luteum, Hutton**, l. c. xxx. pp. 141, id.
142, pl. 14. f. 3 (1898).
|| *Caloptenus Marginalis, Huds. (nec Walk.)*
Man. N. Zeal. Ent. p. 115, pl. 17. f. 4
(1892).

Genus 697. **Paprides.** (*Type* no. 2.)

Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 145 (1898),
xxxi. p. 46 (1899). 0-3733.

1. **P. Australis, Hutton**, l. c. xxx. pp. 146, N. Zealand.
147 (1898); xxxi. p. 46, pl. 2. f. 5 (1899). 0-3733.
*2. **P. Nitidus, Hutton**, l. c. xxx. p. 146, id.
pl. 14. f. 5 *a-d* (1898), xxxi. p. 46, pl. 2.
f. 4 (1899).
3. **P. Furcifer, Hutton**, l. c. xxxi. p. 46, id.
pl. 2. f. 3 *a-c* (1899).
*4. **P. Torquatus, Hutt.** l. c. pp. 46, 47, id.
pl. 2. f. 6 (1899).
5. **P. Armillatus, Hutt.** ll. cc. f. 7 (1899). id.

Genus 698. **Azelota.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893).

- **1. **A. Cervina, Walk.** (*Platacanthus Cervinus*) Cat. Derm. Salt. B. M. iv. p. 715. Australia.
n. 2 (1870).
2. **A. Pilipes, Walk. (*Acridium P.*) l. c. id.
p. 635 (1870); Finot, Ann. Soc. Ent.
France, lxxvi. p. 337 (1907).
3. **A. Diversipes, Rehn**, Bull. Amer. Mus. Victoria.
Nat. Hist. xxiii. pp. 450, 451. ff. 6, 7
(1907).

Genus 699. **Exarna.** (Type no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893).

- **1. **E. Lutescens, Walk.** (*Caloptenus L.*) Swan
Cat. Derm. Salt. B. M. iv. p. 710, n. 68. River.
(1870).
- ***Platacanthus Includens, Walk.* l. c. p. 715.
n. 3 (1870).
- 2. **E. Despecta, Brancs.** Jahresh. Ver. Yorktown.
Trenes. Com. xix.-xx. p. 77, pl. 3.
f. 19 a b (1898).
- **3. **E. Lepida, Walk.** (*Caloptenus Lepidus*) Australia.
l. c. p. 709, n. 67 (1870).
- **4. **E. Conglobata, Walk.** (*Heteracris C.*) id.
l. c. p. 671, n. 36 (1870).
- **5. **E. Australis, Walk.** (*Heteracris A.*) Swan
l. c. p. 670, n. 35 (1870); Frogg. Agric. River.
Gaz. N. S. Wales, xv. p. 243 (1894).
- 6. **E. Rugosa, Rehn,** Bull. Amer. Mus. Victoria.
Nat. Hist. xxiii. p. 452, f. 8 (1907).

Genus 700. **Macrotona.** (Type no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893).

- 1. **M. Lineola, Brancs.** Jahresh. Ver. Yorktown.
Trenes. Com. xvii.-xviii. p. 256 (1896).
- 2. **M. Gracilis, Rehn,** Bull. Amer. Mus. Victoria.
Nat. Hist. xxiii. pp. 453-455. ff. 9, 10
(1907).

Genus 701. **Anthermus.** (Type no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 24, 68 (1878);
Bol. Ann. Mus. Genova, xxxiii. p. 142 (1893).

- *1. **A. Granosus, Stål,** l. c. p. 68, n. 1 (1878). Natal.
- 2. **A. Violaceus, Bol.** J. Sci. Lisboa, (2) i. Braganza.
p. 156, n. 136 (1889).
- 3. **A. Grammicus, Bol.** l. c. p. 157, n. 137 id.
(1889); Giglio-Tos, Bol. Mus. Torino,
xxii. (554) p. 14 (1907).
- 4. **A. Cephalicus, Bol.** l. c. n. 138 (1889). Caconda.
- 5. **A. Vittatus, Bol.** l. c. p. 158, n. 139 id.
(1889).

Genus 702. **Allotriusia.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 306 (1896).

1. **A. Eurycera**, Karsch, l. c. n. 69, f. 28 | S. Leone.
(1896).
2. **A. Gracilis**, Schulth. Ann. Mus. Genova, Somali.
xxxix. p. 192. n. 1 (1898).
3. **A. Madimbana**, Giglio-Tos, Boll. Mus. Congo.
Torino, xxii. (554 p. 14 (1907).

Genus 703. **Orthacanthacris.** (*Type* no. 5.)

Karsch, Stettin. Ent. Zeit. lvii. p. 303 (1896); Karny, Sitz.

Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 304 (1907).

Locusta, Karny (*Linn.* pt.), l. c. p. 304 (1907).

- *1. **O. Moesta**, Serv. (*Acridium Mæstum*) Ins. S. Africa.
Orth. p. 654. n. 14 (1839); Charp. Orth.
pl. 60 (1844); Finot, Ann. Soc. Ent.
France, lxxvi. p. 320 (1907).
2. **O. Sigillata**, Bol. (*Acridium Sigillatum*) Luluabourg.
Mém. Soc. Ent. Belg. xvi. p. 111. n. 111
(1908).
3. **O. Wernerella**, Karny, l. c. p. 305. n. 57 Gondokoro.
(1907).
- *4. **O. Sphalera**, Karny, (*O. Wernerella*, var. Uganda.
S.) l. c. p. 305 (1907).
5. **O. Humilicrus**, Karsch, (*Cyrtacanthacris* E. & W.
H.) l. c. pp. 301-303. n. 64, f. 25 (1896). Africa.
Acridium Humilicrus, Finot, l. c. p. 321
(1907).
- *6. **O. Ægyptia**, Linn. (*Gryllus Locusta Ægypti-* S. Europe,
tius) Mus. Ludov. Ulric. p. 138. n. 29 N. Africa,
(1764); Serv. Ins. Orth. p. 658 (1839). W. Asia.
Acridium Ægyptium, Stål. Recens. Orth.
i. p. 63. n. 6 (1873); Bol. Ortópt. Españ.
p. 88. n. 1, pl. 2. ff. 8, 8a (1876); An.
Soc. Españ. v. p. 294. n. 1, pl. 11. ff. 8, 8a
(1876); Ann. Sci. Nat. Porto, v. p. 31
(1898); Brunn. Prodr. Eur. Orth. p. 213.
n. 1, pl. 7. f. 49 A, B (1882); Finot, Orth.
France, p. 78 (1883); Faune France,
Orth. p. 159, pl. 8. f. 112 (1889); Ann.
Soc. Ent. France, lxxvi. pp. 265, 318, 346
(1907); Porch. Hor. Soc. Ent. Ross. xx.
p. 117, pl. 12. f. 3 (1886); Jacobs. &
Bianchi, Prem. i Lozhn. Ross. Imp. p. 173.
f. 25, pp. 203, 307. pl. 7 (1902).

- Acridium Egyptianum*, Tümp. Geradfl. Mitteleuropas, p. 215. f. 82, pp. 219, 250, pl. 20 (1900).
- || *Gryllus Tartaricus*, Cyr. (nec Linn.) Ent. Neap. pl. 2. f. 1 (1797).
- || *Acridium Tartaricum*, Serv. Ins. Orth. p. 657 (1839); Fisch. Orth. Eur. p. 388. n. 1, pl. 15. ff. 27, 27 a (1853).
- || *Acridium Tartaricum*, Burm. Handb. Ent. ii. p. 632. n. 13 (1838); Fieb. Lotos, iv. p. 197. n. 1 (1854).
- Gryllus Lineola*, Fabr. Spec. Ins. i. p. 365. n. 20 (1781); Charp. Hor. Ent. p. 131. pl. 4. f. 1 (1825); Ramb. Faune Andal. ii. p. 77. n. 1 (1838).
- Acridium Lineola*, Oliv. Encycl. Méth., Ins. vi. p. 221. n. 26 (1791); Latr. Gen. Crust. Ins. xii. p. 150. n. 2 (1804); Hahn, Icon. Orth. pl. A. f. 1 (1835).
- Acridium Lineola*, Costa, Faun. Nap., Orth. p. 4. n. 2, pl. 1. f. 2 A, b-d (1836); Serv. l. c. p. 656. n. 16, pl. 14. f. 8 (1839); Fisch.-Waldh. Orth. Ross. p. 234. n. 1, pl. 12. f. 3 (1846).
- Podisma Appulum*, Costa, l. c. p. 44. n. 1, pl. 4. ff. 3, 3 a, b, f. 4 (1836).
- Podisma Campanum*, Costa, l. c. p. 47. n. 3, pl. 4. f. 5 A, b-d (1836).
- Gryllus Nubecula*, Thunb. Mém. Acad. Pétersb. v. p. 238 (1815), ix. p. 397. n. 61 (1824).
- Gryllus Rubecula*, Thunb. l. c. ix. p. 416 (1824).
- * * 7. **O. Indecisa**, Walk. (*Acridium Indecisum*) Cape.
Cat. Derm. Salt. B. M. iii. p. 585. n. 32 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 320 (1907).
- * * 8. **O. Melanorhodon**, Walk. (*Acridium M.*) St. Jago
l. c. p. 584. n. 28 (1870). (C. Verdes?)
- * 9. **O. Æthiopica**, Finot, (*Acridium Æthiopicum*) l. c. pp. 269, 346 (1907). Abyssinia.
- * 10. **O. Flavescens**, Fabr. (*Gryllus F.*) Ent. India,
Syst. ii. p. 52. n. 24 (1793). Ceylon.
Acridium Flavescens, Burm. l. c. p. 631. n. 12 (1838); De Haan, Temminck, Verhandl., Orth. p. 152. n. 14 (1842); Finot, l. c. pp. 280, 322, 346 (1907).

- Gryllus Locusta Crucifer*, Stoll, Spectres, Saut. p. 30, pl. 14 b. f. 51 (1813).
Acridium Semijasciatum, Serv. l. c. p. 655. n. 15 (1839).
 11. **O. Illustrissima**, Karsch, (*Cyrtacanthacris Illustrissimus*) Stettin. Ent. Zeit. lvii. p. 297. n. 60 (1897). Cameroons.
Acridium Illustrissimum, Finot, l. c. p. 320 (1907).

Genus 704. **Cyrtacanthacris.** (Type no. 35.)

- Walk. Cat. Derm. Salt. B. M. iii. p. 550 (1870).
Acridium, pt., Oliv. Encycl. Méth., Ent. vi. p. 209 (1791); Latr. Hist. Nat. Crust. Ins. iii. p. 282 (1802), xii. p. 149 (1804); Serv. Ins. Orth. p. 640 (1839).
Acridium, Serv. Ann. Sci. Nat. xxxi. p. 282 (1831); Ins. Orth. p. 642 (1839); Burm. Handb. Ent. ii. pp. 602, 626 (1838); De Haan, Temminck, Verhandel., Orth. pp. 138, 151 (1842); Fisch.-Waldh. Orth. Ross. pp. 228, 233 (1846); Fisch. Orth. Eur. pp. 298, 387 (1853); Stål, Recens. Orth. i. pp. 36, 37, 59 (1873); Bol. Ortópt. Españ. pp. 86, 87 (1876); An. Soc. Españ. v. pp. 292, 293 (1876); Ann. Sci. Nat. Porto, iv. p. 219 (1897), v. p. 31 (1898); Brunn. Prodr. Eur. Orth. pp. 86, 213 (1882); Ann. Mus. Genova, xxxiii. p. 142 (1893); Finot, Orth. France, pp. 45, 78 (1883); Faune France, Orth. pp. 102, 159 (1889); Ann. Soc. Ent. France, lxxvi. p. 247 (1907); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 250 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 202, 307 (1902).
Locusta, Karny (Linn. pt.), Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 304 (1907).

- *1. **C. Consanguinea**, Serv. (*Acridium Consanguineum*) Ins. Orth. p. 660. n. 19 (1839); De Haan, l. c. pp. 152, 154. n. 19 (1842); Finot, Ann. Soc. Ent. France, lxxvi. p. 317 (1907). Java.
 *2. **C. Nigricornis**, Burm. (*Acridium Nigricorne*) l. c. p. 629. n. 6 (1838). Singapore, Penang,
Acridium Melanocorne, Serv. l. c. p. 659. Java, S. India,
 n. 18 (1839); De Haan, l. c. p. 152. n. 17 (1842); Finot, l. c. pp. 289, 317, 347 Lombock, Thursday I.
 (1907).
Acridium Melanocorne, var. *Latum*, Bol. Ann. Mus. Genova, xxxix. p. 99. n. 55 (1898).

- **3. C. Disparilis, Kirb.** Proc. Zool. Soc. Christmas I. Lond. 1888, p. 549; Mon. Christmas I. p. 151, n. 22 (1900).
- 4. C. Excavata, Stål,** (*Acridium Excavatum*) Eugénies Resa, Orth. p. 326, n. 69 (1850); Recens. Orth. i. p. 64, n. 8 (1873); Finot, l. c. p. 321 (1907). Guam.
- 5. C. Geniculata, Stål,** (*Acridium Geniculatum*) (Efv. Vet. Akad. Förh. xxxiv. (10) p. 53, n. 1 (1877); Finot, l. c. p. 319 (1907). Philippines.
- 6. C. Vittaticollis, Stål,** (*Acridium Vittaticollis*) l. c. p. 53, n. 2 (1877); Finot, l. c. p. 318 (1907). id.
- *7. C. Carenicollis, Blanch.** (*Acridium Carenicolle*) Voy. Pôle Sud, Zool. iv. p. 373, Orth. pl. 2, f. 7 (1853); Finot, l. c. p. 318 (1907). Ceram.
- **C. Nigrovaria, Walk.** l. c. iii. p. 566, n. 34 (1870).
Acridium Nigrovarium, Finot, l. c. p. 336 (1907).
- 8. C. Gohieri, Le Guill.** (*Acrydium G.*) Rev. Zool. 1841, p. 295, n. 20.
Acridium Gohieri, Finot, l. c. p. 318 (1907). Amboina.
- 9. C. Cognata, Stål,** (*Acridium Cognatum*) (Efv. Vet.-Akad. Förh. xxxiv. (10) p. 53, n. 3 (1877); Finot, l. c. p. 321 (1907). Philippines.
- 10. C. Graminea, Stål,** (*Acridium Gramineum*) l. c. p. 53, n. 4 (1877); Finot, l. c. pp. 282, 318, 350 (1907). id.
- *11. C. Rosea, De Geer,** (*Acrydium Roseum*) (Mém. Ins. iii. p. 488, n. 3, pl. 41, f. 1 (1773).
Gryllus Locusta Rosens, Stoll, Spectres. Saut. p. 11, pl. 4 b. ff. 12, 13 (1813).
Acridium Roseum, Stål, Recens. Orth. i. p. 59, n. 1 (1873); Jacobs. & Bianchi, l. c. pp. 203, 307 (1902); Finot, l. c. pp. 299, 347 (1907).
Gryllus Flavicornis, Fabr. Mant. Ins. i. p. 237, n. 19 (1787); Thumb. Mém. Acad. Pétersb. v. p. 225 (1815), ix. pp. 394, 406, n. 24 (1824).
Acrydium Flavicorne, Oliv. Encycl. Méth., Ins. vi. p. 219, n. 20 (1891).
Acridium Flavicornis, Burm. l. c. p. 629, n. 5 (1838); Serv. l. c. p. 645, n. 5 (1839); De Haan, l. c. pp. 152, 153, n. 7
- China, India.

- (1842); Brunn. Ann. Mus. Genova, xxxiii. p. 159. n. 1 (1893); Finot, l. c. p. 323 (1907).
- ** C. Lutescens, Walk.** l. c. iii. p. 566. n. 33 (1870), *bleached*.
Acridium Lutescens, Finot, l. c. p. 333 (1907).
- ** C. Fortis, Walk.** l. c. p. 567. n. 35 (1870).
Acridium Forte, Finot, l. c. p. 337 (1907).
- **12. C. Consobrina, Walk.** (*Acridium Consobrinum*) l. c. iv. p. 636 (1870). Aru,
Timor Laut.
- **13. C. Maculicollis, Walk.** (*Acridium Maculicolle*) l. c. iii. p. 594. n. 60 (1870); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1106 (1903). Australia.
- **14. C. Rubescens, Walk.** (*Acridium R.*) l. c. p. 588. n. 39 (1870); Finot, l. c. p. 335 (1907). China.
- **15. C. Fusilinea, Walk.** l. c. iii. p. 564. n. 30 (1870). Ceylon.
Acridium Fusilineum, Finot, l. c. p. 322 (1907).
Acridium Elongatum, Walk. l. c. iv. p. 636 (1870).
- *16. C. Succincta, Linn.** (*Gryllus Locusta Succinctus*) Amœn. Acad. vi. p. 398. n. 36 (1763); Fabr. Syst. Ent. p. 287. n. 2 (1775). India,
China, Java,
Borneo,
Sumatra,
Acridium Succinctum, Oliv. l. c. p. 215. n. 2 (1791).
Acridium Succinctum, Burm. l. c. p. 631. n. 10 (1838); De Haan, l. c. p. 152. n. 10 (1842); Stål, l. c. p. 64. n. 9 (1873); Finot, l. c. pp. 311, 322, 349 (1907).
- *16 bis. C. Coangustata, Luc.** (*Acridium Coangustatum*) Maillard, Notes sur l'Île Réunion, Annexe I. p. 24, pl. 21. f. 3 (1862); Finot, l. c. pp. 311, 322 (1907). Mauritius.
Réunion.
- 17. C. Sanctæ-Mariæ, Finot,** (*Acridium S.*) l. c. pp. 306, 349 (1907). Madagascar
- *18. C. Septemfasciata, Serv.** (*Acridium Septemfasciatum*) Ins. Orth. p. 661. n. 20 (1839); Stål, l. c. p. 64. n. 10 (1873); Finot, l. c. pp. 308, 324, 347 (1907). S. & Centr.
Africa,
Borneo.
- ** C. Purpurifera, Walk.** l. c. iii. p. 561. n. 25 (1870); Finot, l. c. pp. 308, 325 (1907).

- **19. **C. Fascifera**, Walk. l. c. iii. p. 558. n. 20 (1870). Congo,
S. & E.
Acridium Fasciferum, Finot, l. c. p. 332 Africa.
(1907). Mauritius.
- **20. **C. Subsellata**, Walk. l. c. p. 559. n. 21 (1870). S. Africa.
Acridium Subsellatum, Finot, l. c. p. 328
(1907).
- **21. **C. Turbida**, Walk. l. c. p. 556. n. 17 (1870). Congo.
Acridium Turbidum, Finot, l. c. p. 330
(1907).
22. **C. Magnifica**, Bol. (*Acridium Magnificum*) Journ. Sci. Lisboa, viii. p. 113. Angola.
n. 26 (1881); Finot, l. c. pp. 324, 346
(1907).
23. **C. Tereticollis**, Bol. (*Acridium Cyaneum* Guinea.
var. *Tereticolle*) Mém. Soc. Ent. Belg. xvi.
p. 110. n. 109 (1908).
24. **C. Cavroisi**, Finot, (*Acridium C.*) l. c. Senegal.
pp. 272, 346 (1907).
25. **C. Asperata**, Bol. (*Acridium Asperatum*) Angola.
l. c. p. 112. n. 25 (1881); Finot, l. c.
p. 325 (1907).
- *26. **C. Rubella**, Serv. (*Acridium Rubellum*) S. & E.
l. c. p. 645. n. 4 (1839); De Haan, l. c. Africa.
p. 152. n. 8 (1842); Stål, l. c. p. 62. n. 5
(1873); Finot, l. c. pp. 251-262, 301,
325, 331, 347. ff. 1, 2, 4, 6, 7, 9, 12, 13, 15,
16, 19, 26 (1907).
27. **C. Cyanea**, Stoll, (*Gryllus Locusta Cyaneus*) "Surinam."
l. c. p. 31, pl. 15 b. f. 56 (1813).
Acridium Cyaneum, De Haan, l. c. pp. 151,
153. n. 6 (1842); Finot, l. c. pp. 303,
324 (1907); Bol. Mém. Soc. Ent. Belge,
xvi. p. 109. n. 108 (1908).
- **28. **C. Inclyta**, Walk. l. c. iii. p. 558. n. 19 Fantee.
(1870).
Acridium Inclytum, Finot, l. c. p. 331
(1907).
- **29. **C. Pictula**, Walk. l. c. p. 562. n. 26 S. Africa.
(1870).
Acridium Pictulum, Finot, l. c. p. 325 (1907).
30. **C. Citrina**, Serv. (*Acridium Citrinum*) Senegal.
l. c. p. 644. n. 3 (1839); Finot, l. c.
pp. 255, 257, 261, 327, 344. ff. 7, 11, 17,
18, 20 (1907).

31. **C. Compta, Walk.** l. c. iv. p. 613 (1870). Suakim.
Acridium Comptum, Finot, l. c. p. 332
 (1907).
- *32. **C. Lineata, Stoll**, (*Gryllus Locusta* S. & E.
Lineatus) l. c. p. 31, pl. 15 b. f. 57 Africa.
 (1813).
Acridium Lineatum, Finot, l. c. p. 341
 (1907).
 || *Acridium Ruficorne, Burm. (nec Fabr.)* l. c.
 p. 630. n. 9 (1838); (?) Stål, l. c. p. 60.
 n. 2 (1873).
- ** *C. Concisa, Walk.* l. c. iii. p. 560. n. 23
 (1870).
Acridium Concisum, Finot, l. c. p. 333 (1907).
 || *Acridium Tataricum, Stål (nec Linn.)*, l. c.
 p. 61. n. 3 (1873); *Finot*, l. c. pp. 313,
 328, 345 (1907).
 || *Gryllus Succinctus, Herbst (nec Linn.)*,
 Fuessly, Archiv, p. 195. n. 7, pl. 54. f. 2
 (1796).
 || *Acridium Succinctum, Serv. Ins. Orth.*
 p. 642. n. 1 (1839).
- **33. **C. Variegata, Walk.** l. c. iii. p. 557. id.
 n. 18 (1870).
Acridium Variegatum, Finot, l. c. p. 329
 (1907).
 ** *C. Flavescens, Walk. (nec Fabr.)* l. c. p. 561.
 n. 24 (1870).
Acridium Flavescens, Finot, l. c. p. 331
 (1907).
Acridium Walkeri, Finot, l. c. p. 264
 (1907).
 ** *C. Internexa, Walk.* l. c. iv. p. 613 (1870).
 || *Acridium Ruficorne, Serv. (nec Fabr.)* l. c.
 p. 643. n. 2 (1839).
Acridium Hottentottum, Stål, l. c. p. 62. n. 4
 (1873).
Acridium Hottentotum, Finot, l. c. pp. 284,
 341, 345 (1907).
- *34. **C. Ruficornis, Fabr.** (*Gryllus R.*) Mant. W. Africa.
 Ins. i. p. 237. n. 23 (1787).
Acridium Ruficorne, Finot, l. c. pp. 304,
 341, 344 (1907).
 ** *C. Decisa, Walk.* l. c. iii. p. 560. n. 22
 (1870).
Acridium Decisum, Finot, l. c. pp. 320, 329
 (1907).

- Acridium Ruficorne*, var. *Nigrispinum*, *Bol.* Tetuan.
Actas Soc. Españ. 1898, p. 76.
- Acridium Ruficornis*, var. *Subimmaculata*, Abyssinia.
Finot, l. c. p. 305 (1907).
- *35. **C. Ranacea**, **Stoll**, (*Gryllus Locusta* India,
Ranaceus) l. c. p. 30, pl. 14 b. f. 53 Ceylon.
(1813).
- Acridium Ranaceum*, *Burm.* l. c. p. 630.
n. 7 (1838); *Finot*, l. c. p. 342 (1907).
- ** *C. Infecita*, *Walk.* l. c. p. 565. n. 32 (1870),
discoloured.
- Acridium Infecitum*, *Finot*, l. c. p. 335
(1907).
36. **C. Æruginosa**, **Stoll**, (*Gryllus Locusta* St. Johanna.
Æruginosus) l. c. p. 30, pl. 14 b. f. 52
(1813).
- Acridium Æruginosum*, *Burm.* l. c. p. 630.
n. 8 (1838); *Finot*, l. c. pp. 266, 342,
345 (1907).
- **37. **C. Guttulosa**, **Walk.** l. c. iii. p. 570. n. 41 Australia.
(1870).
- Acridium Guttulosum*, *Finot*, l. c. p. 339
(1907).
- **38. **C. Exacta**, **Walk.** l. c. iii. p. 570. n. 42 id.
(1870), v. Suppl. p. 59 (1871); Froggatt,
Agric. Gaz. N. S. Wales, xiv. p. 1110
(1903).
- Acridium Exactum*, *Finot*, l. c. p. 326 (1907).
- **39. **C. Illepida**, **Walk.** l. c. iv. p. 615 New
(1870). Hebrides.
- Acridium Illepideum*, *Finot*, l. c. p. 339
(1907).
- || *C. Parvula*, *Walk.* l. c. iii. p. 567. n. 36
(1870) (*nec* p. 554. n. 9).
- **40. **C. Proxima**, **Walk.** l. c. p. 571. n. 43 Australia.
(1870).
- Acridium Proximum*, *Finot*, l. c. p. 340
(1907).
- ** ♀. *C. Imitatrix*, *Walk.* l. c. iv. p. 616 (1870).
- Acridium Imitatrix*, *Finot*, l. c. p. 339
(1907).
41. **C. Cuspidata**, **Finot**, (*Acridium Cuspi-* id.
datum) l. c. pp. 278, 350 (1907).
42. **C. Neocaledonica**, **Finot**, (*Acridium* New
Neocaledonicum) l. c. pp. 291, 350 (1907). Caledonia.
43. **C. Papuasica**, **Finot**, (*Acridium Papua-* New
sicum) l. c. pp. 293, 349 (1907). Guinea.

- **44. **C. Plagiata**, Walk. l. c. iv. p. 617 (1870). Australia.
Acridium Plagiatum, Finot, l. c. pp. 294, 340, 349 (1907).
- **45. **C. Basalis**, Walk. l. c. iii. p. 569, n. 40 (1870). id.
Acridium Basale, Finot, l. c. p. 326 (1907).
- *46. **C. Japonica**, Bol. (*Acridium Japonicum*) Japan, Ann. Mus. Genova, xxxix. p. 98. n. 54 Tsu Shima, (1898); Finot, l. c. pp. 286, 340, 350 N. India. (1907).
- **47. **C. Tenebrosa**, Walk. (*Acridium Tenebrosus*) l. c. iii. p. 590. n. 50 (1870); Philippines.
 Finot, l. c. p. 319 (1907).
- **48. **C. Transiens**, Walk. (*Acridium T.*) l. c. Celebes.
 p. 592. n. 53 (1870); Finot, l. c. p. 321 (1907).
- **49. **C. Pardalina**, Walk. (*Acridium Pardalinum*) l. c. p. 587. n. 37 (1870); S. India.
 Finot, l. c. p. 335 (1907).
- *50. **C. Luteicornis**, Serv. (*Acridium Luteicorne*) l. c. p. 658. n. 17 (1839); Java,
 Finot, l. c. pp. 287, 323, 348 (1907). Borneo,
 Penang.
- **51. **C. Fumosa**, Walk. (*Acridium Fumosum*) l. c. iii. p. 589. n. 41 (1870); Korea.
 Finot, l. c. p. 321 (1907).
- **52. **C. Irregularis**, Walk. l. c. p. 569. n. 39 Australia.
 (1870).
Acridium Irregulare, Finot, l. c. p. 317 (1907).
- **53. **C. Violascens**, Walk. (*Acridium V.*) l. c. Ceylon.
 p. 587. n. 38 (1870); Finot, l. c. p. 323 (1907).
- **54. **C. Vinosa**, Walk. (*Acridium Vinosum*) China,
 l. c. iii. p. 588. n. 40 (1870); Finot, l. c. Bengal.
 p. 323 (1907).
- **55. **C. Wingatei**, Kirb. Ann. Nat. Hist. Yang-tse-Kiang.
 (7) vi. p. 381 (1900).
Acridium Wingatei, Finot, l. c. p. 317 (1907).
- **56. **C. Amœnula**, Walk. l. c. iii. p. 573. n. 46 Fwambo,
 (1870). Pretoria.
- **57. **C. Distanti**, Kirb. Trans. Ent. Soc. Lond. Transvaal,
 1902, p. 103. n. 107. Natal,
Acridium Distanti, Finot, l. c. p. 329 Mashona
 (1907). Land.

- ♂. *C. Prasina*, var. β . Walk. l. c. iv. p. 563 (1870). Orange Colony.
- ♀. *C. Auricornis*, var. (?), Walk. l. c. (1870).
- ** 58. **C. Prasina**, Walk. l. c. iii. p. 562. n. 27 Natal. (1870).
Acridium Prasinum, Finot. l. c. p. 330 (1907).
- ** *C. Auricornis*, Walk. l. c. p. 563. n. 28 (1870).
Acridium Auricorne, Finot, l. c. p. 330 (1907).
59. **C. Baumanni**, Karsch, Stettin. Ent. Zeit. W. Africa. lvii. p. 293. n. 56, f. 22 (1887).
Acridium Baumanni, Finot, l. c. p. 324 (1907).
60. **C. Angulifera**, Krauss, (*Acridium Anguliferum*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 31. n. 1, pl. 1. ff. 1, 1 A (1877); Finot, l. c. pp. 271, 327, 344 (1907). Senegal, Soudan.
61. **C. Finoti**, Bol. (*Acridium F.*) Mém. Soc. Ent. Belg. xvi. p. 110 (1907). Lorenzo Marques.
|| *Acridium Prasinum*, Bol. (nec Walk.) Jorn. Sci. Lisboa, (2) i. p. 160. n. 146 (1889); Finot, l. c. p. 324 (1907). ~~*Acridium erichsoni*~~
62. **C. Deckeni**, Gerst. (*Acridium D.*) Arch. Naturg. xxxv. p. 219. n. 69 (1869); Von der Decken, Reise in Ost-Afrika, iii. (2) p. 43. n. 69, pl. 3. f. 3 (1873). Zanzibar.
63. **C. Dium**, Karsch, l. c. p. 294. n. 57 (1887). E. Africa.
Acridium Dium, Finot, l. c. p. 341 (1907).
64. **C. Corallinipes**, Karsch, l. c. p. 295. n. 58 (1887). Uganda.
Acridium Corallinipes, Finot, l. c. p. 341 (1907).
65. **C. Decipiens**, Karsch, l. c. p. 298. n. 61, f. 23 (1887). Togo.
Acridium Decipiens, Finot, l. c. p. 330 (1907).
66. **C. Tectiferus**, Karsch, l. c. pp. 299, 300. n. 62, f. 24 (1887). id.
Acridium Tectiferum, Finot, l. c. p. 321 (1907).
67. **C. Scrobiculatus**, Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 89. n. 49 (1893). id.

- Acridium Scrobiculatum*, **Finot**, l. c. p. 333 (1907).
68. **C. Debilis**, **Karsch**, Stettin. Ent. Zeit. Zanzibar.
lvii. p. 300. n. 63 (1887).
Acridium Debile, **Finot**, l. c. p. 328 (1904).
69. **C. Renkensis**, **Karny**, (*Locusta R.*) l. c. Soudan.
p. 306. n. 58 (1907).
Acridium (Locusta) Renkensis, **Finot**, l. c.
p. 351 (1907).
70. **C. Radama**, **Brancs.** (*Acridium R.*) Nossi-Bé.
Jahresh. Ver. Trencs. Com. xv.-xvi. p. 191
(1893); **Finot**, l. c. pp. 296, 326, 345
(1907).
71. **C. Ranavaloe**, **Finot**, (*Acridium R.*) Madagascar
l. c. pp. 257, 297, 318, 345. f. 10 (1907).
72. **C. Schistocercoides**, **Brancs.** (*Acridium S.*) id.
l. c. p. 192, pl. 12. f. 2 a-c (1893);
Finot, l. c. pp. 310, 332, 348 (1907).
73. **C. Albidifera**, **Walk.** (*Acridium Albidiferum*) Sinai.
l. c. iv. p. 627 (1870); **Finot**, l. c.
p. 335 (1907).
74. **C. Celebensis**, **Finot**, (*Acridium Celebense*) Celebes.
l. c. pp. 274, 348 (1907).
75. **C. (?) Cribrifrons**, **Walk.** (*Acridium C.*) Gambia.
l. c. v. Suppl. p. 60 (1871); **Finot**,
l. c. p. 332 (1907).

Genus 705. **Schistocerca.** (*Type* no. 46.)

Stål, Recens. Orth. i. p. 64 (1873); Brunn. Prodr. Eur. Orth. pp. 86, 215 (1882); Ann. Mus. Genova, xxxiii. p. 142 (1893); Scudd. Guide N. Amer. Orth. p. 41 (1897); Proc. Amer. Acad. xxxiv. p. 441 (1899); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 69 (1900); Biol. Centr.-Amer., Orth. ii. pp. 216, 294 (1907, 1908); Burr, Brit. Orth. p. 45 (1897); Jacobs. & Bianchi, l. c. pp. 173, 203, 308 (1902).

1. **S. Gracilis**, **Scudd.** Proc. Amer. Acad. S. America.
xxxiv. pp. 443, 447. n. 1 (1899).
2. **S. Aurantia**, **Scudd.** l. c. pp. 443, 448. Mexico.
n. 2 (1899).
3. **S. Carinata**, **Scudd.** l. c. pp. 443, 449. id.,
n. 3 (1899). California.

- *4. **S. Columbina, Thunb.** (*Gryllus Columbinus*) Mém. Soc. Petersb. ix. pp. 399, 425, n. 92 (1824).
Acridium (Schistocerca) Columbinum, Stål. l. c. p. 67, n. 17 (1873).
S. Columbina, Scudd. l. c. pp. 443, 449, n. 4 (1899).
 ¶ *Gryllus Ægyptius, Thunb. (nec Linn.)* l. c. v. p. 247 (1815).
Gryllus Occidentalis, Thunb. l. c. ix. pp. 400, 429, n. 104 (1824).
- **5. **S. Inscripta, Walk.** (*Cyrtacanthacris* L.) Jamaica.
 Cat. Derm. Salt. B. M. iii. p. 559, n. 3 (1870).
Acridium Inscriptum, Thomas, Syn. Acrid. N. Amer. p. 228 (1873).
S. Inscripta, Scudd. l. c. pp. 444, 461, n. 21 (1899).
6. **S. Philippina, Navás,** Bol. Soc. Aragon. Philippines,
 iii. p. 137, n. 12 (1904). Mindanao.
7. **S. Crocotaria, Scudd.** l. c. pp. 443, 450. Nicaragua.
 n. 5 (1899).
8. **S. Interrita, Scudd.** ll. cc. n. 6 (1899). Peru.
9. **S. Camerata, Scudd.** l. c. pp. 443, 451. Mexico.
 n. 7 (1899).
- **10. **S. Impleta, Walk.** (*Cyrtacanthacris* L.) id.
 l. c. iii. p. 554, n. 10 (1870).
S. Mellea, Scudd. l. c. pp. 443, 452, n. 8 (1899).
- **11. **S. Luridescens, Walk.** (*Acridium* L.) Honduras.
 l. c. p. 583, n. 26 (1870); Thomas, Syn. Acrid. N. Amer. p. 235 (1873).
12. **S. Zapoteca, Scudd.** l. c. pp. 443, 453. id.
 n. 9 (1899). S. & Centr. America.
- *13. **S. Vaga, Scudd.** (*Acridium Vagum*) California,
 Proc. Boston Soc. Nat. Hist. xviii. p. 269 Arizona,
 (1876); Proc. Amer. Acad. xxxiv. pp. 443, Texas,
 454, n. 10 (1899). Mexico,
 Nicaragua.
- **14. **S. Vitticeps, Walk.** (*Acridium* V.) l. c. Mexico.
 iii. p. 579, n. 10 (1870); Thomas, l. c. p. 233 (1873).
S. Pyramidata, Scudd. l. c. pp. 443, 454, n. 12 (1899).
15. **S. Desiliens, Scudd.** l. c. pp. 443, 455. Brazil.
 n. 13 (1899).

- *16. **S. Flavofasciata, De Geer**, (*Acridium Flavofasciatum*) Mém. Ins. iii. p. 489. n. 4, pl. 40. f. 8 (1773). S. America.
Acridium Flavofasciatum, Serr. Ins. Orth. p. 663. n. 24 (1839); De Haan, Temminck, Verhandel., Orth. p. 152. n. 21 (1842).
Acridium (*Schistocerca*) *Flavofasciatum*, Stål, l. c. p. 67. n. 16 (1873).
S. Flavofasciata, Scudd. l. c. pp. 444, 456. n. 14 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 69 (1900).
 (?) *Acrydium Vittatum*, Oliv. Encycl. Méth., Ins. vi. p. 221. n. 27 (1791).
 (?) *Gryllus Nitens*, Thunb. l. c. v. p. 236 (1815), ix. pp. 399, 424. n. 90 (1824).
 ♂. *Gryllus Fimbriatus*, Thunb. l. c. ix. pp. 400, 428. n. 101 (1824).
Gryllus Lividus, Thunb. ll. cc. n. 102 (1824), discoloured.
Acridium Longipenne, Burm. l. c. p. 632. n. 15 (1838).
 ** ♂. *Cyrtacanthacris Parvula*, Walk. l. c. iii. p. 554. n. 9 (1870).
 ** *Acridium Femorale*, Walk. l. c. p. 584. n. 27 (1870), iv. p. 620 (1870).
17. **S. Emortualis, Sauss.** (*Acridium Emortuale*) Rev. Zool. (2) xiii. p. 163 (1861); Scudd. l. c. p. 476 (1899). Brazil.
18. **S. Cubensis, Sauss.** (*Acridium Cubense*) l. c. p. 163 (1861); Thomas, Syn. Acrid. N. Amer. p. 232 (1873). Cuba.
19. **S. Tolteca, Sauss.** (*Acridium Toltecum*) l. c. p. 163 (1861); Thomas, l. c. p. 232 (1873). Mexico.
- **20. **S. Subvittata, Walk.** (*Cyrtacanthacris S.*) l. c. iii. p. 552. n. 7 (1870). Demerara.
21. **S. Æqualis, Scudd.** l. c. pp. 444, 458. n. 16 (1899). id.
- *22. **S. Infumata, Scudd.** l. c. pp. 444, 457. n. 15 (1899). Brazil, Montevideo.
23. **S. Maya, Scudd.** l. c. pp. 444, 458. n. 17 (1899). Mexico.
24. **S. Australis, Scudd.** l. c. pp. 444, 459. n. 18 (1899). Brazil, Guiana, Peru.
 || *Acridium Occidentale*, Scudd. (nec Thunb.) Proc. Boston Soc. Nat. Hist. xii. p. 339. n. 19 (1869).

- Acridium* (*Schistocerca*) *Occidentale*, Scudd.
l. c. xvii. p. 274. n. 29 (1875).
- **25. **S. Septentrionalis**, Walk. (*Cyrtacanthacris* S.) l. c. iii. p. 555. n. 11 (1870). W. America.
- **26. **S. Viridescens**, Walk. (*Cyrtacanthacris* L.) l. c. iii. p. 553. n. 8 (1870). Para.
27. **S. Gulosa**, Scudd. l. c. pp. 444, 459. n. 19 (1899). Demerara.
28. **S. Bogotensis**, Scudd. l. c. pp. 444, 460. n. 20 (1899). Bogota,
Colombia.
29. **S. Idonea**, Scudd. l. c. pp. 444, 461. n. 22 (1899). Brazil.
- *30. **S. Literosa**, Walk. (*Acridium Literosum*) l. c. iv. p. 620 (1870); Butl. Proc. Zool. Soc. Lond. 1877, p. 88. Galapagos,
Charles I. (?)
- S. Literosa*, Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 15, pl. 2. ff. 1, 3 (1893); Proc. Amer. Acad. xxxiv. pp. 444, 462. n. 23 (1899).
- S. Literosa Discoidalis*, Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 16 (1893). Chatham I.
- S. Literosa Punctata*, Scudd. l. c. (1893). Hood I.
- S. Literosa Hyalina*, Scudd. l. c. (1893). Tower I.
- *31. **S. Melanocera**, Stål, (*Acridium Melanocerum*) Eugenies Resa, Orth. p. 326. n. 70 (1860). Galapagos
Islands,
W. Amer. (?)
- Acridium* (*Schistocerca*) *Melanocerum*, Stål, Recens. Orth. i. p. 65. n. 12 (1873).
- S. Melanocera*, Brun. P. U.S. Nat. Mus. xii. p. 193 (1889); Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 11, pl. 2. ff. 5, 6 (1893); Proc. Amer. Acad. xxxiv. pp. 445, 462. n. 24 (1899).
- ***Acridium Tibiale*, Walk. l. c. iii. p. 582. n. 24 (1870).
- *32. **S. Alutacea**, Harr. (*Acrydium Alutaceum*) Rep. Ins. Mass. p. 139. n. 1 (1841), (ed. 3) p. 173 (1862). N. America,
Mexico,
Guatemala.
- Acridium Alutaceum*, Glover, Ill. N. Amer. Orth. pl. 8. f. 13, pl. 10. f. 13 (1872); Thomas, l. c. pp. 169, 171 (1873); Scudd. Bost. Journ. Nat. Hist. vii. p. 466. n. 1 (1862).
- S. Alutacea*, Brun. Publ. Nebraska Acad. Sci. iii. p. 26 (1893); Scudd. l. c. pp. 445, 464. n. 27 (1899); Rehn, Entom. News, xiii. p. 312 (1902).

- Acridium Rubiginosum*, Scudd. Bost. Journ. Nat. Hist. vii. p. 467. n. 4 (1862).
S. Rubiginosa, Scudd. Proc. Amer. Acad. xxxiv. pp. 445, 462. n. 25 (1899).
- ** *Acridium Scutellare*, Walk. l. c. iii. p. 579. n. 11 (1870); Thomas, l. c. p. 233 (1873).
- ** *Acridium Strenuum*, Walk. l. c. p. 580. n. 13 (1870).
Acridium Strenum, Thomas, l. c. p. 234 (1873).
- ** *Cyrtacanthacris Concolor*, Walk. l. c. iv. p. 610 (1870).
Acridium Concolor, Thomas, l. c. p. 230 (1873).
- ** *Acridium Proprium*, Walk. l. c. p. 621 (1870); Thomas, l. c. p. 236 (1873).
Acridium Emarginatum, Dodge, Canad. Ent. iv. p. 15 (1871); Scudd. Final Rep. Geol. Surv. Nebraska, p. 250. n. 13 (1872); Thomas, l. c. pp. 169, 172 (1873).
33. **S. Sonorensis**, Scudd. Proc. Amer. Acad. xxxiv. pp. 445, 463. n. 26 (1899). Sonora.
34. **S. Obscura**, Fabr. (*Gryllus Obscurus*) Ent. Syst. Suppl. p. 194 (1798). Southern United States, Mexico.
Acridium Obscurum, Burm. Handb. Ent. ii. p. 632. n. 14 (1838); Glover, Ill. N. Amer. Orth. pl. 5. f. 12 (1872); Thomas, l. c. pp. 169, 174 (1873).
S. Obscura, Scudd, l. c. pp. 445, 465 (1899).
35. **S. Olivacea**, Serv. (*Acridium Olivaceum*) Cuba.
l. c. p. 666. n. 27 (1839); Thomas, l. c. p. 236 (1873).
36. **S. Lineata**, Scudd. l. c. pp. 445, 465. n. 29 (1899). Kansas, Texas, Mexico.
S. Scudderi, Brun. Proc. U.S. Nat. Mus. xxx. p. 676 (1906).
37. **S. Albolineata**, Thomas, (*Acridium Albolineatum*) Wheeler's Rep. Expl. W. 100th Merid. v. p. 897, pl. 43. f. 1 (1875). Arizona, Iowa, New Mexico.
S. Albolineata, Scudd. l. c. pp. 445, 466. n. 30 (1899).
38. **S. Venusta**, Scudd. l. c. pp. 445, 467. n. 31 (1899). S.W. States, Mexico.
39. **S. Mexicana**, Scudd. l. c. pp. 445, 468. n. 32 (1899). Mexico.
40. **S. Separata**, Scudd. l. c. pp. 446, 469. n. 33 (1899). Nicaragua, Costa Rica.

41. **S. Malachitica**, **Rehn**, Proc. Acad. Nat. Sci. Philad. lvi. pp. 439-441. ff. 34, 35 (1905). Costa Rica.
- *42. **S. Shoshone**, **Thomas**, (*Acridium* S.) Proc. Acad. Nat. Sci. Philad. xxv. p. 296 (1873); Syn. Acrid. N. Amer. p. 175 (1873); Wheeler's Rep. Expl. W. 100th Merid. v. p. 895, pl. 43. f. 2 (1875). Western United States, Mexico.
S. Shoshone, **Brun.** Bull. U.S. Dep. Agric. xxviii. p. 41. f. 2 (1893); Scudd. l. c. pp. 446, 469. n. 34 (1899).
43. **S. Obliquata**, **Scudd.** l. c. pp. 446, 470. Mexico.
n. 35 (1899).
44. **S. Perturbans**, **Scudd.** l. c. pp. 446, 471. Guiana, Brazil.
n. 36 (1899).
45. **S. Bivittata**, **Stål**, (*Acridium* (*Schistocerca*) *Bivittatum*) l. c. p. 66. n. 15 (1873). S. Amer. (?).
S. Bivittata, **Scudd.** l. c. pp. 446, 471. n. 37 (1899).
Gryllus Flavicornis, varr. δ , ϵ , **Thunb.** ll. cc. v. p. 226 (1815), ix. p. 407 (1824).
- *46. **S. Tatarica**, **Linn.** (*Gryllus* (*Locusta*) *Tataricus*) Syst. Nat. (ed. 10) i. p. 432. S. Europe, Africa, W. Asia, S. & Central America.
n. 46 (1758); (pt.) Mus. Ludov. Ulric. p. 139. n. 30 (1764).
Acridium Peregrinum, **Oliv.** Voy. Emp. Othom. iv. p. 388 note (1804); Serv. l. c. p. 666. n. 28, pl. 12. f. 3 (1839).
Acridium (*Schistocerca*) *Peregrinum*, **Stål**, l. c. p. 65. n. 11 (1873); Bol. Ortópt. Españ. pp. 88, 89. n. 2 (1876); An. Soc. Españ. v. pp. 294, 295. n. 2 (1876).
S. Peregrina, **Brunn.** Prodr. Eur. Orth. p. 215. n. 1, pl. 7. f. 50 A, B (1882); Scudd. l. c. pp. 446, 472. n. 38 (1899); Burr, Brit. Orth. p. 45, pl. 4. f. 1 (1897); Jacobs. & Bianchi, l. c. pp. 203, 308 (1902); Brun. 1st Rep. Locust Comm. B. Aires, p. 5 (1898).
Gryllus Migratorius ζ , **Thunb.** l. c. v. p. 244 (1815), ix. p. 407 (1824).
Gryllus Rufescens, **Thunb.** l. c. v. p. 245 (1815), ix. pp. 397, 418. n. 67 (1824).
Acridium Flaviventre, **Burm.** l. c. p. 631. n. 11 (1838).
** *Acridium Sellatum*, **Walk.** l. c. iii. p. 585. n. 29 (1870).

47. **S. Carneipes, Serv.** (*Acridium C.*) l. c. Brazil.
p. 665. n. 26 (1839).
48. **S. Patiana, Posada-Arango,** (*Acridium* Colombia.
Patianum) Le Nat. i. (2) p. 5 (1879).
- *49. **S. Paranensis, Burm.** (*Acridium Para-* Brazil,
nense) Reise La Plata Staaten, i. p. 491 Argentina,
(1861); Reed, Proc. Ent. Soc. Lond. Uruguay,
1893, pp. xxi-xxiv. Chile.
- S. Paranensis, Brun.* l. c. i. pp. 1-79, &
pp. 1, 4, 5, 8, 10, 81 (figs.) (1898), ii.
p. 2. f. 1, pp. 69, 70. ff. 31, 32 (1900);
Proc. U.S. Nat. Mus. xxx. pp. 675, 676,
pl. 37. f. 4 (1906).
- || *Acridium (Schistocerca) Peregrinum, Berg*
(*nec Oliv.*), An. Soc. Argent. ix. pp. 275-
277 (1880).
- ** *Cyrtacanthacris Approximans, Walk.* l. c.
iii. p. 572. n. 44 (1870).
50. **S. Exsul, Scudd.** Bull. Mus. Zool. Har- W. America
vard Coll. xxv. p. 4 (1893); Proc. Amer.
Acad. xxxiv. pp. 446, 473. n. 40 (1899).
- *51. **S. Pallens, Thunb.** (*Gryllus P.*) l. c. v. Jamaica.
p. 237 (1815), ix. pp. 398, 422. n. 83
(1824).
- **52. **S. Vicaria, Walk.** (*Acridium Vicarium*) Mexico.
l. c. p. 580. n. 12 (1870); Thomas, l. c.
p. 234 (1873).
- *53. **S. Rustica, Fabr.** (*Gryllus Rusticus*) Mexico,
Syst. Ent. p. 292. n. 26 (1775). S. & Centr.
Acridium Rusticum, Burm. l. c. p. 633. n. 16 America,
(1838). W. Indies.
- ** *Cyrtacanthacris Pectoralis, Walk.* l. c. iii.
p. 551. n. 4 (1870).
- Acridium Pectoralis, Thomas,* l. c. p. 229
(1873).
- || *Acridium (Schistocerca) Pallens, Stål (nec*
Thunb.), l. c. p. 66. n. 14 (1873).
- S. Pallens, Scudd.* Proc. Amer. Acad. xxxiv.
pp. 446, 473. n. 41 (1899); Brun. 2nd Rep.
Locust Comm. B. Aires, p. 69 (1900);
Proc. U.S. Nat. Mus. xxx. pp. 675, 676
(1906).
54. **S. Cancellata, Serv.** (*Acridium Cancel-* Chile.
latum) l. c. p. 664. n. 25 (1839); Blanch.
Gay, Hist. Chil., Zool. vi. p. 71. n. 1 [pl. 2.
f. 7, ined.] (1851).
- S. Cancellata, Scudd.* l. c. pp. 447, 473. n. 42

- (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 3. f. 2, pp. 69. 70. f. 33 (1900).
55. **S. Viridis, Phil.** (*Acridium Viride*) Zeits. Chile. ges. Naturw. xxi. p. 238. n. 2 (1863). 2143.
56. **S. Brachyptera, Phil.** (*Acridium Brachypteron*) l. c. p. 239. n. 3 (1863). 2143. Chile.
57. **S. (?) Cristagalli, Phil.** (*Acridium C.*) id. Reise Wueste Atacama, p. 173. n. 2 (1860).
58. **S. Maculipennis, Blanch.** (*Acridium Maculipenne*) l. c. p. 72. n. 2 (1851). id.
59. **S. Vittigera, Blanch.** (*Acridium Vittigerum*) l. c. p. 73. n. 3. [pl. 3. f. 8, ined.] (1851). id.
60. **S. Democratica, Blanch.** (*Acridium Democraticum*) l. c. p. 74. n. 4 (1851). id.
- *61. **S. Americana, Drury,** (*Libellula Americana*) Ill. Exot. Ent. i. p. 128, pl. 49. f. 2 (1773). N. & S. America, W. Indies.
- Acridium Americanum*, Scudd. Bost. Journ. Nat. Hist. vii. p. 466. n. 2 (1862); Glover, Ill. N. Amer. Orth. pl. 1. f. 15 (1872); Thomas, Syn. Acrid. N. Amer. p. 172 (1873); Rep. Ins. Illinois, x. p. 81 (1880).
- Acridium (Schistocerca) Americanum*, Stål, l. c. p. 66. n. 13 (1873).
- S. Americana*, Scudd. Proc. Amer. Acad. xxxiv. pp. 447, 474. n. 43 (1899); Brun. 1st Rep. Locust Comm. B. Aires, i. p. 7, plate, f. 7 (1898); Nebraska State Board Agric., Rep. Ent. 1896, pp. 107, 122. f. 24 (1897); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Bull. U.S. Dept. Agric., Ent. xxviii. p. 10, f. 1 (1893).
- Gryllus Serialis*, Thunb. l. c. v. p. 241 (1815), ix. pp. 399, 424. n. 89 (1824).
- || *Locusta Tartarica*, Westw. (nec Linn.) Drury, Ill. Exot. Ent. i. p. 121, pl. 49. f. 2 (1837).
- || *Acridium Obscurum*, Bol. (nec Fabr.) Mém. Soc. Zool. France, p. 144. n. 83 (1888).
- ** *Cyrtacanthacris Interrupta*, Walk. l. c. iii. p. 572 n. 45 (1870).
62. **S. Ambigua, Thomas,** (*Acridium Ambiguum*) Rep. Geol. Surv. Montana, p. 447 (1872); Syn. Acrid. N. Amer. p. 173 (1873). Illinois, Kansas, Montana
- *63. **S. Vittata, Beauv.** (*Acridium Vittatum*) Mexico. Ins. Afr. Amér. p. 146, Orth. pl. 4. f. 5 (1805).

- ** *Acridium Piceifrons*, Walk. l. c. iii. p. 578.
n. 9 (1870); Thomas, Syn. Acrid. N.
Amer. p. 232 (1873).
- **64. **S. Varipes**, Walk. (*Acridium V.*) l. c. St. Domingo
iii. p. 581. n. 14 (1870); Thomas, l. c.
p. 235 (1873).
♂. *Cyrtacanthacris Simulatrix*, Walk. l. c.
iv. p. 610 (1870).
Acridium Simulatrix, Thomas, l. c. p. 230
(1873).
S. Simulatrix, Scudd. Proc. Amer. Acad.
xxxiv. pp. 443, 454. n. 11 (1899).
65. **S. Vittafrons**, Brun. Biol. Centr.-Amer., Costa Rica.
Orth. ii. p. 298. n. 32 (1908).
- **66. **S. Semivittata**, Walk. (*Acridium Semi-* Venezuela,
vittatum) l. c. iii. p. 583. n. 25 (1870). Iguarassu,
Ecuador.
- *67. **S. Peruviana**, Arribáizaga, An. Mus. Peru.
Nac. B. Aires, iii. (2) p. 2 (1903).
- **68. **S. Subspurcata**, Walk. (*Cyrtacanthacris* Guayaquil.
S.) l. c. iii. p. 552. n. 6 (1870).
69. **S. Cribrata**, Serv. (*Acridium Cribratum*) Brazil.
l. c. p. 648. n. 8 (1839).
- *70. **S. Damnifica**, Sauss. (*Acridium Damni-* United
ficum) l. c. (2) xiii. p. 164 (1861). States.
S. Damnifica, Scudd. l. c. pp. 447, 475. n. 44
(1899).
- ** *Cyrtacanthacris Unilineata*, Walk. l. c. iv.
p. 611 (1870).
Acridium Unilineatum, Thomas, Syn. Acrid.
N. Amer. pp. 169, 170 (1873).
- || *Acridium Rubiginosum*, Glover (*nec* Scudd.),
l. c. pl. 5. f. 5 (1872); Thomas, l. c.
pp. 169, 170 (1873).
Acridium Rugosum, Prov. Nat. Canad. viii.
p. 111 (1876).
Acridium Appendiculatum, Scudd. Proc.
Bost. Soc. Nat. Hist. xix. p. 86 (1877).
71. **S. Frontalis**, Thomas, (*Acridium F.*) id.
Rep. U.S. Geol. Surv. Montana, p. 448,
pl. 2. f. 1 (1871); Syn. Acrid. N. Amer.
p. 169 (1873); Glover, l. c. pl. 11. f. 1
(1872); Brun. Bull. U.S. Dept. Agric.,
Ent. xxviii. p. 12, f. 3 (1893).
72. **S. (?) Milberti**, Serv. (*Acridium M.*) l. c. N. America.
p. 648. n. 9 (1839).

Genus 706. **Oncolopha.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 30, 47 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878); Brunn. Ann. Soc. Genova, xxxiii. p. 142 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898).

1. **O. Guttata, Thunb.** (*Gryllus Guttatus*) Hab. — ?
 Mém. Acad. Pétersb. ix. pp. 397, 415.
 n. 55 (1824).
O. Guttata, Stål, Recens. Orth. i. p. 47.
 n. 1 (1873).
2. **O. Carbunculus, Gerst.** (*Monachidium* C.) Stett. Ent. Zeit. xxxiv. p. 185. n. 1 (1873). Brazil.

Genus 707. **Monachidium.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 281 (1831); Ins. Orth. p. 635 (1839); Brullé, Hist. Ins. ix. p. 223 (1835); Burm. Handb. Ent. ii. pp. 602, 625 (1838); Stål, Recens. Orth. i. p. 30 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878); Thomas, Syn. Acrid. N. Amer. p. 238 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 299 (1907, 1908).

- *1. **M. Lunus, Joh.** (*Gryllus L.*) Amœn. Acad. vi. p. 397. n. 30 (1763). Cayenne, Brazil.
Acrydium Lunum, Oliv. Encycl. Méth., Ins. vi. p. 216. n. 6 (1791).
M. Lunum, Serv. Ins. Orth. p. 636. n. 1 (1839); Brun. l. c. p. 299. n. 1 (1908).
M. Lunus, Burm. l. c. p. 626. n. 1 (1838).
Gryllus Mathras, Licht. Cat. Mus. Zool. Hamburg, iii. p. 87. n. 123 (1796).
Gryllus Locusta Vexillatus, Stoll, Spectres, Saut. p. 40, pl. 22 b. f. 84 (1813).
M. Flavipes, Serv. Ann. Sci. Nat. xxii. p. 281. n. 1 (1831); Brullé, l. c. p. 223, pl. 19. f. 2 (1835); Burm. l. c. p. 626. n. 3 (1838).
2. **M. Crista-flammea, Perty**, Del. Anim. Brazil.
 Art. p. 124, pl. 24. f. 6 (1832); Burm. l. c. p. 626. n. 2 (1838); Serv. Ins. Orth. p. 637. n. 2 (1839).
3. **M. Opulentum, Gerst.** Mitth. Ver. Neu- Amazons.
 Vorpom. xx. p. 5. n. 4 (1889).

- | | |
|--|------------------|
| 4. M. Chelonia , Serv. l. c. p. 638. n. 4
(1839). | Minas
Geraes. |
| 5. M. Superbum , Stål, Öfv. Vet.-Akad.
Förh. xii. p. 352. n. 1 (1855); Thomas,
l. c. p. 239 (1873). | Honduras. |

Genus 708. **Antiphon**. (Type no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 20, 55 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893).

- | | |
|---|---------|
| *1. A. Acropyron , Perty, (<i>Monachidium</i>
A.) Del. Anim. Art. p. 123, pl. 24. f. 5
(1833); Burm. Handb. Ent. ii. p. 626.
n. 4 (1838); Serv. Ins. Orth. p. 637. n. 3
(1839). | Brazil. |
| *2. A. Ornatum , Sauss. (<i>Monachidium</i> O.)
Rev. Zool. (2) xi. p. 393 (1859). | id. |
| 3. A. Gallus , Stål, l. c. p. 55. n. 1 (1878). | id. |

Genus 709. **Ecphantus**. (Type no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 26, 71 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

- | | |
|--|--|
| *1. E. Quadrilobus , Stål, l. c. p. 71. n. 1 (1878);
Frogg. Agric. Gaz. N. S. Wales, xv. p. 242, plate, f. 1 (1904). | N. Australia
Queensland,
N.S. Wales. |
| 2. E. Cristatus , Tepp. Horn Exped. Centr.
Australia, ii. p. 374 (1901). | Central
Australia. |
| 3. E. Ayersii , Tepp. l. c. (1901). | id. |

Genus 710. **Pelecinotus**. (Type no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 619 (1902).

- | | |
|---|-------------|
| 1. P. Brachypterus , Bol. l. c. p. 620, pl. 9.
ff. 35, 35 a (1902). | Kodaikanal. |
| 2. P. Cristagalli , Bol. l. c. f. 36 (1902). | Madura. |

Genus 711. **Exochoderes**.

Bol. Jorn. Sci. Lisb. viii. p. 113 (1881).

Exochoderus, Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1903).

- | | |
|--|---------|
| 1. E. Aurantiacus , Bol. l. c. p. 114. n. 27
(1881). | Angola. |
|--|---------|

Genus 712. **Teratodes.**

Brullé, Hist. Ins. ix. p. 222 (1835); Burm. Handb. Ent. ii. p. 618 (1838); Serv. Ins. Orth. p. 633 (1839); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 26 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

- *1. T. Monticollis, Gray, (*Gryllus M.*)** India,
Griffith, Anim. Kingd. xv. p. 215, pl. 64 Ceylon.
(1832); Brullé, l. c. p. 222 (1835).
T. Monticollis, Serv. l. c. p. 634. n. 1 (1839);
Willey, Spol. Zeyl. ii. p. 200. n. 4, plate
(1905).

Genus 713. **Acrostegastes.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 303 (1896).

1. **A. Mollipes, Karsch,** l. c. n. 65, f. 26 Zanzibar.
(1896).
2. **A. (?) Glaber, Karsch,** l. c. p. 304. Somali.
n. 66, f. 27 (1896).
***3. A. Affinis, Schulth.** Ann. Mus. Genova, id.
xxxix. p. 192. n. 1 (1898).

Genus 714. **Eremidium.**

Karsch, Stettin. Ent. Zeit. lvii. p. 280 (1896).

1. **E. Equuleus, Karsch,** l. c. p. 281. n. 44, S. Africa.
f. 15 (1896).

Genus 715. **Bocagella.**

Bol. Journ. Sci. Lisboa, (2) i. p. 161 (1889);
Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

1. **B. Lanuginosa, Bol.** l. c. p. 162. n. 153, Caconda.
plate, ff. 5, 5 a (1889).

Genus 716. **Robecchia.**

Schulth. Ann. Mus. Genova, xxxix. p. 193 (1890).

1. **R. Obesa, Schulth.** l. c. p. 194. n. 1, pl. 2. | Somali.
f. 11 (1890).

Genus 717. **Althæmenes.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 27 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

1. **A. Macula-lutea, De Haan,** (*Aceridium* | Sumatra.
M.) Temminck, Verhandel., Orth. p. 159,
pl. 21. f. 3 (1842).

Genus 718. **Abisares.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

- *1. **A. Viridipennis, Burm.** (*Monachidium* | E. Africa.
Viridipenne) Handb. Ent. ii. p. 626. n. 5
(1838).

Genus 719. **Aresceutica.**

Karsch, Stettin. Ent. Zeit. lvii. p. 308 (1896).

1. **A. Subnuda, Karsch,** l. c. p. 309. n. 72 | E. Africa.
(1896).

Genus 720. **Bibracte.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 27, 71 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893); Abhandl.
Senckenb. Ges. xxiv. p. 240 (1898).

1. **B. Cristulata, Stål,** l. c. p. 71. n. 1 | Java.
(1878); Brunn. Abhandl. Senckenb. Ges.
xxiv. p. 241. n. 1 (1898).

2. **B. Deminuta, Brunn.** l. c. pp. 241, 242. Java.
n. 2, pl. 18. f. 38 (1898); ~~Karsch~~, *Krauss*,
Denkschr. Med.-nat. Ges. Jena, viii.
p. 762, pl. 67. f. 9 (1903).
3. **B. Rugulosa, Bol.** Ann. Soc. Ent. Kodaikanal.
France, lxx. p. 620 (1902).
4. **B. Hagenbachii, De Haan,** (*Acridium* Java.
H.) Temminck, Verhandel., Orth. pp. 153,
154. n. 34, pl. 21. f. 2 (1842).
B. Hagenbachii, Stål, l. c. p. 71 (1878);
Brunn. l. c. pp. 241, 242. n. 3 (1898). ~~O-X~~ *✓*
5. **B. Maculata, Brunn.** ll. cc. n. 4 (1898). id.
6. **B. Unicolor, Brunn.** l. c. pp. 241, 243. Sumatra.
n. 5 (1898).
- *7. **B. Acuminata, Brunn.** ll. cc. n. 6 Borneo.
(1898).

Genus 721. **Alectorolophus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 244 (1898).

1. **A. Speciosus, Brunn.** l. c. n. 1, pl. 18. Celebes.
f. 39 (1898).
2. **A. Applicatus, Brunn.** l. c. pp. 244, id.
245. n. 2 (1898).
3. **A. Unilobatus, Brunn.** ll. cc. n. 3 id.,
(1898). Lomboek.
4. **A. Subapterus, Brunn.** ll. cc. n. 4 Lomboek.
(1898).
5. **A. Obscœnus, Brunn.** l. c. pp. 244, 246. id.
n. 5 (1898).

Genus 722. **Coptacra.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 37, 58 (1873); Brunn. Ann. Mus.
Genova, xxxiii. p. 143 (1893); Bol. Ann. Soc. Ent. France,
lxx. p. 624 (1902).

- *1. **C. Fœdata, Serv.** (*Acridium Fœdatum*) Java.
Ins. Orth. p. 662. n. 23 (1839).
Catantops Fœdatus, Karny, Sitz. Akad.
Wiss. Wien, Math.-nat. Kl. cxvi. p. 47.
n. 25 (1907).

- **2. **C. Stricta, Walk.** (*Caloptenus Strictus*) Sarawak.
Cat. Derm. Salt. B. M. iv. p. 707. n. 63
(1870).
- **3. **C. Dominans, Walk.** (*Caloptenus D.*) Silhet.
l. c. p. 705. n. 58 (1870).
- **4. **C. Tenella, Walk.** (*Cyrtacanthacris T.*) Hab. — ?
l. c. p. 618 (1870).
5. **C. Ensifera, Bol.** Ann. Soc. Ent. France, Madura.
lxx. p. 621 (1902).
- *6. **C. Succinea, Krauss,** Sitz. Akad. Wiss. W. Africa,
Wien, Math.-nat. Cl. lxxvi. (1) p. 34, n. 2 Natal,
(1877); Karsch, Berlin. Ent. Zeitschr. Cameroons.
xxxviii. p. 92. n. 53 (1893).
7. **C. Mellifica, Bol.** Mem. Soc. Españ. i. Biafra.
p. 235 (1905).
8. **C. Anguliflava, Karsch,** l. c. p. 92. n. 54 Cameroons.
(1893).
9. **C. Paupercula, Kirb.** Trans. Ent. Soc. Transvaal.
Lond. 1902, p. 238. n. 108, A.

Genus 723. **Coptacrella.**

Bol. Ann. Soc. Ent. France, lxx. pp. 622, 624 (1902).

1. **C. Martini, Bol.** l. c. p. 622, pl. 9. ff. 37. India.
37 a (1902).

Genus 724. **Sauracris.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 40.

- *1. **S. Locusta, Burr.** l. c. p. 41, pl. 2. f. 3 Somaliland.
(1900).

Genus 725. **Paracoptacra.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 304 (1896);
Bol. Ann. Soc. Ent. France, lxx. p. 625 (1902).

1. **P. Cauta, Karsch,** l. c. p. 304. n. 67 E. Africa.
(1896).
2. **P. Ascensi, Giglio-Tos,** Boll. Mus. Lake
Torino, xxii. (554) p. 16 (1907). Mæris.

Genus 726. **Phyxacra.** (Type no. 1.)

Karny, Sitz. Akad. Wiss. Wien. Math.-nat. Kl. cxvi. (1)
p. 307 (1907).

1. **P. Variolosa, Krauss,** (*Coptacra* V.) Senegal.
Sitz. Akad. Wiss. Wien. Math.-nat. Cl.
lxxvi. (1) p. 33, n. 1 (1877).
2. **P. Cœruleus, Karny,** l. c. p. 308, n. 61 Gondokoro.
(1907).

Genus 727. **Eucoptacra.** (Type no. 1.)

Bol. Ann. Soc. Ent. France, lxx. pp. 623, 625 (1902).

- *1. **E. Præmorsa, Stål,** (*Acridium* (Catantops ?) *Præmorsum*) Eugénies Resa. Orth. India.
p. 330, n. 76 (1860).
Coptacra Præmorsa, Stål, Recens. Orth.
i. p. 58, n. 2 (1873).
E. Præmorsa, Bol, l. c. p. 623 (1902).
Catantops Præmorsus, Karny, Sitz. Akad.
Wiss. Wien, Math.-nat. Kl. cxvi. pp. 311,
325, n. 9 (1907).
- ** *Caloptenus Sinensis, Walk.* Cat. Derm.
Salt. B. M. iv. p. 704, n. 57 (1870).
- ** *Caloptenus Obliterans, Walk.* l. c. p. 712.
n. 71 (1870).
- *2. **E. Inamœna, Walk.** (*Caloptenus Inamœnus*) l. c. v. Suppl. p. 68 (1871). Yunnan.
- **3. **E. Incompta, Walk.** (*Caloptenus Incomptus*) l. c. p. 69 (1871). id.
- **4. **E. Contracta, Walk.** (*Acridium Contractum*) l. c. iii. p. 591, n. 51 (1870); Finot,
Ann. Soc. Ent. France, lxxvi. p. 337
(1907). ~~Philippines.~~ Philippines.
Coptacra Cyanoptera, Stål, Œfv. Vet.-Akad.
Förh. xxxiv. (10) p. 52, n. 1 (1877).
Coptacra Annulipes, Bol. An. Soc. Españ.
xix. p. 320 (1890).
- *5. **E. Saturata, Walk.** (*Acridium Saturatum*) S. India.
l. c. iv. p. 628 (1870) ; Finot, l. c. p. 334
(1907).
- **6. **E. Strigifer, Walk.** (*Caloptenus S.*) l. c. Bombay.
v. Suppl. p. 66 (1871).

7. **E. Cingulatipes**, **Bol.** (*Coptacra* C.) Sumatra.
Ann. Mus. Genova, xxxix. p. 99. n. 56
(1898).
Coptacra Sumatrensis, *Fritze*, Rev. Suisse
Zool. vii. p. 339 (1899).
- **8. **E. Virescens**, **Walk.** (*Acridium* V.) l. c. Australia.
iv. p. 635 (1870); *Finot*, Ann. Soc. Ent.
France, lxxvi. p. 340 (1907).
- **9. **E. Mundata**, **Walk.** (*Heteracris* M.) l. c. Port
p. 672. n. 37 (1870). Essington.
- **10. **E. Nanula**, **Walk.** (*Cyrtacanthacris* N.) N. Australia.
l. c. p. 616 (1870).
Acridium Nanulum, *Finot*, l. c. p. 338
(1907).

Genus 728. **Patocra.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 16 (1907).

1. **P. Viridula**, **Giglio-Tos**, l. c. p. 17 Congo.
(1907).

Genus 729. **Kassongia.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 113 (1908).

1. **K. Flavovittata**, **Bol.** l. c. p. 114. n. 119 Stanley
(1908). Falls.

Genus 730. **Acridoderes.** (*Type* no. 2.)

Bol. Jorn. Sci. Lisboa, (2) i. p. 163 (1889); Ann. Soc. Ent.
France, lxx. p. 624 (1902); Brunn. Ann. Mus. Genova,
xxxiii. p. 143 (1893).

- **1. **A. Strenuus**, **Walk.** (*Caloptenus* S.) Cat. | Gambia.
Derm. Salt. B. M. iv. p. 699. n. 49
(1870).
- *2. **A. Crassus**, **Bol.** Jorn. Sci. Lisboa, (2) i. | Angola,
p. 163. n. 155 (1889). | E. Africa.
3. **A. Prasinus**, **Karsch**, Berlin. Ent. | Cameroons.
Zeitschr. xxxvi. p. 182. n. 21 (1891).

4. **A. Punctatus, Kirb.** Trans. Ent. Soc. Transvaal.
Lond. 1902. p. 239. n. 108, c.
5. **A. Amethystinus, Bol.** Mém. Soc. Ent. Stanley
Belge, xvi. p. 114. n. 120 (1908). Falls.

Genus 731. **Cyphocerastis.** (*Type no. 1.*)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 181 (1891).

Cyphocerastes, Bol. Ann. Soc. Ent. France, lxx. p. 625 (1902).

1. **C. Læta, Karsch,** l. c. p. 182. n. 19 Cameroons.
(1891).
2. **C. Tristis, Karsch,** l. c. n. 20 (1891). id.
3. **C. Clavareau, Bol.** Mém. Soc. Ent. Congo.
Belg. xvi. p. 115. n. 124 (1908).

Genus 732. **Epistaurus.** (*Type no. 1.*)

Bol. Journ. Sci. Lisboa, (2) i. p. 164 (1889); Ann. Soc. Ent.
France, lxx. p. 625 (1902); Brunn. Ann. Mus. Genova,
xxxiii. pp. 143, 160 (1893).

1. **E. Crucigerus, Bol.** Journ. Sci. Lisboa, W. Africa.
(2) i. p. 164. n. 156 (1889); Mem. Soc.
Españ. i. p. 236 (1905); Brunn. l. c.
p. 160 (1893).
2. **E. Signatus, Bol.** Journ. Sci. Lisboa, (2) Caconda.
i. p. 164. n. 157 (1889).
3. **E. Aberrans, Brunn.** l. c. p. 160. n. 1, Burma.
pl. 5. f. 55 a, b (1893).
4. **E. Sinetyi, Bol.** Ann. Soc. Ent. France, Trichino-
lxx. p. 623 (1902). poly.
5. **E. Bolivari, Karny,** Sitz. Akad. Wiss. Gondokoro.
Wien, Math.-nat. Kl. cxvi. p. 309. n. 82
(1907).

Genus 733. **Parepistaurus.**

Karsch, Stettin. Ent. Zeit. lvii. p. 305 (1896);

Bol. Ann. Soc. Ent. France, lxx. p. 625 (1902).

1. **P. Deses, Karsch,** l. c. p. 305. n. 68 Kilima-
(1896). njaro.

Genus 734. **Gerenia.** (*Type no. 3.*)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 28, 73 (1878);
Brunn. Ann. Mus. Genova, xxxiii. pp. 144, 161 (1893).

- | | |
|--|--|
| <p>**1. G. Dorsalis, Walk. (<i>Acridium Dorsale</i>)
Cat. Derm. Salt. B. M. iv. p. 630 (1870);
Finot, Ann. Soc. Ent. France, lxxvi.
p. 334 (1907).</p> <p>**2. G. Pustulipennis, Walk. (<i>Caloptenus P.</i>)
l. c. v. Suppl. p. 68 (1871).</p> <p>3. G. Obliquinervis, Stål, l. c. p. 73. n. 1
(1873).</p> <p>4. G. Ambulans, Stål, l. c. p. 74. n. 2
(1873).</p> <p>*5. G. Intermedia, Brunn. l. c. p. 161. n. 1,
pl. 5. f. 56 (1893).</p> <p>6. G. Abbreviata, Brunn. l. c. p. 162. n. 2
(1893).</p> <p>7. G. Dilatata, Tepp. Horn Exped. Centr.
Austral. ii. p. 374 (1896).</p> | <p>S. India.</p> <p>Bombay.</p> <p>India (?)</p> <p>Cambodia.</p> <p>Burma.</p> <p>id.</p> <p>Central
Australia.</p> |
|--|--|

Genus 735. **Sedulia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 28 (1878);
Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1902).

- | | |
|---|-----------------|
| <p>1. S. Specularia, Stål, (<i>Traulia S.</i>) l. c. iii.
(14) p. 31. n. 1 (1875).</p> | <p>Malacca.</p> |
|---|-----------------|

Genus 736. **Segellia.** (*Type no. 1.*)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 184, 188 (1891);
Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

- | | |
|---|---------------------------------|
| <p>1. S. Nitidula, Karsch, l. c. p. 185. n. 23,
fig. (1891).</p> <p>2. S. Lepida, Karsch, l. c. xxxviii. p. 90.
n. 51 (1893).</p> | <p>Cameroons.</p> <p>Adeli.</p> |
|---|---------------------------------|

Genus 737. **Pteropera.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 185, 189 (1891).

1. **P. Verrucigena**, Karsch, l. c. p. 186. Cameroons.
n. 24 (1891).
2. **P. Pictipes**, Bol. Mém. Soc. Ent. Belg. Congo.
xvi. p. 117. n. 128 (1908).
3. **P. Karschi**, Bol. (*Arescentica* K.) Mem. Biafra.
Soc. Españ. i. p. 238 (1905).

Genus 738. **Cænona.**

Karsch, Stettin. Ent. Zeit. lvii. p. 307 (1896).

1. **C. Brevipedalis**, Karsch, l. c. n. 70 Zanzibar.
(1896).

Genus 739. **Serpusia.** (*Type* no. 1.)Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 187, 189 (1891);
Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

1. **S. Opacula**, Karsch, l. c. p. 188. n. 25, Cameroons.
fig. (1891).
2. **S. Blanchardi**, Bol. Mem. Soc. Españ. Liberia.
i. p. 238 (1905).
3. **S. Catamita**, Karsch, l. c. xxxviii. p. 91. Cameroons.
n. 52 (1893).
4. **S. Spleniata**, Karsch, Stettin. Ent. Zeit. Guinea.
lvii. p. 308. n. 71 (1896).
5. **S. Femorata**, Giglio-Tos, Boll. Mus. Congo.
Torino, xxii. (554) p. 18 (1907).

Genus 740. **Phialosphæra.**

Karsch, Stettin. Ent. Zeit. lvii. p. 309 (1896).

1. **P. Globulifera**, Karsch, l. c. p. 310. W. Africa.
n. 73, f. 29 (1896).

Genus 741. **Ptemoblax.**

Karsch, Stettin. Ent. Zeit. lvii. p. 311 (1896).

- | | |
|--|-------|
| 1. P. Ludius, Karsch , l. c. n. 74, f. 30
(1896); Bol. Mem. Soc. Españ. i. p. 237
(1905). | Togo. |
|--|-------|

Genus 742. **Antita.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 116 (1908).

- | | |
|--|-------------------|
| 1. A. Alca, Bol. l. c. n. 126 (1908). | Popo-
cabacca. |
|--|-------------------|

Genus 743. **Orbillus.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 37, 71 (1873); Bihang Svensk.
Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus.
Genova, xxxiii. p. 144 (1893).

- | | |
|--|------------------|
| *1. O. Cœruleus, Drury , (<i>Gryllus C.</i>) Ill.
Exot. Ent. ii. p. 79, pl. 42. f. 1 (1773).
<i>Locusta Cœrulea, Westw.</i> Drury, Ill. Exot.
Ent. ii. p. 89, pl. 42. f. 1 (1837). | Sierra
Leone. |
| 2. O. Namaqua, Krauss , Verh. zool.-bot.
Ges. Wien, li. p. 288. n. 22 (1901). | S.W.Africa. |
| 3. O. Nyassicus, Karsch , Stettin. Ent.
Zeit. lvii. p. 313. n. 77 (1896); Giglio-
Tos, Boll. Mus. Torino, xxii. (554) p. 19
(1907). | Nyasa. |
| **4. O. Finalis, Walk. (<i>Acridium Finale</i>)
Cat. Derm. Salt. B. M. iv. p. 625 (1870);
Finot, Ann. Soc. Ent. France, lxxvi.
p. 319 (1907). | Fantee. |
| 5. O. Roseoviridis, Bol. Mém. Soc. Ent.
Belg. xvi. p. 118. n. 130 (1908). 5-1273 | Congo. |
| 6. O. Elegantulus, Bol. l. c. n. 131 (1908). | id. |

Genus 744. **Traulia.** (Type no. 8.)

Stål, Recens. Orth. i. pp. 37, 58 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 28, 72 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893); Abh. Senckenb. Ges. xxiv. p. 246 (1898).

1. **T. Azureipennis, Serv.** (*Niphicera* A.) Java.
Ins. Orth. p. 616. n. 6, pl. 14. f. 4 (1839).
T. Azureipennis, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 72. n. 1 (1878).
- *2. **T. Dimidiata, De Haan**, (*Acridium* id., Borneo,
(*Oxya*) *Dimidiatum*) Temminck, Ver- Malay
handel., Orth. pp. 156, 157. n. 18, pl. 21. Peninsula.
ff. 4, 4 a, b (1842).
T. Dimidiata, Brunn. ll. cc. p. 160. n. 1 Burma.
(1893); pp. 247, 248. n. 1 (1898).
3. **T. Ferruginata, Brunn.** Abhandl. Borneo,
Senckenb. Ges. xxiv. pp. 247, 249. n. 2 Celebes.
(1898).
- *4. **T. Obliqueannulata, Brunn.** ll. cc. n. 3 Sumatra.
(1898). Malay Pen.
- *5. **T. Pictilis, Stål**, Öfv. Vet.-Akad. Förh. Philippines.
xxxiv. (10) p. 52. n. 1 (1877); Brunn.
l. c. pp. 248, 250. n. 4 (1898).
6. **T. Sanguinipes, Stål**, Bihang Svensk. Borneo,
Akad. Handl. v. (4) p. 72. n. 3 (1878); Celebes.
Brunn. l. c. pp. 248, 250. n. 5 (1898).
7. **T. Stigmatica, Bol.** Ann. Mus. Genova, Sumatra.
xxxix. p. 100. n. 57 (1898).
- *8. **T. Flavoannulata, Stål**, (*Acridium Flavo-* Java,
annulatum) Eugénies Resa, Orth. p. 329. Sumatra,
n. 75 (1860). Amboina.
T. Flavoannulata, Stål, Recens. Orth. i.
p. 58. n. 1 (1873); Bihang Svensk. Akad.
Handl. v. (4) p. 72. n. 2 (1878); Brunn.
l. c. pp. 248, 251. n. 6 (1898).
Acridium (Oxya) Dimidiatum, ♀, De Haan,
l. c. p. 158, pl. 21. f. 5 (1842).
9. **T. Lineata, Brunn.** l. c. pp. 248, 251. Sumatra.
n. 7 (1898).
- *10. **T. Affinis, De Haan**, (*Acridium (Oxya)* id.,
Affine) l. c. pp. 156, 158. n. 19, pl. 21. Singapore.
f. 9 (1842).

- T. Affinis*, Brunn. l. c. pp. 248, 252. n. 8 (1898).
- *11. **T. Microptera, De Haan**, (*Aceridium Oxya*) *Micropterum*) l. c. pp. 156, 158. n. 20, pl. 21. f. 6 (1842). Java, Annam, Singapore.
- T. Microptera*, Brunn. l. c. pp. 248, 252. n. 9 (1898).
- **12. **T. Diminuta, Walk.** (*Oxya D.*) Cat. Yunnan.
Derm. Salt. B. M. v. Suppl. p. 64 (1871).
13. **T. (?) Violacea, Serv.** (*Aceridium Viola-ceum*) Ins. Orth. p. 669. n. 30 (1839). Hab. — ?

Genus 745. **Catantops.** (*Type* no. 49.)

Schaum, Ber. Akad. Berlin, 1853, p. 779; Peters, Reise Mossamb., Zool. v. p. 134 (1862); Stål, Recens. Orth. i. pp. 37, 69 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893); Karsch, Ent. Nachr. xxvi. p. 277 (1900); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 309 (1907).

Apalacris, Walk. Cat. Derm. Salt. B. M. iv. p. 641 (1870). (*Type* no. 89.)

Eupropacris, Walk. l. c. p. 642 (1870). (*Type* no. 12.)

- *1. **C. Opulentus, Karsch**, Stettin. Ent. Zeit. lvii. p. 314. n. 78, f. 33 (1896); Ent. Nachr. xxvi. p. 277 (1900); Karny, l. c. pp. 310, 324. n. 5 (1907). Tanganyika, Uganda.
- *2. **C. Putidus, Karsch**, ll. cc. p. 315. n. 79 (1896); p. 278 (1900); Karny, l. c. pp. 310, 323. n. 2 (1907). Nyasa, Zomba.
- ***Stenocrobilus* (?) *Whytei*, Kirb. Trans. Ent. Soc. Lond. 1902, p. 108. n. 116.
- **3. **C. (?) Trifasciatus, Kirb.** (*Stenocrobilus* (?) *T.*) l. c. n. 115 (1902). Transvaal, BechuanaL.
4. **C. Ineptus, Karsch**, ll. cc. p. 515. n. 80 (1896); p. 278 (1900); Karny, l. c. pp. 310, 323. n. 3 (1907). Nyasa.
5. **C. Regalis, Karny**, l. c. pp. 310, 323. n. 4 (1907). Zanzibar.
6. **C. Pauperatus, Karny**, l. c. pp. 311, 324. n. 6 (1907). S. Africa.
7. **C. Lucrosus, Karsch**, Stettin. Ent. Zeit. lvii. p. 316. n. 81 (1896); Karny, l. c. pp. 311, 324. n. 7 (1907). W. Africa.

8. **C. Rufipes, Karny**, l. c. pp. 311, 325. n. 8 (1907). German E. Africa.
9. **C. Bifidus, Karsch**, l. c. p. 317. n. 82 (1896); Karny, l. c. pp. 315, 335. n. 35 (1907). Delagoa Bay.
10. **C. Pompalis, Karsch**, l. c. p. 318. n. 83, f. 54 (1896); Ent. Nachr. xxvi. p. 278 (1900); Karny, l. c. pp. 322, 348. n. 78 (1907). Usambara.
- **11. **C. Urania, Kirb.** l. c. p. 107. n. 114 (1902); Karny, l. c. pp. 322, 348. n. 75 (1907). Transvaal, Nyasa.
- *12. **C. Cylindricollis, Schaum**, (*Pacilocerus* C.) Ber. Akad. Berlin, 1853, p. 779. n. 17; Peters' Reise Mossamb., Zool. v. p. 132, pl. 7 A. f. 3 (1862). S. & E. Africa.
C. Cylindricollis, Karsch, Ent. Nachr. xxvi. p. 278 (1900); Karny, l. c. pp. 322, 348. n. 79 (1907).
- *** *♂. Eupropacris Spectabilis, Walk.* Cat. Derm. Salt. B. M. iv. p. 643. n. 1 (1870).
- ** *Aceridium Gemmate, Walk.* l. c. p. 625 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 331 (1907).
Eupropacris Gemmate, Kirb. l. c. p. 105. n. 109 (1902).
- ** *Aceridium Fasciculatum, Walk.* l. c. p. 626 (1870); Finot, l. c. p. 329 (1907).
13. **C. Ornatus, Karny**, l. c. pp. 322, 349. n. 80 (1907). Zanzibar.
- **14. **C. Sulphureus, Walk.** (*Caloptenus* S.) l. c. p. 625. n. 42 (1870). Natal, Bechuana L.
15. **C. Vanus, Karsch**, Stettin. Ent. Zeit. lvii. pp. 318, 319. n. 84, f. 35 (1896); Ent. Nachr. xxvi. p. 279 (1900); Karny, l. c. pp. 312, 329. n. 20 (1907). Zanzibar.
16. **C. Viridulus, Karny**, l. c. n. 21 (1907). German E. Africa.
17. **C. Cyanipes, Karny**, l. c. pp. 312, 330. n. 22, pl. 2. ff. 11-15, pp. 350, 351. nn. 1, 63 (1907). Gondokoro, Uganda.
18. **C. Ophthalmicus, Karny**, l. c. pp. 313, 330. n. 23 (1907). Ceylon.
19. **C. Angustulus, Bol.** Ann. Soc. Ent. France, lxx. p. 627 (1902); Karny, l. c. pp. 313, 331. n. 24 (1907). Madura.

- *20. **C. Annulipes, Stål**, Recens. Orth. i. p. 70. n. 6 (1873); Karny, l. c. pp. 317, 339. n. 46 (1907). W. Africa.
21. **C. Taramassi, Giglio-Tos**, Boll. Mus. Torino, xxii. (554) p. 19 (1907). Somali.
22. **C. Fretus, Giglio-Tos**, l. c. p. 21 (1907). Congo.
- **23. **C. Spissa, Walk.** (*Cyrtacanthacris* S.) l. c. iv. p. 618 (1870). E. & W. Africa.
- C. Præmonstrator, Karsch*, Berlin. Ent. Zeitschr. xxxviii. pp. 94, 95. n. 59 (1893); Ent. Nachr. xxvi. p. 279 (1900); Karny, l. c. pp. 321, 348. n. 72 (1907).
- **24. **C. Adustus, Walk.** (*Acridium Adustum*) l. c. p. 624 (1870); Finot, l. c. p. 330 (1907). E. Africa.
25. **C. Insulanus, Karny**, l. c. pp. 319, 342. n. 58 (1907). I. Aldabra.
26. **C. Brunneri, Karny**, l. c. pp. 319, 343. n. 59 (1907). Massowa, Zanzibar.
- *27. **C. Axillaris, Thunb.** (*Gryllus* A.) Mém. Acad. Pétersb. ix. pp. 399, 426. n. 96 (1824). Cape Verde I., W. & S. Africa.
- C. Axillaris, Stål*, l. c. p. 70. n. 4 (1873); Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 35. n. 1 (1877); Karsch, Ent. Nachr. xxvi. p. 279 (1900); Karny, l. c. pp. 319, 343. n. 60 (1907). *Acridium Debilitatum, Scrv.* Ins. Orth. p. 684. n. 49 (1839).
- (?) || *Ocyra Vicina, Burr* (nec Brunn.), Nat. Hist. Sokotra, p. 420. n. 23 (1903). I. St. Johanna.
28. **C. Saucia, Burm.** (*Acridium Saucium*) Handb. Ent. ii. p. 633. n. 17 (1838). *C. Saucius, Karny*, l. c. pp. 320, 344. n. 61, p. 351. nn. 3, 65, pl. 2. ff. 21-25 (1907).
29. **C. Modicus, Karsch**, Berlin. Ent. Zeitschr. xxxviii. pp. 94, 96. n. 60 (1893); Karny, l. c. pp. 322, 348. n. 74 (1907). Adeli.
30. **C. Mellitus, Karsch**, l. c. pp. 94, 97. n. 61 (1893); Karny, l. c. pp. 315, 335. n. 36 (1907). id.
31. **C. Styliifer, Krauss**, l. c. p. 35. n. 2, pl. 1. f. 2 (1877); Karsch, l. c. pp. 95, 99. n. 64 (1893); Karny, l. c. pp. 320, 344. n. 62, p. 351. nn. 4, 66, pl. 2. ff. 26-30 (1907). Senegal, Adeli.

32. **C. Cephalotes**, **Bol.** Journ. Sci. Lisboa, Caconda.
(2) i. p. 166. n. 164 (1890); Karny, Benguela.
l. c. pp. 317, 339. n. 47 (1907).
33. **C. Minimus**, **Karny**, l. c. pp. 320, 344. Gondokoro.
n. 63. pl. 2. ff. 31-33. pp. 351, 352. nn. 5,
67 (1907).
34. **C. Elegans**, **Karny**, l. c. pp. 320, 345. Herero-
n. 64 (1907). land.
- *35. **C. Basifer**, **Walk.** l. c. p. 713. n. 73 Africa (?).
(1870).
- *36. **C. Decoratus**, **Gerst.** Arch. Naturg. xxxv. E. Africa.
p. 219. n. 70 (1869); Von der Decken,
Reise Ost-Afrika, Ins. p. 44. n. 70, pl. 3.
f. 4 (1875); Karsch, Ent. Nachr. xxvi.
p. 280 (1900); Karny, l. c. pp. 312, 328.
n. 18 (1907).
37. **C. Stæli**, **Kirb.** (n. n.) Damara
|| *C. Decoratus*, *Stal* (nec *Gerst.*). (Elfv. Vet.- Land,
Akad. Förh. xxxiii. (3) p. 40. n. 2 Zanzibar.
(1876).
38. **C. Major**, **Karny**, l. c. pp. 312, 329. Zanzibar.
n. 19 (1907).
39. **C. Areolatus**, **Bol.** Mém. Soc. Ent. Belg. Congo.
xvi. p. 119. n. 136 (1908).
40. **C. Schoutedeni**, **Bol.** l. c. p. 120. n. 137 id.
(1908).
41. **C. Imperator**, **Bol.** l. c. p. 121. n. 138 id.
(1908).
42. **C. Signatus**, **Karsch**, Berlin. Ent. Cameroons.
Zeitschr. xxxvi. p. 190. n. 28 (1891);
Karny, l. c. pp. 322, 348. n. 73 (1907).
43. **C. Exsul**, **Karny**, l. c. pp. 321, 346. Hab. — ?
n. 69 (1907).
- *44. **C. Solitarius**, **Karsch**, Ent. Nachr. xxvi. S. & E.
p. 280 (1900); Krauss, Verh. zool.-bot. Africa.
Ges. Wien, li. p. 289. n. 23 (1901);
Karny, l. c. pp. 321, 347. n. 70, pp. 351,
352. nn. 6, 68, pl. 2. ff. 34-38 (1907).
45. **C. Wernerellus**, **Karny**, l. c. pp. 321, Gondokoro.
347. n. 71, pp. 351, 352. nn. 7, 69, pl. 2.
ff. 39-43 (1907).
46. **C. Kraussi**, **Karny**, l. c. pp. 321, 345. Accra.
n. 66 (1907).
47. **C. Hæmorrhoidalis**, **Krauss**, Sitz. Senegal.
Akad. Wiss. Wien, Math.-nat. Cl. lxxvi.
(1) p. 36. n. 3, pl. 1. ff. 3, 3 A, B (1877);
Karny, l. c. pp. 321, 346. n. 67 (1907).

- *48. **C. Notatus**, **Karsch**, Berlin. Ent. Zeitschr. xxxvi. p. 190. n. 29 (1891); Karny, l. c. pp. 321, 346. n. 68 (1907). Cameroons, Congo.
- *49. **C. Melanostictus**, **Schaum**, ll. cc. p. 779. n. 19 (1853); p. 134, pl. 7 A. f. 5 (1862); Stål, l. c. p. 70. n. 5 (1873); Krauss, l. c. p. 37. n. 4 (1877); Bol. Journ. Sci. Lisboa, (2) i. p. 165. n. 161 (1889); Karsch, Ent. Nachr. xxvi. p. 280 (1900); Karny, l. c. pp. 315, 336. n. 37, pl. 2. ff. 16-20, pp. 350, 351. nn. 2, 64 (1907). E. & W. Africa.
- ** *Caloptenus Quadratus*, **Walk.** l. c. iv. p. 698. n. 47 (1870).
- ** *Caloptenus Stramineus*, **Walk.** l. c. p. 697. n. 45 (1870).
- ** *Caloptenus Sordidus*, **Walk.** l. c. n. 44 (1871).
50. **C. Decipiens**, **Karsch**, l. c. p. 281 (1900); Karny, l. c. pp. 315, 336. n. 38 (1907). Nyasa.
51. **C. Debilis**, **Krauss**, Verh. zool.-bot. Ges. Wien, li. p. 291. n. 25 (1901); Karny, l. c. pp. 322, 348. n. 77 (1907). S.W. Africa.
- *52. **C. Mimulus**, **Karsch**, Berlin. Ent. Zeitschr. xxxvi. p. 189. n. 27 (1891), xxxviii. pp. 94, 98. n. 62, f. 13 (1893); Ent. Nachr. xxvi. p. 281 (1900); Bol. Mém. Soc. Ent. Belg. xvi. p. 122. n. 141 (1908); Karny, l. c. pp. 316, 336. n. 40 (1907). W. & E. Africa.
53. **C. Captiosus**, **Bol.** l. c. p. 122. n. 142 (1908). Stanley Falls.
54. **C. Asthmaticus**, **Karsch**, Berlin. Ent. Zeitschr. xxxviii. pp. 95, 98. n. 63, f. 14 (1893); Karny, l. c. pp. 316, 336. n. 39 (1907). Adeli.
- *55. **C. Stipatus**, **Walk.** (*Acridium Stipatum*) l. c. p. 624 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 319 (1907). Congo.
56. **C. Villosus**, **Karsch**, l. c. xxxviii. pp. 95, 99. n. 65 (1893); Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 320, 345. n. 65 (1907). E. & W. Africa.
57. **C. Tæniolatus**, **Karsch**, Berlin. Ent. Zeitschr. xxxviii. pp. 95, 100. n. 67 (1893); Karny, l. c. pp. 311, 326. n. 12 (1907). Adeli.

58. **C. Fuscipes, Karny**, l. c. pp. 311, 326. German
n. 13 (1907). E. Africa.
59. **C. Nigricornis, Karny**, l. c. pp. 312, 327. n. 14 (1907). Milanji,
Dar-es-Salaam.
60. **C. Nudulus, Karsch**, l. c. pp. 95, 100. Adeli.
n. 66 (1893); Karny, l. c. pp. 312, 328.
n. 15 (1907).
61. **C. Pallens, Karny**, ll. cc. n. 16 (1907). Kilimanjaro
62. **C. Vittatus, Kirb.** (*C. Vittatus*) Trans. Pretoria,
Ent. Soc. Lond. 1902, p. 106. n. 111. Delagoa
C. Vittatus, Karny, l. c. pp. 313, 331. n. 26 Bay.
(1907).
63. **C. Fasciatus, Karny**, ll. cc. n. 27 German
(1907). E. Africa.
64. **C. Exiguus, Karny**, l. c. pp. 314, 332. Delagoa
n. 28 (1907). Bay.
65. **C. Sulcifer, Karny**, ll. cc. n. 29 (1907). Milanji.
66. **C. Humeralis, Thunb.** (*Girillas H.*) Africa (?).
Mem. Acad. Pétersb. v. p. 255 (1815).
ix. pp. 398, 420. n. 77 (1824).
- *67. **C. Capicolus, Stål**, (*Aceridium* (*Catantops* *Capicola*)) Eugénies Resa. Ins. p. 331. S. & E.
n. 78 (1860). Africa.
- C. Capicola, Kirb.* Trans. Ent. Soc. Lond. 1902, p. 106. n. 110.
- C. Humeralis, Stål* (*nee Thunb.* ?), Recens. Orth. i. p. 69. n. 1 (1873); (Efv. Vet.-Akad. Förh. xxxiii. (3) p. 40. n. 1 (1876); Karsch, Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 314, 333. n. 30 (1907).
- ***Caloptenus Conscitus, Walk.* Cat. Derm. Salt. B. M. iv. p. 700. n. 50 (1870).
68. **C. Distinguendus, Stål**, (*Aceridium* (*Catantops*) *Distinguendum*) l. c. p. 331. n. 79 Cape.
(1860).
- C. Distinguendus, Stål*, Recens. Orth. i. p. 69. n. 2 (1873); Karny, l. c. pp. 314, 333. n. 31 (1907).
- **69. **C. Basalis, Walk.** (*Heteracris B.*) l. c. Sierra Leone.
p. 658. n. 7 (1870).
70. **C. Digitatus, Bol.** Journ. Sci. Lisboa, (2) W. Africa.
i. p. 166. n. 163 (1890); Karny, l. c. pp. 312, 328. n. 17 (1907).
71. **C. Maculatus, Karny**, l. c. pp. 314, 334. Milanji.
n. 32 (1907).

72. **C. Marginatus**, Karny, l. c. pp. 315, 334. n. 33 (1907). Sierra Leone.
- *73. **C. Comis**, Karsch, l. c. pp. 95, 101. n. 68 (1893); Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 322, 348. n. 76 (1907). E. & W. Africa.
74. **C. Miles**, Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 22 (1907). Congo.
75. **C. Bipunctatus**, Bol. Mém. Soc. Ent. Belg. xvi. p. 123. n. 144 (1908). id.
76. **C. Karschi**, Karny, l. c. pp. 316, 337. n. 41 (1907). Soudan.
77. **C. Sacalava**, Brancs. Jahresh. Ver. Trencs. Com. xv.-xvi. p. 193, pl. 12. f. 3 a, b (1893); Karny, l. c. pp. 316, 337. n. 42 (1907). Madagascar
78. **C. Stenocrobyloides**, Karny, l. c. pp. 316, 338. n. 43 (1907). id.
79. **C. Malagassus**, Karny, ll. cc. n. 44 (1907). id.
80. **C. Aberrans**, Karny, l. c. pp. 318, 341. n. 53 (1907). Celebes.
81. **C. Acuticercus**, Bol. Ann. Soc. Ent. France, lxx. p. 626 (1902); Karny, l. c. pp. 318, 341. n. 54 (1907). Madura.
82. **C. Consobrinus**, Karny, l. c. pp. 319, 341. n. 55 (1907). India(?).
- **83. **C. Coreanus**, Walk. (*Acridium Coreanum*) l. c. iv. p. 629 (1870); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 308 (1902); Finot, Ann. Soc. Ent. France, lxx. p. 333 (1907). Korea, China, Yezand.
- ***Cyrtacanthacris Obliqua*, Walk. l. c. v. Suppl. p. 58 (1871).
- *84. **C. Splendens**, Thunb. (*Gryllus* S.) Mém. Acad. Pétersb. v. p. 236 (1815), ix. pp. 395, 408. n. 30 (1824). India, Ceylon, Borneo, Philippines, Celebes, Amboina, &c.
- C. Splendens*, Stål, Recens. Orth. i. p. 71. n. 8 (1873); Karny, l. c. pp. 311, 326. n. 11 (1907).
- C. Splendens*, var. *Pallipes*, Karny, l. c. pp. 311, 326. n. 11 a (1907).
- C. Splendens*, var. *Vitrea*, Karny, l. c. p. 326 (1907).
- Acridium Luteolum*, Serv. Ins. Orth. p. 661. n. 21 (1839).

- ** *Acrydium Rupitibia*, Walk. Ann. Nat. Hist. 31 iv. p. 223 (1859).
- ** *Cyrtacanthacris Nana*, Walk. Cat. Derm. Sak. B. M. iii. p. 568, n. 37 (1870).
Acridium Nana, Finot, l. c. p. 327 (1907).
- ** *Cyrtacanthacris Ferrina*, Walk. l. c. p. 568, n. 38 (1870).
Acridium Ferrinum, Finot, l. c. p. 336 (1907).
- ** *Acridium Ceramium*, Walk. l. c. p. 591, n. 52 (1870); Finot, l. c. p. 326 (1907).
85. **C. Infuscata, De Haan**, (*Acridium* Borneo,
(Oryza) *Infuscatum*) Temminck, Ver- Celebes,
 handel, Orth. pp. 155, 156, n. 13 (1842). New
C. Infuscatum, Bol. Ann. Mus. Genova, Guinea.
 xxxix. p. 101, n. 59 (1898); Karny, l. c.
 pp. 311, 325, n. 10 (1907).
- ** 86. **C. Pulchellus, Walk.** (*Cyrtacanthacris* India (?).
Pulchella) l. c. iii. p. 574, n. 47 (1870).
- ** 87. **C. Erubescens, Walk.** (*Caloptenus E.*) Bengal.
 l. c. iv. p. 703, n. 55 (1870).
88. **C. Pinguis, Stål**, (*Acridium* (Catantops) China.
Pingue) Eugenes Resa, Orth. p. 330,
 n. 77 (1860).
C. Pinguis, Karny, l. c. pp. 319, 342, n. 56
 (1907).
- ** 89. **C. Varicornis, Walk.** (*Apalacris V.*) N. India.
 l. c. iv. p. 642, n. 1 (1870).
- * 90. **C. Karnyi, Kirb.** (n. n.). India (?).
C. Pulchellus, Karny (nec Walk.), l. c.
 pp. 317, 339, n. 48 (1907).
91. **C. Indicus, Bol.** Ann. Soc. Ent. France, N. & S.
 lxx. p. 626 (1902); Karny, l. c. pp. 319, India.
 342, n. 57 (1907).
- * 92. **C. Humilis, Serv.** (*Acridium Humile*) China,
 Ins. Orth. p. 662, n. 22 (1839).
Acridium (Oryza) Humile, De Haan, l. c.
 pp. 156, 157, n. 16 (1842). India,
C. Humilis, Stål, Recens. Orth. i. p. 71. Ceylon,
 n. 7 (1873); Karny, l. c. pp. 317, 342. Malay
 n. 49 (1907). Archi-
 pelago.
- ** *Acridium Innotabile*, Walk. l. c. iv. p. 629
 (1870); Finot, l. c. p. 336 (1907).
- ** *Acridium Delincolatum*, Walk. l. c. p. 634
 (1870); Finot, l. c. p. 335 (1907).
- ** *Caloptenus Ferrugineus*, Walk. l. c. p. 705,
 n. 59 (1870).

- ** *Caloptenus Signatipes*, Walk. l. c. p. 706.
 n. 60 (1870).
- ** *Cyrtacanthacris Punctipennis*, Walk. l. c.
 v. Suppl. p. 60 (1871).
Acridium Punctipenne, Finot, l. c. p. 335
 (1907).
- ** *Caloptenus Immunis*, Walk. l. c. p. 67
 (1871).
93. **C. Interruptus**, Bol. (*C. Humilis*, var. Madura.
Interruptus) l. c. p. 625 (1902).
C. Interruptus, Karny, l. c. pp. 317, 339.
 n. 45 (1907).
- **94. **C. Orientalis**, Kirb. (*Prinnia* (?) O.) Christmas
 Proc. Zool. Soc. Lond. 1888, p. 549. Island.
Oecia Orientalis, Kirb. Mon. Christmas
 Island, p. 150. n. 21, pl. 13. f. 1, pl. 14.
 f. 2 (1900).
- **95. **C. Tenebrifer**, Walk. (*Acridium Tene-* Celebes.
briferum) l. c. iv. p. 633 (1870); Finot,
 l. c. p. 336 (1907).
96. **C. Speciosus**, Brancs. Jahresh. Ver. New
 Trencs. Com. xix.-xx. p. 77 (1897); Guinea.
 Karny, l. c. pp. 318, 341. n. 52 (1907).
97. **C. Papuanus**, Brancs. l. c. p. 78 (1897); id.
 Karny, l. c. pp. 318, 340. n. 51 (1907).
98. **C. Intermedius**, Bol. Ann. Mus. Genova, id.
 xxxix. p. 100. n. 58 (1898); Karny, l. c.
 pp. 317, 340. n. 50 (1907).
- **99. **C. Angustifrons**, Walk. (*Acridium A.*) N. Aus-
 l. c. iii. p. 593. n. 57 (1870); Finot, l. c. tralia.
 p. 338 (1907).
- ** *Cyrtacanthacris Rubiginosa*, Walk. l. c. iv.
 p. 615 (1870).
Acridium Rubiginosum, Finot, l. c. p. 338
 (1907).
- ** *Acridium Obtusum*, Walk. l. c. iv. p. 634
 (1870); Finot, l. c. p. 340 (1907).
- **100. **C. Obtusifera**, Walk. (*Acridium Obtusi-* Hab. — ?
ferum) l. c. v. Suppl. p. 63 (1871).
- **101. **C. (?) Perficita**, Walk. (*Heteracris P.*) S. Africa.
 l. c. iv. p. 660. n. 11 (1870).
102. **C. (?) Abbreuiatus**, Karny, l. c. pp. 310, Natal.
 322. n. 1 (1907).
103. **C. Arthritica**, Serv. (*Acridium Arthri-* Cape.
ticum) Ins. Orth. p. 685. n. 50 (1839).

Genus 746. **Stenocrobilus.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 219 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 45 (1873); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

- | | |
|---|----------------------|
| 1. S. Cervinus , Gerst. ll. cc. p. 220. n. 71 | Zanzibar. |
| (1869); p. 45. n. 71, pl. 3. f. 5 (1873). | |
| 2. S. Festivus , Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 190. n. 30 (1891). | Cameroons. |
| 3. S. Fumosus , Bol. Jorn. Sci. Lisboa, (2) i. p. 166. n. 165 (1890). | Angola. |
| 4. S. Femoratus , Bol. Ann. Soc. Ent. France, lxx. p. 628 (1902). | S. India,
Madura. |
| 5. S. Roseus , Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 23 (1907). | Congo. |
| 6. S. Ornatus , Giglio-Tos, l. c. p. 25 (1907). | id. |
| 7. S. Cyaneus , Bol. Mém. Soc. Ent. Belg. xvi. p. 124. n. 146 (1908). | id. |
| 8. S. Antennatus , Bol. l. c. n. 147 (1908). | id. |

Genus 747. **Allaga.**

Karsch, Stettin. Ent. Zeit. lvii. p. 319 (1896).

- | | |
|--|-----------|
| 1. A. Ambigua , Karsch, l. c. p. 320. n. 85, ff. 36, 36 a-c (1896). | Zanzibar. |
|--|-----------|

Genus 748. **Ischnansis.**

Karsch, Stettin. Ent. Zeit. lvii. p. 312 (1896).

- | | |
|--|-----------|
| 1. I. Insitiva , Karsch, l. c. p. 313. n. 76, f. 32 (1896). | Zanzibar. |
|--|-----------|

Genus 749. **Atrachelacris.**

Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 19, 20 (1894),
 xiii. (311) p. 49 (1898); Brun. 2nd Rep. Locust Comm.
 B. Aires, pp. 54, 70 (1900); Proc. U.S. Nat. Mus.
 xxx. pp. 643, 677 (1906).

- | | |
|---|-------------------------|
| 1. A. Unicolor , Giglio-Tos , l. c. ix. (184) | Argentina,
Paraguay. |
| p. 21 (1894); Brun. ll. cc. pp. 70, 71. ff. 34, | |
| 35 (1900); p. 677, pl. 38. ff. 8, 9 (1906). | |

Genus 750. **Gymnoscirtetes.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. (9) pp. 195, 204
 (1897); Guide N. Amer. Orth. p. 41 (1897); Proc. U.S.
 Nat. Mus. xx. pp. 9, 14 (1898).

- | | |
|--|----------|
| 1. G. Pusillus , Scudd. Proc. U.S. Nat. Mus. | Florida. |
| xx. p. 15, pl. 2. f. 1 (1898); Rehn & | |
| Hebard, Proc. Acad. Nat. Sci. Philad.
lvi. p. 789 (1904). | |

Genus 751. **Netrosoma.** (*Type* no. 1.)

Scudd. Proc. Amer. Arts Sci. xxxii. (9) pp. 195, 204 (1897);
 Proc. U.S. Nat. Mus. xx. pp. 9, 16 (1898); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 217, 299 (1907-8).

- | | |
|---|-----|
| 1. N. Uniformis , Scudd. Proc. U.S. Nat. Mexico. | |
| Mus. xx. p. 17. n. 1, pl. 2. f. 2 (1898). | |
| <i>N. Uniforme</i> , <i>Brun.</i> l. c. p. 300. n. 1 (1908). | |
| 2. N. Nigropleura , Scudd. l. c. pp. 17, 18. | id. |
| n. 2, pl. 2. f. 3 (1898). | |
| <i>N. Nigropleurum</i> , <i>Brun.</i> l. c. p. 300. n. 2
(1908). | |

Genus 752. **Trigonophymus.** (*Type* no. 5.)

Stål. Recens. Orth. i. p. 77 (1873); Bilang Svensk. Akad.
 Handl. v. (4) p. 32 (1878).

Dichroplus, Stål, ll. cc. p. 78 (1873); p. 32 (1878); Brun. Ann. Mus. Genova, xxxiii. p. 145 (1893); Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 20, 21 (1894), xiii. (311) pp. 49, 67 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 71 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 677 (1906); Biol. Centr.-Amer., Orth. ii. pp. 217, 300 (1907-8). (*Type* no. 15.)

1. **T. (?) Mexicanus, Sauss.** (*Pezotettix* Mexico.
Mexicana) Rev. Zool. (2) xiii. p. 160
 (1861).
Dichroplus Mexicanus, Brun. Berlin. Ent.
 Zeitschr. xlv. p. 257. n. 21 (1900); Brun.
 Biol. Centr.-Amer., Orth. ii. p. 300. n. 1
 (1908).
2. **T. Obscurus, Brun.** (*Dichroplus* O.) Argentina,
 2nd Rep. Locust Comm. B. Aires, pp. 71, Paraguay.
 73 (1900); Proc. U.S. Nat. Mus. xxx.
 p. 677 (1906).
3. **T. Cliens, Stål**, (*Acridium* (*Podisma*) C.) iid.
Eugenies Resa, Orth. p. 335. n. 86 (1860).
Pezotettix (*Dichroplus*) *Cliens*, Stål, Recens.
 Orth. i. p. 78. n. 12 (1873).
Pezotettix Cliens, Stål, Bihang Svensk.
 Akad. Handl. v. (9) p. 6. n. 1 (1878).
Dichroplus Cliens, Brun. ll. cc. pp. 71, 73
 (1900); p. 677 (1906).
4. **T. Lemniscatus, Stål**, (*Acridium* (*Podisma*) *Lemniscatum*) Argentina,
Eugenies Resa, Brazil.
 Orth. p. 334. n. 84 (1860).
Pezotettix (*Dichroplus*) *Lemniscatus*, Stål,
 Recens. Orth. i. p. 78. n. 13 (1873).
Pezotettix Lemniscatus, Stål, Bihang Svensk.
 Akad. Handl. v. (9) p. 6. n. 2 (1878).
Dichroplus Lemniscatus, Brun. l. c. pp. 71,
 73 (1900); pp. 677, 679 (1906).
- *5. **T. Fuscus, Thunb.** (*Gryllus* F.) S. America.
 Acad. Pétersb. v. p. 235 (1815), ix.
 pp. 398, 421. n. 80 (1824).
Pezotettix (*Trigonophymus*) *Fuscus*, Stål.
 Recens. Orth. i. p. 78. n. 9 (1873).
Pezotettix Fuscus, Stål, Bihang Svensk.
 Akad. Handl. v. (9) p. 6. n. 4 (1878).
Dichroplus Fuscus, Giglio-Tos, l. c. ix.
 (184) p. 21 (1894); Brun. ll. cc. pp. 72, 73
 (1900); pp. 678, 679 (1907); Biol. Centr.-
 Amer., Orth. ii. pp. 300, 301. n. 4 (1908).

6. **T. Cinereus, Brun.** (*Dichroplus C.*) 2nd Mendoza.
Rep. Locust Comm. B. Aires, pp. 72, 73
(1900); Proc. U.S. Nat. Mus. xxx.
p. 678 (1906).
7. **T. Bicolor, Giglio-Tos,** (*Dichroplus B.*) Argentina,
l. c. ix. (184) p. 21 (1894); Brun. ll. cc. Paraguay,
pp. 72, 73 (1900); pp. 678, 679 (1906). Bolivia.
8. **T. Robustus, Brun.** (*Dichroplus R.*) Paraguay.
Proc. U.S. Nat. Mus. xxx. pp. 678, 679
(1906).
9. **T. Paraguayensis, Brun.** (*Dichroplus* id.
P.) l. c. pp. 678, 680 (1906).
- *19. **T. Patruelis, Stål,** (*Acridium (Podisma)* id.,
Patruelis) Eugenies Resa, Orth. p. 334. Argentina.
n. 83 (1860).
Pezotettix (Dichroplus) Patruelis, Stål,
Recens. Orth. i. p. 78. n. 11 (1873).
Pezotettix Patruelis, Stål, Bihang Svensk.
Akad. Handl. v. (9) p. 6 (1878).
Dichroplus Patruelis, Giglio-Tos, l. c. ix.
(184) p. 21 (1894); Brun. 2nd Rep.
Locust Comm. B. Aires, pp. 72, 73
(1900); Proc. U.S. Nat. Mus. xxx.
pp. 678, 681 (1906).
11. **T. Pratensis, Brun.** (*Dichroplus P.*) Argentina.
ll. cc. pp. 72, 74, 75. f. 37 (1900);
p. 678 (1906).
12. **T. Exilis, Giglio-Tos,** (*Dichroplus E.*) id.,
l. c. ix. (184) p. 23 (1894); Brun. l. c. Paraguay.
pp. 72, 75 (1900); pp. 678, 681 (1906).
13. **T. Elongatus, Giglio-Tos,** (*Dichroplus* Buenos
E.) l. c. ix. (184) p. 23 (1894); Brun. Aires,
ll. cc. pp. 72, 75, 76. f. 38 (1900); Paraguay.
pp. 678, 681, pl. 36. f. 10 (1906).
14. **T. (?) Frenatus, Marsch.** (*Gryllus F.*) Brazil.
Ann. Wien. Mus. i. p. 212. n. 5, pl. 18.
f. 4 (1835); Giglio-Tos, l. c. ix. (184)
p. 24 (1894).
15. **T. Arrogans, Stål,** (*Acridium (Podisma)* Buenos
A.) Eugenies Resa, Orth. p. 333. n. 81 Aires,
(1860). Montevideo.
Pezotettix (Dichroplus) Arrogans, Stål,
Recens. Orth. i. p. 78. n. 10 (1873).
Pezotettix Arrogans, Stål, Bihang Svensk.
Akad. Handl. v. (9) p. 6. n. 5 (1898).
Dichroplus Arrogans, Brun. ll. cc. pp. 72,
75, 76. ff. 36, 12 (1900); p. 678 (1906).

- *16. **T. Punctulatus, Thunb.** (*Grallus P.*) l. c. Mexico,
ix. pp. 395, 408. n. 31 (1821). Central &
Pezotettix (*Trigonophymus*) *Punctulatus*. S. America.
Stål, Recens. Orth. i. p. 77. n. 8 (1873).
Pezotettix Punctulatus, *Stål*, *Bihang Svensk.*
Akad. Handl. v. (9) p. 6. n. 6 (1878).
Dichroplus Punctulatus, *Giglio-Tos*, l. c.
ix. (184) p. 21 (1884); *Brun.* ll. cc.
pp. 72, 76. ff. 39, 40 (1900); pp. 678,
681. pl. 38. ff. 3, 4 (1906); *Bi-l.*
Centr.-Amer., Orth. ii. pp. 300, 301. n. 2
(1908).
Aceridium (*Podisma*) *Fraternum*, *Stål*,
Eugenies Resa, Orth. p. 333. n. 82
(1860).
- ***Cyrtacanthoxeris Munda*, *Walk.* Cat. Derm.
Salt. B. M. iv. p. 612 (1870).
17. **T. Morosus, Rehn**, (*Dichroplus M.*) Costa Rica.
Proc. Acad. Nat. Sci. Philad. lvii.
pp. 442, 805 (1905); *Brun. Biol. Centr.-*
Amer., Orth. ii. pp. 300, 301. n. 3 (1908).
18. **T. Conspersus, Brun.** (*Dichroplus C.*) Argentina.
2nd Rep. Locust Comm. B. Aires, pp. 72,
76. f. 41 (1900); *Proc. U.S. Nat. Mus.*
xxx. pp. 678, 682 (1906).
19. **T. Dubius, Brun.** (*Dichroplus D.*) Paraguay.
U.S. Nat. Mus. xxx. pp. 678, 682 (1906).
20. **T. Brasiliensis, Brun.** (*Dichroplus B.*) Brazil.
ll. cc. (1906).
21. **T. Vittatus, Brun.** (*Dichroplus V.*) Argentina.
2nd Rep. Locust Comm. B. Aires, pp. 72, 77,
78. ff. 43, 44 (1900); *Proc. U.S. Nat.*
Mus. xxx. pp. 678, 683 (1906).
22. **T. Bergii, Stål**, (*Pezotettix B.*) *Bihang* id.,
Svensk. Akad. Handl. v. (9) p. 6. n. 7 Paraguay.
(1878).
Dichroplus Bergii, *Giglio-Tos*, l. c. ix. (184)
p. 21 (1894); *Brun.* ll. cc. pp. 72, 77
(1900); pp. 679, 683 (1906).
23. **T. Robustus, Stål**, (*Pezotettix R.*) l. c. S. Brazil.
p. 7. n. 8 (1878).
Dichroplus Robustus, *Brun.* *Proc. U.S.*
Nat. Mus. xxx. pp. 679, 683 (1906).
24. **T. Distinguendus, Giglio-Tos**, (*Di-* Paraguay.
chroplus D.) l. c. ix. (184) p. 22 (1884);
Brun. Proc. U.S. Nat. Mus. xxx. pp. 679,
683 (1906).

- | | |
|--|------------|
| 25. T. Cinctipes, Brun. (<i>Dichroplus C.</i>)
Proc. U.S. Nat. Mus. xxx. pp. 679, 683
(1906). | Paraguay. |
| 26. T. Peruvianus, Stål, (<i>Pezotettix P.</i>) l. c.
p. 7. n. 9 (1878); Brun. l. c. p. 679
(1906). | Peru. |
| 27. T. Amœnus, Stål, (<i>Pezotettix A.</i>) l. c.
p. 8. n. 10 (1878).
<i>Dichroplus Amœnus, Brun.</i> 2nd Rep. Locust
Comm. B. Aires, pp. 72, 78 (1900); Proc.
U.S. Nat. Mus. xxx. p. 679 (1906). | Argentina. |
| 28. T. Schulzi, Brun. (<i>Dichroplus S.</i>) Proc.
U.S. Nat. Mus. xxx. p. 679 (1906). | Paraguay. |
| 29. T. Notatus, Brun. (<i>Dichroplus N.</i>) Biol.
Centr.-Amer., Orth. ii. pp. 300, 301. n. 5
(1908).
 <i>Dichroplus Mexicanus, Brunn. (nec Sauss.)</i>
l. c. pl. 4. ff. 16, 16 a (1908). | Mexico. |

Genus 753. **Leiotettix.** (*Type no. 1.*)

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 684 (1906).

- | | |
|--|-----------|
| 1. L. Viridis, Brun. l. c. p. 685 (1906). | Paraguay. |
| 2. L. Punctipes, Brun. l. c. pp. 685, 686
(1906). | id. |
| 3. L. Sanguineus, Brun. l. c. pp. 685, 687
(1906). | id. |
| 4. L. Flavipes, Brun. ll. cc. (1906). | id. |
| 5. L. Hastatus, Rehn, Proc. Acad. Nat. Sci.
Philad. lix. p. 189, f. 13 (1907). | id. |

Genus 754. **Scotussa.** (*Type no. 1.*)Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 24 (1894), xiii.
(311) p. 49 (1898); Brun. 2nd Rep. Locust Comm. B.
Aires, pp. 55, 79 (1900); Proc. U.S. Nat. Mus. xxx.
pp. 643, 688 (1906).

- | | |
|---|-------------------------|
| 1. S. Impudica, Giglio-Tos, l. c. ix. (184)
p. 24 (1894); Brun. ll. cc. p. 79 (1900);
pp. 688, 689 (1906). | Argentina,
Paraguay. |
| 2. S. Rubripes, Brun. Proc. U.S. Nat. Mus.
xxx. pp. 688, 689 (1906). | Paraguay. |
| 3. S. Brasiliensis, Brun. l. c. p. 689
(1906). | São Paulo. |

Genus 755. **Parascopas.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 689 (June, 1906).

Giglio-Tosia, *Boll.*, Bol. Soc. Españ. Hist. Nat. vi. p. 393 (July, 1906).

[*Scopas*, *Giglio-Tos* (*nee* *Fon.*), *Boll. Mus. Torino*, ix. (184) p. 28 (1894), xiii. (311) p. 50 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 79 (1900).

1. **P. Obesus, Giglio-Tos**, (*Scopas* *O.*) l. c. Paraguay, p. 29 (1894); Brun. l. c. p. 79 (1900).
P. Obesus, Brun. Proc. U.S. Nat. Mus. xxx. p. 689 (1906).

Genus 756. **Eurotettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 691 (1906).

1. **E. Femoratus, Brun.** l. c. pp. 691, 692 | Paraguay. (1906).
2. **E. Minor, Brun.** l. c. (1906). | id.

Genus 757. **Chlorus.** (*Type* no. 1.)

Giglio-Tos, *Boll. Mus. Torino*, xiii. (311) p. 50 (1898).

1. **C. Borellii, Giglio-Tos**, (*Paradichroplus* Paraguay. *B.*) l. c. ix. (184) p. 27 (1894).
2. **C. Varicolor, Stål**, (*Pezotettix* *V.*) l. c. | id.,
p. 9. n. 2 (1878). | Colombia.
Paradichroplus Varicolor, Scudd. Proc. U.S. Nat. Mus. xx. pp. 19, 21. n. 2, pl. 2. f. 6 (1898); Brun. l. c. p. 303. n. 2 (1908).
3. **C. Vittatus, Brun.** Proc. U.S. Nat. Mus. Paraguay. xxx. p. 690 (1906).

Genus 758. **Paradichroplus.** (Type no. 1.)

Brunn. Ann. Mus. Geneva, xxxiii. p. 145 (1893); Giglio-Tos Boll. Mus. Torino, ix. (184) pp. 20, 25 (1884), xiii. (311) p. 50 (1898); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. (9) pp. 196, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 18 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 79 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 692 (1906); Biol. Centr.-Amer., Orth. ii. pp. 217, 302 (1907-8).

Pezotettix, div. 2 a, Stål, Bihang Svensk. Akad. Handl. v. (9) pp. 4, 8 (1878).

- | | |
|---|-------------------------|
| <p>*1. P. Mexicanus, Brunn. (<i>Platyphyma Mexicanum</i>) Verh. zool.-bot. Ges. Wien, xi. p. 224 (1861); Thomas, Syn. Acrid. N. Amer. p. 224 (1873).</p> <p>**<i>Caloptenus Mexicanus</i>, Walk. Cat. Derm. Salt. B. M. iv. p. 682. n. 16 (1870); Thomas, l. c. p. 227 (1873).</p> <p><i>Pezotettix Mexicanus</i>, Stål, Bihang Svensk. Akad. Handl. v. (9) p. 8. n. 1 (1878).</p> <p><i>Paradichroplus Mexicanus</i>, Scudd. Proc. U.S. Nat. Mus. xx. p. 19. n. 1, pl. 2. ff. 4, 5 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 302. n. 1 (1908).</p> | Mexico. |
| <p>2. P. Bilobus, Giglio-Tos, l. c. xii. (302) p. 34 (1897); Brun. ll. cc. p. 79 (1900); pp. 692, 693 (1906).</p> | Argentina,
Bolivia. |
| <p>3. P. Brunneri, Giglio-Tos, l. c. ix. (184) p. 25 (1894); Brun. ll. cc. p. 79, ff. 45, 46 (1900); pp. 692, 693, pl. 37. f. 5, pl. 38. f. 6 (1906).</p> | Argentina,
Paraguay. |
| <p>4. P. Bipunctatus, Giglio-Tos, l. c. p. 26 (1894); Brun. l. c. pp. 692, 693 (1906).</p> | iid. |
| <p>**5. P. Alienus, Walk. (<i>Caloptenus A.</i>) Cat. Derm. Salt. B. M. iv. p. 684. n. 19 (1870).</p> | Quito. |
| <p>6. P. Fusiformis, Giglio-Tos, l. c. xii. (302) p. 35 (1897); Brun. l. c. p. 79 (1900); pp. 692, 693 (1906).</p> | id.,
Brazil. |
| <p>7. P. Aberrans, Giglio-Tos, l. c. ix. (184) p. 28 (1894); Brun. Proc. U.S. Nat. Mus. xxx. pp. 692, 693 (1906).</p> | Paraguay. |

Genus 759. **Dasyscirtus.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 217, 303 (1907-8).

1. **D. Olivaceus**, Brun. l. c. p. 303. n. 1 | Mexico.
(1908).

Genus 760. **Phædrotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 196, 204 (1897);
Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus.
xx. pp. 9, 22 (1898); Brun. Biol. Centr.-Amer., Orth. ii.
pp. 218, 304 (1907-8).

1. **P. Angustipennis**, Scudd. Proc. U.S. Texas,
Nat. Mus. xx. p. 22, pl. 2. f. 7 (1898); Mexico.
Rehn, Proc. Acad. Nat. Sci. Philad. lvi.
p. 534 (1904).
P. Angustipennis, Brun. l. c. p. 304. n. 1
(1908).

Genus 761. **Conalcæa.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 196, 204 (1897);
Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus.
xx. pp. 9, 23 (1898); Brun. Biol. Centr.-Amer., Orth. ii.
pp. 218, 304 (1907-8).

1. **C. Miguelitana**, Scudd. Proc. U.S. Nat. Mexico.
Mus. xx. p. 24. n. 1, pl. 2. f. 8 (1898);
Brun. l. c. p. 304. n. 1 (1908).
2. **C. Truncatipennis**, Scudd. l. c. pp. 24. id.
25. n. 2 (1898); Brun. l. c. p. 305. n. 2
(1908).
3. **C. Neomexicana**, Scudd. l. c. pp. 24, 26. Mexico,
n. 3, pl. 2. f. 9 (1898); Caud. Proc. U.S. Arizona.
Nat. Mus. xxviii. p. 476 (1905).
4. **C. Humphreysii**, Thomas, (*Pezotettix* Arizona.
II.) Wheeler's Rep. Explor. W. 100th
Merid. v. p. 890, pl. 45. ff. 1, 2 (1875).
5. **C. Huachucana**, Rehn, Proc. Acad. Nat. id.
Sci. Philad. lix. pp. 48-50. ff. 6, 7 (1907).

Genus 762. **Barytettix.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1896);
 Proc. U.S. Nat. Mus. xx. pp. 10, 27 (1898); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 218, 305 (1907-8).

1. **B. Crassus**, Scudd. Proc. U.S. Nat. Mus. | Lower
 xx. pp. 27, 28. n. 1, pl. 2. f. 10 (1898); | California.
 Brun. l. c. p. 305. n. 1, pl. 4. ff. 8, 8 *a*, *b*,
 9 (1908).
2. **B. Peninsulæ**, Scudd. l. c. pp. 27, 28. | id.
 n. 2 (1898); Brun. l. c. p. 305. n. 2
 (1908).

Genus 763. **Phaulotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897);
 Proc. U.S. Nat. Mus. xx. pp. 10, 29 (1898); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 218, 306 (1908).

1. **P. Compressus**, Scudd. Proc. U.S. Nat. | Mexico.
 Mus. xx. p. 30, pl. 2. f. 11 (1908); Brun. |
 l. c. p. 306. n. 1 (1908).

Genus 764. **Cephalotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897);
 Proc. U.S. Nat. Mus. xx. pp. 10, 30 (1898); Brun. Biol.
 Centr.-Amer., Orth. ii. pp. 219, 306 (1907-8).

1. **C. Parvulus**, Scudd. Proc. U.S. Nat. | Mexico.
 Mus. xx. p. 31, pl. 3. f. 1 (1898); Brun. |
 l. c. p. 306. n. 1 (1908).

Genus 765. **Rhabdotettix.** (*Type* no. 3.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897);
 Guide N. Amer. Orth. p. 42 (1897); Pr. U.S. Nat. Mus.
 xx. pp. 10, 32 (1898); Brun. Biol. Centr.-Amer., Orth. ii.
 pp. 219, 306 (1907-8).

1. **R. Concinnus**, Scudd. Proc. U.S. Nat. | Texas.
 Mus. xx. p. 33. n. 1, pl. 3. f. 2 (1898); |
 Brun. l. c. p. 306. n. 1 (1908).

2. **R. Palmeri, Scudd.** l. c. pp. 33, 34. n. 2. Mexico.
pl. 3. f. 3 (1898); Brun. l. c. p. 307. n. 2
(1908).
3. **R. Pilosus, Stål,** (*Pezotettix P.*) Bihang id.
Svensk. Akad. Handl. v. (9) p. 40. n. 2
(1878).
Parthenum Pilosus, Brun. Ann. Mus.
Genova. xxxiii. p. 145, note (1893).
R. Pilosus, Scudd. l. c. pp. 33, 35. n. 3
(1898); Brun. l. c. p. 307. n. 3 (1908).

Genus 766. **Cyclocercus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897);
Guide N. Amer. Orth. p. 42 (1897); Proc. U. S. Nat. Mus.
xx. pp. 10, 36 (1898); Brun. Biol. Centr.-Amer., Orth. ii.
pp. 219, 307 (1907-8).

1. **C. Bistrigatus, Scudd.** (*C. Bistrigata*) Mexico.
Proc. U. S. Nat. Mus. xx. p. 37. n. 1, pl. 3.
f. 4 (1898).
C. Bistrigatus, Brun. l. c. p. 307. n. 1
(1908).
2. **C. Accola, Scudd.** l. c. pp. 37, 38. n. 2, Texas,
pl. 3. f. 5 (1898); Brun. l. c. p. 307. n. 2 Mexico.
(1908).
3. **C. Gracilis, Brun.** l. c. n. 3 (1908). Mexico.
4. **C. Valgus, Scudd.** (*C. Valga*) l. c. id.
pp. 37, 39. n. 3, pl. 3. f. 6 (1898); Brun.
l. c. p. 308. n. 1 (1908).

Genus 767. **Sinaloa.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897);
Proc. U. S. Nat. Mus. xx. pp. 10, 40 (1898); Brun. Biol.
Centr.-Amer., Orth. ii. pp. 219, 308 (1907-8).

1. **S. Behrensii, Scudd.** Proc. U. S. Nat. Mexico.
Mus. xx. p. 40, pl. 3. f. 7 (1898); Brun.
l. c. p. 309. n. 1. pl. 4. ff. 11, 11 a-c
(1908).

Genus 768. **Calotettix.** (*Type* no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 309 (1907-8).

1. **C. Bicoloripes**, Brun. l. c. p. 309. n. 1 | Mexico.
(1908).
2. **C. Flavopictus**, Brun. l. c. pp. 309, 310. | id.
n. 2 (1908).
3. **C. Brevispinis**, Rehn, (*Sinaloa B.*) Proc. | id.
Acad. Nat. Sci. Philad. lvi. p. 535 (1904).
C. Brevispinis, Brun. l. c. pp. 309, 311.
n. 3 (1908).
4. **C. Obscurus**, Brun. ll. cc. n. 4 (1908). | id.

Genus 769. **Agroecotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 311 (1907-8).

1. **A. Modestus**, Brun. l. c. p. 312. n. 1, | Mexico.
pl. 4. ff. 13, 13 a (1908).

Genus 770. **Paraideмона.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Pr. U.S. Nat. Mus. xx. pp. 10, 41 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 312 (1907-8).

1. **P. Punctata**, Stål, (*Pezotettix Punctatus*) | Texas.
Bihang Svensk. Akad. Handl. v. (9) p. 11.
n. 3 (1878).
Paraideмона Punctata, Scudd. Pr. U.S.
Nat. Mus. xx. p. 42. n. 1, pl. 3. ff. 8, 9
(1898); Brun. l. c. p. 312. n. 1 (1908).
Pezotettix Nudus, Scudd. Proc. Boston
Soc. Nat. Hist. xx. p. 77. n. 83 (1879).
2. **P. Mimica**, Scudd. Proc. U.S. Nat. Mus. | id.,
xx. pp. 42, 43. n. 2, pl. 3. f. 10 (1898); | Mexico.
Brun. l. c. p. 313. n. 2, pl. 4. ff. 20,
20 a, b (1908).

Genus 771. **Aidemona.**

Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 44 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 313 (1907-8).

1. **A. Azteca, Sauss.** (*Platyphoma* Aztecum) Mexico, Rev. Zool. (2) xiii. p. 161 (1861); Central Thomas, Syn. Acrid. N. Amer. p. 223 America. (1873).
Pezotettix Aztecus, Stål, Bilang Svensk. Akad. Handl. v. (9) p. 10. n. 1 (1878).
A. Azteca, Scudd. Pr. U.S. Nat. Mus. xx. p. 45. pl. 4. f. 1 (1898); Brun. l. c. p. 313. n. 1 (1908).

Genus 772. **Hypochlora.**

Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 46 (1898).

1. **H. Alba, Dodge,** (*Pezotettix* A.) Canad. Nebraska, Ent. viii. p. 10 (1876). Dacota,
H. Alba, Brunn. l. c. p. 145, note (1893); Kansas,
 Scudd. Proc. U.S. Nat. Mus. xx. p. 47, Colorado.
 pl. 4. f. 2 (1898).

Genus 773. **Campylacantha.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Guide N. Amer. Orth. p. 43 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 48 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 313 (1908).

1. **C. Acutipennis, Scudd.** (*Pezotettix* A.) Texas, Proc. Boston Soc. Nat. Hist. xvii. p. 472. Kansas.
 n. 22 (1875).
C. Acutipennis, Scudd. Proc. U.S. Nat. Mus. xx. p. 50. n. 1, pl. 4. f. 3 (1898); Brun. l. c. p. 314. n. 1 (1908).

2. **C. Olivacea, Scudd.** (*Pezotettix O.*) Texas,
Proc. Boston Soc. Nat. Hist. xvii. p. 472. Kansas,
n. 21 (1875). Nebraska.
- C. Olivacea, Scudd.* Pr. U.S. Nat. Mus. xx.
pp. 50, 51. n. 2, pl. 4. f. 4 (1898); Brun.
l. c. p. 314. n. 2 (1908).
3. **C. Similis, Scudd.** l. c. pp. 50, 52, pl. 4. Mexico.
f. 5 (1898); Brun. l. c. p. 314. n. 3
(1908).
4. **C. Vivax, Scudd.** (*Pezotettix V.*), Whee- New
ler, Ann. Rep. Geogr. Surv. W. 100th Mexico.
Merid. 1876, App. JJ, p. 284. n. 21.
C. Vivax, Scudd. Proc. U.S. Nat. Mus. xx.
pp. 50, 52. n. 4, pl. 4. f. 6 (1898);
Scudd. & Cock. Proc. Davenport Acad.
Sci. ix. p. 40 (1902).
- *5. **C. Vegana, Scudd. & Cock.** l. c. (1902). id.

Genus 774. **Eotettix.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204
(1897); Guide N. Amer. Orth. p. 43 (1897); Proc. U.S.
Nat. Mus. xx. pp. 11, 53 (1898).

1. **E. Signatus, Scudd.** Proc. U.S. Nat. E. Florida.
Mus. xx. p. 54, pl. 4. f. 7 (1898).
2. **E. Palustris, Morse,** Psyche, xi. p. 7 Florida.
(1904).
3. **E. Pusillus, Morse,** l. c. (1904). Georgia, &c.
4. **E. Hebardii, Rehn,** Ent. News, xvii. Georgia.
pp. 234, 235. ff. 1, 2 (1906).

Genus 775. **Hesperotettix.** (*Type* no. 1.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 262 (1876); Proc.
Amer. Acad. Arts Sci. xxxii. pp. 199, 205 (1897); Guide
N. Amer. Orth. p. 44 (1897); Proc. U.S. Nat. Mus. xx.
pp. 11, 55 (1898); Lugger, Orth. Minnesota, p. 266
(1897); Blatchley, Rep. Indiana Dept. Geol. xxvii.
pp. 287, 297 (1903); Brun. Bull. Agric. Exper. Stat.
Colorado, xciv. p. 62 (1904); Biol. Centr.-Amer., Orth.
ii. pp. 220, 314 (1907-8).

1. **H. Viridis, Thomas,** (*Caloptenus V.*) Southern
Rep. U.S. Geol. Surv. Montana, p. 450, United
pl. 2. f. 3 (1872); Glover, Ill. N. Amer. States,
Orth. pl. 11. f. 3 (1872). Mexico.

- Ommatolampis Viridis*, Thomas, Syn. Acrid.
N. Amer. p. 156 (1873).
Pezotettix Viridis, Stål, Bilang Svensk.
Akad. Handl. v. (9) p. 14. n. 1
(1878).
H. Viridis, Uhl. Bull. U.S. Geol. Surv.
Territ. iii. p. 795 (1877); Scudd. Proc.
U.S. Nat. Mus. xx. pp. 56, 57. n. 1, pl. 4.
f. 8 (1898); Brun. Rep. Ent. Agric.
Exper. Stat. Colorado, xciv. p. 62 (1904);
Biol. Centr.-Amer., Orth. ii. p. 314. n. 1
(1908).
2. **H. Meridionalis**, Scudd. l. c. pp. 56, 59.
n. 2, pl. 4. f. 9 (1898); Brun. ll. cc. p. 62
(1904); p. 315. n. 2 (1908). Mexico.
3. **H. Festivus**, Scudd. l. c. pp. 56, 60. n. 3,
pl. 4. f. 10 (1898); Brun. ll. cc. p. 62
(1904); p. 315. n. 3 (1908). California,
Utah, Ariz.,
New Mex.
4. **H. Gillettei**, Brun. Rep. Ent. Agric.
Exper. Stat. Colorado, xciv. pp. 61, 62
(1904). Colorado.
5. **H. Pacificus**, Scudd. Proc. U.S. Nat.
Mus. xx. pp. 57, 61. n. 4, pl. 5. f. 1
(1898); Brun. l. c. p. 63 (1904). California.
6. **H. Coloradensis**, Brun. l. c. pp. 61, 63
(1904). Colorado.
7. **H. Curtipennis**, Scudd. l. c. pp. 57, 62.
n. 5 (1898); Brun. l. c. p. 63 (1904);
Caud. Pr. U.S. Nat. Mus. xxviii. p. 465
(1905). id.,
Arizona.
8. **H. Brevipennis**, Thomas, (*Ommato-*
lampis B.) Bull. U.S. Surv. Territ. i. p. 67
(1874). New Jersey.
H. Brevipennis, Scudd. l. c. pp. 57, 63.
n. 6, pl. 5. f. 2 (1898); Brun. l. c. p. 63
(1904). Massa-
chusetts,
Georgia.
- Hesperotettix Viridis*, pt., Uhl. l. c. p. 795
(1877).
9. **H. Nevadensis**, Morse, Psyche, x.
p. 115 (1903). Nevada.
10. **H. Pratensis**, Scudd. l. c. pp. 57, 64.
n. 7, pl. 5. f. 3 (1898); Lugger, l. c.
p. 267. f. 107 (1897); Hunt. & Satt.
Psyche, ix. p. 63 (1900); Blatchley, l. c.
pp. 297, 298. n. 59, f. 64 (1903); Brun.
l. c. p. 63 (1904); Biol. Centr.-Amer.,
Orth. ii. p. 315. n. 4 (1908). United
States,
Mexico.

11. **H. Speciosus, Scudd.** (*Pezotettix Speciosa*) Final Rep. U.S. Geol. Surv. N. America, Mexico.
Nebraska, p. 250. n. 17 (1871); Glover, l. c. pl. 17. f. 4 (1874).
- H. Speciosus, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 57, 66. n. 8. pl. 5. f. 4 (1898); Hunt. & Sutt. l. c. p. 63 (1900); Brun. ll. cc. p. 63 (1904); p. 315. n. 5 (1908).
- Acridium Frontalis, Thomas,* Rep. Geol. Surv. Montana, p. 448, pl. 2. f. 1 (1872); Syn. Acrid. N. Amer. p. 169 (1873); Glover, l. c. pl. 11. f. 1 (1872).
12. **H. Floridensis, Morse,** Canad. Ent. Florida, xxxiii. p. 130 (1901); Brun. Bull. Agric. Colorado. Exper. Stat. Colorado, xciv. p. 63 (1904).

(Genus 776. **Æoloplus.** (Type no. 8.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 199, 205 (1897); Guide N. Amer. Orth. p. 44 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 68 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 316 (1907-8).

1. **Æ. Tenuipennis, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 69, 70. n. 1, pl. 5. f. 5 (1898); Brun. l. c. p. 316. n. 1 (1908). Arizona.
2. **Æ. Elegans, Scudd.** l. c. pp. 69, 71. n. 2, pl. 5. f. 6 (1898). New Mexico.
3. **Æ. Regalis, Dodge,** (*Caloptenus R.*) Canad. Ent. viii. p. 11 (1876); Hunt. & Sutt. Psyche. ix. p. 64 (1900). Colorado.
4. **Æ. Crassus, Scudd.** Proc. Davenport Acad. Sci. ix. p. 42 (1902); Brun. l. c. p. 316. n. 3 (1908). New Mexico, Mexico.
5. **Æ. Californicus, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 69, 73. n. 4, pl. 5. f. 8 (1898). California.
6. **Æ. Chenopodii, Brun.** (*Pezotettix C.*) Ins. Life, vii. p. 41 (1894). Colorado.
Æ. Chenopodii, Scudd. l. c. pp. 69, 74. n. 5, pl. 5. f. 9 (1898).
7. **Æ. Arcuatus, Rehn,** (*Æ. Chenopodii Arcuatus*) Canad. Ent. xxxiv. p. 146 (1902). California.

8. **Æ. Turnbullii, Thomas**, (*Caloptenus* T.) Wyoming.
Rep. Geol. Surv. Montana, p. 152, pl. 2.
f. 10 (1872); Syn. Acrid. N. Amer.
p. 158 (1873); Glover, Ill. N. Amer.
Orth. pl. 11. f. 10 (1872).
Æ. Turnbullii, Scudd. l. c. pp. 69, 75, pl. 5.
f. 10 (1898).
9. **Æ. Plagosus, Scudd.** (*Pezotettix* P.) New
Wheeler, Ann. Rep. Geogr. Surv. W. Mexico,
100th Merid. 1876, App. JJ, p. 284, n. 19. Arizona.
Æ. Plagosus, Scudd. Proc. U.S. Nat. Mus.
xx. pp. 69, 76, n. 7, pl. 6, f. 1 (1898);
Brun. Bull. Agric. Exper. Stat. Colorado,
xciv. p. 61 (1904); Biol. Centr.-Amer.,
Orth. ii. p. 316, n. 4 (1908).
10. **Æ. Minor, Brun.** Bull. Agric. Exper. Colorado.
Stat. Colorado, xciv. pp. 60, 61 (1904).
11. **Æ. Uniformis, Scudd.** l. c. pp. 70, 77. Arizona,
n. 8, pl. 6, f. 2 (1898); Brun. l. c. p. 316. Nevada.
n. 5 (1908).
12. **Æ. Arizonensis, Scudd.** l. c. pp. 70, 78. Arizona.
n. 9, pl. 6, f. 3 (1898); Brun. l. c.
p. 317, n. 6 (1908).
13. **Æ. Oculatus, Scudd.** l. c. pp. 70, 79. id.
n. 10, pl. 6, f. 4 (1898); Brun. l. c.
p. 317, n. 7 (1908).

Genus 777. **Bradynotes.** (*Type* no. 5.)

Scudd. Canad. Ent. xii. p. 76 (1880); Proc. Amer. Acad. Arts
Sci. xxxii. pp. 199, 205 (1897); Guide N. Amer. Orth.
p. 44 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 80
(1898).

1. **B. Hispida, Brun.** (*Pezotettix* H.) Canad. Washington
Ent. xvii. p. 12 (1885).
B. Hispida, Scudd. Proc. U.S. Nat. Mus.
xx. p. 81, n. 1, pl. 6, f. 5 (1898).
2. **B. Caurus, Scudd.** l. c. pp. 81, 83, n. 2, id.,
pl. 6, f. 6 (1898). Oregon.
3. **B. Expleta, Scudd.** l. c. pp. 81, 84, n. 3, Washington
pl. 6, f. 7 (1898).
4. **B. Pinguis, Scudd.** l. c. pp. 81, 85, n. 4, id.,
pl. 6, f. 8 (1898). Nevada.

5. **B. Obesa, Thomas**, (*Pezotettix O.*) Rep. California,
U.S. Geol. Surv. Montana, p. 454, pl. 2. Montana,
ff. 13, 14 (1872) ; Syn. Acrid. N. Amer. Nevada,
p. 146 (1873) ; Glover, Ill. N. Amer. Wyoming,
Orth. pl. 11. ff. 13, 14 (1872). Idaho.
Pezotettix Obesus, Stål, Bihang Svensk.
Akad. Handl. v. (9) p. 15. n. 1 (1878).
B. Obesa, Scudd. Canad. Ent. xii. p. 76
(1880) ; Proc. U.S. Nat. Mus. xx. pp. 81,
87. n. 5, pl. 6. f. 9 (1898).
B. Opiurus, Scudd. Rep. U.S. Ent. Comm.
ii. App. ii. p. 24 (1880).
6. **B. Referta, Scudd.** Proc. U.S. Nat. Mus. Idaho,
xx. pp. 81, 88. n. 6, pl. 6. f. 10 (1898). California.
7. **B. Satur, Scudd.** l. c. pp. 81, 89. n. 7, California.
pl. 7. f. 1 (1898).
8. **B. Excelsa, Rehn**, Ent. News, xviii. id.
p. 352 (1907).
9. **B. Compacta, Morse**, Psyche, x. p. 116 Nevada.
(1903).

Genus 778. **Dendrotettix.**

Riley, Proc. Ent. Soc. Washington, i. p. 86 (1886) ; Ins. Life,
v. p. 254 (1893) ; Scudd. Proc. Amer. Acad. xxxii.
pp. 200, 205 (1897) ; Guide N. Amer. Orth. p. 45
(1897) ; Proc. U.S. Nat. Mus. xx. pp. 12, 91 (1898).

1. **D. Quercus, Riley**, Proc. Ent. Soc. United
Washington, i. p. 88 (1886) ; Pack. Rep. States.
U.S. Ent. Comm. v. p. 214 (1890) ;
Scudd. Proc. U.S. Nat. Mus. xx. p. 92,
pl. 7. f. 2 (1898).
D. Longipennis, Riley, Ins. Life, v. p. 255
(1893) ; Brun. Bull. U.S. Dept. Agric.
Div. Ent. xxviii. pp. 14, 15. f. 4 (1893).

Genus 779. **Prumna.** (*Type* no. 1.)

Motsch. Études Ent. viii. p. 11 (1859) ; Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. pp. 204, 314 (1902).
Eupodisma, Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 200,
205 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 12, 117 (1898).
(*Type* no. 1.)

1. **P. Primnoa, Fisch.-Waldh.** (*Podisma* E. Siberia.
P.) Orth. Ross. p. 248. n. 1 (1846);
Scudd. Proc. U.S. Nat. Mus. xx. p. 112.
n. 22 (1898); Jacobs. & Bianchi, l. c.
pp. 204, 314 (1902).
Podisma (Prumna) Primnoa, Jacobs. &
Bianchi, l. c. p. 314, f. 37 (1902).
Eupodisma Primnoa, Scudd. Proc. Amer.
Acad. Arts Sci. xxxii. p. 205 (1897).
Podisma (Eupodisma) Primnoa, Scudd.
Proc. U.S. Nat. Mus. xx. p. 117. n. 22,
pl. 9. f. 3 (1898.)
Prumna Viridis, Motsch. l. c. p. 11 (1859).
2. **P. Mikado, Bol.** (*Pezotettix M.*) An. Soc. Japan.
Españ. xix. p. 323 (1891).
Podisma Mikado, Rehn, Proc. Acad. Nat.
Sci. Philadelphia, liv. p. 637 (1902).

Genus 780. **Halmenus.** (*Type* no. 1.)

Scudd. Bull. Mus. Zool. Harvard Coll. xxv. p. 17 (1893).

1. **H. Robustus, Scudd.** l. c. p. 18, pl. 1. Galapagos.
ff. 6, 7 (1893); Snodgr. Proc. Wash-
ington Acad. Sci. iv. p. 447 (1902).
2. **H. Choristopterus, Snodgr.** l. c. p. 450 id.
(1902).
3. **H. Cuspidatus, Snodgr.** l. c. (1902). id.

Genus 781. **Brachaspis.** (*Type* no. 1.)

Hutton, Trans. N. Zealand Inst. xxxi. pp. 44, 48 (1899).

|| *Pezotettix*, Hutton (*nec* Burm.), l. c. xxx. pp. 139, 143 (1898).

1. **B. Petricolus, Hutt.** (*Pezotettix Petri-* New
cola) l. c. pp. 144, 145 (1898). Zealand.
B. Petricolus, Hutt. l. c. xxxi. p. 49, pl. 2.
f. 13 a, b (1899).
- *2. **B. Nivalis, Hutt.** (*Pezotettix N.*) l. c. id.
xxx. p. 144 (1898).
B. Nivalis, Hutt. l. c. xxxi. p. 49, pl. 2.
f. 11 a-c (1899).
3. **B. Collinus, Hutt.** (*Pezotettix Collina*) id.
l. c. xxx. p. 144, pl. 14. f. 4 a-c (1898).
B. Collinus, Hutt. l. c. xxxi. p. 49, pl. 2.
f. 12 (1899).

4. **B. Terrestris, Hutt.** (*Pezotettix* T.) l. c. New
xxx. pp. 144, 145 (1898), Zealand.
B. Terrestris, Hutt. l. c. xxxi. p. 50, pl. 2.
f. 14 (1899).

Genus 782. **Paratylotropidia.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893); Scudd.
Proc. Amer. Acad. Arts Sci. xxxii. pp. 201, 205 (1897);
Guide N. Amer. Orth. p. 46 (1897); Proc. U.S. Nat.
Mus. xx. pp. 12, 117 (1898).

1. **P. Brunneri, Scudd.** Proc. U.S. Nat. Texas,
Mus. xx. p. 118, pl. 9. ff. 4, 5 (1898); Dacota.
McNeill, Psyche, viii. p. 334 (1899).
2. **P. Beutenmuelleri, Morse,** Psyche, xiv. N.Carolina.
p. 14 (1907).

Genus 783. **Pegasidion.**

Sauss. Rev. Zool. (2) xiii. p. 319 (1861); Thomas, Syn. Acrid.
N. Amer. p. 198 (1873); Brun. Biol. Centr.-Amer., Orth.
ii. p. 202 (1907).

1. **P. Volitans, Sauss.** l. c. p. 319 (1861); Mexico.
Thomas, l. c. p. 198 (1873).

Genus 784. **Phœtaliotes.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 202, 205
(1897); Guide N. Amer. Orth. p. 47 (1897); Proc. U.S.
Nat. Mus. xx. pp. 13, 376 (1898); Lugger, Orth. Minne-
sota, pp. 266, 302 (1897); Blatchley, Rep. Indiana Dept.
Geol. xxvii. pp. 287, 334 (1903); Brun. Biol. Centr.-
Amer., Orth. ii. pp. 221, 328 (1907-08).

1. **P. Nebrascensis, Thomas,** (*Pezotettix* United
N.) Rep. Geol. Surv. Montana, p. 455 States,
(1872); Syn. Acrid. N. Amer. p. 151 Mexico.
(1873); Glover, Ill. N. Amer. Orth.
pl. 13. f. 2 (1872); Stål, Bihang Svensk.
Akad. Handl. v. (9) p. 14 (1873).

- Phaenaliotes Nebrascensis*, Scudd. Proc. U.S. Nat. Mus. xx. p. 377 (1898); Blatchley, l. c. pp. 334, 335, n. 77, f. 74 (1903); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 56 (1907); Brun. l. c. p. 328, n. 1 (1908).
- Phaenaliotes Nebrascensis Nebrascensis*, Scudd. l. c. p. 377, pl. 25, f. 6 (1898).
- Pezotettix Autumnalis*, Dodge, Canad. Ent. viii. p. 10 (1876).
- Caloptenus sanguiniceps*, La Muyen, Proc. Nebraska Assoc. Adv. Sci., March, 1877.
- Var. *Caloptenus Volucris*, Dodge, Canad. Ent. ix. p. 112 (1877).
- Phaenaliotes Nebrascensis Volucris*, Logger, l. c. p. 303, f. 137 (1897); Scudd. l. c. p. 378, pl. 1, f. c, pl. 25, f. 7 (1908).

Genus 785. **Paroxya.** (Type no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 28 (1877); Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 205 (1897); Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 380 (1898); Beut. Bull. Amer. Mus. Nat. Hist. v. pp. 305, 313 (1894); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 335 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 328 (1908).

1. **P. Atlantica**, Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 29, n. 62 (1877); Proc. U.S. Nat. Mus. xx. pp. 381, 382, n. 1, pl. 25, f. 8 (1898); Morse, Psyche, vi. p. 401 (1893). Georgia, Florida.
2. **P. Scudderii**, Blatchley, Canad. Ent. xxx. p. 59, n. 6 (1898); Rep. Indiana Dept. Geol. xxvii. p. 338, n. 79, f. 76 a, b (1903). Indiana.
3. **P. Hoosieri**, Blatchley, (*Pezotettix H.*) Canad. Ent. xxiv. p. 31, n. 4 (1892). id., Ohio.
Paroxya Hoosieri, Scudd. Proc. U.S. Nat. Mus. xx. pp. 381, 382, n. 2, pl. 25, f. 9 (1898); Blatchley, Rep. Indiana Dep. Geol. xxvii. p. 336, n. 78, f. 75 (1903).
4. **P. Floridana**, Thomas, (*Caloptenus Floridianus*) Bull. U.S. Surv. Territ. i. p. 68 (1874). United States.

- Caloptenus Floridanus*, Glover, Ill. N. Amer. Orth. pl. 17. f. 3 (1874).
Paroxya Floridana, Beut. l. c. pp. 305, 313, pl. 8. f. 5 (1894); Scudd. l. c. pp. 381, 383. n. 3, pl. 25. f. 10 (1898); Brun. l. c. p. 328. n. 1 (1908).
Paroxya Recta, Scudd. Proc. Boston Soc. Nat. Hist. xix. pp. 30, 88. n. 63 (1877).
 5. **P. Dissimilis, Morse**, Psyche, xii. Bahamas.
 pp. 19-24. n. 14 (1905).
 6. **P. Diversifera, Walk. (*Cyrtacanthacris D.*) Cat. Derm. Salt. B. M. iv. p. 611 N. America.
 (1870).
Acridium Diversiferum, Thomas, Syn. Acrid. N. Amer. p. 231 (1873).
 7. **P. Dominator, Walk. (*Caloptenus D.*) Para.
 l. c. iv. p. 683. n. 18 (1870).

Genus 786. **Pæcilotettix.** (Type no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897);
 Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 385 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 221, 329 (1907-8).

- *1. **P. Pantherinus, Walk.** (*Acridium Pantherinum*) Cat. Derm. Salt. B. M. iv. Arizona,
 p. 623 (1870); Thomas, Syn. Acrid. N. Mexico.
 Amer. p. 236 (1870).
P. Pantherinus, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 538 (1904); Brun. l. c. p. 329. n. 1 (1908).
Caloptenus (Hesperotettix) Picticornis, Thomas, Proc. Davenport Acad. Sci. ii. p. 124, pl. 4. ff. 1, 2 (1877).
P. Picticornis, Scudd. Proc. U.S. Nat. Mus. xx. p. 386. n. 1, pl. 26. f. 1 (1898).
 2. **P. Sanguineus, Scudd.** l. c. pp. 386, 387. Arizona.
 n. 2, pl. 26. f. 2 (1898); Brun. l. c. p. 329. n. 2 (1908).
 3. **P. Coccinatus, Scudd.** l. c. pp. 386, 389. California.
 n. 3, pl. 26. f. 3 (1898); Brun. l. c. p. 329. n. 3 (1908).

Genus 787. **Edaleonotus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897);
Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus.
xx. pp. 14, 390 (1898); Brun. Biol. Centr.-Amer., Orth. ii.
pp. 221, 329 (1907-8).

1. **Æ. Enigma, Scudd.** (*Pezotettix* *Æ.*) Western
Wheeler, Ann. Rep. Geogr. Surv. W. United
100th Merid. 1876, App. JJ, pp. 282, States,
285, n. 23; Brun. U.S. Dept. Agric. Bull. Mexico.
Ent. xxviii. p. 33, f. 17 (1893).

Æ. Enigma, Scudd. Proc. U.S. Nat. Mus.
xx. p. 391, pl. 26. ff. 4-6 (1898); Brun.
Biol. Centr.-Amer., Orth. ii. p. 330, n. 1
(1908).

Pezotettix Jacundus, Scudd. Wheeler, l. c.
pp. 282, 285, n. 22 (1876).

Melanoplus Collaris, Scudd. Proc. Boston
Soc. Nat. Hist. xix. pp. 288, 289 (1878).

Melanoplus Flavannulatus, Brun. Ins. Life,
iii. p. 140 (1890).

† *Coloptenus Flavolineatus, Brun.* (*nec*
Thomas) U.S. Dept. Agric. Bull. Ent.
xxviii. p. 33 (1893).

2. **Æ. Truncatus, Rehn,** Entom. News, California.
xviii. p. 353 (1907).

Genus 788. **Asemoplus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897);
Guide N. Amer. Orth. p. 49 (1897); Proc. U.S. Nat. Mus.
xx. pp. 14, 394 (1898).

1. **A. Montanus, Brun.** (*Bradynotus* *M.*) Washington
Canad. Ent. xvii. p. 16 (1885). Territory,
A. Montanus, Scudd. Proc. U.S. Nat. Mus. Montana.
xx. p. 394, pl. 26. f. 7 (1898).
2. **A. Nudus, Walk.** Canad. Ent. xxx. Canada.
p. 197, pl. 6 (1898); Caud. Proc. Ent.
Soc. Washington, viii. p. 138 (1907).
3. **A. Bruneri, Caud.** l. c. p. 134 (1907). Kansas,
‖ *Æclophus Regalis, Scudd.* (*nec* *Dodge*) Colorado,
Proc. U.S. Nat. Mus. xx. pp. 69, 71. Texas, &c.
n. 3, pl. 5. f. 7 (1898).
4. **A. Rainierensis, Caud.** l. c. pp. 134, Washington
135 (1907).

Genus 789. **Aptenopedes.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 83 (1877); Proc. Amer. Acad. Arts Sci. xxxii. pp. 204, 206 (1897); Guide N. Amer. Orth. p. 49 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 398 (1898).

1. **A. Sphenarioides**, Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 84 (1877); Proc. U.S. Nat. Mus. xx. pp. 399, 400. n. 1, pl. 26. f. 10 (1898); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. p. 793 (1905). Florida.
2. **A. Clara**, Rehn, Ent. News, xiii. p. 14 (1902); Proc. Acad. Nat. Sci. Philad. lvii. p. 41 (1905). id.
3. **A. Rufovittata**, Scudd. ll. cc. p. 85 (1877); pp. 399, 401. n. 2, pl. 26. f. 11 (1898). id.
4. **A. Aptera**, Scudd. ll. cc. p. 86 (1877); pp. 399, 402, pl. 26. f. 12 (1898). id., Texas.

Genus 790. **Desmopleura.**

Scudd. Bull. Mus. Zool. Harvard Coll. xxv. p. 18 (1893).

1. **D. Concinna**, Scudd. l. c. p. 19, pl. 2. ff. 2, 4 (1893). Galapagos.

Genus 791. **Philocleon.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 396 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 330 (1907-8).

1. **P. Nigrovittatus**, Stål, (*Pezotettix* N.) Bihang Svensk. Akad. Handl. iii. (14) p. 32. n. 1 (1875), v. (9) p. 15. n. 8 (1878). Mexico.
Philocleon Nigrovittatus, Scudd. Proc. U.S. Nat. Mus. xx. pp. 396, pl. 26. ff. 8, 9 (1898); Brun. l. c. p. 330. n. 1, pl. 4. ff. 17, 17 a, (1908).

Genus 792. **Melanoplus.** (*Type* no. 118.)

Stål, Recens. Orth. i. p. 79 (1873); Bilang Svensk. Akad. Handl. v. (4) p. 32 (1876), v. (9) p. 13 (1878); Bent. Bull. Amer. Mus. Nat. Hist. vi. pp. 306, 313 (1894); Scudd. Psyche, vii. p. 367 (1895); Proc. Amer. Phil. Soc. xxxvi. p. 5 (1897); Proc. Amer. Acad. xxxii. pp. 202, 205 (1897); Guide N. Amer. Orth. p. 47 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 120 (1898); Proc. Davenport Acad. Sci. vii. p. 161 (1901); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 298 (1903); Luggier, Orthopt. Minnesota, pp. 266, 268 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 317 (1907-8).

1. **M. Marculentus, Scudd.** Proc. Amer. Mexico.
Phil. Soc. xxxvi. p. 6 (1897); Proc. U.S.
Nat. Mus. xx. pp. 124, 139. n. 1, pl. 10.
f. 1 (1898).
2. **M. Lakinus, Scudd.** (*Pezotettix* L.) Proc. Nebraska,
Boston Soc. Nat. Hist. xx. p. 79 (1879). Kansas,
M. Lakinus, Scudd. Proc. Amer. Phil. Soc. Colorado,
xxxvi. p. 6 (1897); Proc. U.S. Nat. New
Mus. xx. pp. 124, 141. n. 2, pl. 10. f. 2 Mexico.
(1898); Brun. Rep. Ent. Bull. Agric.
Exper. Soc. Colorado, xciv. p. 51 (1904).
3. **M. Sonoræ, Scudd.** Proc. Amer. Phil. Arizona,
Soc. xxxvi. p. 6 (1897); Proc. U.S. Nat. Mexico.
Mus. xx. pp. 124, 143. n. 3, pl. 10. f. 3
(1898).
4. **M. Occidentalis, Thomas,** (*Caloptenus* Western
O.) Rep. Geol. Surv. Montana, p. 453, United
pl. 2. f. 2 (1872); Syn. Acrid. N. Amer. States.
p. 161 (1873); Glover, Ill. N. Amer.
Orth. pl. 11. f. 2 (1872).
Pezotettix Occidentalis, Brun. Canad. Ent.
viii. p. 124 (1876).
M. Occidentalis, Scudd. ll. cc. p. 17 (1897);
pp. 130, 145. n. 4, pl. 10. f. 4 (1898);
Luggier, l. c. pp. 270, 279, 280. f. 115
(1897); Caud. Proc. U.S. Nat. Mus. xxvi.
p. 803. n. 115 (1903); Brun. Bull. Agric.
Exper. Stat. Colorado, xciv. p. 53 (1904).
M. Variolosus, Scudd. Proc. Boston Soc.
Nat. Hist. xx. p. 67. n. 74 (1879).

5. **M. Cuneatus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 17 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 147. n. 5, pl. 10. f. 5 (1898). Arizona, Mexico, New Mexico.
6. **M. Flabellifer, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 68. n. 75 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 17 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 148. n. 6, pl. 10. f. 6 (1898). Western United States, Mexico.
M. Flabellifer et var. *Brevipennis*, Brun. Bull. Agric. Exper. Stat. Colorado, xciv. pp. 65, 66 (1904).
7. **M. Discolor, Scudd.** (*Pezotettix* D.) Proc. Boston Soc. Nat. Hist. xx. p. 81. n. 86 (1879). Texas.
M. Discolor, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 7 (1897); Proc. U.S. Nat. Mus. xx. pp. 121, 149. n. 7, pl. 10. f. 7 (1898).
8. **M. Simplex, Scudd.** ll. cc. p. 7 (1897); pp. 124, 150. n. 8, pl. 10. f. 8 (1898); Brun. l. c. p. 55 (1904). Colorado.
9. **M. Rileyanus, Scudd.** ll. cc. p. 7 (1897); pp. 125, 151. n. 9, pl. 10. f. 9 (1898). California.
10. **M. Herbaceus, Brun.** Bull. U.S. Dept. Agric. Ent. xxviii. p. 25, f. 13 (1893); Scudd. ll. cc. p. 17 (1897); pp. 131, 153. n. 10, pl. 10. f. 10 (1898). Texas, Arizona, New Mex., Mexico.
11. **M. Flavescens, Scudd.** ll. cc. p. 17 (1897); pp. 131, 155. n. 11, pl. 11. f. 1 (1898). California.
12. **M. Pictus, Scudd.** ll. cc. p. 18 (1897); pp. 131, 156. n. 12, pl. 11. f. 2 (1898). Arizona.
13. **M. Brownii, Caud.** Canad. Ent. xxxiv. p. 169 (1902); Proc. Ent. Soc. Washington, v. p. 164 (1903). id.
14. **M. Bowditchi, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 72. n. 79 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 18 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 157. n. 13, pl. 11. f. 3 (1898). Kansas, Colorado, New Mex., Mexico.
15. **M. Flavidus, Scudd.** ll. cc. p. 74. n. 80 (1879); p. 18 (1897); pp. 131, 158. n. 14, pl. 11. f. 4 (1898); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 50 (1904). Western U. States, Mexico.

- M. Cenchri*, McNeill, Psyche, vi. p. 74, n. 86 (1891).
16. **M. Elongatus**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 18 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 160. n. 15, pl. 11. f. 5 (1898). Kansas, New Mex., Mexico.
17. **M. Glaucipes**, Scudd. (*Caloptenus G.*) Proc. Boston Soc. Nat. Hist. xvii. p. 476. n. 28 (1875). Texas, Mexico.
- M. Glaucipes*, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 161. n. 16, pl. 11. f. 6 (1898).
18. **M. Kennicottii**, Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 289 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 163. n. 17, pl. 11. f. 8 (1898). Alaska, Assiniboia, Montana.
19. **M. Picturatus**, Brun. Biol. Centr.-Amer. Orth. ii. p. 318. n. 5 (1908). Mexico.
20. **M. Regalis**, Dodge, (*Caloptenus R.*) Canad. Ent. viii. p. 11 (1876). Nebraska, Colorado.
- M. Regalis*, Morse, Furth. Res. N. Amer. Acrid. p. 51 (1907).
21. **M. Sanguineus**, Brun. Bull. Agric. Exper. Stat. Colorado, xciv. pp. 63, 64 (1904). Colorado.
22. **M. Bruneri**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 164. n. 18, pl. 11. f. 7 (1898). Canada, United States.
23. **M. Excelsus**, Scudd. ll. cc. p. 19 (1897); pp. 132, 166. n. 19, pl. 11. f. 9 (1898); Appalachia, viii. p. 313. n. 29, pl. 42. ff. 4, 5 (1896). Colorado.
24. **M. Scitus**, Scudd. Proc. Davenport Acad. Sci. ix. p. 44 (1902). New Mexico.
25. **M. Utahensis**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 167. n. 20, pl. 11. f. 10 (1898). Utah.
26. **M. Alaskanus**, Scudd. ll. cc. p. 20 (1897); pp. 132, 169. n. 21, pl. 12. f. 1 (1898). Alaska, British Columbia.
27. **M. Affinis**, Scudd. ll. cc. p. 20 (1897); pp. 132, 171. n. 22, pl. 12. f. 2 (1898). Br. Columb., W. U. Stat.

28. **M. Intermedius, Scudd.** Il. cc. p. 20 (1897); pp. 132, 172. n. 23, pl. 12. ff. 3, 4 (1898). Colorado, Montana, Idaho, &c.
- **29. **M. Bilituratus, Walk.** (*Caloptenus B.*) Cat. Derm. Salt. B. M. iv. p. 679. n. 10 (1870); Thomas, Syn. Acrid. N. Amer. pp. 158, 160 (1873). Vancouver, Br. Columb., W. U. Stat.
- M. Bilituratus, Scudd.* Il. cc. p. 20 (1897); pp. 132, 174. n. 24, pl. 12. f. 5 (1898).
- **30. **M. Scriptus, Walk.** (*Caloptenus S.*) l. c. p. 680. n. 12 (1870); Thomas, l. c. pp. 158, 160 (1873); Scudd. Proc. U.S. Nat. Mus. xx. p. 406. n. 8 (1898). Vancouver.
31. **M. Defectus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 20 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 177. n. 25, pl. 12. f. 6 (1898). Colorado.
32. **M. Atlantis, Riley,** (*Caloptenus A.*) Rep. Ins. Missouri, vii. p. 169 (1875), viii. pp. 113, 153 (1876); Rep. U.S. Ent. Comm. i. pp. 220, 225, 232, 237, 284, 299, 446, 558, pl. 3 (1878); Pack. Rep. U.S. Ent. Comm. iii. p. 273, pls. 20, 21 (1883). N. America, Mexico.
- Caloptenus Atlantis, Thomas,* Bull. Ill. Mus. Nat. Hist. i. p. 68 (1876).
- || *Caloptenus Femur-rubrum, Prov. (nec De Geer)* Nat. Canad. viii. pp. 109, 110. f. 12 (1876); Faune Ent. Canad. ii. pp. 35, 36. n. 3, f. 9 (1877).
- M. Atlantis, Scudd.* Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. f. 6 (1881); Proc. Amer. Phil. Soc. xxxvi. p. 20 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 178. n. 26, pl. 12. f. 7 (1898); Riley, Rep. U.S. Comm. 1885, p. 233, pl. 8. f. 7 a-c (1886); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 29, f. 14 a-c (1893); Biol. Centr. - Amer., Orth. ii. p. 320. n. 14 (1908); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 306 (1894); Lugger, l. c. pp. 270, 280-283. ff. 116-118 (1897); Morse, Psyche, viii. pp. 256, 259, 279. n. 36, pl. 7. f. 36 a-d (1898); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 301, 314-316. f. 70 (1903).

33. **M. Mexicana, Sauss.** (*Pezotettix* M.) Mexico.
 Rev. Zool. (2) xiii. p. 160 (1861);
 Thomas, Syn. Acrid. N. Amer. p. 222
 (1873).
- *34. **M. Spretus, Thomas**, (*Acridium Spretis*) United
 States,
 Trans. Illinois State Agric. Soc. v. p. 450
 (1865). Mexico.
Caloptenus Spretus, Walsh, Pract. Ent. ii.
 p. 1 (1866); Walsh & Riley, Amer. Ent. i.
 pp. 16, 73, f. 65 *a, b* (1868); Glover, Rep.
 U.S. Dept. Agric. 1867, p. 65, fig.;
 1870, p. 76, f. 31; 1873, pp. 125, 136,
 f. 8 (1873); Ill. N. Amer. Orth. pl. 8, f. 1,
 pl. 13, f. 15 (1872); Thomas, Syn. Acrid.
 N. Amer. pp. 158, 164 (1873); Packard,
 Guide Study Ins. p. 570, f. 564 *a* (1869);
 Amer. Nat. xv. pp. 285-302, 372-379,
 pls. 2-5 (1881); Riley, Rep. Ins. Missouri,
 vii. p. 121, figs. (1875), viii. pp. 57-156,
 fig. 39 *a-e* (1876), ix. pp. 57-124,
 figs. 18-22, maps (1877); Bull. U.S. Ent.
 Comm. ii. pp. 1-15, figs. & map (1877);
 Locust Plague (1877); Riley & Packard,
 Rep. U.S. Comm. i.-iii. (1878-1883).
Pezotettix Spretus, Stål, Bilang Svensk.
 Akad. Handl. v. (9) p. 14 (1878).
M. Spretus, Scudd. Proc. Boston Soc. Nat.
 Hist. xix. p. 287 (1878); Proc. U.S.
 Nat. Mus. xx. pp. 132, 184, n. 27, pl. 12,
 f. 8 (1898); Proc. Amer. Phil. Soc. xxxvi.
 p. 20 (1897); Brun. Bull. Agric. Exper.
 Stat. xiii. pp. 44, 46, 47, ff. 5-10 (1901);
 Bull. Div. Ent. U.S. Dept. Agric. xxviii.
 p. 27 (1893); Lugger, l. c. pp. 270, 283,
 f. 119 (1897).
M. Spretus Cæruleipes, Cockerell, Ent. xxii.
 p. 127 (1889).
35. **M. Diminutus, Scudd.** Proc. Amer. Phil. California.
 Soc. xxxvi. p. 21 (1897); Proc. U.S.
 Nat. Mus. xx. pp. 133, 190, n. 28, pl. 12,
 f. 9 (1898).
36. **M. Consanguineus, Scudd.** ll. cc. p. 21 id.
 (1897); pp. 133, 192, n. 29, pl. 12, f. 10
 (1898).
37. **M. Sierranus, Scudd.** ll. cc. p. 21 (1897); id.
 pp. 133, 193, n. 30, pl. 13, f. 1 (1898).

38. **M. Ater, Scudd.** ll. cc. p. 22 (1897); California.
pp. 133, 194. n. 31, pl. 13. f. 2 (1898).
39. **M. Devastator, Scudd.** Proc. Boston Soc. id.,
Nat. Hist. xix. pp. 285-289 (1878); Rep. Oregon,
U.S. Ent. Comm. ii. App. p. 24, pl. 17. Nevada,
ff. 2, 3, 19, 20 (1880); Proc. Amer. Phil. Arizona.
Soc. xxxvi. p. 22 (1897); Proc. U.S. Nat.
Mus. xx. pp. 133, 196. n. 32, pl. 13. ff. 3-7
(1898); Riley, Rep. U.S. Ent. 1885,
pp. 229-232, pl. 8. ff. 1-5 *a-c* (1886);
Brun. U.S. Dept. Agric. Bull. Ent.
xxviii. pp. 22-24. ff. 10 *a-d*, 11 *a-c*
(1893); Rep. Nebraska State Board
Agric. 1893, p. 460, f. 102.
M. Devastator Obscurus, Scudd. Proc. U.S.
Nat. Mus. xx. p. 198, pl. 13. ff. 3, 4
(1898).
M. Devastator Typicalis, Scudd. l. c. p. 199,
pl. 13. f. 5 (1898).
||*M. Devastator Affinis, Scudd.* l. c. f. 6
(1898).
M. Devastator Conspicuus, Scudd. l. c. f. 7
(1898).
40. **M. Virgatus, Scudd.** Proc. Amer. Phil. California.
Soc. xxxvi. p. 22 (1897); Proc. U.S.
Nat. Mus. xx. pp. 133, 199. n. 33, pl. 13.
f. 8 (1898).
41. **M. Uniformis, Scudd.** ll. cc. p. 22 id.
(1897); pp. 133, 201. n. 34, pl. 13. f. 9
(1898).
42. **M. Angelicus, Scudd.** ll. cc. p. 22 (1897); id.
pp. 133, 202. n. 35, pl. 13. f. 10
(1898).
43. **M. Impudicus, Scudd.** ll. cc. p. 22 (1897); Georgia,
pp. 134, 204. n. 36, pl. 14. f. 1 (1898); Mississippi,
Blatchley, Rep. Indiana Dept. Geol. xxvii. Arkansas,
pp. 301, 316. n. 68 (1903). Indiana.
44. **M. Humphreysii, Thomas, (Pezotettia**
H.) Wheeler, Rep. Geogr. Geol. Explor.
W. 100th Merid. v. p. 890 (1875);
Scudd. Proc. Boston Soc. Nat. Hist. xx.
p. 85 (1879). Arizona.
M. Humphreysii, Scudd. Proc. Amer. Phil.
Soc. xxxvi. p. 7 (1897); Proc. U.S. Nat.
Mus. xx. pp. 125, 206. n. 37 (1898).
45. **M. Nitidus, Scudd.** ll. cc. p. 7 (1897); Mexico,
pp. 125, 207. n. 38, pl. 14. f. 2 (1898). Low. Calif.

46. **M. Aridus, Scudd.** (*Pezotettix* A.) Proc. Arizona,
Boston Soc. Nat. Hist. xx. p. 84. n. 89 New
(1879). Mexico.
- M. Aridus, Scudd.* Proc. Amer. Phil. Soc.
xxxvi. p. 8 (1897); Proc. U.S. Nat. Mus.
xx. pp. 125, 209. n. 39, pl. 14. f. 3 (1898).
Pezotettix Humphreysii ♀, Thomas, l. c.
p. 890, pl. 45. ff. 1, 2 (1875).
47. **M. Tristis, Brun.** Bull. Exper. Stat. Colorado.
Colorado, xiv. p. 64 (1904).
48. **M. Indigenus, Scudd.** ll. cc. p. 8 (1897); Idaho.
pp. 125, 211. n. 40, pl. 14. f. 4 (1898).
49. **M. Baconi, McNeill,** Psyche, viii. p. 369 Arkansas.
(1899).
50. **M. Scudderi, Uhler,** (*Pezotettix* S.) Proc. United
Ent. Soc. Philad. ii. p. 555 (1864); States.
Thomas, Syn. Acrid. N. Amer. p. 152
(1873); Bent. l. c. pp. 309, 313, pl. 8. f. 6
(1894).
M. Scudderi, Scudd. ll. cc. p. 8 (1897);
pp. 125, 212. n. 41, pl. 14. ff. 5, 6 (1898);
Lugger, l. c. pp. 269, 274 (1897); Morse,
l. c. pp. 257, 258, 280. n. 37, pl. 7. ff. 37,
37 a, b (1898); Blatchl. l. c. pp. 300, 302.
n. 60 (1903); Rehn & Hebard, Proc.
Acad. Nat. Sci. Philad. lvi. p. 790 (1905).
M. Scudderi, var. *Terensis*, McNeill, Ent.
News, xvii. p. 158 (1906).
M. Scudderi, var. *Latus*, Morse, Psyche,
xiii p. 122 (1906); Furth. Res. N. Amer.
Acrid. p. 52 (1907).
Pezotettix Unicolor, Glover, Ill. N. Amer.
Orth. pl. 13. f. 9 (1872); Thomas, l. c.
p. 151 (1873); Wheeler. Rep. Geogr.
Geol. Exped. W. 100th Merid. v. p. 888,
pl. 45. f. 4 (1875).
51. **M. Latens, Morse,** ll. cc. p. 120 (1906); Texas,
p. 49 (1907). Arkansas.
52. **M. Carnegiei, Morse,** Psyche, xi. p. 10 S. Carolina,
(1904). Georgia.
53. **M. Strumosus, Morse,** l. c. p. 11 S. Carolina,
(1904). Florida.
54. **M. Tribulus, Morse,** l. c. (1904). Georgia.
55. **M. Devius, Morse,** l. c. p. 12 (1904). Virg. N. Car.
56. **M. Tribuloides, Morse,** Psyche, xiii. Alabama.
p. 121 (1906); Furth. Res. N. Amer.
Acrid. p. 52 (1907).

57. **M. Tuberculatus, Morse**, ll. cc. p. 121 (1906); p. 53 (1907). Texas.
58. **M. Gillettei, Scudd.** ll. cc. p. 8 (1897); pp. 125, 215. n. 42, pl. 14. f. 7 (1898); Appalachia, viii. p. 314. n. 32, pl. 43. ff. 1, 2 (1898). Colorado.
59. **M. Artemisiæ, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 8 (1897); Proc. U.S. Nat. Mus. xx. pp. 125, 217. n. 43, pl. 14. f. 8 (1898). Idaho.
60. **M. Mancus, Smith**, (*Pezotettix Munca*) Proc. Portland Soc. Nat. Hist. i. p. 149 (1868); Thomas, Syn. Acrid. N. Amer. p. 149 (1873). Maine, New Hampshire, Illinois.
- M. Mancus, Scudd.* ll. cc. p. 8 (1897); pp. 126, 218. n. 44, pl. 14. f. 9 (1898); Morse, Psyche, viii. pp. 256, 257, 280. n. 37, pl. 7. ff. 38, 38 a-c (1898).
61. **M. Latifercula, Caud.** Proc. U.S. Nat. Mus. xxvi. p. 802. n. 113, pl. 55. ff. 4, 4 a (1903). Colorado.
62. **M. Cancræ, Scudd.** ll. cc. p. 9 (1897); pp. 126, 219. n. 45, pl. 14. f. 10 (1898). Lower California.
63. **M. Reflexus, Scudd.** ll. cc. p. 9 (1897); pp. 126, 221, pl. 15. f. 1 (1898). Mexico.
64. **M. Meridionalis, Scudd.** ll. cc. p. 9 (1897); pp. 126, 223. n. 47, pl. 15. f. 2 (1898). id.
65. **M. Militaris, Scudd.** ll. cc. p. 9 (1897); pp. 126, 224. n. 48, pl. 15. f. 3 (1898). Idaho.
66. **M. Zimmermanni, Sauss.** (*Pezotettix Z*) l. c. p. 159 (1861); Thomas, Syn. Acrid. N. Amer. pp. 146, 150 (1873). Carolina.
67. **M. Nigrescens, Scudd.** (*Caloptenus N.*) Proc. Boston Soc. Nat. Hist. xix. p. 27. n. 61 (1877). N. Carolina, Georgia.
- M. Nigrescens, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 10 (1897); Proc. U.S. Nat. Mus. xx. pp. 126, 225. n. 49, pl. 15. f. 4 (1898); Rehn & Heb. l. c. p. 791 (1905).
- **68. **M. Selectus, Walk.** (*Caloptenus S.*) Cat. Derm. Salt. B. M. iv. p. 682. n. 15 (1870); Thomas, l. c. p. 226 (1873). Mexico.
69. **M. Dawsoni, Scudd.** (*Pezotettix D.*) Dawson's Rep. Geol. Res. 49th Par. p. 343 (1875). Canada, Western U. States.

- M. Dawsoni*, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 10 (1897); Proc. U.S. Nat. Mus. xx. pp. 126, 134, 227. n. 50, pl. 1. f. a, pl. 15. f. 5 (1898); Luggler, l. c. pp. 269, 275, 276. ff. 109-111 (1897); Brun. Bull. Agric. Exper. Stat. Colorado. xciv. p. 47 (1904).
- Pezotettix Tellustris*, Scudd. Ann. Rep. Chief of Engineers, 1876, p. 502.
- Pezotettix Abditum*, Dodge, Canad. Ent. ix. p. 113 (1877).
- M. Dawsoni Completus*, Scudd. Proc. U.S. Nat. Mus. xx. p. 229 (1898).
70. **M. Cockerelli**, Scudd. Psyche, ix. p. 124 (1900). New Mexico.
71. **M. Dimidipennis**, Brun. Bull. Exper. Stat. Colorado, xciv. p. 66 (1904). Colorado.
72. **M. Gladstoni**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 23 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 229. n. 51, pl. 1. f. b, pl. 15. f. 6 (1898). id., Montana, Nebraska, &c.
73. **M. Palmeri**, Scudd. ll. cc. p. 23 (1897); pp. 134, 230. n. 52, pl. 15. f. 7 (1898); Morse, Furth. Res. N. Amer. Acrid. p. 50 (1907). Arizona, New Mexico.
74. **M. Montanus**, Thomas, (*Platyphyma Montana*) Syn. Acrid. N. Amer. p. 155 (1873); Glover, l. c. pl. 18. f. 11 (1874). Montana.
- M. Montanus*, Scudd. ll. cc. p. 10 (1897); pp. 127, 232. n. 53, pl. 15. f. 8 (1898).
75. **M. Washingtonius**, Bruner, (*Pezotettix W.*) Canad. Ent. xvii. p. 14 (1885). Washington.
- M. Washingtonianus*, Scudd. ll. cc. p. 11 (1897); pp. 127, 233. n. 54, pl. 15. f. 9 (1898).
76. **M. Walshii**, Scudd. ll. cc. p. 11 (1897); pp. 127, 235. n. 55, pl. 15. f. 10 (1898). Illinois, Michigan.
77. **M. Altitudinum**, Scudd. (*Pezotettix A.*) Proc. Boston Soc. Nat. Hist. xx. p. 86 (1879). Western United States.
- M. Altitudinum*, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 11 (1897); Proc. U.S. Nat. Mus. xx. pp. 127, 236. n. 56, pl. 16. f. 1 (1898); Appalachia, viii. p. 313, n. 34, pl. 43. ff. 3, 5 (1898).

- || *Pezotettix Marshalli*, Scudd. (*nec Thom.*)
Wheeler, Ann. Rep. Geogr. Surv. W.
100th Merid. 1876, App. JJ, p. 282.
n. 17.
- M. Huroni*, Blatchl. Psyche, viii. p. 195
(1898); Scudd. Proc. Davenport Acad.
Sci. vii. pp. 175, 182 (1899).
78. **M. Sapellanus**, Scudd. Psyche, ix, p. 125 New
(1900). Mexico.
79. **M. Gracilipes**, Scudd. Proc. Amer. Phil. California.
Soc. xxxvi. p. 11 (1897); Proc. U.S.
Nat. Mus. xx. pp. 127, 238. n. 57, pl. 16.
f. 2 (1898).
80. **M. Geniculatus**, Scudd. ll. cc. p. 11 Mexico.
(1897); pp. 127, 239. n. 58, pl. 16. f. 3
(1898).
81. **M. Rusticus**, Stål, (*Pezotettix R.*) l. c. Texas.
p. 13. n. 4 (1878).
M. Rusticus, Scudd. ll. cc. p. 11 (1897);
pp. 127, 240. n. 59, pl. 16. f. 4
(1898).
82. **M. Pacificus**, Scudd. (*Pezotettix P.*) California.
Rep. U.S. Ent. Comm. ii. App. p. 24,
pl. 17. f. 16 (1880).
M. Pacificus, Scudd. Proc. Amer. Phil. Soc.
xxxvi. p. 12 (1897); Proc. U.S. Nat.
Mus. xx. pp. 127, 241. n. 60, pl. 16. f. 5
(1898).
83. **M. Borckii**, Stål, (*Acridium (Podisma)* id.,
B.) Eugenes Resa, Orth. p. 332. n. 80 Idaho,
(1860). Washington
Pezotettix Borckii, Thomas, Syn. Acrid. Montana,
N. Amer. pp. 146, 149 (1873). Wyoming.
Pezotettix (Melanoplus) Borckii, Stål,
Recens. Orth. i. p. 79. n. 16 (1873)
M. Borckii, Scudd. ll. cc. p. 12 (1897);
pp. 127, 243. n. 61, pl. 16. f. 6 (1898).
84. **M. Neomexicanus**, Scudd. Proc. Daven- New
port Acad. Sci. ix. p. 46 (1902). Mexico.
85. **M. Tenuipennis**, Scudd. Proc. Amer. California.
Phil. Soc. xxxvi. p. 12 (1897); Proc.
U.S. Nat. Mus. xx. pp. 127, 244. n. 62,
pl. 16. f. 7 (1898).
86. **M. Missionum**, Scudd. ll. cc. p. 12 id.
(1897); pp. 127, 246. n. 63, pl. 16. f. 8
(1898).

87. **M. Fuscipes, Scudd.** ll. cc. p. 12 (1897); California.
pp. 128, 247. n. 64, pl. 16. f. 9 (1898).
88. **M. Scitulus, Scudd.** ll. cc. p. 12 (1897); Mexico.
pp. 128, 249. n. 65, pl. 16. f. 10 (1898).
89. **M. Flabellatus, Scudd. (*Pezotettix F.*)** Texas.
Proc. Boston Soc. Nat. Hist. xx. p. 82.
n. 87 (1879).
M. Flabellatus, Scudd. Proc. Amer. Phil.
Soc. xxxvi. p. 12 (1897); Proc. U.S.
Nat. Mus. xx. pp. 128, 251. n. 66, pl. 17.
f. 1 (1898).
90. **M. Puer, Scudd. (*Pezotettix P.*)** Proc. Florida.
Boston Soc. Nat. Hist. xix. p. 87 (1877).
M. Puer, Scudd. Proc. Amer. Phil. Soc.
xxxvi. p. 12 (1897); Proc. U.S. Nat.
Mus. xx. pp. 128, 252, pl. 17. f. 2 (1898).
91. **M. Sonomaensis, Caud.** Proc. Ent. Soc. California.
Washington, vii. p. 124 (1906).
92. **M. Islandicus, Blatchley, Psyche,** viii. Michigan,
p. 196 (1898). Ontario.
M. Abortivus, Walk. Canad. Ent. xxx. p. 90
(1898).
93. **M. Celatus, Morse, Psyche,** xi. p. 10 Virginia.
(1904).
94. **M. Sylvestris, Morse,** l. c. (1904). N. Carolina.
95. **M. Divergens, Morse,** l. c. p. 8 (1904). id.
96. **M. Inornatus, Scudd.** ll. cc. p. 13 Mexico.
(1897); pp. 128, 254. n. 68, pl. 17. f. 3
(1898).
97. **M. Viridipes, Scudd.** ll. cc. p. 13 Illinois,
(1897); pp. 128, 255. n. 69, pl. 17. f. 4 Indiana.
(1898); Blatchley, Rep. Indiana Dept.
Geol. xxvii. pp. 300, 305. n. 61, f. 65
(1903).
98. **M. Deceptus, Morse,** l. c. p. 9 (1904). Indiana.
99. **M. Similis, Morse,** l. c. (1904). N. Carolina
100. **M. Decorus, Scudd.** ll. cc. p. 13 (1897); id.
pp. 128, 257. n. 70, pl. 17. f. 5 (1898).
101. **M. Decoratus, Morse,** l. c. p. 12 id.,
(1904). Georgia, &c.
102. **M. Attenuatus, Scudd.** ll. cc. p. 13 N. Carolina.
(1897); pp. 128, 259. n. 71, pl. 17. f. 6
(1898).
103. **M. Australis, Morse,** l. c. p. 13 (1904). Georgia.
104. **M. Amplectens, Scudd.** ll. cc. p. 14 Kentucky.
(1897); pp. 128, 260. n. 72, pl. 17. f. 7
(1898).

105. **M. Saltator, Scudd.** ll. cc. p. 14 (1897); pp. 129, 261. n. 73, pl. 17. f. 8 (1898).
 || *Pezotettix Borckii, Scudd. (nec Stål)* Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. f. 17 (1881).
 Oregon, Washington, Montana, Idaho, Wyoming.
106. **M. Rotundipennis, Scudd.** (*Pezotettix* R.) Proc. Boston Soc. Nat. Hist. xix. p. 86 (1877).
M. Rotundipennis, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 14 (1897); Proc. U.S. Nat. Mus. xx. pp. 129, 263. n. 74. pl. 17. f. 9 (1898).
 Florida.
107. **M. Longicornis, Sauss.** (*Pezotettix* L.) Rev. Zool. (2) xiii. p. 159 (1861); Thomas, Syn. Acrid. N. Amer. pp. 146, 150 (1873).
 Carolina.
108. **M. Obovatipennis, Blatchl.** (*Pezotettix* O.) Canad. Ent. xxvi. p. 241 (1894).
M. Obovatipennis, Scudd. ll. cc. p. 14 (1897); pp. 129, 264. n. 75, pl. 17. f. 10 (1898); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 300, 306-308. f. 66 (1903).
 Indiana.
109. **M. Tepidus, Morse,** Psyche, xiii. p. 121 (1906); Furth. Res. N. Amer. Acrid. p. 52 (1907).
 Mississippi.
110. **M. Juvencus, Scudd.** ll. cc. p. 14 (1897); pp. 129, 266. n. 76, pl. 18. f. 1 (1898).
 Florida.
111. **M. Inconspicuus, Caud.** Trans. Amer. Ent. Soc. xxviii. p. 87. n. 38 (1902).
 Oklahoma.
112. **M. Fasciatus, Walk.** (*Caloptenus* F.) l. c. iv. p. 680. n. 11 (1870); Thomas, l. c. p. 224 (1873).
M. Fasciatus, Caudl. Rep. Ent. Soc. Ontario, xviii. p. 71 (1886); Lugger, l. c. pp. 300, 301. f. 136½ (1897); Scudd. ll. cc. p. 14 (1897); pp. 129, 134, 267. n. 77, pl. 1. f. c, pl. 18. ff. 2-4 (1898); Morse, l. c. viii. pp. 256, 260, 281. n. 39, pl. 7. f. 39 a (1898); Furth. Res. N. Amer. Acrid. p. 47 (1907); Blatchl. l. c. pp. 301, 311. n. 65 (1903); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 48 (1904).
 North America.

[[*Pezotettix Borealis*, Scudd. (nec Fieb.)
Canad. Nat. vii. p. 286 (1862); Boston
Journ. Nat. Hist. vii. p. 464. n. 1
(1868); Thomas, Syn. Acrid. N. Amer.
pp. 146, 153 (1873).

M. Borealis, Bent. l. c. pp. 308, 313
(1894); Lugger, l. c. p. 271 (1897).

M. Rectus, Scudd. Proc. Boston Soc. Nat.
Hist. xix. p. 284 (1878).

M. Curtus, Scudd. l. c. xx. p. 70. n. 77
(1879).

M. Fasciatus Volaticus, Scudd. Proc. U.S.
Nat. Mus. xx. p. 270 (1898).

113. **M. Borealis**, Fieb. (*Caloptenus B.*) North Cape,
Lotos, iii. p. 120. n. 2 (1853); Syn. Labrador,
Eur. Orth. p. 20. n. 2 (1854); Brunn. Greenland,
Verh. zool.-bot. Ges. Wien, xi. p. 223. Alaska.
(1861); Thomas, l. c. p. 227 (1873).

M. Borealis, Caud. l. c. p. 71 (1886);
Scudd. Proc. Amer. Phil. Soc. xxxvi.
p. 23 (1897); Proc. U.S. Nat. Mus.
xx. pp. 134, 270. n. 78, pl. 1. f. d.
pl. 18. f. 5 (1898); Caud. Proc. Wash-
ington Acad. Sci. ii. p. 511, figs. (1900);
Harriman, Alaska Exped. viii. Ins. i.
p. 117, figs. (1894).

Pezotettix Septentrionalis, Sauss. l. c.
p. 160 (1861); Thomas, l. c. p. 222
(1873).

114. **M. Alleni**, Scudd. Proc. U.S. Nat. Mus. Iowa.
xx. pp. 129, 273. n. 79, pl. 18. f. 6
(1898).

115. **M. Snowii**, Scudd. l. c. pp. 129, 274. New
n. 80, pl. 18. f. 7 (1898). Mexico.

- **116. **M. Arcticus**, Walk. (*Caloptenus A.*) Arctic
l. c. p. 681. n. 14 (1870); Thomas, l. c. America.
p. 226 (1873).

117. **M. Plumbeus**, Dodge, (*Caloptenus
Plumbum*) Canad. Ent. ix. p. 112 Colorado,
(1877). Kansas.
Nebraska.

M. Plumbeus, Brun. Bull. Div. Ent. U.S.
Dept. Agric. xxviii. p. 32, f. 16 (1893);
Scudd. Proc. Amer. Phil. Soc. xxxvi.
p. 24 (1897); Proc. U.S. Nat. Mus.
xx. pp. 134, 276. n. 81, pl. 18. f. 8
(1898); Caud. Proc. U.S. Nat. Mus.
xxvi. p. 804. n. 117 (1903).

- *118. **M. Femur-rubrum, DeGeer**, (*Acrydium* F.) Mém. Ins. iii. p. 498. n. 14, pl. 42. f. 5 (1773). N. America, Mexico.
- Acrydium Femur-rubrum*, Harr. Rep. Ins. Mass. p. 141. n. 3 (1841), (ed. 3) p. 174. n. 3, f. 80 (1862).
- Caloptenus Femur-rubrum*, Burm. Handb. Ent. ii. p. 638. n. 2 (1838); Glover, l. c. pl. 5. f. 11, pl. 8. f. 2 (1872); Thomas, l. c. pp. 158, 163 (1873); Riley, Rep. Ins. Missouri, viii. p. 114 (1876); Locust Plague, p. 14. ff. 1, 4 (1877); Rep. U.S. Ent. Comm. i. pp. 220, 224-226, 284, 299, 444-447, 458, pl. 2 (1878); Willcox, Bull. Mus. Comp. Zool. xxvii. p. 9, pls. 3-5 (1895), xxix. p. 193, pls. 1-3 (1896).
- Pezotettix (Melanoplus) Femur-rubrum*, Stål, Recens. Orth. i. p. 79. n. 14 (1873).
- M. Femur-rubrum*, Scudd. Hitchcock's Rep. Geol. N. Hampshire, i. p. 375 (1874); Proc. Boston Soc. Nat. Hist. xix. pp. 285, 287 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 24 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 278, pl. 1. f. h, pl. 19. ff. 1-4 (1898); Brun. Bull. Agric. Exper. Stat. Nebraska, xiii. pp. 44, 45. f. 3 (1901); Bull. Div. Ent. U.S. Dept. Agric. xxviii. pp. 30, 31. f. 15 (1893); Bull. Agric. Exper. Stat. Colorado, xciv. p. 48 (1904); Beut. l. c. pp. 306, 313, pl. 8. f. 7 (1894); Lugger, l. c. pp. 271, 285-288, ff. 121, 122 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 301, 317-319. n. 69, f. 71 (1903); Morse, Psyche, viii. pp. 257, 258, 281. n. 40, pl. 7. f. 40 a-d (1898); Furth. Res. N. Amer. Acrid. p. 47 (1907).
- Gryllus Locusta Erythropus*, Gmel. Syst. Nat. i. (4) p. 2086 (1788).
- Acridium Femorale*, Oliv. Encycl. Méth., Ins. p. 228. n. 59 (1791).
- Pezotettix Femur-rubrum*, Stål, Bihang Svensk. Akad. Förh. v. (9) p. 13 (1878).

- Caloptenus Devorator*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 474. n. 25 (1875).
- Caloptenus Sangvinolentus*, Prov. Nat. Canad. viii. p. 109 (1876).
- || *Caloptenus Atlantis*, Prov. (nec Riley) Faune Canad., Orth. p. 35. n. 2 (1877).
- M. Interior*, Scudd. l. c. xx. p. 71. n. 79 (1879).
119. **M. Propinquus**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 24 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 285, pl. 18. f. 9 (1898). N. Carolina, Georgia, Florida.
120. **M. Coloradus**, Caud. Proc. U.S. Nat. Mus. xxvi. p. 799. n. 103, pl. 55. ff. 1, 1 a (1903). Colorado.
121. **M. Leucostoma**, Kirb. (*Loecusta* L.) Faun. Bor.-Amer. iv. p. 250 (1837). Mackenzie River.
- **122. **M. Extremus**, Walk. (*Caloptenus* F.) l. c. iv. p. 681. n. 13 (1870); Thomas, Syn. Aerid. N. Amer. p. 225 (1873). Canada, Northern United States.
- M. Extremus*, Caud. l. c. p. 71 (1886); Scudd. ll. cc. p. 24 (1897); pp. 135, 287. n. 84, pl. 1. ff. *f. a*, pl. 18. f. 10 (1898); Appalachia, viii. p. 315. n. 38, pl. 43. ff. 4, 6 (1898); Morse, Psyche, viii. pp. 257, 259, 292. n. 41, pl. 7. ff. 41, 41 a (1898); Blatchley, l. c. pp. 302, 319. n. 70 (1903).
- Pezotettix Junius*, Dodge, Canad. Ent. viii. p. 9 (1876).
- M. Junius*, Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 286 (1878); Morse, Psyche, vii. p. 53 (1894).
- Caloptenus Parrus*, Prov. Nat. Canad. viii. p. 110 (1876).
123. **M. Monticola**, Scudd. ll. cc. p. 24 (1897); pp. 135, 290. n. 85, pl. 19. f. 5 (1898); p. 316. n. 39, pl. 44. ff. 1, 2 (1898). Colorado.
- || *Platyphyma Montana*, Scudd. (nec Thomas), Appalachia, i. p. 263 (1878).
124. **M. Bispinosus**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 25 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 292. n. 86, pl. 19. f. 6 (1898). Texas.

125. **M. Terminalis, Scudd.** l. c. p. 25 (1897); pp. 135, 293. n. 87, pl. 19. f. 7 (1898). Texas.
126. **M. Cyanipes, Scudd.** ll. cc. p. 25 (1897); pp. 135, 295. n. 88, pl. 19. f. 8 (1898). California, Mexico.
127. **M. Cinereus, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 288, 290 (1878); Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. ff. 1, 4, 5 (1880); Proc. Amer. Phil. Soc. xxxvi. p. 25 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 296. n. 89, pl. 19. f. 9 (1898). Western United States.
128. **M. Complanatipes, Scudd.** Proc. Amer. Phil. Soc. xxxvi. pp. 25, 26 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 298. n. 90, pl. 19. f. 10 (1898). Low. Calif., Mexico.
129. **M. Canonicus, Scudd.** ll. cc. p. 26 (1897); pp. 135, 300. n. 91, pl. 20. f. 1 (1898). Arizona.
130. **M. Comptus, Scudd.** ll. cc. p. 26 (1897); pp. 136, 302. n. 92, pl. 20. f. 2 (1898). Minnesota, Nebraska.
131. **M. Coccineipes, Scudd.** ll. cc. p. 26 (1897); pp. 136, 303. n. 93, pl. 20. ff. 3-5 (1898). Ontario, Western Un. States.
132. **M. Angustipennis, Dodge, (Caloptenus A.)** l. c. ix. p. 111 (1877). Nebraska, Montana, Indiana.
M. Angustipennis, Bern. Bull. Washburn Coll. i. p. 138 (1885); Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 24. f. 12 (1893); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Lugger, l. c. pp. 272, 288, 289. f. 123 (1897); Scudd. ll. cc. p. 26 (1897); pp. 136, 305. n. 94, pl. 20. f. 6 (1898); Blatchl. l. c. pp. 302, 321. n. 71 (1903).
133. **M. Macneillei, Hart,** Bull. Illinois State Lab. vii. pp. 234, 261 (1906). Illinois.
134. **M. Impiger, Scudd.** ll. cc. p. 26 (1897); pp. 136, 306. n. 95, pl. 20. ff. 7, 8 (1898); Lugger, l. c. pp. 272, 289-291. ff. 124-126 (1897); Morse, Furth. Res. N. Amer. Acrid. p. 48 (1907). Texas, Kansas.
135. **M. Packardii, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 287, 288 (1878); Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. ff. 7, 8 (1881); Proc. Amer.

- Phil. Soc. xxxvi. p. 27 (1897); Proc. U.S. Nat. Mus. xx. pp. 136, 309. n. 96, pl. 21. ff. 1-4 (1898); Brun. Bull. Exper. Stat. Colorado, xciv. p. 54 (1904); Morse, Furth. Res. N. Amer. Acrid. p. 50 (1907).
- [*Caloptenus Fasciatus*, Scudd. (nec Walk.) Proc. Boston Soc. Nat. Hist. xvii. p. 477. n. 29 (1875).
- M. Packardii Rufipes*, Cockerell, Ent. xxii. p. 127 (1889).
136. **M. Stonei**, Rehn, Ent. News, xv. p. 85 New Jersey.
(1904).
137. **M. Bicoloratus**, Scudd. Proc. Davenport Acad. Sci. ix. p. 48 (1902). New Mexico.
138. **M. Fluvialis**, Brun. Ann. Rep. Ent. Nebraska State Board Agric. 1896, p. 136, f. 34 (1897). Nebraska.
139. **M. Fœdus**, Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 69. n. 76 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 27 (1897); Proc. U.S. Nat. Mus. xx. pp. 136, 311. n. 97, pl. 20. f. 9 (1898); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 21, ff. 9*a*, *b* (1893); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Morse, Furth. Res. N. Amer. Acrid. p. 48 (1907). Colorado.
140. **M. Corpulentus**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 27 (1897); Proc. U.S. Nat. Mus. xx. pp. 136, 313. n. 98, pl. 20. f. 10 (1898). Mexico, New Mex., Arizona.
141. **M. Conspersus**, Scudd. ll. cc. p. 27 (1897); pp. 136, 315. n. 99, pl. 21. f. 5 (1898). Nebraska.
142. **M. Compactus**, Scudd. ll. cc. p. 27 (1897); pp. 136, 316. n. 100, pl. 21. f. 6 (1898). id., Dakota.
143. **M. Domicolus**, Scudd. (*Pezotettix Domicola*) Proc. Boston Soc. Nat. Hist. xx. p. 76. n. 82 (1879). Texas.
M. Domicola, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 15 (1897); Proc. U.S. Nat. Mus. xx. pp. 129, 318. n. 101, pl. 21. f. 7 (1898).
144. **M. Variabilis**, Scudd. ll. cc. p. 15 (1897); pp. 129, 319. n. 102, pl. 21. f. 8 (1898). Mexico.

145. **M. Lepidus**, Scudd. ll. cc. p. 15 (1897); pp. 129, 321. n. 103, pl. 21. f. 9 (1898). California, Nevada.
146. **M. Blatchleyi**, Lugger, l. c. pp. 269, 276-278. ff. 112-114 (1897); Scudd. ll. cc. p. 15 (1897); pp. 129, 322. n. 104, pl. 21. f. 10 (1898); Blatchl. l. c. pp. 301, 313. n. 66, f. 69 (1903). Nebraska, Missouri, Illinois, Indiana, Iowa.
- || *Pezotettix Occidentalis*, Brun. (nec Thomas) Canad. Ent. viii. p. 124 (1876).
147. **M. Texanus**, Scudd. (*Pezotettix T.*) Proc. Boston Soc. Nat. Hist. xx. p. 80. n. 85 (1879). Texas, Kansas.
M. Texanus, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 15 (1897); Proc. U. S. Nat. Mus. xx. pp. 130, 324. n. 105, pl. 22. f. 1 (1898).
148. **M. Quadratus**, Scudd. Proc. Davenport Acad. ix. p. 49 (1902). New Mexico.
149. **M. Plebejus**, Stål, (*Pezotettix P.*) Bihang Svensk. Akad. Handl. v. (9) p. 12. n. 3 (1878). Texas.
M. Plebejus, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 16 (1897); Proc. U. S. Nat. Mus. xx. pp. 130, 326. n. 106, pl. 22. f. 2 (1898).
Pezotettix Pupaeformis, Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 83. n. 88 (1879).
150. **M. Morsei**, Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 301, 309-311. n. 64, f. 68 (1903). Indiana.
151. **M. Gracilis**, Brun. (*Pezotettix G.*) Canad. Ent. viii. p. 124 (July, 1876). United States.
M. Gracilis, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 16 (1897); Proc. U. S. Nat. Mus. xx. pp. 130, 327. n. 107, pl. 22. f. 3 (1898); Lugger, l. c. p. 278 (1897); Blatchl. l. c. pp. 301, 308-309. n. 63, f. 67 (1903).
Pezotettix Minutipennis, Thomas, Bull. Illinois Mus. Nat. Hist. i. p. 66. n. 34 (Dec. 1876).
152. **M. Sylvaticus**, McNeill, Psyche, viii. p. 345 (1899). Arkansas.
153. **M. Inops**, Scudd. ll. cc. p. 16 (1897); pp. 130, 329. n. 108, pl. 22. f. 4 (1898). Florida.

154. **M. Marginatus, Scudd.** (*Pezotettix M.*) California.
Wheeler, Ann. Rep. Geogr. Surv. W.
100th Merid, 1876, App. JJ, pp. 282.
284, n. 20.
M. Marginatus, Scudd. Proc. Amer. Phil.
Soc. xxxvi. p. 16 (1897); Proc. U.S.
Nat. Mus. xx. pp. 130, 137, 330. n. 109,
pl. 22. f. 5 (1898).
M. Marginatus Amplus, Scudd. Proc. U.S.
Nat. Mus. xx. pp. 330, 331, pl. 1. f. i
(1898).
M. Marginatus Pauper, Scudd. ll. cc.
(1898).
155. **M. Paroxyoides, Scudd.** Proc. Amer. Florida.
Acad. xxxvi. p. 28 (1897); Proc. U.S.
Nat. Mus. xx. pp. 137, 331. n. 110, pl. 1.
f. k, pl. 22. f. 6 (1898).
156. **M. Alpinus, Scudd.** ll. cc. p. 28 (1897): Br. Columb.
pp. 137, 333. n. 111, pl. 22. f. 7 Idaho,
(1898). Colorado.
157. **M. Infantis, Scudd.** Proc. Boston Soc. Colorado,
Nat. Hist. xx. p. 65. n. 73 (1879); Proc. Washington
Amer. Phil. Soc. xxxvi. p. 28 (1897); Wyoming,
Proc. U.S. Nat. Mus. xx. pp. 137, 335. Nebraska,
n. 112, pl. 22. f. 8 (1898); Brun. Bull. &c.
Agric. Exper. Stat. Colorado, xciv. p. 51
(1904).
158. **M. Minor, Scudd.** (*Caloptenus M.*) United
Proc. Boston Soc. Nat. Hist. xvii. p. 478. States.
n. 30 (1875).
M. Minor, Scudd. Proc. Amer. Phil. Soc.
xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus.
xx. pp. 137, 337. n. 113, pl. 22. f. 9
(1898); Beut. l. c. pp. 307, 313 (1894);
Lugger, l. c. pp. 272, 291-293. f. 127
(1897); Morse, l. c. pp. 256, 259, 293.
n. 42, pl. 7. f. 42 a (1898); Blatchl. l. c.
pp. 302, 322. n. 72 (1903); Brun. l. c.
p. 52 (1904).
159. **M. Confusus, Scudd.** Proc. Amer. Phil. Kentucky.
Soc. xxxvi. p. 29 (1897); Proc. U.S.
Nat. Mus. xx. pp. 137, 339. n. 114,
pl. 22. f. 10 (1898).
160. **M. Arizonae, Scudd.** Proc. Boston Soc. Arizona.
Nat. Hist. xx. p. 64. n. 72 (1879); Proc.
Amer. Phil. Soc. xxxvi. p. 29 (1897);
Proc. U.S. Nat. Mus. xx. pp. 137, 340.
n. 115 (1898).

161. **M. Keeleri, Thomas**, (*Caloptenus K.*) N. Carolina,
Bull. U.S. Geol. Surv. Territ. i. p. 69 Florida,
(1874); Glover, l. c. pl. 17. f. 1 Missouri,
(1874). Texas.
- M. Keeleri*, Scudd. Proc. Amer. Phil. Soc.
xxxvi. p. 29 (1897); Proc. U.S. Nat.
Mus. xx. pp. 137, 341. n. 116. pl. 23.
f. 1 (1898); Morse, Furth. Res. N.
Amer. Acrid. p. 49 (1907).
- M. Tenebrosus*, Scudd. Proc. Boston Soc.
Nat. Hist. xx. p. 63. n. 71 (1879).
- Var. *Caloptenus Deletor*, Scudd. l. c. xvii.
p. 475 (1875).
- M. Deletor*, Scudd. Proc. Amer. Phil. Soc.
xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus.
xx. pp. 137, 343. n. 117. pl. 23. f. 2 (1898).
162. **M. Luridus, Dodge**, (*Caloptenus Lurida*) United
Canad. Ent. viii. p. 11 (1876). States.
- M. Luridus*, Brenn. Rep. U.S. Ent. Comn.
iii. p. 60. n. 238 (1883); Bull. Exper.
Stat. Colorado, xciv. p. 52 (1904); Scudd.
Proc. Amer. Phil. Soc. xxxvi. p. 29
(1897); Proc. U.S. Nat. Mus. xx.
pp. 137, 344. n. 118, pl. 23. f. 7
(1898); Lugger, l. c. pp. 272, 293.
294. ff. 128, 129 (1897); Blatchl. l. c.
pp. 302, 324. n. 73 (1903).
163. **M. Collinus, Scudd.** Proc. Boston Soc. id.
Nat. Hist. xix. pp. 284, 285 (1878); Proc.
Amer. Phil. Soc. xxxvi. p. 29 (1897);
Proc. U.S. Nat. Mus. xx. pp. 138, 346.
n. 119, pl. 23. f. 6 (1898); Beut. l. c.
pp. 306, 313 (1894); Morse, Psyche, viii.
pp. 256, 259, 294. n. 43, pl. 7. f. 43 a, b
(1898).
164. **M. Differentialis, Thomas**, (*Acridium* id.
Differentiale) Trans. Illinois State Agric.
Soc. v. p. 450 (1865).
- Caloptenus Differentialis*, Walsh & Riley.
Amer. Ent. i. pp. 16, 187 (1868-9);
Glover, l. c. pl. 8. f. 12, pl. 9. f. 4,
pl. 11. f. 6 (1872); Thomas, Syn. Acrid.
N. Amer. pp. 158, 166, pl. 1. f. 5 (1873);
Riley, Rep. Ins. Missouri, vii. pp. 124,
173. f. 33 (1875); Locust Plague, pp. 89,
194, 198-201. f. 34 (1877); Rep. U.S.

Ent. Comm. i. pp. 220-228, 298-301, 327.

447, 459. ff. 32, 110, pl. 4, f. 1 (1878).

Ectopoda Differentialis, *Wiley*, Rep. Ins. Missouri, v. p. 14, fig. (1873).

Pezotettix Differentialis, *Stål*, l. c. p. 14 (1878).

M. Differentialis, *Brun.* Bull. Washb.

Coll. i. p. 139 (1885); Bull. U.S. Dept.

Agric. Div. Ent. xxviii. pp. 15, 16, f. 5

(1893); Bull. Exper. Stat. Colorado.

xciv. p. 47 (1894); Bull. Agric. Exper.

Stat. Nebraska, xiii. pp. 44, 45, f. 2 (1901);

Lugger, l. c. pp. 273, 294-296. ff. 130, 131

(1897); Scudd. Proc. Amer. Phil. Soc.

xxxvi. p. 30 (1897); Proc. U.S. Nat.

Mus. xx. pp. 138, 349. n. 120, pl. 23.

ff. 3, 4 (1898); Blatchl. l. c. pp. 302,

326. n. 74, f. 72 (1903).

165. **M. Sumichrasti, Sauss.** (*Pezotettix* S.) Mexico.

Rev. Zool. (2) xiii. p. 160 (1861);

Thomas, Syn. Acrid. N. Amer. p. 223

(1873).

M. Sumichrasti, *Brun.* Biol. Centr.-Amer.,

Orth. ii. p. 326. n. 46, pl. 4. ff. 6, 6 a-c

(1908).

166. **M. Robustus, Scudd.** (*Caloptenus* R.) Texas.

Proc. Boston Soc. Nat. Hist. xvii. p. 473.

n. 24 (1875).

Pezotettix Robustus, *Stål*, l. c. p. 14 (1878).

M. Robustus, *Scudd.* Proc. Amer. Phil. Soc.

xxxvi. p. 30 (1897); Proc. U.S. Nat.

Mus. xx. pp. 138, 354. n. 121, pl. 23. f. 5

(1898); Brun. Bull. Div. Ent. U.S. Dept.

Agric. xxviii. pp. 17-19. ff. 6, 7 (1893);

Morse, Furth. Res. N. Amer. Acrid.

p. 51 (1907).

Caloptenus Ponderosus, *Scudd.* Proc.

Boston Soc. Nat. Hist. xvii. p. 473.

n. 23 (1875).

167. **M. Symmetricus, Morse,** Psyche, xi. United

p. 8 (1904).

States.

- **168. **M. Repletus, Walk.** (*Caloptenus* R.) Vancouver.

l. c. iv. p. 678. n. 9 (1870); Thomas,

Syn. Acrid. N. Amer. p. 159 (1873).

169. **M. Viola, Thomas,** (*Pezotettix* V.) Bull. Missouri,

Illinois Mus. Nat. Hist. i. p. 68. n. 36

(1876).

Kentucky,

- M. Viola*, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 355. n. 122, pl. 24. f. 1 (1898).
Pezotettix Affiliatus, Scudd. Canad. Ent. xii. p. 75 (1880).
 170. **M. Clypeatus**, Scudd. (*Caloptenus C.*) Georgia.
 Proc. Boston Soc. Nat. Hist. xix. p. 40 (1877).
M. Clypeatus, Scudd. Canad. Ent. xii. p. 75 (1880); Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 357. n. 123, pl. 24. f. 2 (1898).
 171. **M. Furcatus**, Scudd. Proc. Amer. Phil. Florida.
 Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 358. n. 124, pl. 24. f. 3 (1898).
 172. **M. Bivittatus**, Say, (*Gryllus B.*) Journ. N. America.
 Acad. Nat. Sci. Philad. iv. p. 308. n. 3 (1825).
Caloptenus Bivittatus, Scudd. Canad. Nat. vii. p. 287 (1862); Glover, l. c. pl. 1. f. 16, pl. 5. f. 16 (1872); Thomas, l. c. p. 166 (1873); Riley, Rep. Ins. Missouri, vii. pp. 124, 173. f. 34 (1875); Locust Plague, pp. 89, 194. f. 38 (1877); Bull. Div. Ent. U.S. Dept. Agric. xxv. p. 31, f. 9 (1891); Smith, Rep. Connect. Beard Agric. 1872, pp. 362, 381. f. 7; Prov. Nat. Canad. viii. p. 109. n. 1 (1876).
M. Bivittatus, Scudd. Hitchcock's Rep. Geol. New Hampshire, i. p. 376. n. 28 (1874); Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 363. n. 126, pl. 24. f. 5 (1898); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 19, f. 8 (1883); Beut. l. c. pp. 308, 313 (1894); Lugger, l. c. pp. 274, 296-298. ff. 133-135 (1897); Blatchl. l. c. pp. 302, 329-331. n. 75, f. 73 (1903).
Pezotettix Bivittatus, Stål, Bihang Svensk. Akad. Handl. v. (9) p. 14 (1878).
Acridium Milberti, Serv. Ins. Orth. p. 648. n. 9 (1838).
Caloptenus Femoratus, Burm. Handb. Ent. ii. p. 638. n. 1 (1838); Brun. Verh.

zool.-bot. Ges. Wien, xi. p. 224 (1861);
 Prov. Faune Ent. Canad. ii. p. 35.
 n. 1 (1877).

M. Femoratus, Scudd. Proc. Boston Soc.
 Nat. Hist. xix. pp. 285, 288 (1877);
 Proc. Amer. Phil. Soc. xxxvi. p. 31
 (1897); Proc. U.S. Nat. Mus. xx.
 pp. 138, 360. n. 125, pl. 24. f. 4
 (1898); Fernald, Orth. N. England,
 p. 31, f. 13 (1888); Morse, Psyche,
 viii. pp. 257, 258, 294. n. 44, pl. 7. f. 44
 (1898).

Acrydium Flavovittatum, Harr. ll. cc.
 p. 140. n. 5 (1841), p. 173. n. 2 (1862).

M. Bivittatus Femoratus, Morse, Furth.
 Res. N. Amer. Acrid. p. 47 (1907).

Pezotettix Edax, Sauss. l. c. p. 161 (1861);
 Thomas, Syn. Acrid. N. Amer. p. 152
 (1873).

***Heteracris Rejecta*, Walk. Cat. Derm. Salt.
 B. M. iv. p. 675. n. 42 (1870).

173. **M. Thomasi**, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 368. n. 127, pl. 25. f. 1 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 327. n. 49, pl. 4. ff. 7, 7 a, b (1908). Mexico,
 New Mex.,
 Arizona.

174. **M. Yarrowii**, Thomas, (*Caloptenus Y.*) Wheeler's Rep. Geogr. Geol. Expl. W. 100th Merid. v. p. 894. p. 45. f. 5 (1875); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 139, 369. n. 128, pl. 25. f. 2 (1898); Brun. Bull. Agric. Exper. Stat. xciv. p. 55 (1904). Colorado,
 Arizona.

175. **M. Olivaceus**, Scudd. ll. cc. p. 31 (1897); pp. 139, 370. n. 129, pl. 25. f. 3 (1898). California,
 Arizona.

176. **M. Arboreus**, Scudd. ll. cc. p. 31 (1897); pp. 139, 372. n. 130, pl. 25. f. 5 (1898). Texas,
 Arizona.

177. **M. Punctulatus**, Scudd. (*Caloptenus P.*) Boston Journ. Nat. Hist. vii. p. 465. n. 2 (1862); Thomas, Syn. Acrid. N. Amer. p. 163 (1873). United
 States.

M. Punctulatus, Scudd. Hitchcock, Rep. Geol. New Hampshire, i. p. 376. n. 27

- (1874); Proc. Boston Soc. Nat. Hist. xix. p. 285 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 32 (1897); Proc. U.S. Nat. Mus. xx. pp. 139, 374. n. 131, pl. 25. f. 4 (1898); Beut. l. c. pp. 307, 313 (1894); Lugger, l. c. pp. 274, 298-300. f. 136 (1897); Morse, l. c. pp. 257, 258, 295. n. 45, pl. 7. f. 45 *a* (1898); Blatchley, l. c. pp. 302, 331. n. 76 (1903).
- Caloptenus Griseus*, Thomas, Rep. Geol. Surv. Montana, pp. 450, 454 (1872); Syn. Acrid. N. Amer. pp. 158, 165 (1873); Glover, Ill. N. Amer. Orth. pl. 12. f. 14 (1872).
- M. Griseus*, Blatchl. Canad. Ent. xxiv. p. 30. n. 3 (1892).
- Caloptenus Helluo*, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 476. n. 27 (1875).
178. **M. Desultorius**, Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 51 (1907). Arizona.
179. **M. Macneilli**, Hart, Bull. Illinois Lab. Nat. Hist. vii. p. 261 (1907). Illinois.
180. **M. (?) Antisanæ**, Bol. (*Pezotettix* A.) An. Soc. Españ. x. p. 482 (1881); Viaje al Pacif., Artr. p. 45 (1884). Antisana. (Ecuador) 919 (*Brachypterus*).
181. **M. Blandus**, Scudd. Proc. Davenport Acad. Nat. Sci. vii. pp. 160, 161, pl. 7. f. 3 (1899). California.
182. **M. Incisus**, Scudd. l. c. pp. 162, 163 (1899). Colorado.
183. **M. Femur-Nigrum**, Scudd. l. c. p. 165, pl. 7. f. 4 (1899). Arizona.
184. **M. Varicus**, Scudd. l. c. pp. 167, 168, pl. 7. ff. 5, 6 (1899). California.
185. **M. Immunis**, Scudd. l. c. pp. 167, 170 (1899). Oregon.
186. **M. Acutus**, Scudd. l. c. pp. 168, 171 (1899). Minnesota.
187. **M. Usitatus**, Scudd. l. c. pp. 168, 172 (1899). Oregon.
188. **M. Pinctus**, Scudd. l. c. pp. 174, 175, pl. 7. f. 7 (1899). California.
189. **M. Truncatus**, Scudd. l. c. pp. 175, 177, pl. 7. f. 8 (1899). Arizona.
190. **M. Phœtaliotiformis**, Scudd. l. c. pp. 175, 179, pl. 7. f. 9 (1899). California.

191. **M. Incultus**, Scudd. l. c. pp. 175, 181, Colorado.
pl. 7. f. 10 (1899).
192. **M. Franciscanus**, Scudd. l. c. p. 183, Arizona.
pl. 8. ff. 1, 2 (1899).
193. **M. Ablutus**, Scudd. l. c. p. 185, pl. 8. California.
f. 3 (1899).
194. **M. Nanus**, Scudd. l. c. p. 187, pl. 8. f. 4 id.
(1899).
195. **M. Ligneolus**, Scudd. l. c. pp. 187, 188, id.
pl. 8. ff. 5, 6 (1899).
196. **M. Dealbatus**, Scudd. l. c. p. 190, pl. 8. id.
ff. 7, 8 (1899).
197. **M. Pilatus**, Scudd. l. c. p. 192, pl. 9. Colorado.
ff. 1, 2 (1899).
198. **M. Ascensus**, Scudd. l. c. pp. 195, 196, California,
pl. 9. f. 3 (1899). Oregon.
199. **M. Validus**, Scudd. l. c. pp. 195, 197, Oregon.
pl. 9. ff. 4, 5 (1899).
200. **M. Algidus**, Scudd. l. c. pp. 195, 199, id.
pl. 9. f. 6 (1899).
201. **M. Debilis**, Scudd. l. c. pp. 196, 201, id.
pl. 9. f. 7 (1899).
202. **M. Calidus**, Scudd. l. c. p. 203 (1899). New Mex.

Genus 793. **Podisma**. (*Type* no. 24.)

Latr. Cuv. Règne Anim. (ed. 2) v. p. 188 (1829); Serv. Ann. Sci. Nat. xxii. p. 289 (1831); Ins. Orth. p. 679 (1839); Steph. Ill. Brit. Ent., Mand. vi. p. 29 (1835); Borek, Skand. Rätv. Ins. p. 87 (1848); Fieb. Lotos, iii. p. 119 (1853), iv. p. 196 (1854); Syn. Eur. Orth. p. 19 (1854); Fisch-Walldh. Orth. Ross. pp. 228, 245 (1846); Scudd. Psyche, vii. p. 195 (1895); Proc. Amer. Acad. Arts Sci. xxxii. pp. 200, 205 (1897); Guide N. Amer. Orth. p. 45 (1897); Proc. U.S. Nat. Mus. xx. pp. 12, 94 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 203, 309 (1902).

Pezotettix, Burm. Germ. Zeitsch. Ent. ii. p. 51 (1840); Fisch. Orth. Eur. pp. 298, 365 (1853); Friv. Ertek. Termész. Kör. i. (12) pp. 136, 169 (1867); Stål, Recens. Orth. i. pp. 39, 74, 77 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (4) p. 32, v. (9) pp. 3, 14 (1878); Thomas, Syn. Acrid. N. Amer. pp. 145, 222 (1873); Bol. Ortópt. Españ. pp. 87, 96 (1876); An. Soc. Españ. v. pp. 293, 302 (1876); An. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 32

(1898); Brunn. Prodr. Eur. Orth. pp. 86, 222 (1882); Finot, Orth. France, pp. 45, 80 (1883); Faune France, Orth. pp. 102, 162 (1889); Auriv. Ent. Tidskr. vi. pp. 241, 247 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 215, 220, 251 (1900).

1. **P. Glacialis, Scudd.** (*Pezotettix G.*) Northern
 Bost. Journ. Nat. Hist. vii. p. 630, pl. 14. United
 ff. 9, 10 (1863); Hitchcock, Rep. Geol. States,
 N. Hampshire, i. p. 374. n. 25, pl. A. ff. 5, Canada.
 10 (1874); Thomas, Syn. Acrid. N. Amer.
 p. 148 (1873).
Podisma Glacialis, Scudd. Proc. U.S. Nat.
 Mus. xx. pp. 97, 98. n. 1, pl. 7. f. 3 (1898).
Pezotettix Glacialis, E. M. Walk. Canad.
 Ent. xxxv. pp. 295-301, pl. 6. ff. 1-9,
 48, 49, 53, 61 (1903).
Pezotettix Borealis, Glover, Ill. N. Amer.
 Orth. pl. 6. ff. 16-18 (1872).
2. **P. Variegata, Scudd.** l. c. pp. 97, 101. Canada,
 n. 2, pl. 7. f. 4 (1898). New York.
P. Glacialis Variegata, E. M. Walk. l. c.
 pp. 295-301, pl. 6. ff. 32-47, 51, 52, 57-
 60, 64, 65 (1903).
3. **P. Canadensis, E. M. Walk.** (*P. Glaci-* Canada.
alis Canadensis) l. c. p. 300, pl. 6. ff. 10-
 31, 50, 54-56, 62, 63 (1903).
4. **P. Polita, Scudd.** Proc. Davenport Acad. Oregon.
 Sci. vii. p. 158, pl. 7. ff. 1, 2 (1901).
5. **P. Nubicola, Scudd.** Proc. U.S. Nat. Mus. Colorado.
 xx. pp. 98, 102. n. 3, pl. 7. f. 5 (1898).
6. **P. Stupefacta, Scudd.** (*Pezotettix Stupe-* New
factus) Wheeler's Ann. Rep. Geogr. Surv. Mexico,
 W. 100th Merid. 1876, App. JJ, p. 283. Colorado.
 n. 18.
Podisma Stupefacta, Scudd. Proc. U.S.
 Nat. Mus. xx. pp. 98, 104. n. 4, pl. 7. f. 6
 (1898).
7. **P. Dodgei, Thomas,** (*Caloptenus D.*) Colorado,
 Canad. Ent. iii. p. 168 (1871); Rep. Wyoming,
 U.S. Geol. Surv. Montana, p. 451, pl. 2. Montana,
 ff. 4, 5, 9 (1872); Syn. Acrid. N. Amer. Utah.
 p. 153 (1873); Glover, Ill. N. Amer.
 Orth. pl. 11. ff. 4, 5, 9 (1872).
Podisma Dodgei, Scudd. l. c. pp. 98, 105.
 n. 5, pl. 7. f. 7 (1898); Brun. Bull. Agric.
 Exper. Stat. Colorado, xciv. p. 41 (1904).

- Pezotettix Bohemani*, Stål, Bihang Svensk. Acad. Handl. v. (9) p. 15, n. 8 (1878).
Pezotettix Aspirans, Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 85, n. 90 (1879).
8. **P. Ascensor**, Scudd. Proc. U.S. Nat. Mus. xx. pp. 98, 107, n. 6, pl. 7, f. 8 (1898). Utah.
9. **P. Oreas**, Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lviii. pp. 402, 403, f. 15, 16 (1906). Wyoming.
10. **P. Marshallii**, Thomas, (*Pezotettix M.*) Wheeler, Rep. Geogr. Geol. Surv. W. 100th Merid. v. p. 889, pl. 45, f. 3 (1875). Colorado.
Podisma Marshallii, Scudd. Proc. U.S. Nat. Mus. xx. pp. 98, 108, n. 7, pl. 7, f. 9 (1898).
11. **P. Oregonensis**, Thomas, (*Pezotettix O.*) l. c. p. 888 (1875). Oregon,
 Idaho,
Podisma Oregonensis, Scudd. l. c. pp. 98, Montana.
 110, n. 8, pl. 7, f. 10 (1898).
12. **P. Scudderi**, Morse, Psyche, xiii. p. 120 Alabama.
 (1906).
P. Australis, Morse, l. c. xiv. p. 57 (1907);
 Furth. Res. N. Amer. Acrid. p. 45 (1907).
13. **P. Pedemontana**, Brunn, (*Pezotettix Pedemontanus*) l. c. pp. 223, 230, n. 9 Piedmont.
 (1882).
Podisma Pedemontana, Scudd. Proc. U.S. Nat. Mus. xx. pp. 111, 112, n. 9, pl. 8, f. 1 (1898).
14. **P. Kœppenii**, Zub. Hor. Soc. Ent. Ross. Siberia.
 xxxiv. p. 20, n. 40 (1900); Jacobs. &
 Bianchi, l. c. pp. 203, 310 (1902).
15. **P. Cobellii**, Krauss, (*Pezotettix C.*) Tyrol.
 Verh. zool.-bot. Ges. Wien, xxxiii. p. 222,
 f. 2 (1883).
Podisma Cobellii, Scudd. l. c. pp. 111, 113,
 n. 10, pl. 8, f. 2 (1898); Jacobs. &
 Bianchi, l. c. pp. 203, 310 (1902).
16. **P. Costæ**, Targ.-Tozz. (*Pezotettix C.*) Italy.
 Bull. Soc. Ent. Ital. xiii. p. 185, n. 8
 (1881); Brunn. l. c. pp. 223, 229, n. 8
 (1882).
Podisma Costæ, Scudd. l. c. pp. 111, 113,
 n. 11 (1898).
17. **P. Parnassica**, Scudd. l. c. pp. 111, 113. Parnassus.
 n. 12, pl. 8, f. 3 (1898); Jacobs. &
 Bianchi, l. c. pp. 203, 310 (1902).

18. **P. Pyrenæa, Fisch.** (*Pezotettix P.*) l. c. Pyrenees.
 p. 373, pl. 15. ff. 22*, 22**a* (1853);
 Bol. Ortópt. Españ. pp. 96, 97. n. 2
 (1876); Finot, Faune France, Orth.
 pp. 162, 164 (1889).
Pezotettix Pyrenæus, Brunn. l. c. pp. 223,
 229. n. 7 (1882); Finot, Orth. France,
 pp. 80, 81 (1883); Bol. Ann. Sci. Nat.
 Porto, v. pp. 32, 33. n. 2 (1898).
Podisma Pyrenæa, Scudd. l. c. pp. 111,
 114. n. 13. pl. 8. f. 4 (1898).
19. **P. Salamandra, Fisch.** (*Pezotettix S.*) l. c. Corinthia,
 p. 372. n. 5. pl. 15. ff. 22, 22*a-c* (1853); Istria,
 Stål, Bihang Svensk. Akad. Handl. iv. Croatia,
 (5) p. 17 (1876), v. (9) p. 15. n. 6 (1878); Herze-
 Brunn. l. c. p. 223. n. 6 (1882). govina.
Pezotettix Salamandra, Brunn. l. c. p. 228.
 n. 6 (1882); Tümp. l. c. pp. 220, 252,
 pl. 20 (1900); Jacobs. & Bianchi, l. c.
 pl. 7 (1902).
Podisma Salamandra, Scudd. l. c. pp. 111,
 114, pl. 8. f. 5 (1898); Jacobs. & Bianchi,
 l. c. pp. 203, 311 (1902).
20. **P. Baldensis, Krauss.** (*Pezotettix B.*) S. Tyrol,
 Verh. zool.-bot. Ges. Wien, xxxiii. p. 220, Lombardy.
 f. 1 (1883).
Podisma Baldensis, Scudd. l. c. pp. 112,
 114. n. 15. pl. 8. f. 6 (1898); Jacobs. &
 Bianchi, l. c. pp. 203, 311 (1902).
21. **P. Dairisama, Scudd.** l. c. pp. 112, 114. Japan.
 n. 16. pl. 8. f. 7 (1898); Rehn, Proc.
 Acad. Nat. Sci. Philad. liv p. 636 (1903);
 Jacobs. & Bianchi, l. c. pp. 203, 311 (1902).
22. **P. Schmidtii, Fieb.** Lotos, iii. p. 119. Austria,
 n. 3 (June, 1853); Syn. Eur. Orth. p. 19. Hungary,
 n. 3 (1854); Scudd. l. c. pp. 112, 115. Ticino,
 n. 17. pl. 8. f. 9 (1898); Jacobs. & Bosnia,
 Bianchi, l. c. pp. 204, 312 (1902). Roumania,
 &c.
Pezotettix Mendax, Fisch. l. c. p. 371. n. 4,
 pl. 15. ff. 23, 23*a, b* (Nov. 1853); Brunn.
 Verh. zool.-bot. Ges. Wien, xi. p. 306
 (1861); Prodr. Eur. Orth. pp. 223, 227.
 n. 5 (1882); Friv. l. c. p. 173. n. 4,
 pl. 7. ff. 3, 3*a, b* (1867); Stål, ll. cc.
 iv. (5) p. 17 (1876), v. (9) p. 15. n. 4
 (1878); Tümp. l. c. pp. 220, 251, pl. 20
 (1900); Jacobs. & Bianchi, l. c. pl. 7
 (1902).

- *23. **P. Fieberi, Scudd.** l. c. pp. 112, 115.
n. 18, pl. 8. f. 8 (1898); Jacobs. & Bianchi, l. c. pp. 204, 312 (1902). S.E. Europe.
- || *Pezotettix Schmidtii, Brunn.* (nec Fieb.)
Verh. zool.-bot. Ges. Wien, xi. p. 306,
pl. 16. f. 23 A, B (1861); Prodr. Eur.
Orth. pp. 223, 225. n. 3 (1882); Friv.
l. c. pp. 172. n. 3, pl. 7. ff. 2, 2 a, b
(1867).
- *24. **P. Pedestris, Linn.** (*Gryllus Locusta* P.)
Syst. Nat. (ed. x.) i. p. 433. n. 59 (1758);
Faun. Suec. (ed. ii.) p. 239. n. 878 (1761). Europe,
W. Asia.
Gryllus Pedestris, Fabr. Syst. Ent. p. 293.
n. 31 (1775); Panz. Faun. Ins. Germ.
fasc. xxxiii. pl. 8 (1796); Zett. Orth.
Suec. p. 102. n. 14 (1821); Thunb. Mém.
Acad. Pétersb. v. p. 251 (1815), ix.
pp. 400, 429. n. 106 (1824).
Gryllus Pedester, Charp. Hor. Ent. p. 174
(1825); Latr. l. c. p. 188 (1829).
Acridium Pedestre, Olic. Encycl. Méth.,
Ent. vi. p. 232. n. 71 (1791).
Acridium Pedestre, Serv. Ins. Orth. p. 679.
n. 42 (1839).
Podisma Pedestris, Steph. Ill. Brit. Ent.,
Mandib. vi. p. 29. n. 1 (1835); Borek,
Skand. Rätv. Ins. p. 87. n. 1 (1848);
Fisch.-Waldh. Orth. Ross. p. 247. n. 1,
pl. 30. f. 4 (1846); Fieb. l. c. iii. p. 119.
n. 2 (1853), iv. p. 196. n. 2 (1854);
p. 19. n. 2 (1854); Scudd. l. c. pp. 112,
116. n. 19, pl. 8. f. 10 (1898); Jacobs. &
Bianchi, l. c. pp. 204, 312 (1902).
Pezotettix Pedestris, Fisch. l. c. p. 369. n. 3,
pl. 15. ff. 17, 17*, 18, 18 a (1853); Friv.
l. c. p. 171. n. 2 (1867); Stål, Recens.
Orth. i. p. 77. n. 7 (1873); Bihang
Svensk. Akad. Handl. iv. (5) p. 17 (1876),
v. (9) p. 15. n. 2 (1878); Bol. ll. cc.
p. 96. n. 1 (1876); v. p. 302. n. 1 (1876);
v. p. 32. n. 1 (1898); Brunn. Prodr. Eur.
Orth. pp. 223, 226. n. 4 (1882); Finot,
ll. cc. pp. 80, 81 (1883); pp. 162, 163,
pl. 8. f. 114 (1889); Auriv. l. c. p. 247.
n. 1 (1900); Tümp. l. c. pp. 220, 252,
pl. 20 (1900); Jacobs. & Bianchi, l. c.
pl. 7 (1902).

- Acrydium Apterum*, *De Geer*, Mém. Ins. iii. p. 474. n. 4, pl. 23. ff. 8, 9 (1773).
- Pezotettix Pedestris*, var. *Carpetanus*, *Bol.* Ann. Sci. Nat. Porto, v. p. 33 (1898).
- *25. **P. Alpina**, **Koll.** (*Gryllus Alpinus*) Europe.
 Beitr. Landesk. Oesterr. iii. p. 83 (1833).
Podisma Alpina, *Fieb.* ll. cc. iii. p. 119. n. 1 (1853), iv. p. 196. n. 1 (1854); p. 19. n. 1 (1854); Scudd. l. c. pp. 112, 116. n. 20, pl. 9. f. 1 (1898); *Jacobs. & Bianchi*, l. c. pp. 204, 313 (1902).
- Pezotettix Alpina*, *Fisch.* l. c. p. 368. n. 2, pl. 15. ff. 19, 20 (1853); *Friv.* l. c. p. 170. n. 1 (1867); *Finot*, Faune France, Orth. p. 162 (1889).
- Pezotettix Alpinus*, *Stål*, Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (9) p. 15. n. 3 (1878); *Brunn.* l. c. pp. 223, 224. n. 2, pl. 7. f. 53 A (1882); *Finot*, Orth. France, p. 80 (1883); *Bol.* l. c. p. 32. n. 1 (1898); *Tümp.* l. c. pp. 220, 252 (1900).
- Acridium Pulchellum*, *Herr.-Schäff.* Nomencl. Ent. ii. Orth. p. 8. n. 19 (1840).
- || *Podisma Frigidum*, *Fisch.* (nec *Boh.*) Jahresb. Ver. Naturk. Mannh. xv. p. 38 (1849).
- Podisma Subalpinum*, *Fisch.* l. c. xvi. p. 28 (1850).
- Pezotettix Alpinus*, var. *Collina*, *Brunn.* l. c. p. 224, pl. 7. f. 53 B (1882); *Friv.* l. c. p. 170, pl. 7. ff. 1, 1 a, b (1867).
- Pezotettix Alpina*, var. *Collina*, *Finot*, Faune France, Orth. p. 163 (1889).
- *26. **P. Frigida**, **Boh.** (*Gryllus Frigidus*) N. Europe, Alps, Altai.
 Vet.-Akad. Förh. p. 80 (1846). *Bo. c. 177*
Podisma Frigida, *Borck*, l. c. p. 90. n. 2, pl. 3. f. 2 (1848); *Scudd.* l. c. pp. 112, 117. n. 21, pl. 9. f. 2 (1898); *Auriv.* l. c. p. 247. n. 2 (1900); *Jacobs. & Bianchi*, l. c. pp. 204, 314 (1902).
- Pezotettix Frigida*, *Fisch.* l. c. p. 366. n. 1, pl. 15. f. 21 (1853).
- Pezotettix Frigidus*, *Stål*, l. c. iv. (5) p. 17 (1876), v. (9) p. 15. n. 7 (1878); *Brunn.* l. c. pp. 222, 223. n. 1 (1882); *Tümp.* l. c. pp. 220, 252 (1900).

- Pezotettix Alpicola*, Fisch. Stett. Ent. Zeit. xiii. p. 21 (1852).
27. **P. Syriaca**, Brunn. (*Pezotettix S.*) Verh. zool.-bot. Ges. Wien, xi. p. 225 (1861). Beyrout.
28. **P. Rufipes**, Fisch.-Waldh. l. c. p. 249. n. 3 (1846); Fieb. II. ee. iii. p. 120. n. 4 (1853), iv. p. 196. n. 4 (1854); p. 19. n. 4 (1854); Jacobs. & Bianchi, l. c. p. 314 (1902). Caucasus.
29. **P. Almasyi**, Kuthy, Ann. Mus. Nat. Hungar. iii. p. 218 (1905). Central Asia.
30. **P. Fauriei**, Bol. (*Pezotettix F.*) An. Soc. Españ. xix. p. 322 (1890); Jacobs. & Bianchi, l. c. p. 315 (1902). Japan.
31. **P. Mikado**, Bol. (*Pezotettix M.*) l. c. p. 323 (1890); Jacobs. & Bianchi, l. c. p. 315 (1902). id.

Genus 794. **Osmilia**. (*Type no. 1.*)

Stål. Recens. Orth. i. p. 68 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 33 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 50 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 693 (1906); Biol. Centr.-Amer., Orth. ii. pp. 222, 330 (1907-8).

- *1. **O. Flavolineata**, De Geer, (*Acrydium Flavolineatum*) Mém. Ins. iii. p. 497. n. 13, pl. 42. f. 4 (1773). Surinam, Demerara, Brazil, Guayaquil.
- Acridium Flavolineatum*, Burm. Handb. Ent. ii. p. 634. n. 20 (1838).
- Acridium (Osmilia) Flavolineatum*, Stål, Recens. Orth. i. p. 68. n. 18 (1873).
- Osmilia Flavolineata*, Brun. l. c. pp. 330, 331. n. 1 (1908).
- || *O. Violacea*, Brun. (*nec Thunb.*) 2nd Rep. Locust Comm. B. Aires, p. 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 693, 694 (1906).
- Acridium Cælestre*, Burm. l. c. p. 634. n. 21 (1838).
- Osmilia Cælestis*, Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 331. n. 3 (1908).

- || ** *Acridium Obliquum*, Walk. (nec Thunb.)
l. c. iv. p. 637 (1870).
2. **O. Saussurei, Scudd.** (*Acridium (Osmilia) S.*) Proc. Boston Soc. Nat. Hist. xvii. p. 274. n. 31 (1875). Peru.
- *3. **O. Violacea, Thunb.** (*Gryllus Violaceus*) Panama, Brazil.
Mém. Acad. Pétersb. ix. pp. 396, 413. n. 49 (1824).
Acridium (Osmilia) Violaceum, Stål, l. c. p. 68. n. 19 (1873).
O. Violacea, Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 18 (1894); Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 332. n. 4 (1908).
4. **O. Tolteca, Sauss.** (*Acridium Toltecum*) Mexico, Central America.
Rev. Zool. (2) xiii. p. 163 (1861); Thomas, Syn. Acrid. N. Amer. p. 232 (1873).
Aleuas Toltecus, Rehn, Trans. Amer. Ent. Soc. xxix. p. 14 (1902).
Osmilia Tolteca, Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 443 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 331. n. 2 (1908).
Osmilia Toltecum, Rehn, l. c. lvi. p. 539 (1904).
- *5. **O. Rufipes, Thunb.** (*Gryllus R.*) l. c. Brazil.
pp. 395, 408. n. 32 (1824).
Acridium (Osmilia) Rufipes, Stål, l. c. p. 68. n. 20 (1873).
- ** *Acridium Decoripes*, Walk. Cat. Derm. Salt. B. M. iv. p. 621 (1870).
6. **O. Coriacea, Giglio-Tos**, l. c. ix. (184) Paraguay.
p. 18 (1894).
- *7. **O. Obliqua, Thunb.** (*Gryllus Obliquus*) Brazil, Argentina.
l. c. pp. 396, 414. n. 51 (1824).
Acridium (Osmilia) Obliquum, Stål, l. c. p. 69. n. 21 (1873).
O. Obliqua, Brun. 2nd Rep. Locust Comm. B. Aires, p. 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 693, 694 (1906).
Acridium Consors, Stål, Eugenes Resa, Orth. p. 327. n. 71 (1860).
8. **O. Labrata, Scudd.** (*Acridium Labratum*) Napo.
Proc. Boston Soc. Nat. Hist. xii. p. 339. n. 20 (1869).
9. **O. Vittiger, Blanch.** (*Acridium Vittigerum*), Gay, Hist. Chile, Zool. vi. p. 73. n. 3 [Orth. pl. 3. f. 8, ined.] (1851). Chile. ✓

Genus 795. **Teinophaus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 332 (1908).

Teinophaus, Brun. (err. impr.) l. c. p. 222 (1907).

1. **T. Saussurei**, Brun. l. c. p. 332. n. 1 Mexico.
(1908).

Ommatolampis Saussurei, Brun. l. c. pl. 4.

ff. 3, 3 a, 4, 4 a, 5 (1908).

Genus 796. **Perixerus.** (*Type* no. 1.)

Gerst. Stettin. Ent. Zeit. xxxiv. p. 192 (1873); Brunn. Ann.

Mus. Genova, xxxiii. p. 147 (1893); Brun. Biol. Centr.-

Amer., Orth. ii. pp. 222, 333 (1907-8).

1. **P. Squamipennis**, Gerst. l. c. p. 192. Mexico.
n. 21 (1873); Brun. l. c. pp. 333, 334.
n. 1 (1908).

2. **P. Lævis**, Rehn, Trans. Amer. Ent. Soc. id.
xxvii. p. 98 (1900); Brun. l. c. pp. 333,
334. n. 2. pl. 3. ff. 20, 20 a (1908).

3. **P. Variabilis**, Rehn, Proc. Acad. Nat. id.
Sci. Philad. lvi. p. 541 (1904); Brun.
l. c. pp. 333, 335. n. 3 (1908).

Genus 797. **Dactylotum.** (*Type* no. 1.)

Charp. Orth. pl. 52 (1843); Thomas, Syn. Acrid. N. Amer.

p. 219 (1873); Stål, Bihang Svensk. Akad. Handl. v. (4)

p. 33 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 147

(1893); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 335

(1907-8).

1. **D. Bicolor**, Charp. l. c. pl. 52 (1843): Mexico,
Thomas, l. c. p. 220 (1873); Brun. l. c. California.
pp. 335, 336. n. 1 (1908).

2. **D. Flavopictum**, Brun. ll. cc. n. 2 Mexico.
(1908).

- *3. **D. Variegatum**, Scudd. (*Pezotettix* Western
Variegatus) Proc. Boston Soc. Nat. Hist. U. States.
xx. p. 75. n. 81 (1879).

D. Variegatum, Towns. Ins. Life, vi. p. 30
(1893); Brun. l. c. pp. 335, 336. n. 3
(1908).

- | | |
|---|------------------------------|
| <p>4. D. Flavoannulatum, La Munyon, (<i>Pezotettix Flavoannulatus</i>) Proc. Nebraska Assoc. Adv. Sci. 1877; Scudd. Canad. Ent. xii. p. 75 (1880).
 <i>D. Pictum</i>, Gerst. (<i>nec Thomas</i>) Stettin. Ent. Zeit. xxxiv. p. 192. n. 20 (1873); Brun. Sp. Bull. Dept. Ent. Univ. Nebraska, (2) vii. f. 4 a (1895).
 <i>D. Picturatum</i>, Brun. Biol. Centr.-Amer., Orth. ii. pp. 335, 336. n. 4 (1908).</p> | <p>Nebraska,
Mexico.</p> |
| <p>5. D. Longipenne, Towns. (<i>D. Longipennis</i>) l. c. p. 30 (1893).</p> | <p>Arizona.</p> |
| <p>6. D. Histicum, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 539 (1904); Brun. l. c. pp. 335, 337. n. 5 (1908).</p> | <p>Mexico.</p> |

Genus 798. **Pedies.**

Sauss. Rev. Zool. (2) xiii. p. 157 (1861); Thomas, Syn. Acrid. N. Amer. p. 221 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 333 (1907-8).

- | | |
|---|----------------|
| <p>1. P. Virescens, Sauss. l. c. p. 157 (1861); Thomas, l. c. p. 221 (1873); Brun. l. c. p. 333. n. 1 (1908).</p> | <p>Mexico.</p> |
|---|----------------|

Genus 799. **Pæpedetes.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 158 (1861); Thomas, Syn. Acrid. N. Amer. p. 220 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 333 (1907-8).

- | | |
|--|--|
| <p> 1. P. Corallinus, Sauss. l. c. p. 158 (1861); Thomas, l. c. p. 221 (1873); Brun. l. c. p. 333. n. 1 (1908).</p> | <p>Mexico.</p> |
| <p>* 2. P. Pictum, Thomas, (<i>Pezotettix Picta</i>) Proc. Acad. Nat. Sci. Philad. 1870, p. 78; Syn. Acrid. N. Amer. pp. 146, 147 (1873).
 <i>Dactylotum Pictum</i>, Brun. l. c. pp. 335, 337. n. 6 (1908).</p> | <p>Western
U. States,
Mexico
(eadem?),
Colombia.</p> |

Genus 800. **Agesander.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 35, 81 (1878) ;
 Brunn. Ann. Mus. Genova. xxxiii. p. 147 (1907) ; Brun.
 Biol. Centr.-Amer., Orth. ii. pp. 222, 337 (1907-8).

1. **A. Ruficornis**, Stål, l. c. p. 81. n. 1 | Colombia.
 (1878) ; Brun. l. c. p. 337. n. 1 (1908).

Genus 801. **Rhytidochrota.** (*Type* no. 7.)

Stål, Recens. Orth. i. pp. 35, 54 (1873) ; Bihang Svensk. Akad.
 Handl. v. (4) pp. 34, 75 (1878)^p; ¹⁹Brunn. Ann. Mus.
 Genova, xxxiii. p. 148 (1893) ; Brun. Biol. Centr.-Amer.,
 Orth. ii. pp. 222, 337 (1907-8).

1. **R. Ensicornis**, Stål, Bihang Svensk. Panama.
 Acad. Handl. v. (4) p. 76. n. 1 (1878) ;
 Brun. l. c. p. 338. n. 1 (1908).
2. **R. Varicolor**, Stål, l. c. p. 76. n. 2 | Colombia.
 (1878) ; Brun. l. c. p. 338. n. 2 (1908).
3. **R. Sellata**, Stål, Recens. Orth. i. p. 55. N. Granada.
 n. 3 (1873) ; Bihang Svensk. Akad.
 Handl. v. (4) p. 77. n. 3 (1878) ; Brun.
 l. c. p. 338. n. 3 (1908).
4. **R. Pilosa**, Stål, Bihang Svensk. Akad. Peru.
 Handl. v. (4) p. 77. n. 4 (1878). ^{3-106,}
5. **R. Antennata**, Stål, Recens. Orth. i. N. Granada.
 p. 55. n. 2 (1873) ; Bihang Svensk.
 Akad. Handl. v. (4) p. 78. n. 5 (1878) ;
 Brun. l. c. p. 338. n. 4 (1908).
6. **R. Lævifrons**, Stål, Bihang Svensk. Amazons.
 Akad. Handl. v. (4) p. 78. n. 6 (1878).
7. **R. Turgida**, Stål, Recens. Orth. i. p. 54. Colombia.
 n. 1 (1873) ; Bihang Svensk. Akad.
 Handl. v. (4) p. 78. n. 7 (1878) ; Brun.
 l. c. pp. 338, 339. n. 5 (1908).
8. **R. Brunneri**, Stål, Bihang Svensk. Akad. id.
 Handl. v. (4) p. 78. n. 8 (1878) ; Brun.
 l. c. pp. 338, 339. n. 6 (1908).

Genus 802. **Opaon.**

Kirb. Ann. Nat. Hist. (7) x. p. 380 (1902).

- ^{**}1. **O. Granulosus**, Kirb. l. c. p. 381, fig. | Ecuador.
 (1902).

Genus 803. **Rhachicreagra.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 444 (1905);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 339 (1907-8).

- | | |
|--|-------------|
| 1. R. Nothra, Rehn, l. c. pp. 444-448,
ff. 36-39 (1905); Brun. l. c. p. 339. n. 1
(1908). | Costa Rica. |
| 2. R. Pallipes, Brun. l. c. pp. 339, 340.
n. 2 (1908). | id. |
| 3. R. Æruginosa, Brun. ll. cc. n. 3 (1908). | id. |
| 4. R. Gracilis, Brun. ll. cc. n. 4 (1908). | id. |

Genus 804. **Microtylopteryx.** (*Type* no. 2.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 448 (1905);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 341 (1907-8).

- | | |
|--|-------------|
| 1. M. Hebaridi, Rehn, l. c. pp. 448-451,
ff. 40-42 (1905). | Costa Rica. |
| 2. M. Fusiformis, Rehn, l. c. pp. 451-454,
f. 43 (1905).
<i>Aspidophyma Americana, Brun.</i> l. c. pl. 4.
ff. 26, 26 a (1908). | id. |

Genus 805. **Pycnosarcus.**

Bol., Bol. Soc. Esp. vi. p. 392 (1906).

|| *Polysarcus, Sauss. (nec Fieb.)* Rev. Zool. (2) xi. p. 392 (1859);
Brunn. Ann. Mus. Genova, xxxiii. p. 148 (1893); Brun.
Biol. Centr.-Amer., Orth. ii. pp. 222, 341 (1907-8).

- | | |
|---|--------|
| 1. P. Atavus, Sauss. (Polysarcus A.) l. c.
p. 393 (1859). | Bahia. |
|---|--------|

Genus 806. **Plegmapterus.**

Mart. Actas Soc. Españ. 1898, p. 35;
An. Soc. Españ. xxx. pp. 257, 258 (1902).

- | | |
|--|-------|
| 1. P. Ferruginosus, Stål, (<i>Calliptenus (Eury-
phymus) F.</i>) Recens. Orth. i. p. 72. n. 2
(1873).
<i>P. Ferruginosus, Ma. t.</i> An. Soc. Españ. xxx.
p. 259 (1902). | Cape. |
|--|-------|

Genus 807. **Phymeurus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 27 (1907).

1. **P. Pardalis**, Giglio-Tos, l. c. p. 28, Congo. (1907).
- *2. **P. Eremobioides**, Bol. (*Eur. phymus* F.) Mossamedes Journ. Sci. Lisb. (2) i. p. 168, n. 168 (1889); Mart. An. Soc. Esp. xxx. pp. 260, 262 (1902).

Genus 808. **Euryphymus.** (*Type* no. 14.)

Stål, Recens. Orth. i. p. 72 (1873); (Erfv. Vet.-Akad. Förh. xxxiii. (3) p. 40 (1876); Bihang Svensk. Akad. Handl. v. p. 30 (1878); Mart. An. Soc. Españ. xxx. pp. 258, 259 (1902).

1. **E. Melanopus**, Burm. (*Caloptenus* M.) Cape. Handb. Ent. ii. p. 640, n. 5 (1838).
2. **E. Saphiripes**, Serv. (*Calliptamus* S.) id. Ins. Orth. p. 690, n. 4, pl. 14. f. 13 (1839).
E. Saphiripes, Mart. l. c. pp. 260, 263 (1902).
- *3. **E. Sigmoidalis**, Bol. Journ. Sci. Nat. Lisb. Congo, (2) i. p. 168, n. 167 (1889); Mart. l. c. Deelfontein. pp. 260, 264 (1902).
- *4. **E. Squamipennis**, Brancs. Jahresh. Ver. Zambesi. Trencs. Com. xix.-xx. p. 79, pl. 3. f. 20 a-c Mashona (1898); Mart. l. c. pp. 262, 277 (1902). Land.
5. **E. Cuspidatus**, Karsch, Ent. Nachr. E. Africa. xxvi. p. 282, fig. (1900).
6. **E. Brachypterus**, Bol. l. c. p. 167, Angola. n. 166 (1889); Mart. l. c. pp. 261, 264 (1902).
7. **E. Adspersus**, Bol. An. Soc. Españ. Lozenzo xix. p. 320, pl. 1. ff. 8, 8 a (1890); Mart. Marquez. l. c. pp. 261, 266 (1902).
- *8. **E. Irisus**, Serv. (*Calliptamus* L.) l. c. Cape. p. 691, n. 6 (1839).
E. Irisus, Mart. l. c. pp. 261, 266 (1902).

9. **E. Xanthocnemis, Brancs.** Jahresh. Ver. Trens. Com. xix.-xx. p. 78 (1897); Mart. l. c. pp. 262, 277 (1902). Cape.
10. **E. Tuberculatus, Mart.** Actas Soc. Españ. 1898, p. 35; An. Soc. Españ. xxx. pp. 261, 267 (1902). id.
11. **E. Capensis, Mart.** An. Soc. Españ. xxx. pp. 261, 267 (1902). id.
- **12. **E. Saturatus, Walk.** (*Caloptenus S.*) l. c. iv. p. 692. n. 34 (1870). Zululand.
- *13. **E. Erythropus, Thunb.** (*Gryllus E.*) Mém. Acad. Pétersb. v. p. 248 (1815); ix. pp. 399, 426. n. 94 (1824). S. Africa.
Calliptenus (Euryphymus) Erythropus, Stål, Recens. Orth. i. p. 73. n. 4 (1873).
E. Erythropus, Mart. l. c. pp. 261, 268 (1902).
- *14. **E. Hæmatopus, Linn.** (*Gryllus Locusta H.*) Syst. Nat. (ed. x.) i. p. 432. n. 44 (1758). id.
Acrydium Hæmatopum, Oliv. Encycl. Méth., Ins. vi. p. 219. n. 19 (1791).
Gryllus Hæmatopus, Thunb. l. c. ix. pp. 398, 423. n. 84 (1824).
Caloptenus Hæmatopus, Burm. Handb. Ent. ii. p. 639. n. 4 (1838).
Calliptamus Hæmatopus, Serr. l. c. p. 688. n. 1 (1839).
Calliptenus (Euryphymus) Hæmatopus, Stål, Recens. Orth. i. p. 73. n. 3 (1873).
E. Hæmatopus, Mart. l. c. pp. 261, 269 (1902).
Acrydium Rubripes, De Geer, Mém. Ins. iii. p. 490. n. 6, pl. 40. f. 10 (1773).
Gryllus Pilosus, Thunb. l. c. p. 248 (1815); ix. pp. 399, 425. n. 93 (1824).
- *15. **E. Semiroseus, Serv.** (*Calliptamus S.*) l. c. p. 692. n. 7 (1839). id.
- ** ♂. *Caloptenus Semiroseus*, var. (?), Walk. l. c. p. 691. n. 32 (1870).
E. Semiroseus, Mart. l. c. pp. 262, 276 (1902).
Acridium (Calliptamus) Hottentottum, Stål, Eugénies Resa, Orth. p. 337. n. 90 (1860).
E. Hottentottus, Stål, (Efv. Vet.-Akad. Handl xxxiii. (3) p. 13 (1876).

- Calloptenus Hottentottus*, Stål, Recens. Orth. i. p. 73. n. 5 (1873).
Caloptenus Hottentottus, Walk. l. c. p. 692. n. 33 (1870).
Caloptenus Minor, Walk. l. c. p. 699. n. 48 (1870).
Calloptamus Minor, Kirb. Trans. Ent. Soc. Lond. 1902, p. 240. n. 118 B.
16. **E. Antennatus**, Kirb. l. c. p. 109. n. 118 Pretoria. (1902).
- **17. **E. Crassus**, Walk. (*Caloptenus C.*) l. c. S. Africa. iv. p. 694. n. 39 (1870).
 ***Caloptenus Illepidus*, Walk. l. c. n. 40 (1870).
 ***Caloptenus Pinguis*, Walk. l. c. p. 695. n. 41 (1870).
18. **E. Curvipes**, Stål, (Efv. Vet.-Akad. Damara Förh. xxxiii. (3) p. 41. n. 1 (1876); Land. Mart. l. c. pp. 261, 271 (1902).
19. **E. Unicarinatus**, Krauss, (*Caloptenus U.*) Sitz. Akad. Wiss. Wien, lxxvi. (1) Senegal. p. 37. n. 1 (1861).
- *20. **E. Vylderi**, Stål, (Efv. Vet.-Akad. Förh. S. Africa. xxxiii. (3) p. 42. n. 2 (1876); Mart. l. c. pp. 261, 273 (1902).
21. **E. Sinuosus**, Mart. Actas Soc. Españ. Namaqua 1898. p. 35; An. Soc. Españ. xxx. Land. pp. 261, 274 (1902).
22. **E. Tricostatus**, Bol. Jorn. Sci. Lisb. (2) Braganza, i. p. 169. n. 169 (1889); Mart. An. Soc. W. Africa. Españ. xxx. pp. 261, 274 (1902).
23. **E. Stolidus**, Bol. l. c. p. 169. n. 170 id, (1889); Mart. l. c. pp. 261, 271 (1902).
24. **E. Marginipennis**, Karsch, Berlin. Ent. Adeli. Zeitschr. xxxviii. p. 104. n. 71 (1893); Mart. l. c. p. 307 (1902).
25. **E. Nigropunctatus**, Bol. (*Caloptenus N.*) l. c. viii. p. 114. n. 29 (1881); (2) i. Congo Braganza. p. 173. n. 177 (1889).
26. **E. Cicatricosus**, Bol. (*Caloptenus C.*) Braganza. l. c. (2) i. p. 170. n. 172 (1889).
- **27. **E. (?) Exemptus**, Walk. (*Aceridium Exemptum*) l. c. p. 626 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 331 (1907). Madagascar
- **28. **E. Glaucopsis**, Walk. (*Caloptenus G.*) N. India. l. c. p. 702. n. 53 (1870).

29. **E. Testaceus, Walk.** (*Caloptenus T.*) Arabia.
l. c. p. 685. n. 22 (1870).
30. **E. Concisus, Walk.** (*Caloptenus C.*) E. Africa.
l. c. p. 687. n. 25 (1870).
31. **E. Signatus, Walk.** (*Caloptenus S.*) l. c. Suakim.
p. 687. n. 26 (1870).
32. **E. Turbidus, Walk.** (*Caloptenus T.*) l. c. Egypt.
p. 688. n. 27 (1870).
33. **E. Mutator, Walk.** (*Caloptenus M.*) l. c. id.,
p. 689. n. 28 (1870). Arabia.
34. **E. Cincticollis, Walk.** (*Caloptenus C.*) Sinai.
l. c. n. 29 (1870).
35. **E. (?) Reductus, Walk.** (*Caloptenus R.*) Hab. — ?
l. c. p. 713. n. 74 (1870).
36. **E. Nodulus, Giglio-Tos,** Boll. Mus. Mozadisciu.
Torino, xxii. (554) p. 26 (1907).

Genus 809. **Acorypha.**

Krauss, Sitz. Akad. Wiss. Wien. Math.-nat. Cl. lxxvi. (1)
p. 38 (1877); Mart. An. Soc. Españ. xxx. pp. 258, 278
(1902).

1. **A. Picta, Krauss,** l. c. p. 39. n. 1, pl. 1. | Senegal.
ff. 4, 4 A-C (1877); Mart. l. c. p. 278
(1902). |

Genus 810. **Acoryphella.** (*Type no. 1.*)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 28 (1907).

1. **A. Zonata, Giglio-Tos,** l. c. p. 29 | Somali.
(1907). |
2. **A. Punctata, Giglio-Tos,** l. c. p. 30 | id.
(1907). |

Genus 811. **Sphodromerus.** (*Type no. 1.*)

Stål, Recens. Orth. i. p. 72 (1873); Jacobs. & Bianchi,
Prem. i Lozhn. Ross. Imp. pp. 173, 204, 315 (1902).

1. **S. Serapis, Serv.** (*Calliptamus S.*) Ins. | Egypt,
Orth. p. 689. n. 2 (1839); Jacobs. & | Syria,
Bianchi, l. c. pp. 204, 316 (1902). | Palestine.

- Caloptenus Scriptis*, var. (2). Walk. Cat. Derm. Salt. B. M. iv. p. 685. n. 20 (1870).
2. **S. Sacer, Giglio-Tos**, (*Caloptenus S.*) Jericho. Boll. Mus. Torino, viii. (164) p. 10. n. 52. plate f. 4 (1893). ♂ - 700
3. **S. Cœlesyriensis, Giglio-Tos**, (*Caloptenus S.*) l. c. n. 51. plate f. 4 (1893). ♂ - 700
Calliptenus Cœlesyriensis, Javal & Bianchi, l. c. p. 317 (1902).
4. **S. Decoloratus, Finot**, Bull. Soc. Ent. France, lxiii. p. xiii. n. 3 (1891). Algeria.
5. **S. Cruentatus, Krauss**, Verh. zool.-bot. Ges. Wien, lii. p. 247. n. 28 (1902). Salara.
- *6. **S. Inconspicuus, Schulth.** Zool. Jahrb. Syst. viii. p. 78 (1894); Mart. An. Soc. Españ. xxx. p. 305 (1902). Somali.
7. **S. Sanguiferus, Rehn**, Proc. Acad. Nat. Sci. Philad. liii. p. 379 (1901). Galla Land.
- *8. **S. Scriptipennis, Walk.** (*Caloptenus S.*) l. c. p. 686. n. 24 (1870). Arabia, Midian.
- **9. **S. Pilipes, Jans.** (*Caloptenus P.*) Hart, Fauna & Flora of Sinai, p. 185, plate, f. 4 (1891). Dead Sea.

Genus 812. **Caloptenopsis.** (Type no. 2.)

Bol. Jorn. Sci. Lisb. (2) i. p. 173 (1889); Kirb. Proc. Zool. Soc. Lond. 1902, p. 100; Mart. An. Soc. Españ. xxx. pp. 258, 281 (1902).

- **1. **C. Plenipennis, Walk.** (*Caloptenus P.*) Cat. Derm. Salt. B. M. iv. p. 696. n. 43 (1870). S. Africa.
2. **C. Vittatus, Bol.** (*Caloptenus V.*) l. c. p. 171. n. 173 (1889). Caconda, W. Africa.
Caloptenopsis Vittatus, Mart. An. Soc. Españ. xxx. pp. 282, 283 (1902).
3. **C. Angusticeps, Bol.** (*Caloptenus A.*) l. c. p. 172. n. 176 (1889). id.
Caloptenopsis Angusticeps, Mart. l. c. pp. 282, 283 (1902).
- **4. **C. Ferrifer, Walk.** (*Caloptenus F.*) l. c. p. 698. n. 46 (1870). S. & E. Africa.
- ***Caloptenopsis Johnstoni, Kirb. l. c. p. 101. n. 23 (1902).*
Calliptenus Pallidicornis, Stål, Ent. Ver.-Akad. Förh. xxxiii. (3) p. 43. n. 1 (1876).

- Caloptenopsis Pallidicornis*, Mart. l. c. pp. 282, 286 (1902).
- **5. **C. Fratercula**, Kirb. Trans. Ent. Soc. Lond. 1902, p. 111. n. 120. Pretoria, Delagoa Bay
- **6. **C. Uniformis**, Kirb. l. c. p. 112. n. 121 Pretoria.
(1902).
- **7. **C. Tibialis**, Kirb. l. c. p. 110. n. 119 Transvaal,
(1902). Pemba I.
- *** ♂. *C. Femoralis*, Kirb. Ann. Nat. Hist. (7) x. p. 241. n. 5 (1902).
- *8. **C. Calcaratus**, Stål, (*Caliptenus* C.) Massowa,
Bihang Svensk. Akad. Handl. iv. (5) Mombasa.
p. 13. n. 3 (1876).
Caloptenopsis Calcaratus, Mart. l. c. pp. 282,
287 (1902).
9. **C. Macracanthus**, Mart. l. c. pp. 282, Angola.
287 (1902).
|| *Caloptenus Calcaratus*, Bol. (nec Stål) l. c. p. 172. n. 175 (1889).
10. **C. Mossambicus**, Brancs. (*Caloptenus* Mozam-
M.) Jahresh. Ver. Trenes. Com. xv. xvi. bique.
p. 194, pl. 12. f. 4 (1893).
Caloptenopsis Mossambicus, Mart. l. c. pp. 282, 288 (1902).
11. **C. Orientalis**, Schulth. (*Caloptenus* O.) Somali.
Ann. Mus. Genova, xxxix. p. 194. n. 1 (1898).
Caloptenopsis Orientalis, Mart. l. c. pp. 282,
292 (1902).
12. **C. Nigrovariegatus**, Bol. (*Caloptenus* Braganza,
N.) l. c. p. 171. n. 174 (1889). W. Africa.
Caloptenopsis Nigrovariegatus, Mart. l. c. pp. 282, 289 (1902).
13. **C. Angusticosta**, Karsch, Stettin. Ent. Nyasa.
Zeit. lvii. p. 321. n. 86, f. 37 (1896);
Mart. l. c. pp. 282, 293 (1902).
14. **C. Laticosta**, Karsch, l. c. p. 322. n. 87 id.
(1896); Mart. l. c. pp. 282, 294 (1902).
C. Laticosta, var. *Marginalis*, Karsch, l. c. p. 322 (1896).
15. **C. Karschi**, Mart. l. c. p. 307 (1902). Adeli.
|| *Euryphymus Calcaratus*, Karsch (nec Stål),
Berlin. Ent. Zeitschr. xxxviii. p. 103.
n. 70 (1893).
16. **C. Baliensis**, Brancs. (*Caloptenus* B.) Bali (?).
l. c. p. 195, pl. 12. f. 5 (1893).
Caloptenopsis Baliensis, Mart. l. c. pp. 282,
292 (1902).

17. **C. Litorifer, Walk. (*Caloptenus L.*) l. c. S. India.
p. 703, n. 54 (1870).

18. **C. Insignis, Walk. (*Caloptenus L.*) l. c. India.
p. 701, n. 52 (1870).

***Caloptenus Spissus, Walk.* l. c. v. p. 70 (1871).

19. **C. Crassiusculus, Mart.** Actas Soc. id.
Españ. 1896, p. 11; An. Soc. Españ.
xxx, pp. 282, 284 (1902); Bol. Ann.
Soc. Ent. France, lxx, p. 628, pl. 9, f. 38
(1902).

20. **C. Clarus, Walk. (*Caloptenus C.*) l. c. id.
iv, p. 711, n. 70 (1870).

Caloptenopsis Saussurii, Mart. ll. cc. p. 11
(1896); pp. 282, 290 (1902).

Genus 813. **Calliptamus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii, p. 284 (1831); Hist. Orth. p. 686
(1839); Fisch. Orth. Ross. pp. 228, 236 (1846); Jacobs. &
Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 204, 316 (1902).

Calliptenus, Stål, Recens. Orth. i. p. 72 (1873); Æfv. Vet.-
Akad. Förh. xxxiii. (3) p. 43 (1876); Bihang Svensk.
Akad. Handl. v. (4) pp. 31, 74 (1878).

Caloptenus, Burm. Handb. Ent. ii, p. 637 (1838); Fieb. Lotos,
iii, p. 120 (1853), iv, p. 196 (1854); Syn. Eur. Orth.
p. 19 (1854); Fisch. Orth. Eur. pp. 298, 375 (1846);
Friv. Érték. Termész. Kör. i. (12) pp. 136, 175 (1867);
Bol. Ortópt. Esp. pp. 86, 90 (1876); An. Soc. Españ. v.
pp. 292, 296 (1876); Ann. Sci. Nat. Porto, iv, p. 220
(1897), v, p. 33 (1898); Brunn. Prodr. Eur. Orth. pp. 86,
216 (1882); Finot, Orth. France, pp. 46, 79 (1883);
Faune France, Orth. pp. 102, 160 (1889); Tümp. Geradfl.
Mitteleuropas, pp. 215, 220, 251 (1900); Mart. An. Soc.
Españ. xxx, pp. 258, 295 (1902).

*1. **C. Italicus, Linn.** (*Gryllus Locusta L.*) S. & Centr.
Syst. Nat. (ed. x.) i. p. 432, n. 49 Europe,
(1758); Stoll, Spectres, Saut. p. 26, N. Africa,
pl. 12 b. f. 43 (1813). W. Asia.

Gryllus Italicus, Thomb. Mém. Acad.
Petersb. v. p. 227 (1815), ix, pp. 395,
407, n. 27 (1824); Charp. Hor. Ent.
p. 135 (1825).

Aegydiu Italicum, Oliv. Encycl. Meth.
Ins. vi, p. 224, n. 40 (1791).

{ Roes. Ins. Belust. ii. Locust. Germ. p. 134,
pl. 21, f. 6. }

- Aceridium Italicum*, Brullé, Hist. Ins. ix. p. 226. n. 2 (1835); Costa, Faun. Nap., Ortott. p. 15. n. 7. pl. 2. f. 2 A-d (1836).
- Calliptamus Italicus*, Serv. Il. cc. p. 285. n. 2 (1831); p. 693. n. 9. pl. 14. f. 14 (1839); Fisch. Orth. Ross. p. 237. n. 1, pl. 13. f. 3 (1846); Jacobs. & Bianchi, l. c. pp. 204, 316 (1902).
- Calloptenus Italicus*, Stål, Recens. Orth. i. p. 73. n. 6 (1873).
- Caloptenus Italicus*, Burm. Handb. Ent. ii. p. 639. n. 3 (1838); Fieb. Lotos. iii. p. 120. n. 1 (1853); Syn. Eur. Orth. p. 19. n. 1 (1854); Fisch. l. c. p. 377. n. 2. pl. 15. ff. 25, 25 a, 26, 26*, 26** (1853); Friv. l. c. p. 175. n. 1 (1867); Bol. Il. cc. p. 90. n. 1, pl. 2. ff. 9, 9 a (1876); v. p. 296. n. 1, pl. 11. ff. 9, 9 a (1876); v. p. 33. n. 1 (1898); Krauss, Sitz. Akad. Wiss. Wien. Math.-nat. Cl. lxxxviii. p. 474. n. 20 (1879); Brunn. l. c. p. 217. n. 1 (1882); Finot, Il. cc. p. 79 (1883); p. 160, pl. 8. f. 113 (1889); Tümp. l. c. pp. 220, 251, pl. 19 (1901); Mart. l. c. p. 298 (1902); Jacobs. & Bianchi, l. c. pls. 6 & 10 (1902).
- Caloptenus Italicus*, var. *Wattenwylianus*, Pant. An. Soc. Españ. xxv. p. 76 (1897); Bol. Ann. Sci. Nat. Porto, v. p. 33 (1898); Mart. l. c. p. 298 (1902).
- Caloptenus Italicus*, var. *Wattenwylianus*, Jacobs. & Bianchi, l. c. p. 317 (1902).
- Gryllus Germanicus*, Fabr. Syst. Ent. p. 291. n. 20 (1775); Ahrens, Faun. Ins. Eur. i. pl. 14 (1812).
- Aerydium Germanicum*, Oliv. l. c. p. 224. n. 41 (1791).
- Aceridium Fasciatum*, Hahn, Icon. Orth. i. pl. B. f. 6 (1836).
- Gryllus Affinis*, Thunb. l. c. v. p. 228 (1815); pp. 394, 406. n. 21 (1824).
- Calliptamus Ictericus*, Serv. Ins. Orth. p. 689. n. 3 (1839).
- Caloptenus Ictericus*, Fisch. l. c. p. 380 (1853); Bol. Ortópt. Españ. p. 92. n. 2 (1876); An. Soc. Españ. v. p. 298. n. 2 (1876).

- Calliptamus Marginellus*, *Serr.* l. c. p. 694.
n. 10 (1839) ; *Fisch.* l. c. p. 379 (1853).
- Calliptamus Cerisanus*, *Serr.* l. c. p. 695.
n. 11 (1839).
- Caloptenus Cerasinus*, *Fisch.* l. c. p. 379
(1853).
- Caloptenus Siculus*, *Burm.* l. c. p. 639
(1838) ; *Fisch.* l. c. p. 379 (1853).
- Acridium Barbarum*, *Costa*, l. c. p. 13.
pl. 2. f. 1 A-D (1836).
- Caloptenus (Acridium) Barbarus*, *Fisch.* l. c.
p. 380 (1853).
- **2. **C. Discoidalis**, **Walk.** (*Caloptenus D.*) Egypt.
Cat. Derm. Salt. B. M. iv. p. 686. n. 23
(1870).
3. **C. Vulcanius**, **Krauss**, (*Caloptenus V.*) Canary
Zool. Anz. xv. p. 167. n. 42 (1892). Islands.
4. **C. Marmoratus**, **Fisch.-Waldh.** l. c. Trans-
p. 242. n. 5 (1846) ; *Jacobs. & Bianchi.* caucasia.
l. c. p. 317 (1902).
5. **C. Cephalotes**, **Fisch.-Waldh.** l. c. Trans-
p. 243. n. 6 (1846) ; *Jacobs. & Bianchi.* baical.
l. c. p. 317 (1902).
6. **C. Tarsius**, **Fisch.-Waldh.** l. c. p. 244. Caucasus.
n. 4 (1846) ; *Jacobs. & Bianchi.* l. c.
p. 318 (1902).
- **7. **C. (??) Scutifer**, **Walk.** (*Caloptenus S.*) S. India.
l. c. p. 704. n. 56 (1870).

Genus 814. **Paracaloptenus.** (*Type* no. 2.)

Bol. Ortópt. Españ. p. 296 (1876) ; *An. Soc. Españ.* vii. p. 92
(1878) ; *Ann. Sci. Nat. Porto*, iv. p. 220 (1897), v. p. 34
(1898) ; *Brunn. Ann. Mus. Genova*, xxxiii. p. 150 (1893) ;
Jacobs. & Bianchi, Prem. i Lczhn. Ross. Imp. pp. 173,
205, 318 (1902) ; *Mart. An. Soc. Españ.* xxx. pp. 258,
300 (1902).

1. **P. Obesus**, **Bol.** (*Caloptenus O.*) J. Sci. W. Africa.
Lish. (2) i. p. 170. n. 171 (1889).
P. Obesus, *Mart.* l. c. p. 301 (1902).
- *2. **P. Caloptenoides**, **Brunn.** (*Platypomma* S.E.
C.) *Verh. zool.-bot. Ges. Wien*, xi. p. 307, Europe,
pl. 16. f. 24 A. B (1861) ; *Friv. Érték.* W. Asia.
Termész. Kör. i. (12) p. 174. n. 1, pl. 7.
ff. 4, 4 a (1867).

- Caloptenus Caloptenoides*, Krauss. Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. p. 474. n. 21, pl. 1. ff. 2, 2 a (1879).
Paracaloptenus Caloptenoides, Jacobs. & Bianchi, l. c. pp. 205, 318 (1902).
Calliptenus Brunneri, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 14. n. 4 (1876).
Caloptenus Brunneri, Brunn. Prodr. Eur. Orth. p. 219. n. 2, pl. 7. f. 51 A, B (1882); Finot, Faune France, Orth. pp. 160, 162 (1889).
P. Brunneri, Bol. Ann. Sci. Nat. Porto, v. p. 34. n. 1 (1898).
Paracaloptenus Typus, Bol. Ortópt. Españ. p. 296 (1876); An. Soc. Españ. vii. p. 92 (1878).

Genus 815. **Peripolus.**

Mart. An. Soc. Españ. xxx. p. 303 (1902).

1. **P. Pedarius**, Stål, (*Calliptenus P.*) India. Bihang Svensk. Akad. Handl. v. (4) p. 75. n. 1 (1878).
P. Pedarius, Mart. l. c. p. 303 (1902).

Genus 816. **Heteracris.** (Type no. 4.)

Walk. Cat. Derm. Salt. B. M. iv. p. 655 (1870); Kirb. Trans. Ent. Soc. Lond. 1902, p. 113.

|| *Demodocus*, Stål (nec Guér.). Bihang Svensk. Akad. Handl. v. (4) p. 75 (1878); Brun. Ann. Mus. Genova, xxxiii. p. 150 (1893).

- *1. **H. Capensis**, Thunb. (*Gryllus C.*) Mém. S. Africa. Acad. Pétersb. v. p. 240 (1815), ix. pp. 399, 423. n. 87, pl. 14. f. 6 (1824).
Pezotettix (Euprepocnemis) Capensis, Stål, Recens. Orth. i. p. 76. n. 6 (1873).
Calliptenus Capensis, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 75. n. 2 (1878).
2. **H. Cognata, Walk. l. c. pp. 656, 658. Natal, 6 (1870); Kirb. Trans. Ent. Soc. Transvaal, Lond. 1902, p. 113. n. 122. Nyasa.
*3. **H. Somali**, Schulth. (*Demodocus S.*) Somali. Zool. Jahrb. Syst. viii. p. 78 (1894).

- *4. **H. Herbacea, Serv.** (*Acridium Herbaceum*) Ins. Orth. p. 684. n. 48 (1839) : Cape, Natal.
Charp. Orth. pl. 48 (1843).
Psotellia (Euprepocnemis) Herbacea, Stal.
l. c. p. 76. n. 5 (1873).
H. Herbacea, Walk. l. c. p. 656. n. 3 (1870).
- **5. **H. Adjuncta, Walk.** l. c. pp. 656, 657. Sierra Leone.
n. 5 (1870). Adeli.
6. **H. Amphiprosopus, Karsch,** (*Demodocus* A.) Berlin. Ent. Zeitschr. xxxviii. pp. 106, 107. n. 74, f. 16 (1893).
- *7. **H. Calceata, Serv.** (*Acridium Calceatum*) Cape.
l. c. p. 683. n. 47 (1839).
- ***H. Annulifera, Walk.* l. c. pp. 656, 659.
n. 9 (1870).
- **8. **H. Speciosa, Walk.** l. c. p. 661. n. 12 Sierra Leone.
(1870), *immature.*
- **9. **H. Punctipennis, Walk.** l. c. p. 659. Angola.
n. 8 (1870).
- **10. **H. Bettoni, Kirb.** Proc. Zool. Soc. Lond. E. Africa.
1902. (i.) p. 100 n. 22.
- **11. **H. (?) Continua, Walk.** (*Acridium Continuum*) l. c. v. Suppl. p. 61 (1871) : Sinai.
Finot, Ann. Soc. Ent. France. lxxvi.
p. 342 (1907).
- **12. **H. Elegans, Walk.** l. c. iv. pp. 662, 663. N. India.
n. 18 (1870).
- **13. **H. Insignis, Walk.** l. c. pp. 663, 664. Calcutta.
n. 20 (1870).
- **14. **H. Illustris, Walk.** l. c. pp. 662, 663. S. India.
n. 17 (1870).
- *15. **H. Robusta, Serv.** (*Acridium Robustum*) China, Silhet.
l. c. p. 647. n. 7 (1839).
- ***H. Ducalis, Walk.* l. c. pp. 663, 665.
n. 21 (1870).
16. **H. (?) Coniceps, Walk.** l. c. p. 656. n. 4 E. Africa.
(1870).
17. **H. (?) Rufitibia, Walk.** l. c. v. Suppl. Java.
p. 65 (1871).
18. **H. (?) Sparsa, Serv.** (*Acridium Sparsum*) Australia.
l. c. p. 646. n. 6 (1839).
H. (?) Sparsa, Walk. l. c. iv. p. 670. n. 34
(1870).
19. **H. Lineosa, Walk.** l. c. p. 673. n. 38 id.
(1870).
20. **H. Vittipes, Walk.** l. c. pp. 673, 675. Hab. — ?
n. 43 (1870).

Genus 817. **Tylotropidius.** (*Type* no. 2.)

Stål, Recens. Orth. i. p. 74 (1873);

Brunn. Ann. Mus. Genova, xxxiii. p. 150 (1893).

1. **T. Didymus, Thunb.** (*Gryllus D.*) Mém. Cape.
Acad. Pétersb. v. p. 241 (1815), ix.
pp. 399, 424, n. 88 (1824).
2. **T. Stæli, Kirb.** (n. n.). Sierra Leone.
|| *Pezotettix* (*Tylotropidius*) *Didymus*, Stål
(*nec Thunb.*), Recens. Orth. i. p. 74. n. 1
(1873).
T. Didymus, Junod, Bull. Soc. Vaud. xxxv.
pp. 210–212, ff. 1, 1 a (1899); Giglio-
Tos, Boll. Mus. Torino, xxii. (554) p. 30
(1907).
T. Didymus, var. *Citrea*, Karny, Sitz. Akad.
Wiss. Wien, Math.-nat. Cl. cxvi. p. 352
(1907).
3. **T. Gaugeri, Junod**, l. c. pp. 209–212. Accra,
n. 1, ff. 3, 3 a (1899). Delagoa
T. Gaugeri, varr. *Macroptera* & *Pallida*, Bay.
Karny, l. c. p. 353 (1907).
4. **T. Gracilipes, Brancs.** Jahresh. Ver. Zambesi.
Trencs. Com. xvii.–xviii. p. 256, pl. 8. f. 8
(1896).
5. **T. Somalicus, Schulth.** Ann. Mus. Somali.
Genova, xxxix. p. 195, n. 1 (1898);
Junod, l. c. pp. 210–212, f. 4 (1899).
6. **T. Ceylonicus, Brunn.** l. c. p. 164, n. 1, Ceylon,
pl. 5. f. 57 (1893); Junod, l. c. pp. 210– Burma.
212, ff. 2, 2 a (1899).
7. **T. Brunni, Giglio-Tos**, l. c. p. 31 (1907). Somali.
|| *Euprepocnemis* *Carulescens*, Brunn. (*nec*
Stål) Mitth. Nat. Mus. Hamburg, xviii.
p. 264, n. 132 (1901).
8. **T. Haasi, Bol.** Mém. Soc. Ent. Belg. xvi. Lukungu,
p. 126, n. 151 (1908). Loagna.

Genus 818. **Cataloipus.** (*Type* no. 1.)

Bol. An. Soc. Españ. xix. p. 321 (1891);

Brunn. Ann. Mus. Genova, xxxiii. p. 151 (1893).

1. **C. Oberthuri, Bol.** (*Euprepocnemis* (*Cata-* Central
loipus) *O.*) l. c. p. 321, pl. 1. ff. 9, 9 a Africa.
(1891).

- *2. **C. Brunneri**, **Bol.** (MSS.). Socotra.
C. Oberthuri, *Burr* (nec *Bol.*), *Nat. Hist.*
Socotra, p. 420, n. 24, pl. 25, ff. 2, 2a
 (1903).
 3. **C. Cymbiferus**, **Krauss**, (*Euprepocnemis* Senegal.
Cymbifera) *Sitz. Akad. Wiss. Wien*, lxxvi,
 (1) p. 40, n. 1, pl. 1, ff. 5, 5A (1877).
 4. **C. Ambigua**, **Stål**, (*Euprepocnemis* A.) Danara
 (Efv. Vet.-Akad. Förh. xxxiii. (3) p. 44. Land.
 n. 2 (1876).

Genus 819. **Cyathosternum.**

Bol. Journ. Sci. Lisboa, viii. p. 115 (1882).

1. **C. Prehensile**, **Bol.** l. c. n. 31 (1882). Angola.

Genus 820. **Metaxymecus.** (Type no. 1.)

Karsch, *Berlin. Ent. Zeitschr.* xxxviii. pp. 87, 104 (1893).

1. **M. Patagiatus**, **Karsch**, l. c. p. 105. Adeli.
 n. 73, f. 15 (1893).
 2. **M. Pendulus**, **Karsch**, *Stettin. Ent. Zeit.* Zanzibar.
 lvii. p. 323, n. 88 (1896).
 3. **M. Laxus**, **Karsch**, l. c. p. 324. n. 89, Togoland.
 f. 38 (1896).

Genus 821. **Paraeuprocne mis.** (Type no. 3.)

Brunn. Ann. Mus. Genova, xxxiii. p. 151 (1893).

Pareuprocne mis, *Jacobs. & Bianchi*, *Prem. i Lozhu. Ross. Imp.*
 pp. 174, 205, 320 (1902).

1. **P. Cunctator**, **Karsch**, (*Pareuprocne mis* Zanzibar.
 (.) *Entom. Nachr.* xxvi. p. 283 (1900).
 2. **P. Pictipes**, **Bol.** *Ann. Soc. Ent. France*, Madura.
 lxx. p. 631 (1902).
 3. **P. Syriaca**, **Brunn.** (*Pezotettix* S.) *Verh. Beyrout.*
zool.-bot. Ges. Wien, xi. p. 225 (1861).
Pareuprocne mis Syriaca, *Jacobs. & Bianchi*,
 l. c. pp. 205, 320 (1902).
Euprocne mis Syriaca, *Stål*, *Bihang Svensk.*
Akad. Handl. iv. (5) p. 15, n. 2 (1876).
Caloptenus Festæ, *Giglio-Tos*, *Boil. Mus.*
Torino, viii. (164) p. 8, n. 50, plate f. 2
 (1893).

4. **P. Morbosa, Serv.** (*Acridium Morbosum*) Egypt, Arabia.
 Ins. Orth. p. 682. n. 44 (1839).
Pezotettix (*Euprepocnemis*) *Morbosus*, Stål,
 Recens. Orth. i. p. 75. n. 2 (1873).
Euprepocnemis Morbosa, Stål, Bihang
 Svensk. Akad. Handl. iv. (5) p. 15. n. 1
 (1876).

Genus 822. **Thisoicetrus.** Type no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 150 (1893).
Thisoicetrus, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp.
 pp. 174, 205, 318 (1902).

- *1. **T. Littoralis, Ramb.** (*Gryllus* L.) Faune Spain,
 Andal. ii. p. 78. n. 3, pl. 7. ff. 1, 2 (1838). Grecian
Gryllus (*Caloptenus*) *Littoralis*, Fisch. Orth. Archipel.,
 Eur. p. 376 (1853). N. Africa,
 W. Africa.
Euprepocnemis Littoralis, Fieb. Lotos. iii.
 p. 98. n. 2 (1853); Syn. Eur. Orth. p. 9.
 n. 2 (1854).
Euprepocnemis Littoralis, Fieb. Lotos. iv.
 p. 178. n. 2 (1854).
Euprepocnemis Littoralis, Stål, Bihang
 Svensk. Akad. Handl. iv. (5) p. 15. n. 3
 (1876); Bol. Ortópt. Españ. pp. 93, 94.
 n. 2, pl. 2. ff. 11, 11 a (1876); An. Soc.
 Españ. v. p. 300. n. 2, pl. 11. ff. 11, 11 a
 (1876); Brun. Syn. Eur. Orth. pp. 220,
 221. n. 2, pl. 7. f. 52 A-C (1882).
Caloptenus Littoralis, Bol. An. Soc. Españ.
 ii. p. 232, pl. 9. f. 8 (1873).
Thisoicetrus Littoralis, Bol. An. Sci. Nat.
 Porto, v. p. 34. n. 1 (1898).
Thisoicetrus Littoralis, Jacobs. & Bianchi,
 l. c. pp. 205, 319 (1902).
 ** *Cyrtacanthacris Notata*, Walk. Cat. Derm.
 Salt. B. M. iii. p. 574. n. 49 (1870);
 Jans. Hart, Faun. Flor. Sinai, p. 83,
 plate f. 6 (1891).
Acridium Notatum, Finot, Ann. Soc. Ent.
 France, lxxvi. p. 343 (1907).
Pezotettix (*Euprepocnemis*) *Charpentieri*,
 Stål, Recens. Orth. i. p. 75. n. 3 (1873).
Euprepocnemis Charpentieri, Stål, Bihang
 Svensk. Akad. Handl. iv. (5) p. 15. n. 4
 (1873).

2. **T. Dorsatus, Fisch.-Waldh.** (*Acridium Dorsatum*) Bull. Soc. Nat. Mosc. 1839, p. 301. Astrachan, Georgia, Asia Minor, Dauria (?).
Caliptamus Dorsatus, Fisch.-Waldh. Orth. Ross. p. 240, n. 3, pl. 19, f. 2 (1846).
Thisoectrus Dorsatus, Jacobs. & Bianchi, l. c. pp. 205, 319 (1902).
Euprepocnemis Dorsata, Stål, l. c. p. 16, n. 6 (1876).
Eyprepocnemis Fischeri, Fieb. Lotos, iii. p. 98, n. 4 (1853); Syn. Eur. Orth. p. 9, n. 4 (1854).
3. **T. Pterostichus, Fisch.-Waldh.** (*Caliptamus Pterosticha*) l. c. p. 241, n. 7, pl. 16, f. 4 (1846). Transcaucasia, Transcaspia, Siberia.
T. Pterostichus, Jacobs. & Bianchi, l. c. pp. 205, 319, f. 38 (1846). Cartagina, Turcomania.
- *4. **T. Adpersus, Redt.** (*Euprepocnemis Adpersa*) Wien. Ent. Zeit. viii. p. 30 (1889).
Thisoectrus Adpersus, Bol. Ann. Sci. Nat. Porto, v. pp. 34, 35, n. 2 (1898).
Thisoectrus Adpersus, Jacobs. & Bianchi, l. c. pp. 205, 319 (1902).
5. **T. Cærulescens, Stål,** l. c. p. 16, n. 5 (1876). Massowa.
- *6. **T. Similis, Brunn.** (*Caloptenus S.*) Verh. Egypt. zool.-bot. Ges. Wien. xi. p. 224 (1861); Syria.
Jacobs. & Bianchi, l. c. p. 319 (1902).
- *7. **T. Grossus, Schulth.** Zool. Jahrb. Syst. viii. p. 79, n. 2 (1894). Somali.

Genus 823. **Platacanthoides,** Kirb. (n. n. n.).

[*Platacanthus, Walk.* (see *Fisch.*) Cat. Derm. Salt. B. M. iv. p. 714 (1870).

- **1. **P. Morosus, Walk.** (*Platacanthus M.*) S. Africa.
 l. c. n. 1 (1870).

Genus 824. **Euprepocnemis.** (Type no. 1.)

Eyprepocnemis, Fieb. Lotos, iii. p. 98 (1853), iv. p. 178 (1854); Syn. Eur. Orth. p. 9 (1854).
Euprepocnemis, Stål, Reens. Orth. i. p. 75 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 14 (1876), v. (4) p. 31 (1878); Bol. Ortópt. Españ. pp. 87, 92 (1876); An. Soc. Españ. v. pp. 293, 298 (1876); Ann. Sci. Nat.

Porto, iv. p. 220 (1897), v. p. 35 (1898); Brunn. Prodr. Enc. Orth. pp. 86, 220 (1882); Ann. Mus. Genova, xxxiii. p. 150 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 174, 205, 320 (1902).

- *1. **E. Plorans, Charp.** (*Gryllus P.*) Hor. S. Europe,
Ent. p. 134 (1825); Ramb. Faune Africa,
Andal. ii. p. 78. n. 2 (1838). W. Asia,
Acridium Plorans, Serr. Ins. Orth. p. 683. India,
n. 46 (1839); Charp. Orth. pl. 47 (1843); Japan.
Lucas, Expl. Alg., Zool. iii. p. 30. n. 50,
iv. Orth. pl. 3. ff. 4, 4 a (1849).
Caloptenus Plorans, Fisch. Orth. Eur.
p. 376. n. 1 (1853); Bol. An. Soc. Esp.
ii. p. 231, pl. 9. f. 7 (1873).
Eyprepocnemis Plorans, Fieb. ll. cc. iii.
p. 98. n. 1 (1853), iv. p. 178. n. 6
(1854); Syn. Eur. Orth. p. 9. n. 1
(1854).
Pezotettix (Eyprepocnemis) Plorans, Stål,
Recens. Orth. i. p. 76. n. 4 (1873).
Eyprepocnemis Plorans, Stål, Bihang
Svensk. Akad. Handl. iv. (5) p. 16. n. 7
(1878); Bol. Ortópt. Españ. p. 93. n. 1,
pl. 2. ff. 10, 10 a (1876); An. Soc. Españ.
v. p. 299. n. 1, pl. 11. ff. 10, 10 a (1876);
Ann. Sci. Nat. Porto, v. p. 35. n. 1
(1898); Brunn. Prodr. Eur. Orth. p. 220.
n. 1 (1882); Jacobs. & Bianchi, l. c.
pp. 205, 320 (1902).
E. Plorans, var. Intermedia, Bol. Ann.
Soc. Ent. France, lxx. p. 630 (1902).
- **2. **E. Scitulus, Walk.** (*Acridium Scitulum*) Hab. — ?
Cat. Derm. Salt. B. M. v. Suppl. p. 62
(1871).
- *3. **E. Cinereus, Blanch.** (*Acridium Cine-*
reum) Voy. Pôle Sud, iv. p. 372, Orth.
pl. 3. f. 8 (1853). Tenerife.
- **4. **E. Annulosa, Walk.** (*Heteracris A.*) l. c. Hab. — ?
iv. pp. 673, 674. n. 41 (1870).
5. **E. Ibandana, Giglio-Tos,** Boll. Mus. Ruwenzori.
Torino, xxii. (547) p. 1, (554) p. 30 (1907).
6. **E. Somalicus, Rehn,** (*Eyprepocnemis S.*) Somali.
Proc. Acad. Nat. Sci. Philad. liii. p. 377
(1901).
7. **E. Guinneensis, Krauss,** Zool. Jahrb. Gold Coast,
Syst. v. p. 659. n. 14, pl. 45. f. 5 (1891). San Thomé.

- E. Guineensis*, var. *Maculosa*, Krauss. l. c. p. 660, pl. 15, ff. 6, 6 A (1891); Giglio-Tos, l. c. xxii. (554) p. 30 (1907).
8. **E. Pulchripes, Schaum**, (*Caloptenus* P.) Mozambique.
Ber. Akad. Berlin, 1853, p. 779, n. 21; Peters' Reise Mossamb., Zool. v. p. 138, pl. 7 A, f. 7 (1862).
- **9. **E. Pictipes, Walk.** (*Cyrtacanthacris* P.) S. Africa.
l. c. iii. p. 575, n. 51 (1870).
Acridium Pictipes, Fiedt. Ann. Soc. Ent. France, lxxvi. p. 328 (1907).
10. **E. Nobilis, Brancs.** Jahresh. Ver. Trens. Nossi-Bé.
Com. xv.-xvi. p. 195, pl. 11, f. 10 (1893).
- **11. **E. Ornatipes, Walk.** (*Cyrtacanthacris* O.) Dead Sea.
l. c. iii. p. 575, n. 50 (1870); Jans. Hart, Faun. Flor. Sinai, p. 183, plate f. 5 (1891).
- **12. **E. Consobrina, Walk.** (*Heteracris* C.) Hab. — ?
l. c. iv. pp. 673, 674, n. 40 (1870).
- **13. **E. Decisus, Walk.** (*Caloptenus* D.) l. c. Madagascar
iv. p. 700, n. 51 (1870).
14. **E. Phronusa, Brancs.** l. c. p. 196, pl. 12, f. 6 (1893). Mozambique.
- *15. **E. Alacris, Serv.** (*Acridium Alacre*) Ins. Ceylon.
Orth. p. 682, n. 45 (1839).
***Acridium Deponeus*, Walk. Ann. Nat. Hist. (3) iv. p. 222 (1859).
***Heteracris Rudis*, Walk. Cat. Derm. Salt. B. M. iv. pp. 662, 664, n. 19 (1870).
- **16. **E. Varicornis, Walk.** (*Heteracris* V.) S. India.
l. c. p. 667, n. 25 (1870).
17. **E. Pulchra, Bol.** l. c. p. 630 (1902). Kodaikanal.
18. **E. Prasinata, Stål**, (Efv. Vet.-Akad. Förh. xxxiii. (3) p. 44, n. 1 (1876). Damara Land.

Genus 825. **Taramassus.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 34 (1907).

- 1.
- T. Cervus, Giglio-Tos**
- , l. c. p. 35 (1907). | Somali.

Genus 826. **Horæocerus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 635 (1899).

- 1.
- H. Nigricornis, Sauss.**
- l. c. p. 636, n. 2. | Madagascar.
-
- pl. 38, ff. 33-35 (1899).

ADDITIONS AND CORRECTIONS.

The additions to Vols. I. & II. are limited (with the exception of renamed preoccupied genera) to genera and species described before the publication of those volumes. Omissions discovered in Vol. III. are inserted up to the end of 1908. Further explanations will be found in the Introduction.

VOL. I.

BLATTIDÆ.

Genus 1. **Ectobia**, Westw. (p. 61).

Phyllodromica, Fieb. Lotos, iii. p. 93 (1853). (*Type* no. 6.)

6. **E. Perspicillaris**, Herbst (p. 63).

Genus 7. **Hololampra**, Sauss. (p. 68).

1. **H. Marginata**, Schreb. (p. 68).

Blatta Marginata, Risso, Hist. Nat. Eur.
Mér. v. p. 210 (1826).

Genus 19. **Ischnoptera**, Burm. (p. 80).

74. **I. Pennsylvanica**, De Geer (p. 85).

Tennopteryx Marginata, Scudd. Final Rep.
U.S. Geol. Surv. Nebraska, p. 251
(1872).

Genus 23. **Phyllodromia**, Serv. (p. 86).

1. **P. Germanica, Linn.** (p. 87).
Blatta Paucica, Latr. Sibir. Briefe, p. 18 (1769).
Blatta Transfuga, Brunn. Pontoppidan, Kurzg. Nachr. Naturhist. Dänemerk, p. 212, n. 3, pl. 16 (1765).
Blatta Oblivata, Dald. Skr. Nat. Selsk. ii. (2) p. 164 (1753).
- 2 a. **P. Magna, Tepp.** Trans. Roy. Soc. South S. Australia, xix, p. 49 (1895). Australia
- 56 a. **P. Secura, Krauss,** (*Blatta* S.) Semon. Java Zool. Forsch. Austral. v. p. 749 (1903).
59. **P. Adversa, Sauss. & Zehntn.** (*Blatta* A.).
P. Adversa, Kieb. (p. 91, errore).

Genus 34. **Allacta**, Sauss. & Zehntn. (p. 99).

- 19 a. **P. Anceps, Krauss,** (*Blatta* A.) Semon. Java Zool. Forsch. Austral. v. p. 749 (1903).

Genus 35. **Loboptera**, Brunn. (p. 101).

16. **L. Americana, Scudd.** Proc. Davenport Arizona Acad. Sci. viii. p. 93, pl. 2, f. 4 (1899); California. Carol. Ent. xxxii. p. 329 (1900).

Genus 38. **Paratemnopteryx**, Sauss. (p. 106).

3. **P. Zietzii, Tepp.** Trans. R. Soc. S. Aus- South tralia, xix, p. 25 (1895). Australia.

Genus 49. **Pheraspis**, Serv. (p. 112).

- H. s. Gistel.* Naturg. Thierreichs, p. 131 (1848).
14. **P. Picta, Dru.** (p. 113).
H. s. Crenulatus, Gistel. L. c. p. 137 (1848).

Genus 61. **Heterolampra**, Kirb. (p. 120).

18. **H. Rustica, Stål,** *Epalampra* R.) CEFV Philippines. Ver.-Akad. Förl. xxxiv. (10) p. 34 (1877).
H. Mota, Kirb. p. 121, errore).

38. **H. Lævicollis, Sauss.** (p. 122).
Epilampra Lævicollis, Krauss, Semon, Zool.
Forsch. Austral. v. p. 750 (1903).

Genus 71. **Syntomaptera, Tepp.** (p. 129).

- 3 a. **S. Ceratodi, Krauss, Zool. Forsch.** | Queensland.
Austral. v. p. 751 (1903). |

Genus 77. **Cutilia, Stål** (p. 134).

15. **C. Triangulata, Brunn.** (*Polyzosteria* | Queensland,
T.) *Ann. Mus. Genova, xxxiii. p. 33, note* | Thursday I.
 (1893); *Krauss, Semon, Zool. Forsch.*
Austral. v. p. 750, pl. 67. ff. 1, 1 A
 (1903).

Genus 79. **Methana, Stål** (p. 135).

- 5 a. **M. Spinosostylata, Krauss,** ^(*Periplaneta* ex a) *Semon, Java.*
Zool. Forsch. Austral. v. p. 752, pl. 67.
ff. 2, 2 A (1903).

Genus 81. **Blatta, Linn.** (p. 137).

26. **B. Jungii, Tepp.** (*Periplaneta J.*) *Trans.* | Yorketown.
Roy. Soc. S. Australia, xix. p. 162 |
 (1895).
 27. **P. Parva, Tepp.** (*Periplaneta P.*) l. c. | Sydney.
 (1895).
 28. **B. Semoni, Krauss,** (*Stylopyga S.*) | Java.
Semon, Zool. Forsch. Austral. v. p. 751
 (1903).

Genus 82. **Periplaneta, Burm.** (p. 140).

7. **P. Methanoides, Brunn.** (p. 141);
Krauss, Semon, Zool. Forsch. Austral.
v. p. 752 (1903).

Genus 89. **Catara, Walk.** (p. 148).

2. **C. Minor, Krauss, Semon, Zool. Forsch.** | Java.
Austral. v. p. 753, pl. 67. ff. 3, 3 A, B |
 (1903).

(Genus 102 a. **Macrophyllodromia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 46 (1893).

1. **M. Maximiliani, Sauss.** (*Zetobora M.*).
Phortinea Maximiliani, Kirb. Cat. p. 159.
 n. 3 (1904).

(Genus 108. **Monastria**, Sauss. (p. 161).

4. **M. Cassidea, Esch.** (p. 162).
Blatta Papillosa, Thunb. Mém. Acad.
 Pétersb. x. p. 276, pl. 14 (1826).

(Genus 117. **Euthyrrhapha**, Burm. (p. 168).

1. **E. Pacifica, Coq.** (p. 168).
Blatta Ciliata, Thunb. K. Vet.-Acad.
 Nya Handl. xxxi. p. 189, n. 7, pl. 5. f. B
 (1810).

(Genus 123. **Holocompsa**, Burm. (p. 169).

10. **H. Vestita, Brullé**, (*Blatta* L.) Webb Canaries.
 & Berthelot, Hist. Nat. Canar., Ins. p. 75.
 n. 11 (1838).

(Genus 126. **Polyphaga**, Brullé (p. 171).

- 1 a. **P. Punctata, Fisch.-Waldh.** (*Hetero-* S. Russia.
gamia P.) Orth. Ross. p. 74 (1846).
9. **P. Spinifer, Fisch.-Waldh.** (*Hetero-*
gamia S.) l. c. (1846).
P. Camelorum, Kirb. (p. 172).

(Genus 163 a. **Tepperia**, Kirb. (n. n.).

|| *Lepidophora*, Tepp. (nec Westw.) Trans. Roy. Soc.
 S. Australia, xix. p. 20 (1895).

1. **T. Furcata, Tepp.** (*Lepidophora* F.) South
 l. c. p. 21 (1895). | Australia.

(Genus 178. **Mioblatta**, Sauss. & Zehntn. (p. 196).

1. **M. Fornicata, Sauss. & Zehntn.**
M. Forficata, Kirb. (p. 196, errore).

Genus 191. **Panesthia**, Serv. (p. 202).

- | | |
|---|------------------|
| 1. P. Ferrugin[e]ipes , Brunn. (p. 202) ;
Krauss, Semon, Zool. Forsch. Austral.
v. p. 754 (1903). | |
| 43 a. P. Polita , Krauss , l. c. (1903). | Java.
Borneo. |

Genus **Blatta**.

[*Species described under this heading by the older authors,
but not yet satisfactorily determined.*]

- | | |
|---|----------|
| 1. B. Abdomen-nigrum , De Geer , Mém. Ins. iii. pp. 537, 538. n. 3, pl. 44. f. 5 (1773). | Surinam. |
| 2. B. Rufa , De Geer , l. c. p. 539. n. 5, pl. 44. f. 7 (1773). | id. |
| <i>B. Cincta</i> , Thunb. Mém. Acad. Pétersb. x. p. 277 (1826). | |
| 3. B. Anelytra , Schrank , Beitr. Naturg. p. 73 (1776). | |
| 4. B. Alba , Ström , Nye K. Danske Vid. Selsk. Skrifter, ii. p. 66. n. 56, plate, f. 15 (1783). | |
| 5. B. Punctulata , Gmel. Syst. Nat. i. (4) p. 2047. n. 43 (1788). | |
| 6. B. Ocellata , Gmel. l. c. n. 44 (1788). | |
| 7. B. Longicornis , Fabr. Mant. Ins. i. p. 226. n. 22 (1787). | India. |
| 8. B. Ingens , Licht. Cat. Mus. Zool. Hamburg, iii. p. 94. n. 200 (1796). | Surinam. |
| 9. B. Longicornis , Licht. l. c. n. 202 (1796). | India. |
| 10. B. Heteroceros , Licht. l. c. p. 95. n. 112 (1796). | Hab. — ? |
| 11. B. Longipalpa , Fabr. Ent. Syst. Suppl. p. 185 (1798). | India. |
| 12. B. Reticulata , Fabr. l. c. p. 186 (1798). | id. |
| 13. B. Palliata , Fabr. l. c. (1798). | id. |
| 14. B. Ferruginea , Thunb. (<i>B. Ferruginea</i>) K. Vet.-Akad. Handl. xxxi. p. 187. n. 1 (1810). | |
| 15. B. Bicolor , Thunb. l. c. n. 2, pl. 5. f. A (1810). | |
| 16. B. Tuberculata , Thunb. l. c. n. 3 (1810). | |

17. **B. Guttata**, Thunb. l. c. p. 188. n. 4 (1810). I. Barthelemy.
18. **B. Scabra**, Thunb. l. c. n. 5 (1810).
19. **B. Hirta**, Thunb. l. c. p. 189. n. 6 (1810). China.
20. **B. Lineolata**, Dalm. Anal. Ent. p. 87. W. Indies.
n. 96 (1823).
21. **B. Succinea**, Risso, Hist. Nat. Eur. MÉR. Nice.
v. p. 210 (1826).
22. **B. Rupestris**, Risso, l. c. (1826). id.
23. **B. Domicola**, Risso, l. c. (1826). id.
24. **B. Asellus**, Thunb. Mém. Acad. Petersb.
x. p. 277, pl. 14 (1826).
25. **B. Cylindrica**, Thunb. l. c. p. 279 (1826).
26. **B. Gibba**, Thunb. l. c. (1826).
27. **B. Limbata**, Thunb. l. c. p. 278 (1826).
28. **B. Acutipennis**, Serv. Ins. Orth. p. 91. Hab. —?
n. 10 (1839).
29. **B. Decorata**, Serv. l. c. p. 99. n. 23 Hab. —?
(1839).
30. **B. Punctata**, Gistel, Nat. Thierreichs,
p. 137 (1848).
31. **B. Pumila**, Stål, Eugenie's Resa, Orth. Rio
p. 309. n. 27 (1860). Janeiro.

MANTIDÆ.

Genus 72. **Hierodula**, Burm. (p. 245).

8. **H. Biroi**, Brancs. (p. 245); Krauss,
Semon, Zool. Forsch. Austral. v. p. 755
(1903).

Genus 73. **Rhombodera**, Burm. (p. 248).

19. **R. Pectoralis**, Westw. (p. 249).
R. Pectoralis, var. *Denticulata*, Krauss,
Semon, Zool. Forsch. Austral. v. p. 756,
pl. 67. f. 4 (1903).

Genus 74. **Mantis**, Linn. (p. 249).

8. **M. Octospilota**, Westw. (p. 251):
Krauss, Semon. Zool. Forsch. Austral.
v. p. 757 (1903).

Genus 85. **Calidomantis**, Rehn (p. 257).

3. **C. Fenestrata**, **Fabr.** (p. 298).
Mantis Crystallina, **Licht.** Cat. Mus. Zool.
 Hamb. iii. p. 81. n. 57 (1796).

Genus 127. **Oligonyx**, Sauss. (p. 278).

3. **O. Scudderi**, **Sauss.** (p. 278).
Mantis Missouriensis, **Glover**, Ill. N. Amer.
 Orth. pl. 13. f. 11 (1872).

Genus 129. **Spanionyx**, Sauss. (p. 279).

3. **S. Filum**, **Licht.** (*Mantis F.*) Cat. Mus.
 Zool. Hamb. iii. p. 81. n. 63 a (1796).
S. Filum, **Kirb.** (p. 279).

Genus 136. **Acanthops**, Serv. (p. 282).

2. **A. Falcataria**, **Goeze** (p. 282).
Mantis Angulata, **Licht.**
Pseudocanthops (?) *Angulata*, **Kirb.** (p. 284).

Genus 203. **Empusa**, Illiger (p. 311).

- 1 a. **E. Egena**, **Charp.** (p. 311).
E. Pectinicornis, **Risso**, Hist. Nat. Eur. Mér.
 v. p. 212 (1826).

Genus **Phantoma** (*incertae sedis*).

Risso, Hist. Nat. Eur. Mér. v. p. 211 (1826).

1. **P. Variabilis**, **Risso**, l. c. p. 212 (1826). | Nice.

Genus **Mantis**, auct.

1. **M. Hogeditica**, **Licht.** Cat. Mus. Zool. | Surinam.
 Hamb. iii. p. 79. n. 31 (1796).
 || *M. Sancta*, **Stoll** (*nec Fabr.*), Spectres, p. 52,
 pl. 17. f. 63 (1813).
 2. **M. Acridea**, **Licht.** l. c. p. 80. n. 40 | Hab. — ?
 (1796).

3. **M. Gracilis**, Licht. l. c. p. 80. n. 4. | Hab. —? (1796).
4. **M. Testacea**, Licht. l. c. n. 50 (1796). | America.
5. **M. Tinctipennis**, Wood, Insects Abroad, | Ceram.
p. 292. pl. 5 (1883).

PHASMIDÆ.

Genus 53. **Charmides**, Stål (p. 343).

Charmidas, Kirby, (errore).

Genus 60. **Pseudosermyle**, Caud. (p. 345).
(Type no. 5, *nee* no. 4.)

5. **P. Banksii**, Caud. (p. 346, type). |

Genus 90. **Tænionema**.

Bol., Bol. Soc. Españ. vi. p. 393 (1906).
[*Tæniosoma*, Bol. (*nee* Stålps.) (p. 361).

Genus 96. **Haplopus** (*Aplopus*), Gray (p. 363).
(Type no. 6, *nee* no. 4.)

6. **H. Micropterus**, St. Farg. & Serv. |
(p. 363, type). |

Genus 113. **Tropidoderus**, Gray (p. 380).

1. **T. Childreni**, Gray, (p. 380) Krauss,
Semon, Zool. Forsch. Austral. v. p. 757,
pl. 67. f. 5 (1903). |

Genus 136. **Eurycnema**, Serv. (p. 391).

7. **E. Cercata**, Redt. Semon, Zool. Forsch. Thursday I.
Austral. v. p. 390. pl. 67. f. 6 (1903). |

Genus 186. **Metriotes**, Westw. (p. 415).

8. **M. Cinerea**, Oliv. (p. 416). |
Mantis Chloropus, Licht. Cat. Mus. Zool.
Hamb. iii. p. 81. n. 63 (1796). |

VOL. II.

A C H E T I D Æ.

Genus 45 a. **Paralucina**, Kirb. (n. n.).

|| *Lucina*, Walk. (nec Brug.) Cat. Derm. Salt. B. M.
i. p. 212 (1869).

- | | |
|--|---------------------------------|
| <p>**1. P. Opilioides, Walk. (<i>Lucina</i> O.) l. c.
p. 213, n. 1 (1869).</p> <p>2. P. (?) Palliceps, Walk. (<i>Lucina</i> (?) P.)
l. c. n. 2 (1869).</p> | <p>Brazil.</p> <p>Cambodia.</p> |
|--|---------------------------------|

Genus 113. **Heterotrypus**, Sauss. (p. 91).

- | | |
|---|-------------------------------|
| <p>11. H. Mimulus, Krauss, Semon, Zool.
Forsch. Austral. v. p. 767 (1903).</p> | <p>British
N. Guinea.</p> |
|---|-------------------------------|

Genus **Haustellaria** (*incertæ sedis*).

Gistel, Nat. Thierreichs, p. 137 (1848).

- | | |
|--|--------------|
| <p>1. H. Umbraculata, Gistel, l. c. (1848).</p> | <p>Cape.</p> |
|--|--------------|

Genus **Calvarias** (*incertæ sedis*).

Gistel, Nat. Thierreichs, p. 137 (1848).

- | | |
|--|-------------------|
| <p>1. C. Stupida, Gistel, l. c. (1848).</p> | <p>Andalusia.</p> |
|--|-------------------|

Genus **Acheta**, auct.

- | | |
|--|----------------------------|
| <p>1. A. Femoralis, Licht. Cat. Mus. Zool.
Hamburg, iii. p. 86, n. 110 (1796).</p> <p>2. A. Heteroclita, Licht. l. c. n. 111 (1796).</p> | <p>Surinam.</p> <p>id.</p> |
|--|----------------------------|

P H A S G O N U R I D Æ.

Genus 24. **Magrettia**, Brunn. (p. 120).

- | | |
|---|-----------------|
| <p>**6. M. Longipes, Walk. (<i>Lezina</i> L.) Cat.
Derm. Salt. B. M. v. Suppl. p. 21
(1871).</p> | <p>Hab. — ?</p> |
|---|-----------------|

Genus 67. **Gryllacris**, Serv. (p. 139).

- 131a. **G. Auriculata**, **Krauss**, Semon, Zool. Java.
Forsch. Austral. v. p. 766, pl. 67. ff. 14,
11A (1903).

Genus 67a. **Sia**,

Gieb. Zeitschr. Naturw. xviii. p. 114 (1861).

1. **S. Ferox**, **Gieb.** l. c. p. 116. n. 6 (1861). | Java.

Genus 101. **Præhippigerida** (p. 172).

Read *Præhippigerida*, Bol.

Genus 122. **Stipator**, Rehn (p. 183).

† *Orchesticus*, **Sauss.** (*nec* *Cab.*).

Orchamus, **Bol.**, Bol. Soc. Españ. vi. p. 392 (1906).

Genus 126a. **Scirtobænus** (p. 186).

Pant. Ann. Soc. Esp. xv. p. 252 (1886) :
Bol. Ann. Sci. Nat. Porto, vi. p. 15 (1900).

1. **S. Grallatus**, **Pant.** l. c. p. 253, pl. 2. f. 3 | Spain,
(1886) : Bol. l. c. pp. 15, 16. n. 1 (1900). | Portugal.
2. **S. Lusitanus**, **Bol.** ll. cc. n. 2 (1900). | Portugal.

Genus 132. **Rhachidorus**, Herm. (p. 199).

2. **R. Semoni**, **Krauss**, Semon, Zool. Forsch.
Austral. v. p. 765, pl. 67. ff. 13, 13A, B
(1903).

Genus 153. **Platycleis**, Fieb. (p. 203).

|| *Chelidoptera*, **Wesm.** (*nec* *Gould*) (p. 203).

12. **P. Affinis**, **Fieb.** (p. 206).
P. *Bosc.*, Bol. An. Soc. Españ. ii. p. 228,
pl. 9. f. 6 (1873).

Genus 177. **Copiphora**, Serv. (p. 230).

14. **C. Brevicornis**, **Redt.** (p. 232).
Copiphora Brevicornis, **Bol.** Rev. Chilena,
vii. p. 140 (1903).

Genus 182. **Moncheca**, Walk. (p. 233).

|| *Erocephala*, Serr. (*nee* Latr.).

Genus 275. **Cratioma**.

Bol., Bol. Soc. Españ. vi. p. 391 (1906).

|| *Cratylus*, Stål (*nee* Meyer) (p. 293).

Genus 278. **Cleandrus**, Stål (p. 294).

1. **C. Neriifolius**, Licht. (*Locusta Neriifolia*)

Cat. Mus. Zool. Hamb. iii. p. 82. n. 68
(1796).

Gryllus Tettigonia Neriifolia, Stoll (*Cleandrus*, p. 295. n. 1).

Genus 299 a. **Tympanophyllum**.

Krauss, Semon, Zool. Forsch. Austral. v. p. 764 (1903).

1. **T. Extraordinaria**, Brunn. (*Tympanoptera E.*).

Aprion Extraordinarius, Kirb. (p. 302.
n. 3).

2. **T. Atroterminatus**, Brunn. (*Tympanoptera Atroterminatum*).

Aprion Atroterminatus, Kirb. (p. 302. n. 4).

Genus 305 a. **Heteraprium**.

Krauss, Semon, Zool. Forsch. Austral. v. p. 764 (1903).

1. **H. Brunneri**, Krauss, l. c. p. 764, pl. 67. | N. Guinea,
f. 12 (1903). | Waigiou.

2. **H. Inversum**, Brunn. (*Aprion Inversus*).
Morsimus Inversus, Kirb. (p. 305. n. 11).

Genus 313. **Sanaa**, Walk.

Sanna, Kirb. (errore, p. 309).

Genus 400. **Pterochroza**, Serv. (p. 346).

3. **P. Pavonina**, Licht. (*Locusta P.*) Cat.
Mus. Zool. Hamb. iii. p. 82. n. 66 (1796).

P. Stollii, Brunn. (p. 347).

Genus 406. **Typophyllum**, Serv. (p. 351).

9. **T. Dædaleum**, Licht. (*Locusta Dædalea*)

Cat. Mus. Zool. Hamb. iii. p. 82, n. 71
(1796).

T. Erosum, Stoll (p. 352).

Genus 410. **Cycloptera**, Serv. (p. 353).

1. **C. Aurantiæfolia**, Licht. (*Locusta* L.)

Cat. Mus. Zool. Hamb. iii. p. 82, n. 67
(1796).

Gryllus Tettigonia Aurantifolia, Stoll (*Cycloptera*, p. 353, n. 1).

Genus 457. **Hyperhomala**, Serv. (p. 368).

6. **H. Variegata**, Brunn. (p. 368).

Phyllophora Variegata, Krauss, Semon,
Zool. Forsch. Austral. v. p. 763 (1903).

Genus 477. **Dichopetala**, Brunn. (p. 388).

4. **D. Pulchra**, Rehn, Ent. News. xii. Mexico.

p. 207 (1901).

Genus 493. **Elimæa**, Stål (p. 394).

21. **E. Signata**, Brunn. (p. 396): Krauss,

Semon, Zool. Forsch. Austral. v. p. 762
(1903).

Genus 497. **Deflorita**.

Pol., Bol. Soc. Españ. vi. p. 392 (1906).

[*Ecart*, Brunn. (nec Cherr.) (p. 397).

Genus 512. **Aniarella**.

Bol., Bol. Soc. Españ. vi. p. 391 (1906).

[*Aniara*, Brunn. (nec Hype) (p. 402).

Genus 557 a. **Dicorypha**.

Krauss, Semon, Zool. Forsch. Austral. v. p. 763 (1903).

1. **D. Furcifera**, Krauss, l. c. pl. 67. Thursday I.

ff. 11, 11 A, B (1903).

Genus 597. **Sympæstria**, Brunn. (p. 432).

|| *Stibara*, Brunn. (*nec Hope*).

Stibaroptera, Bol., Bol. Soc. Españ. vi. p. 393 (1906).

Genus 602. **Phaneroptera**, Serv. (p. 434).

- | | | |
|----------------------------------|-----------------------|------------|
| 21. P. Cornuta , Walk. | Cat. Derm. Salt. | Australia. |
| | B. M. v. Suppl. p. 40 | (1871). |
| 22. P. Oceanica , Blanch. | Voy. Pôle Sud, iv. | N. Guinea. |
| | p. 365, pl. 3. f. 4 | (1853). |
| 23. P. Lætabilis , Serv. | Ins. Orth. p. 415. | Hab. — ? |
| | n. 1 | (1839). |
| 24. P. Venusta , Serv. | l. c. p. 419. n. 10 | Hab. — ? |
| | (1839). | |

Genus 609. **Pelerinus**.

Bol., Bol. Soc. Españ. vi. p. 390 (1906).

|| *Allodapa*, Brunn. (*nec Dies*.) (p. 438).

Genus 623. **Symmetropleura**, Brunn. (p. 446).

- | | | |
|------------------------------|--------------------|------------|
| 6. S. Teocelæ , Rehn, | Trans. Amer. Ent. | Vera Cruz. |
| | Soc. xxvii. p. 222 | (1901). |

Genus 630. **Ligocatinus**, Rehn (p. 449).

- | | | |
|-----------------------------|---------------------------------------|----------|
| 6. L. Virgo , Stoll, | (<i>Gryllus Tettigonia</i> L.) | Surinam. |
| | Spectres, Saut. p. 21, pl. 9 a. f. 35 | (1813). |

Genus 646. **Peucestes** (p. 457).

- | | | |
|--|-----------|---------|
| 3. P. Dentatus , Stål | (p. 457). | |
| <i>Gryllus Tettigonia Citrifolia</i> , Stoll (<i>nec Linn.</i>), | | |
| Spectres, Saut. p. 11, pl. 4 a. f. 12 | | (1813). |

Genus 668. **Phylloptera**, Serv. (p. 472).

- | | | |
|------------------------------------|---|---------|
| 19. P. Famula , Brunn. | (p. 474); Bol. Viaje | |
| | al Pacif. p. 55 | (1884). |
| 35. P. Proteifolia , Burm. | Handb. Ent. ii. | Cape. |
| | p. 692. n. 3 | (1838). |
| 36. P. Retifolia , De Haan, | (<i>Locusta Phyllop-</i> | Java. |
| | <i>tera</i> R.) Temminck, Verhandel., Orth. | |
| | pp. 196, 198. n. 10 | (1846). |

Genus 670. **Puerula.**

Bol., Bol. Soc. Españ., vi, p. 391 (1906).

Cera, *Brauer*, (nec *Selys*) (p. 476).

Genus **Servillia** (*incerta sedis*).

Blanch., Gay, Hist. Chile, Zool., vi, p. 35 (1851).

1. **S. Spinifera**, **Blanch.** l. c. p. 37. n. 1 Chile.
[pl. 2. f. 1, ined.] (1851). |

Genus **Locusta**, auct.

1. **L. Ocymifolia**, **Licht.** Cat. Mus. Zool.
Hamb., iii, p. 82. n. 70 (1796).
Gryllus Tettigonia Discolor, *Stoll*, Spectres,
Saut., p. 40, pl. 3 a. f. 8 (1813).
2. **L. Salmiæfolia**, **Licht.** l. c. p. 82. n. 72
(1796).
3. **L. Quadrimaculata**, **Licht.** l. c. p. 83.
n. 73 (1796).
Gryllus Tettigonia Oleifolia, *Stoll*, l. c.
p. 15, pl. 6 a. f. 19 (1813).
4. **L. Bracteata**, **Licht.** l. c. p. 84. n. 93
(1796).
5. **L. Sima**, **Licht.** l. c. p. 84. n. 95 (1796).
6. **L. Conica**, **Licht.** l. c. n. 96 (1796).
7. **L. Atrata**, **Licht.** l. c. n. 97 (1796).
8. **L. Triglina**, **Licht.** l. c. p. 85. n. 100
(1796).
9. **L. Asina**, **Licht.** l. c. n. 101 (1796).
10. **L. Catoptrica**, **Licht.** l. c. n. 103 (1796).
11. **L. Achetioides**, **Licht.** l. c. n. 104 (1798).

Coromandel

Cape.

VOL. III.

LOCUSTIDÆ.

Genus 4. **Discotettix**, *Costa* (p. 2).

- 3 a. **D. Shelfordi**, **Hanc.** Trans. Ent. Soc. N.W.
Lond. 1907, p. 214. n. 2. | Borneo.

Genus 7. **Phæstus**, Bol. (p. 3).

2. **P. Insularis**, Hanc. Trans. Ent. Soc. N.W.
Lond. 1907, p. 214. n. 1. | Borneo.

Genus 17. **Deltonotus**, Hanc. (p. 7).

1. **D. Subcucullatus**, Walk. (p. 7). | Ceylon.
D. Tectiformis, Hanc. Trans. Ent. Soc.
Lond. 1907, p. 215.

Genus 24 a. **Epitettix**.

Hanc. Trans. Ent. Soc. Lond. 1907, p. 216.

1. **E. Punctatus**, Hanc. l. c. p. 216. n. 1, | N.W.
pl. 21. f. 1 (1907). | Borneo.

Genus 25 a. **Cladoramus**.

Hanc. Trans. Ent. Soc. Lond. 1907, p. 217.

1. **C. Crenulatus**, Hanc. l. c. n. 1, pl. 21. | Rhodesia.
f. 2 (1907). |

Genus 30. **Trachytettix**, Stål (p. 11).

3. **T. Heros**, Bol. Mém. Soc. Ent. Belg. xvi. | Congo.
p. 84. n. 6 (1908). |

Genus 34. **Scelimena** (p. 12).

- 1 a. **S. India**, Hanc. Trans. Ent. Soc. Lond. | Assam.
1907, p. 219. n. 5. |

Genus 38. **Tefrinda**, Bol. (p. 15).

1. **T. Palpatus**, Stål (p. 15). |
Chthonotettix Palpatus, Hanc. Trans. Ent. |
Soc. Lond. 1907, p. 219. n. 1, pl. 21. f. 3. |

Genus 40 a. **Ocytettix**.

Hanc. Trans. Ent. Soc. Lond. 1907, p. 226.

1. **O. Latihumerus**, Hanc. l. c. p. 227. n. 1, | N.E.
pl. 21. f. 4 (1907). | Madagascar

Genus 41. **Criotettix**, Bol. (p. 16).

- 4 a. **C. Magnus**, Hanc. (*C. Oculatus Magnus*), Java.
Trans. Ent. Soc. Lond. 1907, p. 221, n. 3.

Genus 41 a. **Bolotettix**. (*Type* no. 1.)

Hanc. Trans. Ent. Soc. Lond. 1907, p. 223.

- | | |
|--|-----------------|
| 1. B. Validispinus , Hanc. l. c. p. 224, n. 1. | N.W.
Borneo. |
| pl. 21, f. 5 (1907). | |
| 2. B. Planus , Hanc. l. c. p. 225, n. 2 (1907). | id. |

Genus 42. **Acanthalobus**, Hanc. (p. 17).

- | | |
|---|---------|
| 10. A. Longinotus , Hanc. Trans. Ent. Soc. | N.W. |
| Lond. 1907, p. 221, n. 3. | Borneo. |
| 11. A. Fuscus , Hanc. l. c. p. 222, n. 4 | id. |
| (1907). | |
| 12. A. Robustus , Hanc. l. c. n. 7 (1907). | id. |

Genus 43. **Loxilobus**, Hanc. (p. 18).

- | | |
|---|-----------------|
| 1 a. L. Assamus , Hanc. Trans. Ent. Soc. | Assam. |
| Lond. 1907, p. 223, n. 1. | |
| 1 b. L. Truncatus , Hanc. l. c. n. 2 (1907). | N.W.
Borneo. |

Genus 46. **Systolederus**, Bol. (p. 20).

- | | |
|---|---------|
| 10. S. Parvus , Hanc. Trans. Ent. Soc. Lond. | N.W. |
| 1907, p. 227, n. 2. | Borneo. |

Genus 63. **Mazarredia**, Bol. (p. 24).

- | | |
|---|---------|
| 3 a. M. Planitarsus , Hanc. Trans. Ent. Soc. | N.W. |
| Lond. 1907, p. 231, n. 3. | Borneo. |

Genus 65. **Otumba**, Morse (p. 26).

- | | |
|--|----------|
| 1 a. O. Quadrata , Hanc. Trans. Ent. Soc. | Ecuador. |
| Lond. 1907, p. 235, n. 1. | |

Genus 67. **Xistra**, Bol. (p. 27).

- | | |
|---|---------|
| 2 a. X. Stylata , Hanc. Trans. Ent. Soc. Lond. | Ceylon. |
| 1907, p. 231, n. 1. | |

Genus 71. **Allotettix**, Hanc. (p. 28).

- | | |
|--|----------|
| 5. A. Americanus , Hanc. Trans. Ent. Soc. | Ecuador. |
| Lond. 1907, p. 234, n. 1. | |

Genus 72. **Notocerus**, Hanc. (p. 29).

1. **N. Cornutus**, Hanc. (p. 29) Trans. Ent. Soc. Lond. 1907, p. 232. n. 1. |

Genus 72 a. **Camelotettix**.

Hanc. Trans. Ent. Soc. Lond. 1907, p. 233.

1. **C. Curvinotus**, Hanc. l. c. n. 1, pl. 21. | Bali.
f. 6 (1907).

Genus 75 a. **Rhynchotettix**.

Hanc. Trans. Ent. Soc. Lond. 1907, p. 228.

1. **R. Rostratus**, Hanc. l. c. n. 1, pl. 21. | N.E.
f. 7 (1907). | Madagascar

Genus 76. **Miriatra**, Bol. (p. 29).

3. **M. Processus**, Hanc. (*Mitritettix* P.) | N.W.
Trans. Ent. Soc. Lond. 1907, p. 229. n. 1, | Borneo.
pl. 21. f. 8.

Genus 80. **Euparatettix**, Hanc. (p. 31).

6. **E. Similis**, Hanc. Trans. Ent. Soc. Lond. | Borneo,
1907, p. 238. n. 4. | Philippines.

Genus 81. **Paratettix**, Bol. (p. 32).

1. **P. Meridionalis**, Ramb. (p. 32).
P. Meridionalis, varr. *Concolor*, *Livida*,
Notata, *Lineata* (p. 277), *Bimaculata*,
Oculata, et *Marginata* (p. 278), Karny,
Wien. Ent. Zeit. xxvi. (1907).
13. **P. Variabilis**, Bol. (p. 33) Hanc. Trans. | N.W.
Ent. Soc. Lond. 1907, p. 236. n. 1. | Borneo.
13 a. **P. Angulobus**, Hanc. l. c. n. 2 (1907). | id.
15. **P. Histrica**, Stål (p. 33). | id.
P. Histricus (?), Hanc. l. c. pp. 236, 237.
n. 3 (1907).
44. **P. Lineatus**, Hanc. li. cc. n. 4 (1907). | id.

Genus 82. **Acrydium**, Geoffr. (p. 35).

1. **A. Subulatum**, Linn. (p. 36).
A. Subulatum, varr. *Karny*. Wien. Ent.
Zeit. xxvi. pp. 276, 277. n. 3 (1907). |

2. **A. Bipunctatum, Linn.** (p. 39).
A. Bipunctatum, varr., *Karuy*, l. c. pp. 274-276, n. 2 (1907).
A. Bipunctatum, var. π . *Pulchra*, *Karuy*, l. c. p. 276 (1907).
4. **A. Depressum, Bris.** (p. 42).
A. Depressum, varr. *Concolor*, *Contigua*, *Dimidiata*, *Conspersa*, et *Circumscripta*, *Karuy*, l. c. p. 274, n. 1 (1907).
7. **A. Tuerki, Krauss** (p. 43).
A. Tuerki, varr. *Concolor* et *Signata*, *Karuy*, l. c. p. 277, n. 4 (1907).
59. **A. Cuspidata, Hanc.** (*Tetrix Cuspidatus*) Trans. Ent. Soc. Lond. 1907, p. 239, n. 4. Macassar.

Genus 84. **Hædotettix**, Bol. (p. 49).

19. **H. Celebicus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 241, n. 2.

Genus 90. **Apotettix**, Hanc. (p. 53).

8. **A. Proximus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 237, n. 1. Ecuador.

Genus 92. **Coptotettix**, Bol. (p. 55).

- 12 a. **C. Angulatus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 88, n. 15 (1908). Kinchassa.
- 16 a. **C. Rotundatus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 241, n. 2. Borneo.
- 17 a. **C. Parvus, Hanc.** l. c. p. 242, n. 3 (1907). N.W. Borneo.

Genus 95. **Tettigidea**, Scudd. (p. 56).

- 14 a. **T. Plana, Hanc.** (*T. Planus*) Trans. Ent. Soc. Lond. 1907, p. 243, n. 1. Ecuador.
- 16 a. **T. Davisi, Morse**, *Psyche*, xv. p. 25 (1908). New York.

Genus 97. **Scaria**, Bol. (p. 60).

5. **S. Fasciata, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 244, n. 1. Ecuador.

Genus 102. **Phlæonotus**, Bol. (p. 61).

3. **P. Sinuatus**, **Hanc.** Trans. Ent. Soc. Lond. Natal (?),
1907, p. 242. n. 1. | Orange
R. (?).

Genus 161 *a*. **Acridarachnea**.

Bol., Bol. Soc. Españ. viii. p. 418 (1908).

1. **A. Ophthalmica**, **Bol.** l. c. p. 419 (1908). | Senegal.

Genus 184. **Paropomala**, Scudd. (p. 106).

6. **P. Acris**, **Rehn & Heb.** Proc. Acad. Arizona.
Nat. Sci. Philad. lx. pp. 371-373. ff. 3, 4
(1908).
7. **P. Perpallida**, **Rehn & Heb.** l. c. | id.
pp. 373-375. ff. 5, 6 (1908).

Genus 202. **Amphitornus**, McNeill (p. 113).

3. **A. Nanus**, **Rehn & Heb.** Proc. Acad. Arizona.
Nat. Sci. Philad. lx. pp. 376-378, f. 7
(1908). |

Genus 225. **Horesidotes**, Scudd. (p. 127).

2. **H. Papagensis**, **Rehn & Heb.** Proc. Arizona.
Acad. Nat. Sci. Philad. lx. pp. 379-381.
ff. 8, 9 (1908). |

Genus 253. **Orthochtha**, Karsch (p. 141).

5. **O. Martini**, **Bol.** Bull. Soc. Ent. France, Natal.
1908, p. 242.
6. **O. Prionocera**, **Bol.** l. c. p. 243 (1908). | Labadj.
7. **O. Alca**, **Bol.** l. c. (1908). | Dar-es-
Salam,
Congo.
8. **O. Schulthessi**, **Bol.** l. c. (1908).
Rodunia Schulthessi, **Kirb.** p. 140. n. 7.

Genus 270. **Platypterna**, Fieb. (p. 149).

- 1 *a*. **P. Acuta**, **Bol.** Bull. Soc. Ent. France, | Moham-
1908, p. 244. | marah.
6 *a*. **P. Martini**, **Bol.** l. c. (1908). | Harrar.
11. **P. Curvifrons**, **Bol.** l. c. p. 245 (1908). | Moham-
marah.

Genus 270 *a*. **Platypternodes.**

Bell. Bull. Soc. Ent. France, 1908, p. 245.

1. **P. Brevipes, Stål**, (*Platypterna*, p. 150. |
n. 7).
2. **P. Costulata, Caz.** (*Platypterna*, p. 150.
n. 8).

Genus 279. **Gomphocerus**, Thunb. (p. 151).

Ereopus, Gistel, Naturg. Naturreichs, p. 137 (1818).
(Type no. 1.)

1. **G. Sibiricus, Linn.** (p. 155). |

Genus 281. **Stenobothrus**, Fisch. (p. 160).

- 2 *a*. **S. Montivagus, Azam**, Bull. Soc. Ent. | Hautes
France, 1908, p. 9. | Alpes.
35. **S. Rufescens, Ström**, (*Gryllus R.*) Nya | Denmark.
K. Danske Vid. Selsk. Skrifter, ii. p. 66.
n. 58, plate, f. 11 (1783). |

Genus 290. **Arcyptera**, Serv. (p. 169).

- 6 *a*. **A. Mariæ, Navás**, Bol. Soc. Aragon, | Aragon.
vii. pp. 99–101. ff. 1, 2 (1908). |

Genus 291. **Omocestus**, Bol. (p. 172).

- 9 *a*. **O. Femoralis, Bol.**, Bol. Soc. Españ. | Spain.
viii. p. 317 (1908). |
16. **O. Navasi, Bol.** l. c. p. 319 (1908). | id.

Genus 292. **Stauroderus**, Bol. (p. 177).

30. **S. Chloroticus, Bol.**, Bol. Soc. Españ. | Spain.
viii. p. 320 (1908). |
31. **S. Ariasi, Bol.** l. c. p. 321 (1908). | id.

Genus 299. **Æolopus**, Fieb. (p. 190).

3. **Æ. Tergestinus, Charp.** (p. 192). |
Æolopus Tergestinus, Karny, Verh. zool.-
bot. Ges. Wien, lvii. pp. 284–287 (1907).
Æolopus Tergestinus, varr. *Viridis* (pp. 285,
286), *Ponticus*, *Pannonicus*, *Crassus*
(pp. 286, 287), *Chinensis* et *Maculatus*
(pp. 285, 287), *Karny*, l. c. (1907). |

Genus 354 a. **Thaleius**.

Azam, Bull. Soc. Ent. France, 1908, p. 27.

1. **T. Lemagneni**, Azam, l. c. p. 29 (1908). | W. Africa.

Genus 355. **Wernerella**, Karny (p. 246).

|| *Fortunata*, Bol. (*nec Chev.*) Bol. Soc. Españ. viii. p. 323 (1908).

3. **W. Pachecoi**, Bol. (*Fortunata P.*) l. c. | Lanzarote,
p. 324 (1908). | Morocco.
4. **W. Sublævis**, Bol. (*Fortunata S.*) l. c. | Grand
p. 325 (1908). | Canary.

Genus 371. **Acrotylus**, Fieb. (p. 263).

23. **A. Longipes**, Charp. (p. 266). | Morocco.
A. Longipes, var. *Rosea*, Bol., Bol. Soc.
Españ. viii. p. 325 (1908). |

Genus 382. **Sphingonotus**, Fieb. (p. 271).

19. **S. Grobbeni**, Wern. (p. 274) Zool. Jahrb. |
Syst. xxvii. p. 116, pl. 5. f. 5 (1908).
52. **S. Dernensis**, Wern. Zool. Anz. xxxii. | Barra.
p. 715 (1908); Zool. Jahrb. Syst. xxvii.
pp. 116, 117, pl. 5. f. 3 (1908).
53. **S. Acrotyloides**, Wern. ll. cc. p. 715 | Tripoli.
(1908); pp. 115, 117, pl. 6. f. 12 (1908). |

Genus 384. **Hyalorhipis**, Sauss. (p. 279).

3. **H. Rhamses**, Sauss. (p. 280). |
Leptopternis Rhamses, Wern. Zool. Jahrb.
Syst. xxvii. p. 119, pl. 5. f. 2 (1908). |

Genus 398. **Tmethis**, Fieb. (p. 285).

23. **T. Maroccanus**, Bol., Bol. Soc. Españ. | Morocco.
viii. p. 326 (1908).
T. Maroccanus, var. *Incristata*, Bol. l. c.
(1908). |

Genus 398 a. **Filchnerella**.

Karny, Attems, Wiss. Engebn. Exped. Filchner, i. p. 39 (1908).

1. **F. Pamphagoides**, Karny, l. c. p. 40 | China.
(1908).

Genus 432. **Zonocerus**, Stal (p. 315).

6. **Z. Bilineatus**, Scudd. Proc. Boston Soc. Peru.
Nat. Hist. xvii. p. 268. n. 20 (1874), xxvii.
p. 210. n. 72 (1897).

Genus 449. **Pyrgomorpha**, Serv. (p. 324).

19. **P. Maruxina**, Bol., Bol. Soc. Españ. viii. Mogador.
p. 326 (1908).
20. **P. Candidina**, Bol. l. c. p. 327 (1908). id.
21. **P. Procera**, Bol. l. c. p. 328 (1908). Morocco.
22. **P. Acutegeniculata**, Bol. l. c. (1908). id.
23. **P. Albotæniata**, Wern. Zool. Anz. xxxii. Tripoli.
p. 716 (1908); Zool. Jahrb. Syst. xxvii.
p. 121, pl. 5. f. 6 (1908).

Genus 498. **Acinipe**, Ramb. (p. 350).

5. **A. Deceptoria**, Bol. (p. 350).
Pamphagus Deceptorius, var. *Sequirensis*.
Bol., Bol. Soc. Españ. viii. p. 325 (1908).
6 a. **A. Crassicornis**, Bol. (*Pamphagus C.*) Mogador.
Bol. Soc. Españ. vii. p. 325 (1907).
8 a. **A. Orientalis**, Wern. Zool. Anz. xxxii. Barca.
p. 716 (1908); Zool. Jahrb. Syst. xxvii.
p. 122, pl. 5. f. 4 (1908).
9. **A. Mauretanica**, Bol. (p. 351).
Pamphagus Mauritanicus, Bol. l. c. pp. 325,
327 (1907).
12 a. **A. Dolichocera**, Bol. (*Pamphagus Doli-* Morocco.
chocerus) l. c. pp. 325, 328 (1907).
13. **A. Expansa**, Brunn. (p. 351).
Pamphagus Expansus, Bol. l. c. pp. 325,
329 (1907).

Genus 499. **Eumigus**, Bol. (p. 351).

Bol., Bol. Soc. Españ. vii. p. 329 (1907).

3. **E. Fortius**, Bol. l. c. pp. 325, 330 Morocco.
(1907).
4. **E. Parvulus**, Bol. l. c. pp. 325, 331 id.
(1907).
5. **E. Nigroadspersus**, Bol. l. c. pp. 325, id.
332 (1907).

Genus 502. **Euryparyphes**, Fisch. (p. 353).

- 1 a. **E. Lætus**, **Bol.** (*Eunapius* L.) Bol. Soc. Morocco.
 Españ. vii. pp. 325, 333 (1907).
Eunapius Lætus, var. *Mazaganicus*, **Bol.**
 l. c. pp. 325, 335 (1907).
 13. **E. Olcese**, **Bol.** ll. cc. (1907). Tetuan.

Genus 502 a. **Eunapiodes**.

Bol., Bol. Soc. Españ. vii. p. 336 (1907).

1. **E. Granosus**, **Stål**, (*Euryparyphes Gra-*
nosus, p. 353. n. 6).
Eunapiodes Granosus, **Bol.** l. c. p. 325
 (1907).

Genus 518. **Elaeochlora**, Stål (p. 365).

17. **E. Arcuata**, **Rehn**, Proc. Acad. Nat. Sci. | Brazil.
 Philad. lx. pp. 13-15. f. 1 (1908).

Genus 614 a. **Galideus**.

Finot, Ann. Soc. Ent. France, lxxvii. p. 1 (1908).

1. **G. Mocquerysi**, **Finot**, l. c. p. 3, pl. 1 | Madagascar
 (1908).

Genus 621 a. **Mesopsera**.

Bol. Bull. Soc. Ent. France, 1908, p. 246.

1. **M. Filum**, **Bol.** (*Mesops*, p. 410. n. 5). |

Genus 637. **Opsomala**, Serv. (p. 419).

7. **O. Varipes**, **Serv.** Ins. Orth. p. 588. Carolina.
 n. 2 (1839); Thomas, Syn. Acrid.
 N. Amer. pp. 65, 196 (1873).
 8. **O. (?) Serrata**, **Walk.** (*Opomala* S.) | Hab. — ?
 Cat. Derm. Salt. B. M. iii. p. 517. n. 42
 (1870).

Genus 641 a. **Homalosaparus**.

Rehn, Proc. Acad. Nat. Sci. Philad. lx. p. 17 (1908).

1. **H. Canonicus**, **Rehn**, l. c. pp. 17-20. | Brazil.
 ff. 2, 3 (1908).

Genus 704. **Cyrtacanthacris**, Walk. (p. 446).

35. **C. Ranacea**, Stoll, (p. 451).

***Cyrtacanthacris Sublitturata*, Walk. Cat.
Derm. Salt. B. M. iii. p. 565. n. 31
(1870).

Acridium Sublitturatum, Finot, Ann. Soc.
Ent. France, lxxvi. p. 337 (1907).

Genus 705. **Schistocerca**, Stål (p. 451).

73. **S. Gratissima**, Rehn, Proc. Acad. Nat. | Brazil
Sci. Philad. ix. pp. 20-22. ff. 4, 5 (1908).

Genus 741. **Ptemoblax**, Karsch (p. 474).

2. **P. Succursor**, Karsch, Stett. Ent. Zeit. Congo
lvii. p. 312. n. 75. f. 31 (1896).

3. **P. Insidiosus**, Bol. Bull. Soc. Ent. Biafra.
France, 1908, p. 246.

|| *P. Succursor*, Bol. (nec Karsch) Mem. Soc.
Españ. i. p. 237 (1905).

Genus 741 a. **Calderonia**.

Bol. Bull. Soc. Ent. France, 1908, p. 246.

1. **C. Biplagiata**, Bol. l. c. p. 247 (1908). | Diego
Suarez.

Genus 742. **Antita**, Bol. (p. 474).

2. **A. Schulzi**, Bol. Bull. Soc. Ent. France, | German
1908, p. 248. | E. Africa.

Genus 762. **Barytettix**, Scudd. (p. 494).

3. **B. Borealis**, Caud. Proc. Ent. Soc. | Arizona.
Washington, ix. p. 70 (1908).

Genus 811. **Sphodromerus**, Stål (p. 548).

4 a. **S. Cœrulans**, Wern. Zool. Anz. xxxii. | Tripoli.
p. 716 (1908); Zool. Jahrb. Syst. xxvii.
p. 127, pl. 5. f. 1 (1908).

Genus **Truxalis** auct.

1. **T. Naso**, Licht. Cat. Mus. Zool. Hamb. | Cape.
iii. p. 93. n. 189 (1796).

2. **T. Ensifer**, Licht. l. c. n. 190 (1796). | Coromandel
2 q

Genus **Gryllus** auct.

- | | |
|---|------------------------|
| 1. G. Incarnatus , Licht. Cat. Mus. Zool. Hamb. iii. p. 87. n. 120 (1796). | |
| 2. G. Squalidus , Marsch. Ann. Wien. Mus. i. p. 213. n. 6, pl. 18. f. 5 (1835). | Brazil. |
| 3. G. Venosus , Licht. l. c. n. 135 (1796). | Cape. |
| 4. G. Zebra , Licht. l. c. p. 89. n. 145 (1796). | Ceromandel |
| 5. G. Viator , Licht. l. c. n. 147 (1796). | |
| 6. G. Repandus , Licht. l. c. n. 148 (1796). | S. America. |
| 7. G. Rubescens , Licht. l. c. n. 149 (1796). | |
| 8. G. Nomada , Licht. l. c. n. 150 (1796). | S. America. |
| 9. G. Viridans , Licht. l. c. p. 90. n. 151 (1796). | |
| 10. G. Hæmatocnemis , Licht. l. c. n. 152 (1796). | Surinam. |
| 11. G. Vitreus , Licht. l. c. n. 153 (1796). | |
| 12. G. Linea , Licht. l. c. n. 154 (1796). | Surinam. |
| 13. G. Sponsus , Licht. l. c. n. 157 (1796). | Cape. |
| 14. G. Salinator , Licht. l. c. n. 158 (1796). | id. |
| 15. G. Nuptus , Licht. l. c. n. 161 (1796). | Surinam. |
| 16. G. Ochrostictus , Licht. l. c. p. 91. n. 169 (1796). | China. |
| 17. G. Melanostictos , Licht. l. c. n. 172 (1796). | Cape. |
| 18. G. Roseus , Licht. l. c. n. 175 (1796). | id. |
| 19. G. Charopus , Licht. l. c. n. 176 (1796). | India. |
| 20. G. Æthale , Licht. l. c. p. 92. n. 177 (1796). | id. |
| 21. G. Pæcilopus , Licht. l. c. n. 181 (1796). | Siberia. |
| 22. G. Ochraceus , Licht. l. c. n. 184 (1796). | Cape. |
| 23. G. Fuscovittatus , Marsch. Ann. Wien. Mus. i. p. 211. n. 4, pl. 18. f. 3 (1835). | India (?),
Cape (?) |

Genus **Elasmoderus** (*incertæ sedis*).

Sauss. Mém. Soc. Genève, xxx. (1) p. 174 (1888).

^h *Eremobius*, Blanch. (*nec Serr.*) Gay, Hist. Chile, Zool. vi. p. 80 (1851).

- | | |
|---|--------|
| 1. E. Lutescens , Blanch. (<i>Eremobius</i> L.) | Chile. |
| l. c. p. 81. n. 1 [Orth. pl. 2. ff. 9, 10, ined.] (1851). | |

- ACICERA, 342.
 ACIDACRIS, 375.
 ACINIPE, 350, 583.
 ACMOPHYLLUM, 8.
 ACOCERA, 342, 350.
 ACORYPHA, 548.
 ACORYPHELLA, 548.
 ACRIDA, 90.
 ACRIDARACHNEA, 580.
 Acridea (Mantis), 568.
 ACRIDELLA, 95.
 ACRIDIIDÆ, 1.
 ACRIDIUM, 36, 416, 561.
 ACRIDODERES, 470.
 Acridodes (Achurum), 102.
 Acridodes (Truxalis), 102.
 Aeris (Paropomala), 580.
 ACROCARA, 109.
 ACROLOPHITUS, 108.
 Acropyrinon (Antiphon), 464.
 Acropyrinon (Monachidium), 464.
 ACROSTEGASTES, 465.
 Acrotylodes (Sphingonotus), 582.
 ACROTYLUS, 263, 582.
 ACRYDIINÆ, 1.
 ACRYDIUM, 35, 228, 446, 578.
 ACTEANA, 99.
 Aculeata (Orphulella), 121.
 Acuminata (Acrida), 91.
 Acuminata (Bibracte), 467.
 Acuminata (Bolivarella), 348.
 Acuminata (Cephalocœma), 89.
 Acuminata (Cœlopterna), 281.
 Acuminata (Conozoa), 251.
 Acuminata (Tryxalis), 91.
 Acuminata (Wilverthia), 100.
Acuminata (*Proscopia*), 86.
Acuminata (*Tettix*), 43.
 Acuminatum (Acrydium), 281.
 Acuminatus (Nomotettix), 52.
 Acuminatus (Coptotettix), 55.
 Acuta (Orphulina), 118.
 Acuta (Platypterna), 580.
 Acuta (Tettigidea), 59.
 Acuta (Tettix), 40.
 Acutangulus (Chortoi-cetes), 193.
 Acutangulus (Gastri-margus), 227.
 Acutangulus (Edaleus), 227.
Acutangulus (*Edaleus*), 227.
 Acutangulus (Pachytylus), 227.
Acutecarinatus (*Erianthus*), 70.
 Acutegeniculata (Pyrgomorpha), 326, 583.
 Acuticeps (Orthacris), 336.
 Acuticercus (Catantops), 482.
 Acuticornis (Syrbula), 108.
 Acutilobus (Scabrotettix), 28.
 Acutipennis (Atractomorpha), 332.
 Acutipennis (Blatta), 567.
 Acutipennis (Campylacantha), 497.
 Acutipennis (Criotettix), 16.
 Acutipennis (Erianthus), 70.
 Acutipennis (Pezotettix), 497.
 Acutipennis (Pyrgomorpha), 332.
 Acutipennis (Truxalis), 332.
 Acutispina (Dericorys), 383.
 Acutus (Batrachotettix), 292.
 Acutus (Batrachotettix), 292.
 Acutus (Bermius), 396.
 Acutus (Chorthippus), 187.
 Acutus (Lamellitettix), 24.
 Acutus (Loxilobus), 18.
 Acutus (Melanoplus), 582.
 Acutus (Phymateus), 311.
 Acutus (Rutidoderes), 311.
 Acutus (Stenobothrus), 187.
 ADEPHAGUS, 342.
 ADIMANTUS, 426.
 Adjuncta (Heteracris), 555.
 Admirabilis (Stenobothrus), 107.
 Admirabilis (Syrbula), 107.
 ADRAPETES, 71.
 Adspersa (Euprepocnemis), 559.
Adspersa (*Truxalis*), 104.
 Adspersus (Euryphymus), 545.
 Adspersus (Thisoecetrus), 559.
 Adspersus (Thisoicetrus), 559.
Adusta (*Morphacris*), 219.
Adusta (*Xiphocera*), 435.
 Adustum (Acridium), 478.
 Adustus (Catantops), 478.
Advena (*Phyllodromia*), 563.
 Adversa (Blatta), 563.
 Adversa (Phyllodromia), 563.
 Ægrota (Pœcilocera), 313.
 Ægrotus (Phymateus), 318.
 Ægyptia (Orthacanthacris), 444.
 Ægyptiaca (Sphingonotus), 274.
 Ægypticum (Acridium), 445.
 Ægyptium (Acridium), 444.
 Ægyptius (Gryllus), 444.
 Ægyptius (Locusta), 444.
 Ægyptius (*Gryllus*), 455.
 Æneo-oculata (Vilerna), 430.
 Æneo-oculatum (Acrydium), 430.
 ÆOLACRIS, 367.
 ÆOLOPLUS, 500.
 ÆOLOPUS, 190, 581.
 Æqua (*Phyllochoreia*), 67.
 Æquale (Spharagemon), 234.
 Æquale (Xerophyllum), 8.
 Æqualis (Dissosteira), 234.
 Æqualis (Gryllus), 234.
 Æqualis (Hypsæus), 8.
 Æqualis (Locusta), 234.
 Æqualis (Cœtipoda), 234.
 Æqualis (Orphula), 121.
 Æqualis (Schistocerca), 456.
 Æqualis (Stenobothrus), 120.

- N. pulchra* (Hippodamia), 233.
E. putatorialis (Saparus), 431.
EROPUS, 581.
E. eruginosa (Cyrtacanthacris), 451.
E. eruginosa (Rhachicera-agra), 544.
E. eruginosum (Acridium), 451.
E. eruginosus (Gryllus), 451.
E. eruginosus (Locusta), 451.
E. estans (Lamprokrania), 345.
E. estans (Xiphocera), 345.
E. thale (Gryllus), 586.
E. thalini (Stauronotus), 181.
E. thalini (Stauronotus bothrus), 181.
E. thalini (Cyrtacanthacris), 445.
E. thalini (Acridium), 445.
E. thalini (Tettix), 42.
E. thalini (Pezomorphus), 530.
E. thalini (Acridium), 475.
E. thalini (Oxya), 475.
E. thalini (Sphenarium), 304.
E. thalini (Acridium), 222.
E. thalini (Acrostegastes), 465.
E. thalini (Æolopus), 192.
E. thalini (Chortolacris), 194.
E. thalini (Cocama), 432.
E. thalini (Cordillacris), 117.
E. thalini (Diedronotus), 361.
E. thalini (Epaeromia), 192.
E. thalini (Erianthus), 70.
E. thalini (Hedotettix), 50.
E. thalini (Mastax), 70.
E. thalini (Melanoplus), 511.
E. thalini (Morphopus), 22.
E. thalini (Oenoderes), 356.
E. thalini (Orphulella), 120.
E. thalini (Pamphagus), 356.
E. thalini (Platycleis), 571.
E. thalini (Traulia), 475.
E. thalini (Tropinotus), 344.
E. thalini (Gryllus), 554.
A. thalini (Melanoplus), 514.
A. thalini (Ædipoda), 222.
A. thalini (Hippiscus), 209.
A. thalini (Xanthippus), 209.
A. thalini (Celaenus), 227.
A. thalini (Gastrimargus), 227.
A. thalini (Paratettix), 35.
A. thalini (Acridium), 49.
A. thalini (Pyrgomorphus), 326.
AGENEOTETTIX, 134.
AGESANDER, 543.
A. thalini (Caryanda), 335.
AGONOZOA, 251.
Agrestis (Pseudotrimerotropis), 258.
Agrestis (Trimerotropis), 258.
AGRIACRIS, 369.
Agrionoides (Acridium), 73.
Agrionoides (Mastax), 73.
AGREECOTETTIX, 496.
AGYMNASTUS, 212.
AIDEMONA, 497.
AILOPUS, 190.
AKENTETUS, 113.
AKICERA, 342.
Alacre (Acridium), 560.
Alacris (Euprepocnemis), 560.
Alacris (Mermiria), 105.
Alaskanus (Melanoplus), 511.
Alatus (Caletodes), 431.
Alatus (Trachytettix), 12.
Alba (Blatta), 566.
Alba (Hypochlora), 497.
Alba (Pezotettix), 497.
Albemarlenensis (Sphingonotus), 275.
Albertisi (Trigoniza), 441.
Albescens (Acrydium), 46.
Albescens (Pseudotrimerotropis), 256.
Albescens (Tettix), 46.
Albescens (Trimerotropis), 256.
Albicornis (Dociostaurus), 154.
Albicornis (Stauronotus), 154.
Albidifera (Cyrtacanthacris), 454.
Albidiferum (Acridium), 454.
Albidula (Derocorys), 383.
Albidula (Derocorys), 383.
Albipes (Acridium), 377.
Albipes (Acrydium), 378.
Albipes (Titanacris), 378.
Albolineata (Conozoa), 254.
Albolineata (Schistocerca), 458.
Albolineata (Trimerotropis), 254.
Albolineata (Ædipoda), 185.
Albolineatum (Acridium), 458.
Albolineatus (Gelastorhinus), 409.
Albomarginatum (Acrydium), 185.
Albomarginatus (Chortolacris), 185.
Albomarginatus (Stenobothrus), 185.
Alboteniata (Pyrgomorphus), 583.
Albulus (Hippiscus), 209.
Albulus (Xanthippus), 209.
Alca (Orthochtha), 580.
ALCAMENES, 362.
ALDABRÆ (Conipoda), 280.
ALECTOROLOPHUS, 467.
ALEUAS, 427.
Algeriana (Ædipoda), 245.
Algeriana (Thalpomena), 245.
Algerica (Acinipe), 351.
Algerica (Eremobia), 289.
Algericus (Pamphagus), 351.
ALGETE, 334.
Algidus (Melanoplus), 533.
Aliena (Tettix), 54.
Alienum (Acridium), 439.
Alienus (Caloptenus), 482.
Alienus (Liotettix), 54.
Alienus (Paradichroplis), 482.
ALLACTA, 563.
ALLAGA, 485.
Alleni (Melanoplus), 521.
Alliaceus (Gryllus), 145.

- Alliaceus (Mecostethus), 145.
 Alliaceus (Parapleurus), 145.
 Alliciens (Pseudotrimerotropis), 257.
 Alliciens (Trimerotropis), 257.
 Alligator (Gavialidium), 15.
Alligator (Scelymena), 15.
 ALLODAPA, 374.
 ALLOTETTIX, 28, 577.
 ALLOTRIUSIA, 444.
 Almasyi (Podisma), 538.
 ALOPHONOTA, 369.
 ALPHA, 116.
Alpicola (Pezotettix), 539.
 Alpina (Pezotettix), 538.
 Alpina (Podisma), 538.
 Alpinus (Gryllus), 538.
 Alpinus (Melanoplus), 527.
 Alpinus (Pezotettix), 538.
 Aluicis (Chrysocraon), 147.
 Altaicus (Podismopsis), 147.
 ALTHEMENES, 466.
 Alticeps (Thericles), 81.
 Alticola (Platybothrus), 188.
 Altitudinum (Melanoplus), 517.
 Altitudinum (Pezotettix), 517.
 Altus (Ecnomus), 118.
 Alutacea (Schistocerca), 457.
 Alutaceum (Acridium), 457.
 Amabile (Arcyptera), 171.
 Amabile (Stethophyma), 171.
 Amena (Cervidia), 408.
 Amena (Opomala), 408.
 Amaranthina (Taphronota), 310.
 Amaranthinus (Sphingonotus), 278.
 Amazonica (Acteana), 99.
 Amazonica (Metrodora), 28.
 Amazonica (Scabrotettix), 28.
 Amazonus (Paurotarsus), 61.
 Ambages (Lobopoma), 137.
 Ambigua (Allaga), 485.
 Ambigua (Atractomorpha), 333.
 Ambigua (Euprepocnemis), 557.
 Ambigua (Schistocerca), 461.
 Ambiguum (Acridium), 461.
 Ambiguus (Cataloipus), 557.
 AMBLYSCAPHEUS, 166.
 AMBLYTROPIDIA, 114.
 Ambulans (Gerania), 472.
 Americana (Aspidophyma), 342.
 Americana (Loboptera), 563.
 Americana (Schistocerca), 461.
 Americana (Xiphophora), 365.
Americana (Aspidophyma), 344.
 Americanum (Acridium), 461.
 Americanum (Schistocerca), 461.
 Americanus (Allotettix), 577.
 Americanus (Jivarus), 399.
 AMESOTROPIS, 148.
 Amethystina (Acidacris), 375.
 Amethystinum (Acridium), 375.
 Amethystinus (Acridoderes), 471.
 Amœnula (Cyrtacanthacris), 452.
 Amœnus (Acridium), 172.
 Amœnus (Dichroplus), 490.
 Amœnus (Omocestus), 172.
 Amœnus (Pezotettix), 490.
 Amœnus (Trigonophymus), 490.
 AMORPHOPUS, 21.
 AMPHIBOTETTIX, 12.
 AMPHICREMNA, 99.
 Amphiprosopus (Demodocus), 555.
 Amphiprosopus (Heteracris), 555.
 AMPHITORNUS, 113, 580.
 Amplectens (Melanoplus), 519.
 Amplicornis (Conozoa), 251.
 Amplicornis (Psinidia), 251.
 Amplipennis (Phymateus), 312.
 Amplus (Melanoplus), 527.
 AMYCUS, 98.
 ANABLYSIS, 432.
 ANARCHITA, 327.
 Anatolicus (Doclostaurus), 153.
 Anatolicus (Stenobothrus), 153.
 ANAUA, 375.
 Anceps (Allacta), 563.
 Anceps (Blatta), 563.
 Anchieta (Gymnobothrus), 148.
Anchieta (Prasia), 305.
Anchieta (Tapesia), 305.
 ANCHOTATUS, 88.
 Anca (Pododula), 395.
 ANCONIA, 250.
 Anderssonii (Methone), 292.
 Anderssonii (Trachypetrelle), 292.
 Andrei (Pterotettix), 26.
 Anelytra (Blatta), 566.
 Angelicus (Melanoplus), 514.
 Angolensis (Lamarckiana), 344.
 Angolensis (Pyrgomorpha), 324.
 Angolensis (Xiphocera), 344.
Angulata (Mantis), 568.
Angulata (Pseudocanthops), 568.
 Angulata (Syletria), 431.
Angulatus (Acrotylus), 266.
 Angulatus (Coptotettix), 55, 579.
 Angulatus (Diedronotus), 360.
 Angulatus (Tropidonotus), 360.
 Angulatus (Tropinotus), 360.
 Angulifera (Cyrtacanthacris), 453.
 Anguliferum (Acridium), 453.
 Anguliflava (Coptacra), 468.

- Angulobas (Paratettix), 578.
 Angusta (Abnetonorpha), 332.
 Angustata (Phlaoba), 139.
 Angustata (Robina), 139.
 Angustatus (Clerus), 239.
 Angusticeps (Caloptenopsis), 549.
 Angusticeps (Caloptenus), 549.
 Angusticeps (Systodesmus), 20.
 Angusticeps (Tettix), 20.
 Angusticollis (Dactynotus), 361.
 Angusticollis (Tropuotus), 361.
 Angusticornis (Troxalis), 104.
 Angusticornis (Troxalis), 125.
 Angusticosta (Caloptenopsis), 550.
 Angustidorsis (Phlaoba), 138.
 Angustifrons (Epeirania), 191.
 Angustifrons (Aceridium), 484.
 Angustifrons (Catanops), 484.
 Angustifrons (Hedotettix), 50.
 Angustipennis (Spharagemon), 235.
 Angustipennis (Acrotylus), 267.
 Angustipennis (Chrotopogon), 267.
 Angustipennis (Caloptenus), 524.
 Angustipennis (Melanoplus), 524.
 Angustipennis (Elæochlora), 366.
 Angustipennis (Phædotettix), 493.
 Angustipennis (Phlaobida), 138.
 Angustipennis (Sphingonotus), 274.
 Angustirostris (Tetanorhynchus), 86.
 Angustivertex (Paratettix), 35.
 Angustula (Rhabdoplea), 147.
 Angustulus (Catanops), 477.
 Augustum (Arydium), 48.
 Augustum (Ommexycha), 269.
 Augustus (Leptoscirtus), 269.
 Augustus (Tettix), 48.
 ANIARA, 573.
 ANIARELLA, 573.
 ANNANDALEA, 329.
 Annandalea (Systella), 340.
 ANNICERIS, 422.
 Annulata (Dericorys), 383.
 Annulata (Derocorys), 383.
 Annulata (Trilophidia), 244.
 Annulatus (Acrotylus), 264.
 Annulatus (Cyphepharis), 383.
 Annulatus (Gomphocerus), 158.
 Annulatus (Gryllus), 244.
 Annulatus (Troxalis), 95.
 Annulicornis (Leioscapheus), 422.
 Annulicornis (Ommatolampis), 434.
 Annulicornis (Phaeoparia), 425.
 Annulicornis (Stenobothrus), 189.
 Annulifera (Heteracris), 555.
 Annulipes (Catanops), 478.
 Annulipes (Coptera), 469.
 Annulipes (Coptotettix), 55.
 Annulipes (Stauronotus), 153.
 Annulosa (Eupreopoenis), 560.
 Annulosa (Heteracris), 560.
 Anoplosterna (Mestra), 330.
 Anoplosterna (Tagasta), 330.
 ANTANDRUS, 392.
 Antennata (Gomptomastax), 72.
 Antennata (Gonista), 410.
 Antennata (Lucretilis), 388.
 Antennata (Phlaoba), 137.
 Antennata (Rhydiocnira), 543.
 Antennata (Trilophidia), 245.
 Antennata (Phlaoba), 140.
 Antennatus (Amorphopus), 22.
 Antennatus (Bufonides), 4.
 Antennatus (Chorthippus), 157, 158.
 Antennatus (Cotys), 21.
 Antennatus (Eomorphopus), 22.
 Antennatus (Euryphymus), 547.
 Antennatus (Gomphocerus), 157, 158.
 Antennatus (Gomptomastax), 72.
 Antennatus (Parerucius), 72.
 Antennatus (Pezomachus), 61.
 Antennatus (Stenobothrus), 157, 158.
 Antennatus (Stenocrobilus), 485.
 ANTHERMUS, 443.
 ANTHINOCHROMA, 420.
 Antica (Oxya), 388.
 Antica (Phalaca), 388.
 Antica (Heteracris), 402.
 Antigai (Omocestus), 177.
 Antigai (Stenobothrus), 177.
 Antillarum (Inusia), 415.
 ANTIPHANES, 432.
 ANTIPHON, 464.
 Antisanæ (Melanoplus), 532.
 Antisanæ (Pezotettix), 532.
 Antistes (Brunniella), 339.
 ANTITA, 474, 585.
 Antipatus (Hippiscus), 209.
 Antivolus (Hippiscus), 209.
 Antivolus (Xanthippus), 209.
 APALACRIS, 476.
 Apicale (Acridium), 179.
 Apicale (Pagopedilum), 346.
 Apicalis (Acridium), 264.

- Apicalis (Amniceris), 422.
 Apicalis (Doclostaurus), 154.
 Apicalis (Egnatius), 268.
 Apicalis (Erucius), 72.
 Apicalis (Gomphocerus), 180.
 Apicalis (Mastax), 72.
 Apicalis (Maura), 306.
 Apicalis (Edipoda), 268.
 Apicalis (Pamphagus), 346.
 Apicalis (Pterotilus), 387.
 Apicalis (Sphingonotus), 277, 278.
 Apicalis (Stauroderus), 179.
 Apicalis (Stenobothrus), 154, 179, 180.
 Apicalis (Xiphocera), 346.
 Apicicorne (Acridium), 310.
 Apicicorne (Decticus), 310.
 Apicicornis (Taphronota), 310.
 Apiculata (Tettigidea), 59.
 APIOSCELIS, 85.
 APLATACRIS, 377.
 APLOPUS, 569.
 APLUSOTROPIS, 283.
 APOBOLUS, 441.
 APOBOLUS, 441.
 APOTETTIX, 53, 579.
 APOTROPIS, 410.
Appendiculatum (Acridium), 462.
Appendiculatus (Misythus), 10.
 Appendiculatus (Pædes), 82.
 Applicatus (Alectorolophus), 467.
Approximans (Cirtacantharis), 460.
 Approximans (Epaeromia), 191.
 Appula (Cuculligera), 284.
 Appula (Prionotropis), 284.
 Appulum (Podisma), 284.
Aprica (Locusta), 176.
 Apricaria (Edipoda), 178.
 Apricarius (Acrotylus), 236.
 Apricarius (Chorthippus), 178.
 Apricarius (Gomphocerus), 178.
 Apricarius (Gryllus), 177, 178.
 Apricarius (Locusta), 177.
 Apricarius (Stauroderus), 177.
 Apricarius (Stenobothrus), 178.
Apta (Heteracris), 394.
 APTENOPEDES, 508.
 Aptera (Anarchita), 327.
 Aptera (Aptenopedes), 508.
 Aptera (Mazarredia), 25.
 Aptera (Ommatolampis), 434.
 Aptera (Opomala), 102.
 Aptera (Pseudopowala), 102.
 Aptera (Pyrgomorpha), 327.
 APTEROPEDES, 83.
 APTEROTETTIX, 21.
Apterum (Acrydium), 538.
 Apterus (Caletes), 429.
 APTOCERAS, 430.
 Aptus (Criotettix), 16.
 Aquaticum (Paracornops), 417.
 ARÆOPTERYX, 249.
 Arboreus (Melanoplus), 531.
 ARBUSCULA, 329.
 Arcta (Arphia), 196.
 Arctata (Orphulella), 120.
 Arctatus (Stenobothrus), 120.
 Arcticus (Caloptenus), 521.
 Arcticus (Melanoplus), 521.
 Arcuata (Elæochlora), 584.
 Arcuata (Goniæa), 437.
 Arcuatum (Acridium), 6.
 Arcuatum (Hymenotes), 6.
 Arcuatus (Æoloplus), 500.
 Arcuatus (Gryllus), 225.
 Arcuatus (Nomotettix), 52.
 Arcuatus (Edaleus), 225.
 Arcuatus (Piezotettix), ARCYOPTERA, 169.
 ARCYPTERA, 169, 581.
 Arenaria (Edipoda), 274.
 Arenaria (Sphingonotus), 275.
Arenarius (Sphinctonotus), 275.
 Arenarius (Sphingonotus), 274, 275.
Arenivola (Ctyophippus), 225.
 Arenosa (Lamarekiana), 343.
 Arenosa (Tetrix), 48.
 Arenosa (Xiphocera), 343.
 Arenosum (Acrydium), 48.
 Arenosus (Ageneotettix), 135.
 Arenosus (Tettix), 48.
 ARESCEUTICA, 466.
 Argentatus (Boottettix), 110.
Argentovittata (Capella), 404.
 Argentina (Fenestra), 127.
 Argentina (Leptysma), 411.
 Argentinus (Diponthus), 382.
 Ariasi (Stauroderus), 581.
 Aridus (Heliastus), 270.
 Aridus (Melanoplus), 515.
 Aridus (Pezotettix), 515.
 Aridus (Telmatettix), 30.
 Aridus (Thrinacus), 270.
 Arieticeps (Dæmonæa), 271.
 ARISTIA, 425.
 Arizona (Melanoplus), 527.
 Arizonensis (Æoloplus), 501.
 Arizonensis (Papagoa), 107.
 Armata (Pantelia), 10.
 Armata (Pyrgodera), 214.
 Armata (Tettigidea), 59.
Armaticollis (Proscopia), 90.
 Armatum (Acrydium), 214.
 Armatus (Pachytylus), 214.

- Armatus (Pyrgodera), 214.
Armatus (Discotettix), 2.
Armatus (Tettix), 18.
 Armillatus (Papirades), 442.
 ARMINDA, 400.
 ARNILIA, 413.
 ARPHIA, 194.
 Arrogans (Acridium), 488.
 Arrogans (Delirophas), 488.
 Arrogans (Pezotettix), 488.
 Arrogans (Podisma), 488.
 Arrogans (Trigonophymus), 488.
 Artemisia (Melanoplus), 516.
 Arthritica (Catantops), 484.
 Arthriticum (Acridium), 484.
 ARULENUS, 2.
Arvalis (Gomphocerus), 183.
 Ascensi (Paracoptaera), 468.
 Ascensus (Melanoplus), 533.
 Asellus (Blatta), 567.
 ASEMOPLUS, 507.
 Ashantica (Atractomorpha), 331.
 Asina (Hoplolopha), 348.
 Asina (Locusta), 575.
 Asina (Phyllochorea), 67.
 Asina (Xiphocera), 348.
 Asinus (Hyalopteryx), 105.
 Asmodæus (Hybotettix), 29.
 Asmodæus (Nephele), 29.
Aspera (Epacromia), 244.
Aspera (Brachybaetys), 247.
 Asperata (Cyrtacanthacris), 449.
 Asperatum (Acridium), 449.
 Asperatus (Coptotettix), 56.
 Aspersata (Acrida), 94.
 Asperula (Mazarredia), 25.
 Asperulus (Miconotus), 53.
 Asperulus (Tettix), 53.
 Asperum (Acridium), 273.
 Asperus (Sphingonotus), 273.
 ASPIDOPHYMA, 342.
Aspirans (Pezotettix), 535.
 Assamus (Loxilobus), 577.
 Assimilis (Gastri-margus), 226.
 Assimilis (Gryllus), 226.
 Assumptio (Ctyphippus), 241.
 Asthmaticus (Catan-tops), 480.
 ASTROMA, 90.
 Atacamensis (Edipoda), 254.
 Atacamensis (Trimerotropis), 254.
 Atavus (Pycnosarcus), 544.
 Ater (Melanoplus), 514.
 Ater (Petasia), 305.
 Aterrana (Phaëda), 140.
 Atlantis (Caloptenus), 512.
Ataxis (Caloptenus), 523.
 Atlantis Melanoplus, 512.
 Atlantica (Paroxya), 505.
Atloxus (Caloptenus), 512.
 Atra (Petasia), 305.
 ATRACHELACRIS, 486.
 ATRACTOMORPHA, 331.
 Atrata (Locusta), 575.
 Atriceps (Maura), 307.
 Atriceps (Pæcilocera), 315.
 Atriceps (Zonocerus), 315.
 Atrocephala (Chrysopsacris), 429.
 Atroterminatum (Tympanoptera), 572.
 Atroterminatus (Aprion), 572.
 Atroterminatus (Tympanophyllum), 572.
 Atrox (Iamarekiana), 345.
 Atrox (Pamphagus), 345.
 Atrox (Xiphocera), 345.
Atrox (Edipoda), 203.
 Attenuata (Paratettix), 35.
 Attenuata (Proscopia), 87.
 Attenuata (Tettix), 35.
 Attenuatus (Hedotettix), 50.
 Attenuatus (Melanoplus), 519.
 Attenuatus (Taxiarchus), 87.
 Atypa (Mazarredia), 25.
 ATYPHOSCHIRTUS, 337.
 Atypicalis (Acridium), 45.
 Atypicalis (Tettix), 45.
 Audouini (Omnioxyela), 298.
 Audouini (Spathalium), 298.
 AULACOBOTHRUS, 184.
 AULARCHES, 308.
 AULOCARA, 135.
 Aurantia (Scintocera), 454.
 Aurantia (Taniopoda), 372.
 Aurantiaca (Pyrgomorpha), 328.
 Aurantiacus (Exochoderes), 464.
 Aurantiacus (Stenoxypus), 328.
 Aurantiacola (Cycloptera), 573.
 Aurantiacolia (Locusta), 573.
 Aurantifolia (Gryllus), 573.
 Aurantifolia (Tettigonia), 573.
 Aurantipennis (Arphia), 195.
Aureolus (Gomphocerus), 183.
Aureolus (Gryllus), 183.
Auricorn (Acridium), 453.
 Auricornis (Rhomalea), 372.
 Auricornis (Taniopoda), 372.
Auricornis (Cyrtacanthacris), 453.
 Auriculata (Gryllacris), 571.
Auricera (Edipoda), 267.
 Aurilegulus (Hippiscus), 210.
 Aurilegulus (Xanthipus), 210.
Auripennis (Xiphocera), 366.
 Aurita (Osmilola), 432.

- Auriventris (Amblytropidia), 115.
 Auriventris (Boöpedon), 128.
 Aurivillii (Atractomorpha), 332.
 Aurivillii (Eugavialidium), 14.
 Aurivillii (Gavialidium), 14.
 Aurivilliusi (Atractomorpha), 333.
 Aurora (Racilia), 397.
 Aurora (Wernerella), 246.
 Auroripennis (Xiphocera), 365.
 Auroripennis (Xiphophora), 365.
 Austera (Copiocera), 420.
 Australasiæ (Goniaea), 436, 437.
 Australasiæ (Gryllus), 436.
 Australasiæ (Tropinotus), 437.
 Australasiæ (Xiphocera), 436, 437.
 Australe (Acrydium), 46.
 Australe (Tettix), 46.
 Australiana (Atractomorpha), 333.
 Australiensis (Trigoniza), 441.
 Australis (Ageneotettix), 135.
 Australis (Amblytropidia), 114.
 Australis (Atractomorpha), 334.
 Australis (Cephalocema), 89.
 Australis (Chortoicetes), 193.
 Australis (Cratypedes), 205.
 Australis (Dichromorpha), 125.
 Australis (Dociostaurus), 154.
 Australis (Exarna), 443.
 Australis (Heteracris), 443.
 Australis (Hippiscus), 205.
 Australis (Hyalopteryx), 193.
 Australis (Locusta), 229.
 Australis (Melanoplus), 519.
 Australis (Meloscirtus), [160], 184.
 Australis (Edaleus), 225.
 Australis (Pachytylus), 229.
 Australis (Paprides), 442.
 Australis (Proscopia), 89.
 Australis (Schistocerca), 456.
 Australis (Stauronotus), 154.
 Australis (Tettigidea), 58.
 Australis (Munatia), 364.
 Australis (Podisma), 534.
 Australis (Tropiaotus), 437.
 Autumnalis (Pezotettix), 505.
 Avicolus (Leptoscirtus), 269.
 Avidus (Thrinacus), 270.
 Axillaris (Catantops), 478.
 Axillaris (Gryllus), 478.
 Ayersii (Ephrautis), 464.
 Azami (Stauroderus), 178.
 Azami (Stenobothrus), 178.
 AZELOTA, 442.
 Azteca (Aidemona), 497.
 Azteca (Ædipoda), 237.
 Azteca (Orphula), 118.
 Azteca (Telmatettix), 30.
 Azteca (Tettix), 30.
 Aztecum (Platyphyma), 497.
 Aztecus (Heliastus), 270.
 Aztecus (Oxycoryphus), 118.
 Aztecus (Paratettix), 30.
 Aztecus (Pezotettix), 497.
 Aztecus (Telmatettix), 30.
 Aztecus (Tomonotus), 237, 238.
 Aztecus (Xyronotus), 340.
 Azurea (Cuculligera), 284.
 Azurea (Circotettix), 253.
 Azurea (Gryllus), 276.
 Azurea (Ædipoda), 276.
 Azurea (Sphinctonotus), 276.
 Azurea (Sphingonotus), 276.
 Azurea (Trimerotropis), 253.
 Azuripennis (Traulia), 475.
 Azuripennis (Xiphicera), 475.
 Baccatus (Maphyctus), 312.
 Baccatus (Phymateus), 312.
 Baconi (Melanoplus), 515.
 BACTROPHORA, 406.
 BADISTICA, 396.
 Baeri (Criotettix), 16.
 Baeri (Hedotettix), 50.
 Baeri (Telmatettix), 50.
 Baicalensis (Bryodema), 261.
 Baicalensis (Gryllus), 261.
 Baicalensis (Ædipoda), 261.
 Baicalensis (Thrinacus), 261.
 Baldensis (Pezotettix), 535.
 Baldensis (Podisma), 535.
 Baliensis (Caloptenopsis), 550.
 Baliensis (Caloptenus), 550.
 Balloui (Orphulella), 118.
 Balloui (Orphulina), 118.
 Balteata (Dissosteira), 233.
 Balteata (Ædipoda), 277.
 Balteata (Tettix), 45.
 Balteatum (Acrydium), 45.
 Balteatum (Spharagemon), 233.
 Balteatus (Sphingonotus), 277.
 Balteatus (Sphingonotus), 278.
 Banian (Gryllus), 396.
 Banian (Hieroglyphus), 396.

- Banksii (Pseudoserphus), 563.
 Barabense (Doryctes), 261, 262.
Barbarus (Acrida), 552.
 Barbipes (Gonophocerus), 156.
 BAROMBIA, 386.
 Barretti (Neotettix), 51.
 Barretti (Odonotettix), 51.
 Barretti (Sphenarium), 504.
 Barringtonensis (Sphenogonotus), 275.
 BARYTETTIX, 494.
 585.
 Basale (Acridinae), 452.
 Basalis (Catantops), 481.
 Basalis (Cyrtacanthacris), 452.
 Basalis (Heteracris), 481.
 Basalis (Opomala), 439.
 Basalis (Rhinoscirtus), 391.
 Basalis (Rodinia), 159.
 Basalis (Xiphocera), 363.
 Basifer (Catantops), 479.
 BATRACHIDEA, 32.
 52, 60.
 BATRACHOPUS, 358.
 BATRACHORNIS, 291.
 BATRACHOTETRIGINAE, 283.
 BATRACHOTETRIX, 291.
 BATRACHOTETTIX, 291.
 Baumanni (Acridium), 453.
 Baumanni (Cyrtacanthacris), 453.
 Bauri (Closteridea), 110.
 Bayani (Oenocerus), 199.
Beccarii (Cicadella), 16.
 Beccarii (Cladonotus), 9.
 Bedeli (Atractomorpha), 333.
 Behrensi (Arphia), 197.
 Behrensi (Brachystola), 294.
 Behrensi (Conozoa), 250.
 Behrensi (Sinaloa), 495.
 Behrensi (Chinaccephala), 200.
 Belfragii (Cedipoda), 234.
 Belfragii Splaragionum, 234.
Belfragii (Mecynotus), 105.
 Belfragii (Dactylus), 396.
 Belphegor (Tetrix), 23.
 Belphegor (Tetticerus), 23.
 Belzebuth (Disotettix), 2.
 Belzebuth (Tetrix), 2.
 Belzebuth (Tettix), 2.
 Bengalensis (Sphenogonotus), 275.
 Benjaminii (Helactis), 2, 6.
 BENNIA, 71.
Bergi (Fristia), 212.
 Bergii (Dichroptus), 489.
 Bergii (Pezotettix), 489.
 Bergii (Trigonophymus), 489.
 BERNHUS, 396.
 BETA, 117.
 Bethlehemita (Pamphagus), 349.
 Bethlehemita (Prionosthenus), 349.
 Betoni (Heteracris), 555.
 Brentensis (Diotettix), 26.
 Brentensis (Odontomelus), 101.
 BIBRACTE, 466.
 Bibractatus (Batrachopus), 358.
 Bicaratus (Tropidostethus), 358.
 Bicolor (Acrida), 94.
 Bicolor (Acridium), 409.
 Bicolor (Amphitornus), 113.
 Bicolor (Blatta), 566.
 Bicolor (Dactylotum), 541.
 Bicolor (Dieroplus), 488.
 Bicolor (Gelastorhinus), 409.
 Bicolor (Gryllus), 181.
 Bicolor (Luusia), 415.
 Bicolor (Cedipoda), 182.
 Bicolor (Opsomala), 409.
 Bicolor (Stauroderus), 181.
 Bicolor (Stenobothrus), 181.
 Bicolor (Trigonophymus), 488.
 Bicolor (Truxalis), 94.
 Bicoloratus (Mekonoplus), 525.
 Bieristata (Tæniopoda), 372.
Bileas (Gryllus), 214.
 Biemarginata (Xiphocera), 66.
 Biemarginatus (Choroeotypus), 66.
 Bifasciata (Pseudotrimerotropis), 256.
 Bifasciata (Tettix), 40.
 Bifasciata (Trimerotropis), 256.
 Bifasciatum (Acrydium), 40.
 Bifasciatus (Erucius), 73.
 Bifidus (Catantops), 477.
 Bifoveolata (Pnoris), 151.
 Bigibbosus (Tetticerus), 23.
Biguttata (Cedipoda), 175.
Biguttatum (Acrida), 158.
Biguttatus (Gomphocerus), 158.
Biguttatus (Gryllus), 158.
Biguttatus (Stenobothrus), 158.
 Biguttula (Cedipoda), 182.
Biguttula (Cedipoda), 182.
 Biguttulum (Acridium), 182.
 Biguttulum (Acrydium), 182.
 Biguttulus (Gomphocerus), 183.
 Biguttulus (Gryllus), 182.
Biguttulus (Gryllus), 158.
 Biguttulus (Locusta), 182.
 Biguttulus (Stauroderus), 182.
 Biguttulus (Stenobothrus), 182, 183.
 Bilastata (Tetanorhynchus), 86.
 Bilineata (Machæridia), 100.
 Bilineata (Tettix), 47.
 Bilineatus (Odonotettix), 55.
 Bilineatus (Tetrix), 47.

- Bilineatus* (*Stenobothrus*), 121.
Bilineatus (*Truxalis*), 96.
Bilineatus (*Zonocerus*), 583.
Bilituratus (*Caloptenus*), 512.
Bilituratus (*Melanoplus*), 512.
Biloba (*Eremobia*), 287.
Bilobata (*Conozoa*), 250.
Bilobata (*Trimero-tropis*), 250.
Bilobus (*Paradi-chroplus*), 492.
Bilobus (*Timethis*), 287.
Bilunata (*Elæochlora*), 366.
Bilunata (*Xiphocera*), 366.
Bimaculata (*Dellia*), 423.
Bimaculata (*Ossa*), 296.
Bimaculata (*Paratettix*), 578.
Bimaculata (*Paulinia*), 296.
Bimaculata (*Prionidia*), 218.
Bimaculata (*Pteron-scirta*), 218.
Bimaculata (*Tettix*), 38.
Bimaculatum (*Acridium*), 37.
Bimaculatum (*Acrydium*), 37.
Bimaculatus (*Gryllus*), 218.
Bimaculatus (*Tettix*), 38.
Bimaculatus (*Trybliophorus*), 434.
Binotata (*Tettix*), 42.
Binotatum (*Acrydium*), 41.
Binotatus (*Gompho-cerus*), 179.
Binotatus (*Gryllus*), 41, 179.
Binotatus (*Stenobothrus*), 179.
Biolleyi (*Leuconotus*), 112.
Biplagiata (*Schulthessia*), 335.
Biplagiata (*Symbellia*), 81.
Bipunctata (*Tetrix*), 39.
Bipunctata (*Tettix*), 40.
Bipunctata (*Tettix*), 44.
Bipunctatum (*Acridium*), 39.
Bipunctatum (*Acrydium*), 39, 579.
Bipunctatum (*Acrydium*), 37.
Bipunctatus (*Batrachidea*), 40.
Bipunctatus (*Bulla*), 39.
Bipunctatus (*Catantops*), 482.
Bipunctatus (*Gryllus*), 39.
Bipunctatus (*Paradi-chroplus*), 492.
 BIRMANA, 1.
Birmanian (*Eugavialidium*), 14.
Birmanicum (*Eugavialidium*), 14.
Birmanicum (*Gavialidium*), 14.
Birmanicus (*Erianthus*), 70.
 BIRSELLA, 76.
Biroi (*Desmoptera*), 329.
Biroi (*Hierodula*), 567.
Biroi (*Stenobothrus*), 165.
Bisignata (*Edipoda*), 143.
Bisignatum (*Acridium*), 144.
Bisignatus (*Gryllus*), 143.
Bisignatus (*Mecostethus*), 144.
Bispina (*Cota*), 11.
Bispina (*Tettix*), 11.
Bispinosa (*Acantholobus*), 17.
Bispinosa (*Pyrgomorphia*), 326.
Bispinosa (*Tettix*), 17.
Bispinosum (*Acridium*), 18.
Bispinosum (*Acrydium*), 17.
Bispinosum (*Tetrix*), 18.
Bispinosus (*Criotettix*), 18.
Bispinosus (*Melanoplus*), 523.
Bispinosus (*Tettix*), 17.
Bistrigata (*Cyclocercus*), 495.
Bistrigatus (*Cyclocercus*), 495.
Bisulcata (*Orthochtha*), 141.
Bisulcata (*Phlæoba*), 141.
Biteniata (*Machæridia*), 100.
Biteniata (*Ochrididia*), 150.
Biteniata (*Platypterna*), 150.
Biteniata (*Pnorisa*), 151.
Bivenosa (*Diraneura*), 246.
Bivenosa (*Edipoda*), 246, [255].
Bivenosa (*Trimero-tropis*), 255.
Bivittata (*Apotropis*), 440.
Bivittata (*Elæochlora*), 376.
Bivittata (*Mermiria*), 104.
Bivittata (*Opomala*), 104.
Bivittata (*Opsomala*), 104.
Bivittata (*Schistocerca*), 459.
Bivittata (*Stropis*), 440.
Bivittata (*Xiphocera*), 366.
Bivittatum (*Acridium*), 459.
Bivittatum (*Cornops*), 417.
Bivittatum (*Cornops*), 417.
Bivittatum (*Schistocerca*), 459.
Bivittatus (*Caloptenus*), 530.
Bivittatus (*Gryllus*), 530.
Bivittatus (*Melanoplus*), 530, 531.
Bivittatus (*Pezotettix*), 530.
Bivittatus (*Trybliophorus*), 392.
Blanchardi (*Chrotogonus*), 301.
Blanchardi (*Serpusia*), 473.
Blanchardiana (*Quiroguesia*), 217.
Blandus (*Melanoplus*), 532.
Blandus (*Gryllus*), 186.
Blatchleyi (*Acrydium*), 49.
Blatchleyi (*Melanoplus*), 526.
Blatchleyi (*Tettix*), 49.
 BLATTA, 564, 566.

BLATTID L. 562.
BLEPOMMA, 268.
Blondeli (Acrotylus),
267.
Bloyeti (Chrotogonus),
502.
BOCAGELLA, 465.
Bogotensis (Schistocerca), 457.
Bohemani (Pezotettix),
533.
Bohlsu Dichroetettix,
127.
Bohlsii (Fenestra), 127.
Bohlsii (Oxypleptus),
416.
Bohlsii (Paraleptus),
427.
Bohlsii (Stenopola),
416.
BOLIVARELLA, 348.
Bolivari (Abila), 424.
Bolivari (Epistaurus),
471.
Bolivari (Euthymia),
384.
Bolivari (Hymenotes), 4.
Bolivari (Maura), 306.
Bolivari (Monistria),
318.
Bolivari (Neotettix), 51.
Bolivari (Phymateus),
314.
Bolivari (Pseudothericles), 80.
Bolivari (Sphenarium),
303.
Bolivari (Stenobothrus),
164.
Bolivari (Stethophyma),
167, 168.
Bolivariana (Lamarckiana), 345.
Bolivariana (Xiphocera), 345.
Bolivarii (Eumapius),
354.
Bolivarii (Eurypteryphes), 354.
Bolivarii (Gomphocerus), 164.
Bolivarii (Pamphagus),
354.
Bolivarii (Stenobothrus), 164.
Bolivianus (Scabrotettix), 23.
Bollii (Dissosteira),
233.
Bollii (Spharagemon),
233.
BOLOTETTIX, 577.
Bottari (Neotettix), 51.

Bonneti Onocestus,
172.
Bonneti (Stenobothrus),
172.
BOOPEDON, 128.
BOOTETTIX, 110.
Borekii (Acridium),
518.
Borekii (Melanoplus),
518.
Borekii (Pezotettix),
518.
Borekii (Pezotettix),
520.
Borekii (Polisma), 548.
Boreale (Mestobregma),
248.
Borealis (Barytettix),
585.
Borealis (Calopremus),
521.
Borealis (Melanoplus),
521.
Borealis (Melanoplus),
521.
Borealis (Pezotettix),
521, 534.
Borealis (Psinidia),
248.
Borealis (Trachyrhachys), 248.
Borealis (Trachyrhachys), 248.
BORELLIA, 167.
Borellii (Bucephalacris),
423.
Borellii (Cephalocema),
89.
Borellii (Chlorus), 491.
Borellii (Masynetes), 79.
Borellii (Paratettix),
35.
Borellii (Plectrotettix),
133.
Borellii (Prosarthria),
89.
Borellii (Scyllina), 133.
Borellii (Tetanolochus), 86.
Borellii (Xiphida),
432.
Bormansi (Chrotogonus), 302.
Borrei (Criotettix), 17.
Borrei (Sphenarium),
303.
Boscæ (Ochridilia),
150.
Boscæ (Platycheilus), 571.
Boscæ (Platypterus),
150.
Boscanus (Lactista),
238.

Boscanus (Tomonotus),
238.
Boucardi (Linocera-
tum), 124.
Bowditchi (Melano-
plus), 519.
BRACHASPIS, 503.
Brachycerus (Bernus),
336.
Brachymeris (Orthoc-
tha), 141.
BRACHYCRETA-
PHUS, 149.
BRACHYPEPLUS,
293.
Brachyptera (Chroto-
gonus), 300.
Brachyptera (Opomala),
100, 102.
Brachyptera (Pseudo-
pomala), 102.
Brachyptera (Pseudo-
morphia), 326.
Brachyptera (Schisto-
cerca), 461.
Brachyptera (Stira-
pleura), 130.
Brachyptera (Tetra-
tenia), 418.
Brachyptera (Tettix), 43.
Brachypterum (Acridium), 461.
Brachypterum (Acridium), 538.
Brachypterum (Acry-
dium), 43.
Brachypterum (Pygmo-
morphia), 538.
Brachypterus (Aleuas),
427.
Brachypterus (Chroto-
gonus), 302.
Brachypterus (Chrysoc-
hraon), 146, 147.
Brachypterus (Eucro-
phymus), 544.
Brachypterus (Gryllus),
146.
Brachypterus (Odonto-
melus), 100.
Brachypterus (Pelec-
notus), 464.
Brachypterus (Procto-
labus), 421.
BRACHYSTOLA, 293.
BRACHYTYPUS, 69.
Bracteata (Locusta), 575.
Bracteata (Ophthal-
molampis), 390.
Bracteatum (Acridium),
390.
Bradyana (Xiphocera),
345.

- Bradyanum (Pagopedilum), 345.
 BRADYNOTES, 501.
 Bramina (Chlæbora), 216.
 BRANCSIKELLUS, 194.
 Bransiki (Rubellia), 320.
 Brazilianus (Sphingonotus), 275.
Brasiliensis (*Gryllus*), 96.
Brasiliensis (Plectrotettix), 132.
Brasiliensis (Scotussa), 490.
Brasiliensis (Seyllina), 132.
Brasiliensis (*Truxalis*), 96.
 Breve (Acridium), 19.
 Breve (Tetrix), 19.
 Breviceps (Ochrophlebia), 323.
 Breviceps (Pyrgomorphia), 323.
 Breviceps (Tanita), 323.
Brevicollis (*Acrida*), 94.
Brevicollis (Alcamenes), 362.
Brevicollis (Docio-staurus), 153.
Brevicollis (*Edipoda*), 153.
Brevicollis (Stauro-notus), 153.
Brevicollis (*Tryxalis*), 94.
Brevicornis (Acimipæ), 351.
Brevicornis (Copiophora), 571.
Brevicornis (Copiphora), 571.
Brevicornis (Coryphistes), 436.
Brevicornis (Coryphosima), 147.
Brevicornis (*Gryllus*), 103.
Brevicornis (Opomala), 436.
Brevicornis (Porthetis), 351.
Brevicornis (Proscopia), 84.
Brevicornis (Pyrgomorphia), 103.
Brevicornis (*Truxalis*), 103.
Brevicornis (*Truxalis*), 331.
Brevifrons (Euthymia), 384.
Brevipedalis (Canona), 473.
Brevipenne (Acridium), 159.
Brevipenne (Aulocara), 136.
Brevipenne (Radinotatum), 101.
Brevipenne (Rhadinotatum), 101.
Brevipenne (Stethophyma), 170.
Brevipennis (Alcamenes), 362.
Brevipennis (Apotettix), 54.
Brevipennis (Arcyptera), 170.
Brevipennis (Aulocara), 129.
Brevipennis (Chortophaga), 199.
Brevipennis (Cælopterna), 281.
Brevipennis (Gomphocerus), 159.
Brevipennis (Hesperotettix), 499.
Brevipennis (Leptomerinthophora), 431.
Brevipennis (Maura), 307.
Brevipennis (Melanoplus), 510.
Brevipennis (Ommatolampis), [434], 499.
Brevipennis (*Opomala*), 125.
Brevipennis (Paramastax), 78.
Brevipennis (Prionolopha), 362.
Brevipennis (Pyrgomorphia), 326.
Brevipennis (Stauro-rhectus), 166.
Brevipennis (Stenobothrus), 159.
Brevipennis (Stetheophyma), 170.
Brevipennis (Tragoccephala), 199.
Brevipennis (*Tryxalis*), 101.
Brevipennis (Zapata), 129, 136.
Brevipennis (Zonocerus), 316.
Brevipes (Ochridia), 150.
Brevipes (Platypterna), 150, 581.
Brevipes (Platypternodes), 581.
Brevirostris (Proscopia), 86.
 Brevis (Chrotogonus), 300.
 Brevis (Criotettix), 19.
 Brevis (Lamarckiana), 345.
 Brevis (Loxilobus), 19.
 Brevis (Pamphagus), 345.
 Brevispinis (Calotettix), 496.
 Brevispinis (Sinaloa), 496.
 Brevitibia (Cervidia), 408.
 Brevitibia (Opomala), 408.
 Brevivalvatus (Pentichrotes), 80.
 Brœlemanni (Stenobothrus), 163.
 Brownii (Melanoplus), 510.
 Bruchii (Bufonacris), 296.
 Brullei (*Edipoda*), 217.
 Brullei (Quiroguesia), 217.
 Bruneri (Apotettix), 54.
 Bruneri (Asemoplus), 507.
 Bruneri (Colpolopha), 363.
 Bruneri (Melanoplus), 511.
 Bruneri (Pseudotrimerotropis), 256.
 Bruneri (Sphenarium), 304.
 Bruneri (Stirapleura), 131.
 Bruneri (Tettigidea), 58.
 Bruneri (Trimerotropis), 256.
 BRUNERIA, 131.
 Brunnea (Chlœaltis), 125.
 Brunnea (Coloradella), 128.
 Brunnea (Dichromorpha), 125.
 Brunnea (Stirapleura), 131.
 Brunnea (Stropis), 438.
 BRUNNERELLA, 214.
 Brunneri (Algete), 334.
 Brunneri (Apotropis), 440.
 Brunneri (Arminda), 400.

- Brunneri* (*Calliptenus*), 344.
Brunneri (*Calliptenus*), 344.
Brunneri (*Catantopus*), 357.
Brunneri (*Catantopus*), 478.
Brunneri (*Charilaus*), 341.
Brunneri (*Diotarus*), 10.
Brunneri (*Elaeochloa* [366]), 368.
Brunneri (*Episactus*), 74.
Brunneri (*Eumapius*), 353.
Brunneri (*Euryparyphes*), 353.
Brunneri (*Euthymia*), 384.
Brunneri (*Heteropoda*), 572.
Brunneri (*Hecheuina*), 368.
Brunneri (*Ommexyela*), 266.
Brunneri (*Pamphagus*), 353.
Brunneri (*Paracalliptenus*), 554.
Brunneri (*Paradictyophorus*), 492.
Brunneri (*Paratyloptidia*), 504.
Brunneri (*Penicillatus*), 80.
Brunneri (*Phymatodes*), 314.
Brunneri (*Plectrotettix*), 133.
Brunneri (*Pseudostator-notus*), 133.
Brunneri (*Rhytidochrota*), 543.
Brunneri (*Scintharista*), 216.
Brunneri (*Scyllina*), 133.
Brunneri (*Sphagnum*), 278.
Brunneri (*Tettix*), 46.
Brunneri (*Tristria*), 401.
Brunneri (*Tritropis*), 440.
Brunneri (*Xiphicera*), 66.
BRUNNERIA, 131.
Brunneriana (*Bryodemus*), 261.
Brunneriana (*Haplootropis*), 283.
Brunneriana (*Haplootropis*), 283.
Brunneriana (*Lamarekiana*), 344.
Brunneriana (*Xiphicera*), 344.
Brunnerianum (*Bryodemus*), 261.
Brunnerianus (*Diotarus*), 243.
Brunnerianus (*Pamphagus*), 349.
Brunnerianus (*Prionosthenus*), 349.
Brunnerii (*Acocera*), 356.
Brunnerii (*Acrydium*), 46.
Brunnerii (*Nocarodes*), 356.
Brunnerii (*Oenerodes*), 356.
Brunnerii (*Tettix*), 46.
Brunneus (*Calliptenus*), 438.
Brunneus (*Caloptenus*), 438.
Brunneus (*Platybothrus*), 188.
Brunneus (*Stenobothrus*), 188.
Brunni (*Dictyophorus*), 305.
Brunni (*Tapesia*), 305.
Brunni (*Tylotropidius*), 556.
BRUNNIELLA, 339.
BRYODEMA, 260.
Bua (*Tauchira*), 397.
Bucephala (*Bucephalacris*), 423.
Bucephala (*Chrysopsacris*), 429.
BUCEPHALACRIS, 422.
Bucephalus (*Gryllus*), 429.
Buddiana (*Psoloessa*), 129.
Buettneri (*Brachyrotaphus*), 149.
Buettneri (*Ochrididia*), 149.
Bufo (*Batrachotettix*), 292.
Bufo (*Batrachotettix*), 292.
Bufo (*Cratipopus*), 439.
Bufo (*Cratippus*), 439.
Bufo (*Tettix*), 11.
Bufo (*Trachypetra*), 291.
Bufo (*Trachytettix*), 11.
BUFONACRIS, 295.
Bufonis (*Pachyocera*), 318.
Bufonia (*Pachyocera*), 318.
Bufonia (*Pachyocera*), 318.
Bufonia (*Tettix*), 110.
BUFONIDES, 4.
Bufonius (*Decticus*), 318.
Bufonius (*Dactylopterus*), 318.
Bulbosa (*Apioscelis*), 85.
Bulbosa (*Proscopia*), 85.
BULLA, 36, 49, 62.
Bulatus (*Proctotermis*), 421.
Burkhardtianus (*Oxycoyphus*), 104.
Burmeisteri (*Cephalocoma*), 89.
Burmeisteri (*Caloptilopha*), 362.
Burmeisteri (*Tenopoda*), 371.
Burri (*Atactomorpha*), 332.
Burri (*Xiphicera*), 66.
Buyssoni (*Phymateus*), 315.
BUYSSONIELLA, 335.
Cabocera (*Acratylus*), 267.
CACONDA, 302.
Cacumata (*Taphronotus*), 309.
Caculus (*Oncidera*), 539.
Caculus (*Ommexyela*), 297. *Sphinx* *no + vs. p. 273*.
Ceridea (*Ditropis*), 220.
Ceraleipennis (*Alcegidium*), 241.
Ceruleipennis (*Abraeris*), 428.
Ceruleipennis (*Ancoana*), 250.
Ceruleipennis (*Jodacris*), 428.
Ceruleipennis (*Ommotettix*), 428.
Ceruleipennis (*Pseudotrimerotropis*), 260.
Ceruleipennis (*Trimerotropis*), 260.
Ceruceipes (*Melanoplus*), 513.
Ceruleipes (*Pseudotrimerotropis*), 255.
Ceruleipes (*Trimerotropis*), 255.

- Cæruleocephalus* (*Pterotiltus*), 386.
Cærulescens (*Acridium*), 240.
Cærulescens (*Acrydium*), 240.
Cærulescens (*Ctyhippus*), 241.
Cærulescens (*Euprepocnemis*), 556.
Cærulescens (*Euthynous*), 100.
Cærulescens (*Gryllus*), 240.
Cærulescens (*Gryllus*), 276.
Cærulescens (*Locusta*), 240.
Cærulescens (*Ædipoda*), 240, 241, 242.
Cærulescens (*Thisoicetrus*), 559.
Cafer (*Gryllus*), 322.
Cafer (*Locusta*), 322.
Cafer (*Ædaleus*), 225.
Caffra (*Ochrophlebia*), 322.
Caffra (*Ochrophlebia*), 322.
Caiman (*Amorphopus*), 22.
Caizana (*Cephalocœma*), 89.
Calabrum (*Podisma*), 352.
CALACRIS, 421.
CALAMACRIS, 337.
CALAMUS, 97.
Calamus (*Cephalocœma*), 89.
Calamus (*Paropomala*), 106.
CALANUS, 97.
Calcarata (*Conipoda*), 280.
Calcarata (*Hyalorhipis*), 280.
Calcarata (*Leptopternis*), 280.
Calcarata (*Tinaria*), 189.
Calcaratum (*Acridium*), 189.
Calcaratum (*Tinaria*), 189.
Calcaratus (*Calliptenus*), 550.
Calcaratus (*Caloptenopsis*), 550.
Calcaratus (*Caloptenus*), 550.
Calcaratus (*Euryphymus*), 550.
Calceata (*Heteracris*), 555.
Calceata (*Tapesia*), 346.
Calceatum (*Acridium*), 555.
CALDERONIA, 585.
Calens (*Bolivarella*), 348.
CALEPHORUS, 136.
CALEIES, 429.
CALETODES, 431.
Calida (*Arphia*), 195.
Calida (*Scyllina*), 134.
CALIDOMANTIS, 568.
Calidoniensis (*Gomphocerus*), 158.
Calidus (*Melanoplus*), 533.
Californica (*Calamacris*), 337.
Californica (*Ichthiacris*), 337.
Californica (*Morsea*), 79.
Californica (*Pseudotrimerotropis*), 258.
Californica (*Trimerotropis*), 258.
Californicus (*Æoloplus*), 500.
Californicus (*Atyphoscirtus*), 337.
Californicus (*Dracotettix*), 367.
Californicus (*Encoptolophus*), 202.
Californicus (*Hippiscus*), 204.
Californicus (*Heliastus*), 270.
Californicus (*Sticthippus*), 204.
Californicus (*Thrincus*), 270.
Caliginosa (*Acridium*), 193.
Caliginosa (*Ædipoda*), 193.
Caliginosa (*Pseudotrimerotropis*), 256.
Caliginosa (*Pternoscirta*), 217.
Caliginosa (*Pternosticta*), 217.
Caliginosa (*Trimerotropis*), 256.
Caliginosa (*Epacromia*), 221.
Caliginosum (*Acridium*), 217, 220, 221.
Caliginosum (*Ædipoda*), 217, 220, 221.
Caliginosum (*Spathosternum*), 400.
Caliginosus (*Caloptenus*), 400.
Callidus (*Plectrotettix*), 134.
Calliparea (*Taphronota*), 309.
Callipareus (*Pæcilocerus*), 309.
CALLIPTAMUS, 551.
CALLIPTENUS, 551.
CALLIRHIPIS, 262.
Callosa (*Dnopherula*), 151.
Callosa (*Ædipoda*), 272.
Callosus (*Sphingonotus*), 272.
Caloptenoides (*Caloptenus*), 554.
Caloptenoides (*Paracaloptenus*), 553, 554.
Caloptenoides (*Platyphyma*), 553.
CALOPTENOPSIS, 549.
CALOPTENUS, 551.
CALOTETTIX, 496.
Calotropidis (*Pæcilocerus*), 318.
Calthulus (*Hippiscus*), 210.
Calthulus (*Xanthippus*), 210.
CALVARIAS, 570.
Cambodjiana (*Arbuscula*), 329.
Camelina (*Hoplolopha*), 348.
Camelina (*Xiphocera*), 348.
Camelorum (*Polyphaga*), 565.
CAMELOTETTIX, 578.
Camerata (*Schistocerca*), 455.
Camerunensis (*Hemieranthus*), 69.
CAMNULA, 202.
CAMOENSIA, 304.
Campanulata (*Tilethis*), 282.
Campanulatus (*Thrinchus*), 282.
Campanulatus (*Thrincus*), 282.
Campanum (*Podisma*), 445.
Campestris (*Gomphocerus*), 183.
Campestris (*Pseudotrimerotropis*), 256.
Campestris (*Stauroderus*), 183.

- Campestris* (*Stenobothrus*), 183.
Campestris (*Trigoniza*), 441.
Campestris (*Trimerotropis*), 256.
Camposi (*Anchotatus*), 88.
CAMPYLACANTHA, 497.
Camurus (*Platythorus*), 21.
Canadensis (*Chloëaltis*), 126.
Canadensis (*Podisma*), 534.
Canaliculata (*Cephalocema*), 89.
Canaliculata (*Proseopia*), 89.
Canariensis (*Edipoda*), 241.
Canariensis (*Sphingonotus*), 277.
Cancellata (*Schistocerca*), 460.
Cancellatum (*Aceridium*), 460.
Caneri (*Melanoplus*), 516.
Candidina (*Pyrgomorpha*), 326, [583].
Candidus (*Sphingonotus*), 274.
Canescens (*Hyalorhipis*), 280.
Canescens (*Leptoternis*), 280.
Canescens (*Gryllus*), 346.
Canescens (*Pamphagus*), 343.
Canescens (*Porthetis*), 343.
Canescens (*Xiphocera*), 343.
CANNULA, 97.
Canonicus (*Homalosaurius*), 584.
Canonicus (*Melanoplus*), 524.
Canonicus (*Nocarodes*), 357.
Canonicus (*Ocnerodes*), 357.
Canonicus (*Porthetis*), 356.
Canora (*Arphia*), 196.
Cantans (*Batrachotettix*), 291.
Cantans (*Batrachotettix*), 291.
Capensis (*Callipterus*), 554.
Capensis (*Euprepocnemis*), 554.
Capensis (*Euryphymus*), 545.
Capensis (*Gryllus*), 554.
Capensis (*Heteracris*), 554.
Capensis (*Pachytylus*), 228.
Capensis (*Pezotettix*), 554.
Capensis (*Pinoris*), 151.
Capensis (*Pyrgomorpha*), 326.
Capensis (*Sphingonotus*), 275.
Capensis (*Stenobothrus*), 151.
Capicola (*Aceridium*), 481.
Capicola (*Catantops*), 481.
Capiculus (*Catantops*), 481.
Capitatus (*Coptotettix*), 55.
Capito (*Locusta*), 229.
Capito (*Pachytylus*), 229.
Capito (*Psinidia*), 248.
Capito (*Trachyrhachys*), 248.
Capitulus (*Aerotylus*), 267.
Capitulus (*Chrotogonus*), 267.
CAPRORHINUS, 337.
Capsitana (*Bryodema*), 281.
Capsitanus (*Helioseirtus*), 281.
Captiosus (*Catantops*), 480.
Capucina (*Cuculligera*), 285.
Capucina (*Prionotropis*), 285.
Carbonaria (*Cirphula*), 439.
Carbonaria (*Edipoda*), 164.
Carbonarium (*Aceridium*), 42.
Carbonarius (*Callipterus*), 439.
Carbonarius (*Stenobothrus*), 164.
Carbauculus (*Monachidium*), 463.
Carbunculus (*Oncolopha*), 463.
Cardinalis (*Ommatolampis*), 434.
Cardinalis (*Phymatus*), 315.
Cardinalis (*Tropidacris*), 380.
Carenicolle (*Aceridium*), 447.
Carenicollis (*Cyrtacanthacris*), 447.
Carinalis (*Tettix*), 40, 42.
Carinata (*Arphia*), 194, 195.
Carinata (*Borellia*), 167.
Carinata (*Bulla*), 63.
Carinata (*Conozoa*), 251.
Carinata (*Eremobia*), 288.
Carinata (*Goniaca*), 437.
Carinata (*Eupodas*), 194.
Carinata (*Paraphleoba*), 133.
Carinata (*Parasphena*), 321.
Carinata (*Paratettix*), 33.
Carinata (*Porthetis*), 346.
Carinata (*Pyrgomorpha*), 327.
Carinata (*Schistocerca*), 454.
Carinata (*Sphingonotus*), 274.
Carinata (*Titanacris*), 377.
Carinata (*Xiphocera*), 346.
Carinata (*Akicera*), 343.
Carinata (*Opomala*), 103.
Carinatum (*Aceridium*), 288.
Carinatum (*Sphenarium*), 303.
Carinatus (*Acentetus*), 113.
Carinatus (*Akentetus*), 113.
Carinatus (*Batrachidea*), 52.
Carinatus (*Bulla*), 63, 288, 346, 377.
Carinatus (*Charilaus*), 341.
Carinatus (*Chrotogonus*), 302.
Carinatus (*Eritettix*), 111.
Carinatus (*Eupedetes*), 112.
Carinatus (*Gomphocerius*), 111.
Carinatus (*Nomotettix*), 52.
Carinatus (*Parepisactus*), 75.
Carinatus (*Pæilotettix*), 5, 6.

- Carinatus (Porthetis), 346.
 Carinatus (Locusta), 377.
 Carinatus (Tmethis), 288.
 Carinatus (Tomonotus), 194.
Carinatus (*Gryllus*), 379.
Carinatus (*Mesops*), 103.
Carinatus (*Pamphagus*), 343.
 Carinifrons (Thericles), 81.
 Carinipes (Ommatolampis), 390. [434].
 Carinipes (Iænophora), 390.
 Carinulata (Acrida), 92.
 Carinulata (Tryxalis), 92.
 Carinulatus (Mesopsis), 410.
 Carlingiana (Circotettix), 252.
 Carlingiana (Ædipoda), 252.
 Carliniana (Ædipoda), 252.
 Carlinianus (Circotettix), 252.
 Carnegiei (Melanoplus), 515.
 Carneipes (Acridium), 460.
 Carneipes (Schistocerca), 460.
 Carolina (Ædipoda), 232.
 Carolina (Disosteira), 231, 232.
 Carolina (Gryllus), 231.
 Carolina (Locusta), 231, 232.
 Carolina (Ædipoda), 232.
 Carolinianum (Acridium), 232.
 Carolinum (Acrydium), 231.
 Carolinus (Gryllus), 232.
 Carpenterii (Gomphoceris), 119.
 Carpenterii (Stenobothrus), 159.
 Carpetanus (Pezotettix), 538.
 CARSULA, 407.
 Carthago-novæ (Diponthus), 383.
 Carvalhoi (Acreptera), 169.
 Carvalhoi (Edaleus), 226.
 Carvalhoi (Pallasiella), 169.
 CARYANDA, 395.
 Cassidea (Monastria), 565.
 Castanea (Opomala), 425.
 Castanea (Phacoparia), 425.
 Castaneopicta (Stauro-notus), 153.
 Castaneopictus (Stauro-notus), 153.
 CASTETISIA, 56.
 CATALOIPUS, 576.
 Catamita (Serpusia), 473.
 CATANTOPS, 476.
 CATARA, 564.
 Caternaultii (Eolacris), 367.
 Caternaultii (Niphicera), 367.
 Catoptrica (Locusta), 575.
 CATREUS, 368.
 CAUCASICA (Ædipoda), 242.
 CAUCASICUS (Chorthip-pus), 156.
 CAUCASICUS (Gompho-cerus), 156.
 Caudata (Tettix), 4.
 Caudata (Tettix), 53.
 Caudata (Paratettix), 53.
 Caudatus (Tettix), 53.
 Caurus (Bradynotes), 501.
 Cauta (Paracoptacra), 468.
 CAVROISI (Acridium), 449.
 CAVROISI (Cyrtacantha-eris), 449.
 CAWENDIA, 320.
 Cayennensis (Allotettix), 28.
 Cayennensis (Paratettix), 28.
 Cazorroi (Stauroderus), 179.
 Cazorroi (Stenobothrus), 179.
 Celatus (Melanoplus), 519.
 Celebense (Acridium), 454.
 Celebensis (Cyrtocan-thacris), 454.
 Celebesica (Mestra), 330.
 Celebesica (Tagasta), 330.
 Celebica (Mazarredia), 25.
 Celebicum (Eugavia-lidium), 14.
 Celebicum (Gavialidium), 14.
 Celebicus (Hedotettix), 579.
 CELLES, 221.
Cenchri (*Melanoplus*), 511.
 Centrosa (Mazarredia), 25.
 Centurio (Gryllus), 372.
 Centurio (Locusta), 372.
 Centurio (Rhomalea), 372.
 Centurio (Rutidoderes), 372.
 Centurio (Tæniopoda), 372.
Centurio (*Gryllus*), 371.
Centurio (*Locusta*), 371.
Centurio (*Rhomalea*), 370, 371.
Centurio (*Tæniopoda*), 371.
 Ceperoi (Acrydium), 43.
 Cephalicum (Acridium), 20.
 Cephalicum (Tettix), 20.
 Cephalicus (Anthermus), 443.
 Cephalicus (Systole-derus), 20.
 CEPHALOCCEMA, 88.
 Cephalotes (Calliptamus), 553.
 Cephalotes (Catantops), 479.
 Cephalotes (Madurea), 148.
 CEPHALOTETTIX, 494.
 CERACRIS, 144.
Ceramicum (*Acridium*), 483.
 Ceratodi (Syntomaptera), 564.
 Cercata (Eurycnema), 569.
 CERCINA, 398.
Ceriscus (*Calliptamus*), 553.
Cerisius (*Caloptenus*), 553.
 CERVIDIA, 408.
 Cervina (Azelota), 442.
 Cervina (Mazarredia), 24.
 Cervina (Tettix), 24.
 Cervinus (Platacanthus), 442.
 Cervinus (Stenocrobilus), 485.
 Cervus (Taramassus), 561.
 Ceylonica (Dittopternis), 219.
 Ceylonica (Trilophidia), 244.
 Ceylonicum (Acrydium), 45.
 Ceylonicus (Choreo-typus), 68.

- Ceylonicus* (Orchetypus), 48.
Ceylonicus (Tettix), 45.
Ceylonicus (Tylotropidius), 556.
Chapadensis (Abraxeris), 428.
Chapadensis (Amblytropidia), 115.
Chapadensis (Cephalocoma), 89.
Chapadensis (Onalotettix), 428.
 CHARAGOFETTIX, 16.
 CHARIAORIS, 427.
 CHARILAUS, 341.
Charlesensis (Sphingonotus), 275.
 CHARMIDES, 569.
 CHARNIDAS, 569.
Charopus (Gryllus), 586.
 CHARORA, 268.
 CHARORUS, 268.
Charpentieri (Gomphocerus), 159.
Charpentieri (Ædipoda), 242.
Charpentieri (Eupropoecenis), 568.
Charpentieri (Ædipoda), 242.
Charpentieri (Pezotettix), 558.
Charpentieri (Tettix), 43.
Chathamensis (Sphingonotus), 275.
 CHELIDOPTERA, 571.
Chelonia (Monaclum), 464.
Chenopodii (Eoloplus), 500.
Chenopodii (Pezotettix), 500.
Chichimeca (Tettigidea), 58.
Chichimeca (Tettix), 58.
Childreni (Tropidoderus), 569.
Chilensis (Stenobothrus), 131, [165].
Chilensis (Stirapleura), 131.
 CHIMAROCEPHALA, 200.
Chipmami (Inusia), 414.
 CHINA, 75.
Chinensis (Acrida), 94.
Chinensis (Aiolopus), 581.
Chinensis (Truxalis), 94.
Chinensis (Gryllus), 394.
Chinensis (Oxya), 394.
Chipmami (Alotettix), 28.
Chipmami (Orphulella), 123.
Chipmami (Inusia), 414.
 CHIRIQUIA, 25.
 CHRISTA, 142.
 CHLOEALIS, 126.
 CHLOEBORA, 216.
Chloodes (Chorthippus), 174.
Chloodes (Omocestus), 174.
Chloris (Ædipoda), 255.
Chloris (Trimerotropis), 255.
Chlorizans (Arnalia), 413.
Chlorizans (Mesops), 413.
Chlorizans (Stenacris), 413.
 CHLORIZEINA, 319.
Chloronota (Lauferia), 323.
Chloronota (Ochrophlebia), 323.
Chloronota (Phlaeoba), 139.
Chlorophana (Ædipoda), 186.
Chlorophanus (Chorthippus), 186.
Chloroptera (Astroma), 90.
Chloropus (Acridium), 330.
Chloropus (Pygomorpha), 330.
Chloropus (Mantis), 569.
Chlorotus (Stauroderus), 581.
 CHLORUS, 491.
 CHORIPHYLLUM, 5.
Choristopterus (Haimenus), 503.
 CHOROETYPUS, 65.
 CHOROPHYLLUM, 5.
 CHOROTYPUS, 63.
 CHORTHIPPUS, 184.
 CHORTICETES, 193.
 CHORTOPHAGA, 198.
Christii (Locusta), 231.
 CHROMACRIS, 373.
 GIROSTHEIPUS, 419.
 CHROTOGONUS, 299.
 CHRYSOCHRAON, 145.
Chrysomelas (Gryllus), 199.
Chrysomelas (Locusta), 199.
 CHRYSOPSACRIS, 429.
 CHTHONIUS, 15.
 CHTHONOFTETIX, 15.
 CIBOLOPTERYX, 367.
- Cicada* (Rhambea), 4.
Cicatricosa (Cosmesata), 424.
Cicatricosus (Caloptenus), 547.
Cicatricosus (Euryphymus), 547.
Cicada (Bianta), 565.
Cinex (Lathceus), 283.
Cincta (Ædipoda), 255.
Cincta (Ommatolampis), 434.
Cincta (Pseudotrimerotropsis), 255.
Cincta (Trimerotropis), 255.
Cincta (Peziloece), 309.
Cincta (Trimerotropis), 259.
Cincticollis (Caloptenus), 548.
Cincticollis (Euryphymus), 548.
Cinctifemur (Acridium), 440.
Cinctifemur (Acrydium), 217.
Cinctifemur (Mesambria), 440.
Cinctifemur (Pterosticta), 217.
Cinctipennis (Ophthalmolampis), 389.
Cinctipennis (Trachyrachys), 248.
Cinctipes (Dichroplus), 490.
Cinctipes (Trigonophymus), 490.
Cinctum (Mesobrycon), 248.
Cinctus (Gryllus), 314.
Cinctus (Phymateus), 314.
Cinerascens (Batrachopus), 358.
Cinerascens (Eremobia), 289.
Cinerascens (Eremocharis), 290.
Cinerascens (Eremopeza), 289.
Cinerascens (Eremoplana), 289.
Cinerascens (Lamarekiana), 345.
Cinerascens (Ædipoda), 254.
Cinerascens (Porthetis), 345.
Cinerascens (Trimerotropis), 254.

- Cinerascens* (Xiphocera), 345.
Cinerascens (*Acrydium*), 230.
Cinerascens (*Gryllus*), 230.
Cinerascens (*Ædipoda*), 230.
Cinerea (Acrida), 94.
Cinerea (Alpha), 116.
Cinerea (Cordillacris), 116.
Cinerea (Metriotes), 569.
Cinerea (Ochrilidia), 116.
Cinerea (Truxalis), 94.
Cinerea (*Blatta*) 566.
Cinereum (Acridium), 560.
Cinereus (Dichroplus), 488.
Cinereus (Euprepocnemis), 560.
Cinereus (Horesidotes), 127.
Cinereus (Melanoplus), 524.
Cinereus (Paratettix), 33.
Cinereus (Systolederus), 20.
Cinereus (Trigonophymus), 488.
Cingalensis (Euparatettix), 31.
Cingalensis (Tettix), 31.
Cingulata (Mazaea), 386.
Cingulata (Ommatolampis), 434.
Cingulata (*Opomala*), 325.
Cingulatipes (Coptacra), 470.
Cingulatipes (Eucoptacra), 470.
Cingulatus (Ommatolampis), 434.
Cinnabarina (Doriaella), 339.
Cinnabarina (Doriella), 339.
Cinnabarina (Trilophidia), 245.
Cinnamomeus (*Tropinotus*), 437.
CIRCOTETTIX, 251.
Circumscripta (Acrydium), 579.
Circumscripta (Tettix), 42.
CIRPHULA, 439.
Cisti (Acrydium), 288.
Cisti (Eremobia), 288.
Cisti (Gryllus), 288.
Cisti (Thrinchus), 288.
Cisti (Tmethia), 288.
Cisti (*Acrydium*), 288.
Cisti (Eremobia), 288.
Cisti (*Tmethis*), 288.
Citrea (Tylotropidius), 556.
Citricornis (Tæniopoda), 371.
Citriifolia (*Gryllus*), 574.
Citriifolia (*Pettigenia*), 574.
Citrina (Cyrtacanthaeris), 449.
Citrina (Morphacris), 219.
Citrina (Pseudotrimerotropis), 257.
Citrina (Trimerotropis), 257.
Citrina (*Ædipoda*), 227.
Citrinolimbatu (Hieroglyphus), 397.
Citrimum (Acridium), 449.
Citrinus (Hippiscus), 204.
Citrimus (Ædaleus), 225.
Citripennis (Pycnodictia), 223.
CLADONOTUS, 9.
CLADORAMUS, 576.
Clara (Aptenopedes), 508.
Clarazianus (Alcamenes), 362.
Clarazianus (Diponthus), 382.
Clarazianus (Pappipappus), 211.
Clarus (Caloptenopsis), 551.
Clarus (Caloptenus), 551.
Clausii (Hyalorhipis), 279.
Clausii (Leptopternis), 280.
Clausii (Ædipoda), 279.
Clausii (Sphingonotus), 279.
Clavareau (Cyphoceras-tis), 471.
Clavata (Gomphomastax), 72.
Clavatus (Chrysochraon), 72, [147].
Clavatus (Falconius), 15.
Clavatus (Gomphocerus), 159.
Clavatus (Gomphomastax), 72.
Clavelii (Eremobia), 289.
Clavelii (Tmethia), 289.
Clavicorne (Acrydium), 157.
Clavinanus (*Gryllus*), 156.
Clavitaris (Criotettix), 15.
Clavitaris (Falconius), 15.
Clavuliger (Acridium), 395.
Clavuligera (Oxya), 395.
CLEANDRUS, 572.
CLEMATODES, 429.
Clendoni (Calamacris), 337.
CLEOSTRATUS, 2.
Clepsydra (Gomphocerus), 159.
Cliens (Acridium), 487.
Cliens (Dichroplus), 487.
Cliens (Pezotettix), 487.
Cliens (Podisma), 487.
Cliens (Trigonophymus), 487.
CLINOCEPHALUS, 124.
CLOSTERIDEA, 110.
Clypeatus (Caloptenus), 530.
Clypeatus (Melanoplus), 530.
Clypeatus (Pezotettix), 7.
CLYPEOTETTIX, 31.
Cnemidota (Tetrix), 22.
Cnemidotus (Amorphopus), 22.
Cnemidotus (Paratettix), 22.
Coactus (Hedotettix), 50.
Coangustatum (Acridium), 448.
Coarctatus (Neotettix), 51.
Cobellii (Pezotettix), 535.
Cobellii (Podisma), 535.
COCAMA, 432.
Coccineipes (Arnilia), 419.
Coccineipes (Melanoplus), 524.
Coccineipes (Opshomala), 419.
Cockerelli (Melanoplus), 517.
COCYTOTETTIX 127.
Calectis (*Holopercna*), 143.
Calectis (Acridium), 539.

- Cristatus* (*Osmia*), 539.
Colosyrionensis (*Caloptenus*), 549.
Colosyrionensis (*Sphindromerus*), 549.
COELOPTERNA, 281.
Colosyrionensis (*Calpitanus*), 549.
COENONA, 473.
Cerulans (*Aeridium*), 273.
Cerulans (*Aerotylus*), 266.
Cerulans (*Aeridium*), 273.
Cerulans (*Egnatus*), 268.
Cerulans (*Gryllus*), 273.
Cerulans (*Locusta*), 273.
Cerulans (*Macharidius*), 100.
Cerulans (*Edipoda*), 273.
Cerulans (*Orbillus*), 474.
Cerulans (*Sphinctonotus*), 274.
Cerulans (*Sphingonotus*), 273, 274.
Cerulans (*Sphindromerus*), 585.
Cerulea (*Locusta*), 474.
Cerulea (*Edipoda*), 239.
Cerulescens (*Prionacris*), 377.
Ceruleum (*Euparnops*), 416.
Ceruleus (*Gryllus*), 474.
Ceruleus (*Phyxæro*), 469.
Cognata (*Cyrtacanthacris*), 447.
Cognata (*Heteracris*), 554.
Cognata (*Pyrgomorpha*), 326.
Cognatum (*Aeridium*), 447.
Cognatus (*Stauroderus*), 181.
Cognatus (*Stenobothrus*), 181.
Coleoptrata (*Phalaca*), 388.
Colibri (*Ophthalmolampis*), 389.
Collare (*Spharagemon*), 234, 235.
Collaris (*Abila*), 424.
Collaris (*Dissosteira*), 235.
Collaris (*Eumastax*), 77.
Collaris (*Gryllus*), 379.
Collaris (*Locusta*), 379.
Collaris (*Mastax*), 77.
Collaris (*Edipoda*), 234.
Collaris (*Pseudotrimerotropis*), 259.
Collaris (*Trimerotropis*), 259.
Collaris (*Tropidacris*), 379.
Collata (*Edipoda*), 267.
Collina (*Pezotettix*), 503, 538.
Collina (*Edipoda*), 242.
Collinus (*Brachaspis*), 523.
Collinus (*Melanoplus*), 528.
Colombie (*Arnibia*), 413.
Colombie (*Stenacris*), 413.
COLORADELLA, 428.
Coloradensis (*Chorthippus*), 188.
Coloradensis (*Eucrotophous*), 201.
Coloradensis (*Hesperotettix*), 499.
Coloradensis (*Stenobothrus*), 188.
Coloradensis (*Psarocera*), 130.
Coloratus (*Melanoplus*), 523.
Coloratus (*Stenobothrus*), 113.
Colorata (*Aplatacris*), 377.
Coloratus (*Caloptenus*), 439, *Coloratus* 374.
COLPOLOPIA, 362.
Columbica (*Apiosecelis*), 85.
Columbina (*Schistocerca*), 455.
Columbinum (*Aeridium*), 455.
Columbinum (*Schistocerca*), 455.
Columbinus (*Gryllus*), 455.
COMACRIS, 141.
Comis (*Catantop*), 482.
Composita (*Podisma*), 399.
Composita (*Diponatus*), 382.
Composita (*Silvettix*), 112.
Compacta (*Apiosecelis*), 85.
Compacta (*Brachynotes*), 502.
Compacta (*Trachyrhachis*), 247.
Compacta (*Trachyrhachis*), 247.
Compactum (*Astroma*), 90.
Compactus (*Lexilobus*), 19.
Compactus (*Melanoplus*), 525.
Compactus (*Tettix*), 19.
Complanatus (*Melanoplus*), 524.
Completes (*Melanoplus*), 517.
Compressa (*Gyrtona*), 340.
Compressa (*Lamarckiana*), 345.
Compressa (*Phyllo-tettix*), 5.
Compressa (*Prionacris*), 377.
Compressa (*Systella*), 340.
Compressa (*Xiphicera*), 345.
Compressicollis (*Phymateus*), 312.
Compressicornis (*Aeridium*), 137.
Compressicornis (*Colephorus*), 137.
Compressicornis (*Oxy-coryphus*), 137.
Compressifrons (*Pseudothericles*), 80.
Compressifrons (*Thericles*), 80.
Compressum (*Aeridium*), 5.
Compressus (*Hymenotes*), 5.
Compressus (*Nomotettix*), 52.
Compressus (*Phanotettix*), 494.
COMPSACRIS, 121.
COMPSORHIPIS, 262.
Compta (*Chirista*), 142.
Compta (*Cyrtacanthacris*), 450.
Compta (*Orphedella*), 119.
Comptum (*Aeridium*), 100.

- Comptus* (*Melanoplus*), 524.
Comptus (*Stenobothrus*), 142.
CONALCÆA, 493.
Concinna (*Chiriquia*), 23.
Concinna (*Metrodora*), 23.
Concinna (*Desmopleura*), 508.
Concinna (*Monistria*), 319.
Concinna (*Petasida*), 319.
Concinna (*Edipoda*), 265.
Concinnula (*Orphulina*), 119.
Concinulus (*Stenobothrus*), 119.
Concinus (*Acrotylus*), 264.
Concinus (*Edipoda*), 264.
Concinus (*Rhabdottix*), 494.
Concisa (*Cyrtacanthacris*), 450.
Concisum (*Acridium*), 450.
Concisus (*Caloptenus*), 548.
Concisus (*Euryphymus*), 548.
Concolor (*Acrydium*), 579.
Concolor (*Eleutherotheca*), 150.
Concolor (*Hieroglyphus*), 397.
Concolor (*Mestra*), 330.
Concolor (*Oxya*), 397.
Concolor (*Paratettix*), 578.
Concolor (*Stenacris*), 413.
Concolor (*Tagasta*), 330.
Concolor (*Acridium*), 458.
Concolor (*Cyrtacanthacris*), 458.
Concolor (*Perena*), 334.
Condyllops (*Acrydium*), 44.
Condyllops (*Tettix*), 44.
Confusus (*Melanoplus*), 527.
Conglobata (*Exarna*), 443.
Conglobata (*Heteracris*), 443.
Congrua (*Omara*), 334.
Conica (*Acrida*), 95.
Conica (*Locusta*), 575.
Conica (*Pyrgomorpha*), 325, 326.
Coniceps (*Heteracris*), 555.
Coniceps (*Hybusa*), 88.
Coniceps (*Malagassa*), 75.
Coniceps (*Proscopia*), 88.
Conicum (*Acridium*), 325.
Conicus (*Truxalis*), 95.
CONIPODA, 280.
CONISTICA, 223.
CONOMETOPUS, 368.
CONOPHYMA, 399.
Conops (*Tristria*), 401.
CONOZOA, 250.
Conradti (*Acmophyllum*), 8.
Consanguinea (*Cyrtacanthacris*), 446.
Consanguineum (*Acridium*), 446.
Consanguineus (*Melanoplus*), 513.
Conscitus (*Caloptenus*), 481.
Consobrina (*Atractomorpha*), 332.
Consobrina (*Cyrtacanthacris*), 448.
Consobrina (*Euprepocnemis*), 561.
Consobrina (*Heteracris*), 561.
Consobrina (*Porthetis*), 347.
Consobrinum (*Acridium*), 448.
Consobrinus (*Catanops*), 482.
Consocia (*Mazarredia*), 25.
Consocia (*Tettix*), 25.
Consors (*Acridium*), 540.
Consersa (*Acrydium*), 579.
Consersa (*Arphia*), 196.
Consersa (*Chloëaltis*), 126.
Consersa (*Locusta*), 126.
Consersa (*Macharidia*), 100.
Consersa (*Monistria*), 319.
Consersa (*Plectrotettix*), 133.
Consersa (*Pseudotrimerotropsis*), 259.
Consersa (*Scyllina*), 133.
Consersa (*Tettix*), 42.
Consersa (*Trimerotropsis*), 259.
Consersipes (*Nautia*), 389.
Consersum (*Chrysochraon*), 126.
Consersus (*Dichroplus*), 489.
Consersus (*Euplectrotettix*), 132.
Consersus (*Diedronotus*), 361.
Consersus (*Melanoplus*), 525.
Consersus (*Trigonophymus*), 489.
Consersus (*Tropidonotus*), 361.
Consersus (*Tropinotus*), 361.
Consersus (*Gryllus*), 308.
Consersus (*Locusta*), 308.
Conspicuus (*Hippiscus*), 208.
Conspicuus (*Melanoplus*), 514.
Conspicuus (*Xanthippus*), 208.
Constricta (*Gomphomastax*), 72.
Constricta (*Humpatella*), 320.
Constricta (*Truxalis*), 97.
Constrictus (*Gomphomastax*), 72.
Contigua (*Acrydium*), 579.
Contigua (*Tettix*), 42.
Continua (*Heteracris*), 555.
Continuata (*Eremobia*), 289.
Continuatus (*Tmethis*), 289.
Continuum (*Acridium*), 555.
Contracta (*Eucoptacra*), 469.
Contracta (*Scelimena*), 13.
Contracta (*Scelymena*), 13.
Contracta (*Pyrgomorpha*), 334.
Contractum (*Acridium*), 469.
Contractus (*Crimisus*), 24.

- Contractus (Paratettix), 33.
 Conturbata (Epaeromia), 264.
 Conturbatus (Aerotylus), 264.
 Convergens (Ischnacrida), 405.
 Convergens (Mazarredia), 26.
 Convergens (Opomala), 445.
 Convexus (Apotettix), 53.
 Convexus (Tettix), 53.
 COPIOCERA, 420.
 COPIPHORA, 571.
 COPTACRA, 467.
 COPTACRELLA, 468.
 COPTOTETTIX, 59, 579.
 Coquilleti (Ligurotettix), 136.
 Coquilletti (Trimerotropis), 255.
 CORA, 575.
Corallifrons (Pygmaeus), 314.
 Corallina (Leucista), 207.
 Corallinipes (Acridium), 453.
 Corallinipes (Cystacanthacris), 453.
 Corallinus (Pæpedetes), 542.
 Corallipes (Ædipoda), 207.
 Corallipes (Hippiscus), 208.
 Corallipes (Ædomerus), 435.
 Corallipes (Ædipoda), 207.
 Corallipes (Stegastris), 392.
 Corallipes (Trybliphorus), 392.
 Corallipes (Xanthippus), 207, 208.
 CORDILLACRIS, 116.
 Cordillera (Scirtomastax), 78.
 Coreanum (Acridium), 482.
 Creanus (Catantops), 482.
 Coriacea (Osmilia), 540.
 Coriacea (Stenacris), 414.
 Coriacea (Truxalis), 414.
 Cornicola (Pristocorypha), 406.
 Corniculata (Xistra), 27.
 Corniculatus (Tettix), 27.
 CORNOPS, 417.
 Cornuta (Phaneroptera), 571.
 Cornuta (Saussurella), 61.
 Cornutum (Acridium), 61.
 Cornutum (Tettix), 61.
 Cornutus (Notocerus), 29, 578.
 Coronata (Potua), 11.
 Coronata (Trachyrhachis), 248.
 Coronata (Trachyrhachys), 248.
 Coronatus (Tettix), 42.
 Corpulentus (Leprus), 210.
 Corpulentus (Melanopus), 525.
 Corrugata (Conozon), 251.
 Corrices (Xerophyllum), 8.
 CORYNORHYNCHUS, 85.
 CORYPHISTES, 438.
 CORYPHOSIMA, 147.
 COSCINEUTA, 423.
 COSMORHYSSA, 218.
 COSMORRHIPIS, 262.
 Costae (Pezotettix), 535.
 Costae (Podisma), 535.
 Costalis (Eucrotophys), 201.
 Costalis (Ædipoda), 201.
 Costalis (Orphulella), 122.
 Costalis (Stenobothrus), 122.
 Costalis (Tragocephala), 201.
 Costaricensis (Amblytropidia), 115.
 Costaricensis (Chrysopsacris), 429.
 Costaricensis (Heliasius), 270.
 Costaricensis (Jodacris), 429.
 Costaricensis (Orphulella), 123.
 Costata (Cosmorhyssa), 219.
 Costata (Morphaecris), 219.
 Costatus (Tettix), 48.
 Costistriga (Epaeromia), 183.
 Costistriga (Stauroderus), 183.
 Costulata (Cephalocema), 89.
 Costulata (Ichthiacris), 337.
 Costulata (Ochridia), 150.
 Costulata (Platypterna), 150, 581.
 Costulata (Platypternodes), 581.
 COSTA, 11.
Cothurnata (Acropicra), 170.
Cothurnata (Ælipoda), 170.
Cothurnatus (Gryllus), 170.
Cothurnatus (Gomphocerus), 170.
 COTYS, 21.
 Couloniana (Dittopternis), 221.
 Couloniana (Heteropternis), 221.
 Coxale (Acridium), 423.
 Coxalis (Coscineuta), 423.
 Coxalis (Sitalces), 435.
 CRANAE, 387.
 Crassa (Arphia), 196.
 Crassa (Chacora), 216.
 Crassa (Hippacris), 370.
 Crassa (Ædipoda), 216.
Crassicollis (Echelus), 226.
 Crassicornis (Acinipes), 584.
 Crassicornis (Geloius), 338.
 Crassicornis (Pamphagus), 583.
 Crassicornis (Sphenacris), 336.
 Crassipes (Chorthippus), 160.
 Crassipes (Gomphocerus), 160.
 Crassipes (Gryllus), 160.
 Crassipes (Mnesicles), 73.
 Crassipes (Ædipoda), 160.
 Crassipes (Opomala), 303.
 Crassipes (Sphenarium), 305.
 Crassipes (Stenobothrus), 160.
 Crassipes (Xanthomastax), 74.

- Crassiuscula (Arcyptera), 171.
 Crassiusculus (Caloptenopsis), 551.
 Crassiusculus (Docio-staurus), 153.
 Crassiusculus (Stauro-notus), 153.
 Crassivenosa (Charora), 268.
 Crassum (Acrydium), 48.
 Crassus (Acridoderes), 470.
 Crassus (Acrotylus), 264.
 Crassus (Æoloplus), 500.
 Crassus (Aiolopus), 581.
 Crassus (Barytettix), 494.
 Crassus (Caloptenus), 547.
 Crassus (Euryphymus), 547.
 Crassus (Ædipoda), 264.
 Crassus (Tettix), 48.
 CRATILOPUS, 439.
 CRATIOMA, 572.
 CRATIPPUS, 439.
 CRATYLUS, 572.
 CRATYPEDES, 205.
 Crenaticeps (Atracto-morpha), 333.
 Crenaticeps (Pyrgo-morpha), 333.
 Crenaticeps (Truxalis), 333.
 Crenatum (Acridium), 74.
 Crenatum (Mastax), 74.
 Crenatus (Mnesicles), 74.
 Crenatus (Truxalis), 331.
 Crenulata (Alpha), 116.
 Crenulata (Atracto-morpha), 331.
 Crenulata (Cordillacris), 116.
 Crenulata (Logua), 408.
 Crenulata (Ochrididia), 116.
 Crenulata (Pyrgo-morpha), 331.
 Crenulata (Truxalis), 332.
 Crenulatum (Acridium), 332.
 Crenulatum (Pyrgo-morpha), 332.
 Crenulatum (Acridium), 333.
 Crenulatus (Cladorma-sus), 576.
 Crenulatus (Gryllus), 408.
 Crenulatus (Locusta), 408.
 Crenulatus (Mesops), 408.
 Crenulatus (Truxalis), 331.
 Crenulatus (Dissosteira), 233.
 Crenulatus (Spharagemon), 233.
 Crenulatum (Arphia), 195.
 Cribellatus (Diccarchus), 391.
 Cribrata (Schistocerca), 462.
 Cribratum (Acridium), 462.
 Cribrifrons (Acridium), 454.
 Cribrifrons (Cyrtacan-thacris), 454.
 CRIMISUS, 12, 24.
 CRIOTETTIX, 16, 577.
 Crista-flammea (Mona-chidium), 463.
 Cristagalli (Acridium), 461.
 Cristagalli (Pelecnotus), 464.
 Cristagalli (Schistocerca), 461.
 Cristata (Batrachidea), 52.
 Cristata (Dissosteira), 234.
 Cristata (Lamarekiana), 344.
 Cristata (Lophacris), 378.
 Cristata (Tettix), 42.
 Cristata (Trimerotropis), 254.
 Cristata (Xiphocera), 344.
 Cristata (Locusta), 379.
 Cristata (Pyrgodera), 214.
 Cristata (Tropidacris), 379.
 Cristaticollis (Cono-metopus), 368.
 Cristatum (Acridium), 41.
 Cristatum (Acrydium), 41.
 Cristatum (Sphara-gemon), 234.
 Cristatum (Acridium), 379.
 Cristatum (Acrydium), 379.
 Cristatus (Adephagus), 342.
 Cristatus (Alcamenes), 362.
 Cristatus (Eephanus), 464.
 Cristatus (Gryllus), 378.
 Cristatus (Locusta), 378.
 Cristatus (Pamphagus), 342.
 Cristatus (Gryllus), 379, 380.
 Cristatus (Locusta), 379, 380.
 Cristatus (Nomotettix), 52.
 Cristella (Ædipoda), 244.
 Cristella (Trilophidia), 244.
 Cristicornis (Cladono-tus), 9.
 Cristulata (Bibraete), 466.
 Cristulata (Mazarredia), 25.
 Cristulata (Ptetica), 223.
 Cristulata (Pantelia), 10.
 Cristulata (Stropis), 438.
 Cristulatus (Demo-chares), 433.
 Cristulatus (Demonax), 433.
 Cristulifer (Acrotylus), 264.
 Cristulifer (Calliptamus), 264.
 Cristulifer (Euryphymus), 264.
 Cristulifer (Caloptenus), 245.
 Crocea (Acrida), 91.
 Crocea (Tryxalis), 91.
 Croceus (Cratypedes), 205.
 Croceus (Hippiscus), 205, 210.
 Croceus (Xanthippus), 210.
 Crocodilus (Gavialidium), 14.
 Crocodilus (Scelymena), 14.
 Crocotaria (Schistocerca), 455.
 Crucata (Ditopternis), 220.
 Crucata (Ædipoda), 241.
 Crucata (Tetramero-tropis), 202.
 Crucata (Ædipoda), 152.
 Cruciatum (Acridium), 152.
 Cruciatum (Gymnoboth-rus), 148.
 Cruciatum (Docio-staurus), 152.
 Cruciatum (Gomphocerus), 171.

- Cucullatus* (*Gryllus*), 152.
171.
Cucullatus (*Edipoda*), 171.
Cucullatus (*Stauronotus*), 152, 153.
Cucullifer (*Gryllus*), 446.
Cucullifer (*Locusta*), 446.
Cuculiformis (*Peodes*), 82.
Cuculigera (*Tettix*), 59.
Cuculigerus (*Epistaurus*), 471.
Cuculigerus (*Gryllus*), 152.
Cuculigerus (*Stauronotus*), 152.
Cruentata (*Petasia*), 305, 306.
Cruentata (*Tapesia*), 305.
Cruentata (*Zomopoda*), 376.
Cruentata (*Edipoda*), 175.
Cruentatum (*Acridium*), 376.
Cruentatus (*Diptyphorus*), 305.
Cruentatus (*Sphodromerus*), 549.
Cruentatus (*His*), 563.
CRYPsicERUS, 282.
CRYPTOTETTIX, 24.
Crystallina (*Mantis*), 568.
Csiki (*Acrida*), 94.
CTYPHIPPU, 238, 260.
CTYPOHIPPU, 238.
Cubense (*Acridium*), 456.
Cubensis (*Schistocerca*), 456.
Cubensis (*Chorthopaga*), 199.
Cubensis (*Sphingonotus*), 274.
Cubensis (*Tragacephala*), 199.
Cubiceps (*Acridium*), 426.
Cubiceps (*Adimantus*), 426.
Cubicus (*Crypsicerus*), 282.
Cucullata (*Paratettix*), 34.
Cucullata (*Tetrix*), 33.
Cucullata (*Lamarekiana*), 343.
Cucullatus (*Euryparyphes*), 354.
Cucullatus (*Eunapius*), 354.
Cucullatus (*Gryllus*), 343.
Cucullatus (*Locusta*), 343.
Cucullatus (*Pamphagus*), 343, 354.
Cucullatus (*Paratettix*), 34.
Cucullifera (*Saussurella*), 61.
Cucullifera (*Tettix*), 61.
CUCULLIGERA, 283.
Cultatrix (*Misythus*), 9.
Cultatrix (*Tettix*), 9.
Cultratus (*Hymenotus*), 6.
Cultratus (*Paratettix*), 33.
Cultratus (*Piezotettix*), 6.
Cultricolle (*Tropidau-chen*), 348.
Cultricolis (*Tropidau-chen*), 348.
Cultrifer (*Acanthoxia*), 407.
Cultrifer (*Gonyacantha*), 407.
Cunctatus (*Eurymorphopus*), 21.
Cunctator (*Paraeuprepocnemis*), 557.
Cuneatus (*Acanthalobus*), 17.
Cuneatus (*Melanoplus*), 510.
Cupidineum (*Derotemema*), 243.
Cupido (*Phaneroturis*), 125.
Cupidus (*Hippiscus*), 209.
Cupidus (*Xanthippus*), 209.
Curriei (*Dasyleurotettix*), 12.
Curtipennis (*Agneotettix*), 135.
Curtipennis (*Chloëaltis*), 188.
Curtipennis (*Chorthippus*), 188.
Curtipennis (*Hesperotettix*), 499.
Curtipennis (*Locusta*), 188.
Curtipennis (*Phæoparia*), 426.
Curtipennis (*Stenobothrus*), 188.
Curtithorax (*Choroetypus*), 68.
Curtithorax (*Scirtotypus*), 68.
Curtus (*Eleleus*), 8.
Curtus (*Melanoplus*), 521.
Curvicolis (*Epigrypa*), 88.
Curvifrons (*Platypterna*), 580.
Curvinotus (*Camelotettix*), 578.
Curvipes (*Dericorys*), 383.
Curvipes (*Derocorys*), 383.
Curvipes (*Derocorystes*), 383.
Curvipes (*Euryphymus*), 547.
Cuspidata (*Cyrtacanthacris*), 451.
Cuspidata (*Tettigidea*), 59.
Cuspidatum (*Acridium*), 451.
Cuspidatum (*Acrydium*), 579.
Cuspidatus (*Euryphymus*), 545.
Cuspidatus (*Halmenus*), 503.
Cuspidatus (*Tetrix*), 579.
CUTILIA, 654.
Cyanea (*Cyrtacanthacris*), 449.
Cyanea (*Pseudotrimerotropis*), 256.
Cyanea (*Trimerotropis*), 256.
Cyaneipennis (*Pseudotrimerotropis*), 260.
Cyaneipennis (*Trimerotropis*), 260.
Cyaneum (*Acridium*), 449.
Cyaneum (*Acrydium*), 274.
Cyaneum (*Spatholus*), 297.
Cyaneus (*Leprus*), 211.
Cyaneus (*Gryllus*), 449.
Cyaneus (*Locusta*), 449.
Cyaneus (*Stenocoryphus*), 485.
Cyanipennis (*Eremobia*), 286.
Cyanipennis (*Tuethlis*), 286.
Cyanipes (*Catantops*), 477.
Cyanipes (*Gryllus*), 132.
Cyanipes (*Melanoplus*), 524.
Cyanipes (*Xenocrodes*), 355.
Cyanipes (*Pamphagus*), 355.
Cyanipes (*Scyllina*), 132.

- Cyanipes* (*Oenoderes*), 356.
Cyanoptera (*Colpolopha*), 363.
Cyanoptera (*Coptacra*), 469.
Cyanoptera (*Coryphistes*), 435.
Cyanoptera (*Leptysmia*), 412.
Cyanoptera (*Edipoda*), 276.
Cyanoptera (*Ommexycha*), 297.
Cyanoptera (*Oxya*), 393.
Cyanoptera (*Xiphola*), 432.
Cyanoptera (*Xiphocera*), 363.
Cyanoptera (*Xiphophora*), 365.
Cyanopteroides (*Coryphistes*), 436.
Cyanopterum (*Ommexycha*), 297.
Cyanopterus (*Gryllus*), 276.
Cyanopterus (*Sphingonotus*), 276.
Cyanopterus (*Gryllus*), 242.
CYCLOCERCUS, 495.
Cycloidea (*Verdulia*), 338.
Cycloideum (*Aceridium*), 338.
Cycloideum (*Pygomorpha*), 338.
CYCLOPTERA, 572.
Cyclopterum (*Aceridium*), 71.
Cyclopterum (*Mastax*), 71.
Cyclopterum (*Eupatrides*), 71.
Cygnicollis (*Ophiotettix*), 3.
Cylindrica (*Blatta*), 567.
Cylindrica (*Opsomala*), 403.
Cylindrica (*Opsomala*), 403.
Cylindrica (*Pygomorpha*), 325.
Cylindrica (*Tropidopola*), 403.
Cylindrica (*Paropomala*), 106.
Cylindricollis (*Catanotops*), 477.
Cylindricollis (*Pœciocer*), 477.
Cylindricus (*Gryllus*), 403.
Cylindricus (*Mesops*), 106.
Cylindrodes (*Opsomala*), 414.
Cylindrodes (*Stenacris*), 414.
Cylindrodes (*Arnilia*), 413.
CYLINDROTETRIX, 412.
CYMATOPSYGMA, 80.
Cymbifera (*Euprepocnemis*), 557.
Cymbiferus (*Cataloipus*), 557.
Cymbiformis (*Gryllus*), 359.
Cymbiformis (*Locusta*), 359.
Cymbiformis (*Pamphagus*), 359.
CYMOCHTHA, 142.
CYPHOCERASTIS, 471.
CYPHOPHORUS, 383.
Cypria (*Pygomorpha*), 326.
CYRTACANTHACRIS, 446, 585.
CYRTOLOPHA, 212.
CYSTOCÆLIA, 65.
DACTYLOTUM, 541.
Dadalea (*Locusta*), 573.
Dædaleum (*Typophyllum*), 573.
DEMONEA, 271.
Daganensis (*Hieroglyphus*), 396.
Daimi (*Stenobothrus*), 179.
Dairisama (*Podisma*), 536.
Dalmani (*Gomphocerus*), 109.
Dalmani (*Sinipta*), 109.
Damnifica (*Schistocerca*), 462.
Damnificum (*Aceridium*), 462.
Danica (*Locusta*), 230.
Danica (*Locusta*), 227.
Danicus (*Gryllus*), 230.
Danicus (*Locusta*), 230.
Danicus (*Elaleus*), 230.
Dasyneinis (*Orthochthia*), 141.
DASYLEUROTETRIX, 12.
DASYSCIRTUS, 493.
Dasyca (*Blatta*), 563.
Davidiana (*Callirhipis*), 262.
Davidiana (*Cosmorhipis*), 262.
Davisi (*Tettigidea*), 579.
Dawsoni (*Melanoplus*), 516, 517.
Dawsoni (*Pezotettix*), 516.
Dealbatus (*Melanoplus*), 533.
Debile (*Aceridium*), 454.
Debilis (*Catantops*), 480.
Debilis (*Cyrtacanthacris*), 454.
Debilis (*Leptea*), 327.
Debilis (*Melanoplus*), 533.
Debilis (*Pygomorphella*), 327.
Deblitatum (*Aceridium*), 478.
Decens (*Aulocara*), 135.
Decepta (*Arphia*), 197.
Decepta (*Duronia*), 139.
Decepta (*Paracomacris*), 139.
Decaptoria (*Acinipe*), 350, 583.
Deceptorius (*Pamphagus*), 350, 583.
Deceptus (*Melanoplus*), 519.
Decipiens (*Aceridium*), 357.
Decipiens (*Catantops*), 480.
Decisa (*Orphulella*), 122.
Decisa (*Cyrtacanthacris*), 450.
Derisum (*Aceridium*), 450.
Decisus (*Caloptenus*), 561.
Decisus (*Euprepocnemis*), 561.
Decisus (*Stenobothrus*), 122, 165.
Deckeni (*Aceridium*), 453.
Deckeni (*Cyrtacanthacris*), 453.
Declivum (*Aceridium*), 184.
Declivus (*Gomphocerus*), 185.
Declivus (*Stenobothrus*), 184, 185.
Decolor (*Edipoda*), 239.
Decoloratus (*Sphiodromerus*), 549.
Decoloratus (*Tarbaeus*), 389.
Decora (*Orphula*), 123.

- Decora* (Orphulella), 123.
Decora (Tettix), 40.
Decorata (Blatta), 567.
Decorata (Cyphaeris), 374.
Decoratus (Catantops), 479.
Decoratus (Melanoplus), 519.
Decoratus (Tettix), 48.
Decoratus (Catantops), 479.
Decoripes (Acridium), 540.
Decorsei (Gelonus), 338.
Decorum (Acridium), 225.
Deorus (Melanoplus), 519.
Decoratum (Acridium), 146.
Decurva (Saussurella), 61.
Decussata (Stirapleura), 130.
Deducta (Tropinotus), 437.
Defectus (Melanoplus), 512.
Deflorata (Ceraeris), 144.
Deflorata (Duroia), 144.
Defloratus (Eranthus), 70.
DEFLORITA, 573.
Degener (Apoboleus), 441.
Degenerata (Desmoptera), 329.
Delecta (Abracris), 428.
Deletor (Caloptenus), 528.
Deletor (Melanoplus), 528.
Delicatula (Scyllina), 130.
Delicatula (Stirapleura), 130.
Delicatulum (Derotmemma), 243.
Delincolatum (Acridium), 483.
DELLIA, 423.
Deltigera (Tettix), 42.
DELTONOTUS, 7, 576.
Deminuta (Bibraeta), 467.
DEMOCHARES, 433.
Democratia (Schistocerca), 461.
Democratium (Acridium), 461.
DEMODOCUS, 554.
DEMONAX, 433.
DENDROTETTIX, 502.
Dentata (Eumastax), 77.
Dentata (Otumba), 26.
Dentata (Porthetis), 347.
Dentation (Acrydium), 349, 359.
Dentatus (Eumastax), 77.
Dentatus (Peucestes), 574.
Dentatus (Traxalis), 97.
Denticulata (Rhombodera), 567.
Denticulatus (Nomo-tettix), 52.
Dentifer (Eugavialidium), 14.
Dentifer (Gavialidium), 14.
Dentifer (Tettix), 14.
Dentifrons (Atractomorpha), 333.
Dentipes (Femiphora), 390.
Dentiumeris (Eugavialidium), 14.
Deorum (Ageneotettix), 134, 135.
Deorum (Chrysocraon), 134.
Deorum (Eremnus), 134.
Deponens (Acrydium), 561.
Depressa (Lilæa), 282.
Depressa (Tettix), 42.
Depressa (Tettix), 59.
Depressicornis (Aristia), 425.
Depressifrons (Thericles), 81.
Depressior (Acrydium), 44.
Depressior (Tettix), 44.
Depressum (Acrydium), 42, 579.
Depressus (Tettix), 42.
DERASPIELLA, 335.
DERASPIS, 335.
DERICORYS, 382.
Derjugini (Eumothotes), 356.
Deruensis (Sphingonotus), 582.
DEROCORYS, 382.
DEROCORYSTES, 382.
DEROTMEMA, 243.
Desereta (Orphulella), 121.
Deserticola (Ramona), 250.
Deserticola (Gomphocerus), 157.
Desertorum (Strumiger), 282.
Desertorum (Sphingonotus), 274.
Deses (Parepistaurus), 471.
Desliens (Schistocerca), 455.
DESMOPLURA, 508.
DESMOPTERA, 328.
Despecta (Exarna), 443.
Desultorius (Melanoplus), 532.
Detraumat (Pachytylus), 226.
Deustus (Acrotylus), 264.
Deustus (Gryllus), 264.
Devastator (Melanoplus), 514.
Devius (Melanoplus), 515.
Devorator (Caloptenus), 523.
DIABLEPIA, 141.
Diabolicum (Boopedon), 128.
Diabolicus (Ocnocerus), 394.
Diadematus (Sphingonotus), 277.
DIBASTICA, 396.
Dibelonus (Melanotettix), 131.
DICEARCHUS, 391.
DICHOPETALA, 573.
Dichroa (Ophthalmolampis), 390.
Dichroa (Edipoda), 186.
DICHROATETTIX, 127.
DICHROMORPHA, 125.
DICHROPLUS, 487.
DICORYPHA, 573.
DICTYOPHORUS, 304, 317, 369.
Didymus (Gryllus), 556.
Didymus (Tylotropidius), 556.
Didymus (Pezotettix), 556.
DIEDRONOTUS, 359.
DIESIS, 398.
Differentiale (Acridium), 528.
Differentiale (Edipoda), 198.
Differentialis (Arphia), 198.
Differentialis (Caloptenus), 528.
Differentialis (Melanoplus), 528, 529.

- Differentialis (Edipoda), 529.
 Differentialis (Pezotettix), 529.
 Difficilis (Arphia), 195.
 DIGENIA, 395.
 Digitatus (Catantops), 481.
 Dilatata (Gerenia), 472.
 Dilatatum (Acrydium), 45.
 Dilatatum (Tettix), 45.
 Dilatatus (Tettix), 45.
 Dimidiata (Gerista), 407.
 Dimidiata (Taphronota), 309.
 Dimidiata (Traulia), 475.
Dimidiata (Podisma), 187.
 Dimidiatipes (Erucius), 73.
 Dimidiatum (Acridium), 475.
 Dimidiatum (Oxya), 475.
Dimidiatum (Acridium), 475.
Dimidiatum (Oxya), 475.
 Dimidiatus (Gryllus), 176.
 Dimidipennis (Melanoplus), 517.
 Diminuta (Atractomorpha), 333.
 Diminuta (Oxya), 476.
 Diminuta (Traulia), 476.
 Diminuta (Tryxalis), 333.
 Diminutus (Melanoplus), 513.
 DIOTARUS, 10.
 DIPONTHUS, 381.
 DIRANEURA, 247.
 Directa (Trigoniza), 441.
 Discalis (Acrydium), 45.
 Discalis (Tettix), 45.
 Discoidalis (Calliptamus), 553.
 Discoidalis (Caloptenus), 553.
 Discoidalis (Edipoda), 164.
 Discoidalis (Schistocerca), 457.
 Discoidalis (Stenobothrus), 164.
 Discoidalis (Tristria), 401.
Discoidalis (Tristria), 401.
 Discoidea (Gestroa), 11.
 Discoidea (Gestroana), 11.
 Discoidea (Xiphocera), 360.
Discoidea (Edipoda), 206.
Discoidea (Edipoda), 206.
 Discoideus (Diedronotus), 360.
 Discoideus (Hippiscus), 206.
 Discoideus (Pamphagus), 360.
 Discoideus (Tropidonotus), 360.
 Discoideus (Tropinotus), 360.
 Discolor (Bulla), 63.
 Discolor (Melanoplus), 510.
 Discolor (Pezotettix), 510.
 Discolor (Pneumora), 63.
 Discolor (Tettix), 42.
Discolor (Gryllus), 230, 575.
Discolor (Tettigonia), 565.
 DISCOLORHINUS, 336.
 DISCOTETTIX, 2, 575.
 Discrepans (Monistria), 319.
 Discrepans (Petasida), 319.
 Dispar (Acridium), 146.
 Dispar (Biroella), 76.
 Dispar (Castetsia), 56.
 Dispar (Chorthippus), 146, 157.
 Dispar (Chrysochaon), 145, 146.
 Dispar (Cratillopus), 439.
 Dispar (Cratippus), 439.
 Dispar (Gomphocerus), 157.
 Dispar (Gryllus), 39.
 Dispar (Podisma), 145.
 Dispar (Pyrgomorpha), 325.
 Dispar (Tettix), 39.
 Disparilis (Cyrtacanthacris), 447.
 Dissimilis (Paropomala), 106.
 Dissimilis (Paroxya), 506.
 DISSOSTEIRA, 231.
 Distanti (Acridium), 44.
 Distanti (Chrotogonus), 302.
 Distanti (Cyrtacanthacris), 452.
 Distanti (Pagopedilum), 346.
 Distanti (Xiphocera), 346.
 Distincta (Goniæa), 437.
 Distinguendum (Acridium), 481.
 Distinguendum (Catantops), 481.
 Distinguendus (Catantops), 481.
 Distinguendus (Dichroplus), 489.
 Distinguendus (Trigonophymus), 489.
 DITTOPTERNIS, 219.
Dium (Acridium), 453.
 Dius (Cyrtacanthacris), 453.
 Divergens (Melanoplus), 519.
 Diversifera (Cyrtacanthacris), 506.
 Diversifera (Paroxya), 506.
 Diversiferum (Acridium), 506.
 Diversipes (Azelota), 442.
 Dives (Hypsipages), 433.
 Djelfensis (Pamphagus), 353.
 DNOPHERULA, 151.
 DOCIOSTAEURUS, 152.
 Dodgei (Caloptenus), 534.
 Dodgei (Podisma), 534.
 Dohrni (Atractomorpha), 333.
 Dohrni (Verdulia), 338.
 Dohrnianus (Gastri-margus), 227.
 Dohrnianus (Edaleus), 227.
Dohrni (Tettix), 32.
 DOLATETTIX, 6.
 Dolichocera (Acinipe), 583.
 Dolichocerus (Pamphagus), 583.
 Domicola (Blatta), 567.
 Dominans (Bactrophora), 406.
 Dominans (Caloptenus), 468.
 Dominans (Coptacra), 468.

- Dorsalis* (*Brachyptera*), 406.
Dominator (*Caloptenus*), 506.
Dominator (*Paroxys*), 506.
Dorani (*Arcyptera*), 172.
Dorani (*Stethophyma*), 172.
Doria (*Disotettix*), 2.
DORIAELLA, 339.
DORIELLA, 339.
Dorsale (*Acridium*), 38.
Dorsale (*Acrydium*), 38.
Dorsalis (*Epacromis*), 192.
Dorsalis (*Gerania*), 472.
Dorsalis (*Gryllus*), 192.
Dorsalis (*Leptysma*), 411.
Dorsalis (*Mesops*), 411.
Dorsalis (*Ommatolampus*), 434.
Dorsalis (*Stenopola*), 415.
Dorsalis (*Tetrix*), 47.
Dorsalis (*Tettix*), 58, 40, 42, 47.
Dorsalis (*Truxalis*), 415.
Dorsalis (*Xiphocera*), 369.
Dorsata (*Euprepocnemis*), 559.
Dorsata (*Cedipoda*), 186.
Dorsatum (*Acridium*), 559.
Dorsatum (*Acrydium*), 186.
Dorsatus (*Calliptamus*), 559.
Dorsatus (*Chorthippus*), 186.
Dorsatus (*Gomphocerus*), 186.
Dorsatus (*Gryllus*), 186.
Dorsatus (*Stenobothrus*), 186.
Dorsatus (*Thissocetrus*), 559.
Dorsatus (*Thissocetrus*), 559.
Dorsifera (*Tettix*), 45.
Dorsiferum (*Acrydium*), 45.
Dorsiger (*Caloptenus*), 368.
Dorsigera (*Oxya*), 395.
DRACONATA, 368.
DRACOTETTIX, 367.
Drumadaria (*Xiphocera*), 347.
Dubia (*Mesambria*), 440.
Dubia (*Parasphenia*), 321.
Dubia (*Xistra*), 27.
Dubiosum (*Acrydium*), 44.
Dubiosus (*Tettix*), 44.
Dubium (*Acridium*), 449.
Dubius (*Dichroplus*), 489.
Dubius (*Stauroderus*), 181.
Dubius (*Stenobothrus*), 181.
Dubius (*Trigonophymus*), 489.
Dubius (*Calephorus*), 137.
Dubius (*Gryllus*), 137.
Ducalis (*Heteracris*), 555.
Duleis (*Chariacris*), 427.
Dumicola (*Melanoplus*), 525.
Dumicola (*Pezotettix*), 525.
Dumicolus (*Melanoplus*), 525.
Duria (*Duronia*), 140.
Duria (*Rodunia*), 140.
Duroni (*Oenerodes*), 356.
DURONIA, 139, 140.
DURONIELLA, 140.
Durus (*Criotettix*), 16.
Durus (*Paratettix*), 16, 35.
Dusmeti (*Systella*), 349.
Dux (*Acridium*), 380.
Dux (*Acrydium*), 380.
Dux (*Gryllus*), 380.
Dux (*Locusta*), 380.
Dux (*Tropidacris*), 380.
Dux (*Acridium*), 381.
Dux (*Gryllus*), 380.
Dux (*Locusta*), 380.
Dux (*Tropidacris*), 380.
DYSOLORIINUS, 336.
Eblis (*Lamarckiana*), 344.
Eblis (*Xiphocera*), 344.
Eclunatus (*Cladonotus*), 9.
ECPHANTUS, 464.
EUTOBIA, 562.
Edax (*Gelastorrhinus*), 409.
Edax (*Pezotettix*), 531.
Egena (*Empusa*), 568.
EGNATIOIDES, 269.
EGNATIUS, 268.
Embergi (*Stauroderus*), 179.
Embergi (*Stenobothrus*), 179.
Eisen (*Brachystola*), 294.
ELBOCHLORA, 365, 584.
ELASMODERUS, 586.
Electum (*Acridium*), 381.
Electus (*Diponthus*), 381.
Elegans (*Æoloplus*), 500.
Elegans (*Citantops*), 479.
Elegans (*Chorthippus*), 185.
Elegans (*Clinoccephalus*), 124.
Elegans (*Dinotettix*), 26.
Elegans (*Eleutherotheca*), 150.
Elegans (*Gomphocerus*), 158, 185.
Elegans (*Gryllus*), 185, 315.
Elegans (*Heteracris*), 555.
Elegans (*Locusta*), 185.
Elegans (*Cedipoda*), 185.
Elegans (*Orthacris*), 336.
Elegans (*Oxyrhopes*), 402.
Elegans (*Phæoba*), 140.
Elegans (*Rodunia*), 140.
Elegans (*Stenobothrus*), 185, 186.
Elegans (*Tettix*), 40.
Elegans (*Zonocerus*), 315, 316.
Elegans (*Calephorus*), 137.
Elegans (*Orphidella*), 122.
Elegans (*Xiphocera*), 559.
Elegantulus (*Orbillus*), 474.
ELELEUS, 8.
Elephantulus (*Parathericles*), 82.
Elephas (*Acrydium*), 347.
Elephas (*Gryllus*), 346, 347, 352.
Elephas (*Leprus*), 210.
Elephas (*Locusta*), 352.
Elephas (*Cedipoda*), 210.
Elephas (*Pamphagus*), 352.

- Elephas* (*Batrachotettix*), 290.
Elephas (*Locusta*), 347.
Elephas (*Pamphagus*), 347.
Elephas (*Porthetis*), 352.
 ELEUTHEROTHECA, 150.
Elevata (*Tettix*), 43.
 ELIMÆA, 573.
 Elliotti (*Ædocara*), 135.
 Elliotti (*Anlocara*) 135.
 Elliotti (*Stauronotus*), 135.
Elongata (*Tettigidea*), 59.
Elongatum (*Acridium*), 448.
Elongatus (*Dichroplus*), 488.
Elongatus (*Melanoplus*), 511.
Elongatus (*Trigonophymus*), 488.
Emarginata (*Phæoparia*), 426.
Emarginata (*Procolpia*), 364.
Emarginata (*Xiphicera*), 364.
Emarginata (*Xiphocera*), 364.
Emarginata (*Zoniopoda*), 376.
Emarginatum (*Acridium*), 19.
Emarginatum (*Tetrix*), 19.
Emarginatum (*Acridium*), 458.
Emarginatus (*Criotettix*), 19.
Emarginatus (*Loxilobus*), 19.
Emarginatus (*Pamphagus*), 364.
Emendata (*Cranaë*), 387.
Emigratorium (*Acrydium*), 230.
Emortuale (*Acridium*), 456.
Emortualis (*Schistocerca*), 456.
 ENCOPTOLOPHUS, 200.
 ENEREMIUS, 293.
 Enigma (*Ædaleonotus*), 507.
 Enigma (*Pezotettix*), 507.
 Ensator (*Acanthoxia*), 407.
 Ensator (*Mesops*), 407.
 Ensatrix (*Misgynus*), 10.
 Ensicornis (*Gonæa*), 437.
 Ensicornis (*Lamarckiana*), 244.
 Ensicornis (*Rhytidochrota*), 543.
 Ensicornis (*Xiphocera*), 344.
 Ensicornu (*Acrydium*), 103.
 Ensifer (*Truxalis*), 585.
 Ensifera (*Coptacra*), 468.
 Ensis (*Acrida*), 91.
 EOMORPHOPUS, 22.
 EOTETIX, 498.
Epicrimoides (*Stethobothrus*), 180.
Epicromoides (*Stenobothrus*), 165.
 EPAMONTOR, 309.
Ephippigera (*Petasida*), 316.
Ephippioides (*Tettix*), 40.
Ephippium (*Acridium*), 41.
Ephippium (*Acrydium*), 41.
Ephippium (*Tettix*), 42.
 EPIGRYPA, 88.
 EPIPRORA, 419.
 EPISACTUS, 73.
 EPISCOPOTETIX, 421.
 EPISTAURUS, 471.
 EPITETIX, 576.
 Equa (*Phyllochoreia*), 67.
 Eques (*Rhomalea*), 372.
 Eques (*Tæniopoda*), 372.
 Equestris (*Hedotettix*), 50.
 Equestris (*Tettix*), 42.
 Equuleus (*Eremidium*), 465.
 Erectus (*Erianthus*), 70.
 EREMIDIUM, 465.
 Eremitus (*Hippiscus*), 208.
 Eremitus (*Xanthippus*), 208.
 EREMUS, 134.
 EREMOBIA, 285.
 Eremobioides (*Euryphymus*), 545.
 Eremobioides (*Phymæurus*), 545.
 EREMOBIUS, 586.
 EREMOCHARIS, 290.
 EREMOGRYLLUS, 154.
 EREMOPACHYS, 296.
 EREMOPEZA, 289.
 EREMOPLANA, 289.
 EREMOTETIX, 290.
 ERIANTHUS, 69.
 Ericetarius (*Gomphocerus*), 158.
 Erinæus (*Nicarchus*), 433.
 ERITETIX, 111.
 ERITRICHUS, 424.
 Erosa (*Prionacris*), 377.
Erosus (*Typophyllus*), 573.
 Errabundus (*Acrotylus*), 266.
 Erubescens (*Caloptenus*), 483.
 Erubescens (*Catantops*), 483.
 ERUCIUS, 72.
 Erythrocnemis (*Ædipoda*), 271.
 Erythrocnemis (*Urnisa*), 271.
 Erythrogastra (*Copio-cera*), 420.
 Erythrogastra (*Opsoniala*), 420.
 Erythrogastra (*Xiphicera*), 420.
 Erythrophthalmus (*Locusta*), 230.
Erythrophthalmus (*Gryllus*), 230.
Erythropterus (*Truxalis*), 96.
 Erythropus (*Calliptenus*), 546.
 Erythropus (*Euryphymus*), 546.
 Erythropus (*Gryllus*), 546.
Erythropus (*Gryllus*), 522.
Erythropus (*Locusta*), 522.
 ESCALERA, 406.
 Escalerai (*Gomphocerus*), 157.
 Escherichi (*Eremobia*), 287.
 Escherichi (*Tmethis*), 287.
 Eslavæ (*Syrbula*), 107.
 Esos (*Gelastorrhinus*), 409.
 Eucera (*Copio-cera*), 420.
 Eucera (*Ædipoda*), 246.
 Eucera (*Locusta*), 246.
 Eucera (*Ædipoda*), 246.
 Euceros (*Gryllus*), 420.
 EUCOPIOCERA, 421.
 EUOPTACRA, 469.

- FUGAVIALIDUM, 14.
 EUMASTAX, 76.
 EUMECTISTES, 436.
 EUMIGUS, 351, 583.
 EUNAPIODES, 584.
 EUNAPIUS, 353.
 EUNOTHROTUS, 356.
 EUPARATETTIX, 31, 578.
 EUPARNOPS, 416.
 EUPATRIDES, 75.
 EUPEDETES, 112.
 EUPLECTROTETTIX, 132.
 EUPNIGODES, 129.
 EUPODISMA, 502.
 EUPREPOCNEMIS, 559.
 EUPROPACRIS, 476.
 EURASIS (Stenobothrus), 163.
 EUROTETTIX, 491.
 Eurotia (Psoceassa), 130.
 Eurotia (Stirapleura), 130.
 Eurycephalus Apotettix, 54.
 Eurycera (Allotriusia), 444.
 EURYNEMA, 563.
 EUKYMORPHOPUS, 21.
 EURYPARYPHES, 353, 584.
 EURYPHYMUS, 545.
 Euryscelis (Lamarekiana), 344.
 Euryscelis (Pamphagus), 344.
 Euryscelis (Xiphocera), 344.
 EUSCHMIDTIA, 82.
 EUSTERNUM, 238.
 EUTHYMIA, 384.
 EUTHYNOUS, 100.
 EUTHYRRHAPHA, 565.
 EUTRYXALIS, 106.
 Evanescent (Gomphocerus), 159.
 Evanescent (Stenobothrus), 159.
 Exacia (Cyclacanthacris), 451.
 Exactum (Acridium), 451.
 Exaggeratus (Hyalopteryx), 105.
 Exaltata (Acrida), 94.
 Exaltata (Truxalis), 94.
 EXARNA, 443.
 Exaltata (Cyclacanthacris), 447.
 Excavatum (Acridium), 447.
 Excelsa (Bradynotes), 502.
 Excelsa (Scyllina), 134.
 Excelsus (Eupatrides), 75.
 Excelsus (Melanoplus), 511.
 Excelsus (Plectrotettix), 134.
 Exclusa (Apotropis), 440.
 Exclisum (Acridium), 440.
 Exempta (Coryphaistes), 436.
 Exempta (Xiphocera), 436.
 Exemptum (Acridium), 547.
 Exemptus (Euryphymus), 547.
 Exigua (Tettigidea), 58.
 Exiguus (Catantops), 481.
 Exilipes (Zoniopoda), 376.
 Exilis (Dichroplus), 488.
 Exilis (Trigonophymus), 488.
 Eximia (Truxalis), 96.
 Eximius (Truxalis), 96.
 EXOTEPHALA, 572.
 EXOCHODERES, 464.
 EXOCHODERUS, 464.
 EXORA, 573.
 Expandens (Orphulella), 122.
 Expandens (Stenobothrus), 122.
 Expansus (Proscopia), 83.
 Expansa (Acinipe), 351, 583.
 Expansus (Pamphagus), 351, 583.
 Expleta (Bradynotes), 501.
 Explicata (Desmoptera), 329.
 Explicata (Pyrgomorphia), 329.
 Exsertus (Criotettix), 16.
 Exsul (Semiotocerca), 460.
 Exsultans (Hedotettix), 50.
 Exsultans (Tetrix), 50.
 Extensa (Oxyrrhynchus), 402.
 Extensa (Sciaphysa), 13.
 Extensum (Acridium), 402.
 Extensus (Paratettix), 34.
 Extenuatus (Stenodorus), 49.
 Extenuatus (Stenodorus), 49.
 Extremus (Egypsiacris), 581.
 Extraordinaria (Tympanophyllum), 572.
 Extraordinaria (Tympanoptera), 572.
 Extraordinarius (Aprion), 572.
 Extremus (Caloptenus), 523.
 Extremus (Melanoplus), 523.
 EYNISACRIS, 581.
 EYPREPOCNEMIS, 559.
 Fabricii (Edipoda), 239.
 Fabricii (Tropidacris), 381.
 Facialis (Paramastax), 78.
 Falcatoria (Acanthops), 568.
 Falcotoma (Opsomala), 419.
 Falcotomum (Acridium), 419.
 FALCONIUS, 15.
 Fallax (Arphia), 195.
 Fallax (Cnortocetes), 193.
 Fallax (Paratettix), 30.
 Fallax (Petanella), 402.
 Fallax (Pseudotrimerotropis), 259.
 Fallax (Trimerotropis), 259.
 Fallax (Telmatettix), 30.
 Fallax (Methone), 292.
 Famula (Phylloptera), 574.
 Fasciata (Euthymia), 384.
 Fasciata (Oxya), 384.
 Fasciata (Edipoda), 239.
 Fasciata (Cosmorhysa), 219.
 Fasciatum (Acridium), 552.
 Fasciatus (Caloptenus), 520.
 Fasciatus (Catantops), 481.

- Fasciatus* (*Mecostethus*), 145.
Fasciatus (*Melanoplus*), 520, 521.
Fasciatus (*Peitharchicus*), 404.
Fasciatus (*Thrinchus*), 287.
Fasciatus (*Caloptenus*), 219, 239, 525.
Fasciatus (*Gryllus*), 219, 265.
Fascicula (*Pseudotrimerotropis*), 256.
Fascicula (*Trimerotropis*), 256.
Fascicula (*Trimerotropis*), 259.
Fasciculata (*Opsomala*), 403.
Fascifera (*Cyrtacanthacris*), 449.
Fasiferum (*Acridium*), 449.
Fasripes (*Acridium*), 44.
Fasigiatus (*Mecostethus*), 145.
Fastigiatus (*Parapleurus*), 145.
Fauriei (*Pezotettix*), 539.
Fauriei (*Podisma*), 539.
Fedschenki (*Edipoda*), 240.
Fedtschenkoi (*Conophyma*), 400.
Femorale (*Acridium*), 456.
Femorale (*Acridium*), 522.
Femoralis (*Acheta*), 570.
Femoralis (*Acrotylus*), 264.
Femoralis (*Nocarodes*), 355.
Femoralis (*Omocestus*), 581.
Femoralis (*Paratettix*), 33.
Femoralis (*Racilia*), 397.
Femoralis (*Systolederus*), 20.
Femoralis (*Tettix*), 20, 40.
Femoralis (*Caloptenopsis*), 550.
Femoralis (*Opsomala*), 415.
Femorata (*Parapetasia*), 303.
Femorata (*Seelimena*), 13.
Femorata (*Serpusia*), 473.
Femorata (*Taniophora*), 390.
Femorata (*Tettix*), 51.
Femoratum (*Aulacora*), 136.
Femoratus (*Eurotettix*), 491.
Femoratus (*Gryllus*), 13.
Femoratus (*Locusta*), 13.
Femoratus (*Neotettix*), 51.
Femoratus (*Caloptenus*), 520.
Femoratus (*Melanoplus*), 531.
Femur-nigrum (*Melanoplus*), 532.
Femur-rubrum (*Acridium*), 522.
Femur-rubrum (*Caloptenus*), 522.
Femur-rubrum (*Melanoplus*), 522.
Femur-rubrum (*Pezotettix*), 522.
Femur-rubrum (*Caloptenus*), 512.
 FENESTRA, 127.
Fenestralis (*Edipoda*), 246.
Fenestralis (*Psinidia*), 246.
Fenestrata (*Calidomantis*), 568.
Fenestrata (*Xiphicera*), 66.
Fenestratum (*Acridium*), 67.
Fenestratum (*Choroetypus*), 67.
Fenestratus (*Choroetypus*), 65.
Fenestratus (*Choroetypus*), 66.
Fenestratus (*Phyllochoreis*), 67.
Ferox (*Agriacris*), 369.
Ferox (*Sia*), 571.
Ferrierei (*Tanita*), 324.
Ferriker (*Caloptenopsis*), 549.
Ferriker (*Caloptenus*), 549.
Ferriginea (*Blatta*), 566.
Ferrina (*Cyrtacanthacris*), 403.
Ferrinum (*Acridium*), 483.
Ferrugata (*Mesambria*), 440.
Ferrugata (*Edipoda*), 241.
Ferrugata (*Tettix*), 40.
Ferruginata (*Traulia*), 475.
Ferruginea (*Blatta*), 566.
Ferruginea (*Jodacris*), 428.
Ferruginea (*Pseudotrimerotropis*), 256.
Ferruginea (*Psoloessa*), 129.
Ferruginea (*Taphronota*), 310.
Ferruginea (*Trimerotropis*), 256.
Ferruginea (*Tripetalocera*), 1.
Ferruginea (*Taphronota*), 310.
Ferrugineum (*Acridium*), 1.
Ferrugineum (*Tettix*), 1.
Ferrugineus (*Anniceris*), 428.
Ferrugineus (*Coptotettix*), 56.
Ferrugineus (*Euplectrotettix*), 132.
Ferrugineus (*Gryllus*), 310.
Ferrugineus (*Caloptenus*), 483.
Ferruginosa (*Amblytropidia*), 114, 115.
Ferruginosus (*Calliptenus*), 544.
Ferruginosus (*Euryphymus*), 544.
Ferruginosus (*Plegmapterus*), 544.
Ferruginosus (*Tomonotus*), 237.
Fervens (*Hemiaeris*), 268.
Festa (*Zacompsa*), 142.
Festæ (*Caletodes*), 431.
Festæ (*Caloptenus*), 557.
Festæ (*Hisyichius*), 391.
Festæ (*Ommatolampis*), 434.
Festiva (*Eremobia*), 286.
Festivus (*Diponthus*), 382.
Festicus (*Hedotettix*), 50.
Festivus (*Hesperotettix*), 499.
Festivus (*Stenobothrus*), 164.
Festivus (*Tmethis*), 286.
Fieberi (*Nocarodes*), 355.
Fieberi (*Podisma*), 537.
Filatus (*Chrysochaera*), 118.

- Flava* (Gelastorhina), 403.
Flava (Mesops), 409.
Flava (Ophiura), 118.
FLUCHNERELLA, 582.
Flucomis (Platyptera), 169.
Fluformis (Leptacris), 404.
Fluformis (Leptysma), 411.
Fluformis (Opsomala), 411.
Fluformis (Orthocoris), 335.
Fluformis (Asterocera), 90.
Fluformis (Proscopia), 90.
Filum (Mantis), 563.
Filum (Mesopsora), 584.
Filum (Mesopsis), 410, 584.
Filum (Sperionyx), 568.
Fluformis (Gryllus), 456.
Fluformis (Acridium), 474.
Finalis (Orbillus), 474.
Finoti (Acridium), 453.
Finoti (Cyrtacanthacris), 453.
Finoti (Euschmidia), 83.
Finoti (Gelois), 338.
Finoti (Perotinus), 386.
Finoti (Sclerotypus), 68.
Finoti (Stenobothrus), 178.
FINOTIA, 357.
Finotianus (Helioscirtus), 273.
Finotianus (Springonotus), 273.
Fischeri (Edipoda), 163.
Fischeri (Stenobothrus), 163.
Fischeri (Epepnomia), 559.
Fissa (Anura), 375.
Fissa (Hoplolophu), 348.
Fissa (Xiphocera), 348.
Fissicula (Armilia), 413.
Fissicula (Stenacris), 413.
Flabellatus (Melanoplus), 519.
Flabellatus (Pezotettix), 519.
Flabellifer (Melanoplus), 510.
Flabelliferum (Cymatopsygna), 80.
Flava (Garrula), 437.
Flava (Humbia), 215.
Flava (Humbellae), 215.
Flava (Edipoda), 215, 239.
Flavobellus (Cymatopsygna), 80.
Flavescens (Acridium), 445.
Flavescens (Acrytulus), 256.
Flavescens (Gryllus), 445.
Flavescens (Melanoplus), 510.
Flavescens (Orthacanthacris), 445.
Flavescens (Acridium), 450.
Flavescens (Cymatopsygna), 450.
Flavorne (Acridium), 447.
Flavorne (Acrydium), 447.
Flavicornis (Gryllus), 378.
Flavicornis (Locusta), 378.
Flavicornis (Lophacris), 378.
Flavicornis (Gryllus), 447, 450.
Flavivosta (Arcyptera), 171.
Flavivosta (Stenonotus), 171.
Flavula (Taniopoda), 372.
Flavidus (Melanoplus), 510.
Flavifrons (Mauna), 504.
Flavipennis (Edipoda), 254.
Flavipennis (Primerotropis), 254.
Flavipennis (Vilera), 430.
Flavipes (Erianthus), 70.
Flavipes (Leotettix), 490.
Flavipes (Leptysma), 412.
Flavipes (Ommatolampis), 454.
Flavipes (Truxalis), 412.
Flavipes (Gryllus), 168.
Flavipes (Vilera), 168.
Flavipes (Melanoplus), 463.
Flavivostis (Cephalocoma), 89.
Flavivostis (Proscopia), 89.
Flavivostis (Acridium), 459.
Flaviventris (Boöpedon), 128.
Flavoannulata (Trullia), 475.
Flavoannulatum (Acridium), 475.
Flavoannulatum (Dactyloctenium), 542.
Flavoannulatus (Melanoplus), 507.
Flavoannulatus (Pezotettix), 542.
Flavofasciata (Schistocerca), 456.
Flavofasciatum (Acridium), 456.
Flavofasciatum (Acrydium), 456.
Flavofasciatum (Boöpedon), 128.
Flavofasciatum (Boöpedon), 128.
Flavofasciatum (Erianthus), 70.
Flavolineata (Chirista), 142.
Flavolineata (Osmilia), 539.
Flavolineatum (Acridium), 539.
Flavolineatum (Acrydium), 539.
Flavolineatum (Osmilia), 539.
Flavolineatum (Caloptenus), 507.
Flavomaculata (Mauna), 307.
Flavomarginata (Nautia), 389.
Flavonotata (Batrachidea), 60.
Flavopictum (Dactyloctenium), 541.
Flavopictus (Acanthalobus), 18.
Flavopictus (Calotettix), 496.
Flavopictus (Criotettix), 18.
Flavopictus (Gryllus), 191.
Flavovittata (Kassongia), 470.
Flavovittata (Leptomermithophora), 431.
Flavovittata (Tettix), 40.
Flavovittatum (Acrydium), 531.
Flavum (Derotimema), 245.

- Flavum* (*Acridium*), 225.
Flavus (*Gryllus*), 215.
Flavus (*Locusta*), 215.
Flavus (*Edaleus*), 215.
Flavus (*Pachylus*), 215.
Flavus (*Gryllus*), 224, 225, 227.
Flavus (*Locusta*), 225, 227.
Flavus (*Phymateus*), 314.
Flexuosa (*Chirista*), 143.
Flexuosa (*Cuculligera*), 284.
Flexuosa (*Duronina*), 143.
Flexuosa (*Eremobia*), 284.
Flexuosa (*Prionotropis*), 284.
Flexuosus (*Thrinchus*), 284.
Floridana (*Paroxys*), 505, 506.
Floridanus (*Caloptenus*), 506.
Floridanus (*Nomotettix*), 52.
Floridianus (*Caloptenus*), 505.
Fluctuans (*Paratettix*), 33.
Fluctuosus (*Tettix*), 48.
Fluviatilis (*Melanoplus*), 525.
Fœdata (*Coptocera*), 467.
Fœdatum (*Acridium*), 467.
Fœdatus (*Catantops*), 467.
Fœdus (*Melanoplus*), 525.
Foliatum (*Astroma*), 90.
Foliatum (*Choriphylum*), 5.
Foliatum (*Phyllotettix*), 5.
Fontana (*Trimerotropis*), 254, 5.
Fonti (*Helioscirtus*), 281.
Forbesi (*Dissosteira*), 217.
Forbesi (*Quirognesia*), 217.
Foreli (*Acinipe*), 350.
Foreli (*Pamphagus*), 350.
Forficata (*Mioblatta*), 565.
Formosus (*Gryllus*), 212.
Formosus (*Tropidolophus*), 212.
Formosus (*Stenobothrus*), 169.
Fornicata (*Mioblatta*), 565.
Forte (*Acridium*), 448.
Fortis (*Cyrtacanthacris*), 448.
Fortius (*Eumigus*), 583.
FORTUNATA, 582.
Fossulatus (*Coptotettix*), 55.
Fossulatus (*Liotettix*), 54.
Fossulatus (*Prototettix*), 54.
Fossulatus (*Trigonofemora*), 27.
Posteri (*Paraleuas*), 427.
Fracta (*Duronina*), 141.
Franciscanus (*Melanoplus*), 533.
Francoisi (*Nerenia*), 338.
Frater (*Chortoicetes*), 194.
Fratercula (*Caloptenopsis*), 550.
Fratercula (*Pseudotrimerotropsis*), 259.
Fratercula (*Trimerotropsis*), 259.
Fraternum (*Acridium*), 489.
Fraternum (*Podisma*), 489.
Frenata (*Henia*), 416.
Frenatus (*Gryllus*), 416, 488.
Frenatus (*Trigonophymus*), 488.
Frey-Gesnerii (*Paratettix*), 33.
Frigida (*Arphia*), 197.
Frigida (*Pezotettix*), 538.
Frigida (*Podisma*), 538.
Frigidum (*Podisma*), 538.
Frigidus (*Gryllus*), 538.
Frigidus (*Pezotettix*), 538.
Frontalis (*Acridium*), 462.
Frontalis (*Schistocerca*), 462.
Frontalis (*Acridiina*), 500.
Fruhstorferi (*Elæochlora*), 366.
Fuliginosa (*Tetrix*), 44.
Fuliginosum (*Acridium*), 44.
Fuliginosum (*Acrydium*), 44.
Fuliginosum (*Acrydium*), 214.
Fuliginosus (*Coptotettix*), 56.
Fuliginosus (*Encoptolophus*), 201.
Fuliginosus (*Stenobothrus*), 186, 144.
Fuliginosus (*Tettix*), 44.
Fuliginosus (*Stenobothrus*), 181, 146.
Fullonius (*Odontomelus*), 100.
Fumida (*Phleoba*), 138.
Fumida (*Xiphocera*), 138.
Fumidum (*Acridium*), 477.
Fumipennis (*Dericorys*), 383.
Fumosa (*Atractomorpha*), 331.
Fumosa (*Cyrtacanthacris*), 452.
Fumosa (*Opsomala*), 137.
Fumosa (*Phleoba*), 137.
Fumosa (*Xiphocera*), 138.
Fumosum (*Acridium*), 452.
Fumosus (*Chrotogonus*), 299.
Fumosus (*Stenocrobylus*), 485.
Funesta (*Xiphocera*), 369.
Fungosa (*Pnorisa*), 151.
Furcata (*Lepidophora*), 555.
Furcata (*Tepperia*), 565.
Furcatus (*Melanoplus*), 530.
Furcatus (*Xanthomastax*), 74.
Furcifer (*Acerotylus*), 266.
Furcifer (*Paprides*), 442.
Furcifer (*Acridium*), 397.
Furcifer (*Oxya*), 397.
Furcifera (*Goniæa*), 437.
Furciferum (*Acridium*), 437.
Fusca (*Acicera*), 342.
Fusca (*Acocera*), 342.
Fusca (*Acreptera*), 169.
Fusca (*Caecoda*), 302.
Fusca (*Goniæa*), 437.
Fusca (*Ischnacrida*), 405.

- Fuscicornis* Test. 38, 40.
Fuscicornis Psimda, 248.
Fuscicornis Trachyphallus, 248.
Fuscicornis (Trachyphallus), 248.
Fuscipennis Eremobia, 288.
Fuscipennis (Timetia), 288.
Fuscipes Catantops, 481.
Fuscipes Mazarrada, 25.
Fuscipes (Melanoplus), 519.
Fuscipes (Tettix), 25.
Fuscipennis (Ædipoda), 239, 241.
Fuscifasciata (Acrida), 97.
Fuscifasciata (Acridella), 97.
Fuscifasciata (Truxalis), 97.
Fuscicornipoda (Ædipoda), 275.
Fuscicornipoda (Sphingonotus), 275.
Fuscipennis (Nichelus), 581.
Fuscipennis (Syrbula), 108.
Fuscipennis (Gryllus), 581.
Fuscipennis (Gomara), 437.
Fuscipennis (Bupalus), 128.
Fuscipennis (Stethophyma), 169.
Fuscipennis (Stethophyma), 169.
Fuscipennis (Xerophyllum), 8.
Fuscipennis (Acantholobus), 577.
Fuscipennis (Capitettix), 55.
Fuscipennis (Dieropus), 487.
Fuscipennis (Gryllus), 487.
Fuscipennis (Pamphagus), 342.
Fuscipennis (Parnalis), 342.
Fuscipennis (Pezzettix), 487.
Fuscipennis (Trigonophymus), 487.
Fuscipennis (Asympteta), 169.
Fuscipennis (Chortetix), 194.
Fuscipennis (Gryllus), 169.
- Fuscipennis* (L.), 169.
Fuscipennis (Cipicorinus), 337.
Fuscipennis (Microtylopteryx), 544.
Fuscipennis (Paradiachrophus), 492.
Fuscipennis (Sphenoxia), 320.
Fuscipennis (Teliochrysis), 71.
Fuscipennis (Cyrtacanthus), 448.
Fuscipennis (Acridium), 448.
Gabonense (Acridium), 385.
Gabonense (Xylidium), 385.
Gadomien (Taphroscia), 310.
Gabonensis (Chortetix), 301.
Gabonensis (Hemiptera), 69.
Galeata (Opomata), 138.
Galeata (Phidra), 138.
Gazetum (Xerophyllum), 8.
Galeatus (Diotarus), 10.
Galeriellus (Pamphagus), 342.
Galeriellus (Pamphagus), 342.
GALIDEUS, 584.
Gallinieri (Hambe), 246.
Gallinieri (Ædipoda), 246.
Gallinieri (Pycnoloma), 246.
Gallinieri (Cawendia), 320.
Gallinieri (Mazarrada), 25.
Gallinieri (Xiphocera), 66.
Gallinieri (Acridium), 66.
Gallinieri (Chortetix), 66.
Gallinieri (Chortetix), 66.
Gallinieri (Gryllus), 66.
Gallinieri (Tettix), 25.
Gallinieri (Xiphocera), 66.
- Gallinieri* (Antipoda), 464.
GASTRIMARGUS, 223.
Gaster (Paramastix), 77.
Gaster (Tylotropidius), 756.
GAVALIDIDIUM, 14.
Gavalis (Sedimenta), 13.
Gavalis (Sedimenta), 13.
Gavalis (Bryodemus), 261.
Gebleri (Ædipoda), 261.
GELASTORRHINUS, 409.
GELASTORRHINUS, 409.
GELIOMIMUS, 341.
GELIUS, 338.
Gemella (Mazarrada), 25.
GEMENETA, 385.
Geni (Docostaurus), 154.
Geni (Gryllus), 154.
Geni (Stauronotus), 154.
Geni (Stauronotus), 154, 157.
Geniculata (Cyrtacanthus), 447.
Geniculata (Mesambria), 440.
Geniculata (Ophthalmopus), 389.
Geniculata (Praxibulus), 397.
Geniculata (Praxilla), 397.
Geniculata (Taniophora), 389.
Geniculata (Ædipoda), 175, 179.
Geniculata (Acridium), 447.
Geniculatus (Anniceris), 422.
Geniculatus (Melanoplus), 518.
Geniculatus (Acridium), 477.
Geniculatus (Eupropocerus), 477.
GERENIA, 472.
GERGIS, 383.
GERISTA, 407.
Germanica (Phyllostromia), 563.
Germanica (Ædipoda), 239, 241.
Germanica (Acridium), 241.

- Germanicus (Acrydium)*, 239, 552.
Germanicus (Gryllus), 168.
Germanicus (Locusta), 168.
Germanicus (Gryllus), 239, 552.
Germari (Ommexycha), 297.
Gerstaeckeri (Atractomorpha), 332.
Gerstaeckeri (Duronina), 143.
Gerstaeckeri (Holo-perena), 143.
Gerstaeckeri (Atractomorpha), 333.
GESONIA, 393.
GESTROA, 11.
GESTROANA, 11.
Gestroi (Falconius), 15.
Gestroi (Systella), 340.
Gibba (Blatta), 567.
Gibba (Lamarckiana), 343.
Gibba (Xiphicera), 343.
Gibber (Timethis), 285, 286.
Gibbera (Eremobia), 286.
Gibbera (Mezentia), 190.
Gibbiceps (Deltonotus), 7.
Gibbiceps (Pœcilotettix), 7.
Gibbosa (Dericorys), 383.
Gibbosa (Mazarredia), 25.
Gibbosa (Proscopia), 87.
Gibbosa (Stiphra), 87.
Gibbosulus (Amorphopus), 23.
Gibbosulus (Platyttix), 23.
Gibbosum (Acridium), 9, 383.
Gibbosum (Tettix), 9.
Gibbosus (Cladonotus), 9.
Gibbosus (Lactista), 236.
Gibbosus (Tettix), 48.
Gibbum (Acrydium), 40.
Gigantea (Acrida), 93.
Gigantea (Cephalocœma), 89.
Gigantea (Proscopia), 87.
Gigantea (Rhoma'ea), 370.
Giganteus (Taxiarchus), 87.
Giganteus (Truxalus), 93.
Giglio-Tosi (Ommexycha), 297.
Gilletteæ (Acrotylus), 267.
Gillettei (Hesperotettix), 499.
Gillettei (Melanoplus), 516.
Giornæ (Acridium), 393.
Giornæ (Gryllus), 393.
Giornæ (Pelecycleis), 393.
Giornæ (Pelecycus), 393.
Giornæ (Pezotettix), 399.
Giornæ (Platyphyma), 399.
Giornæ (Platyphyma), 399.
Glaber (Acrostogastes), 465.
Glabra (Rhienoderma), 391.
Glabrata (Cawendia), 320.
Glabrifrons (Trypophyl-lum), 7.
Glacialis (Gelastor-rhinus), 409.
Glacialis (Pezotettix), 534.
Glacialis (Podisma), 534.
Gladiator (Acanthoxia), 407.
Gladiator (Opsomala), 407.
Gladiator (Oxya-cantha), 407.
Gladiatrix (Misythus), 9.
Gladiatrix (Tettix), 9.
GLADIOTETTIX, 23.
Gladstoni (Melanoplus), 517.
GLAPHYRACRIS, 420.
Glaucescens (Stenobo-thrus), 163.
Glaucipennis (Leprus), 211.
Glaucipes (Caloptenus), 511.
Glaucipes (Hippiscus), 209.
Glaucipes (Melanoplus), 511.
Glaucipes (Staurorhec-tus), 166.
Glaucipes (Xanthippus), 209.
Glaucopsis (Caloptenus), 547.
Glaucopsis (Euryphy-mus), 547.
Globulifera (Phialo-sphæra), 473.
Gloveri (Rhomalea), 370.
GLYPHANUS, 285.
GLYPHOCOLONUS, 93.
Gnu (Ihericles), 81.
Gohieri (Acridium), 447.
Gohieri (Cyrtacantha-eris), 447.
GOMPHOCERUS, 154, 581.
GOMPHOMASTAX, 72.
Gomagra (Procolpia), 333.
Gomagra (Prorhachis), 363.
Gomagra (Xomana), 363.
GONIEA, 436.
GONIATRON, 136.
GONISTA, 410.
GONYACANTHELLA, 407.
Gorgoræ (Xistra), 27.
Gracile (Acrydium), 49.
Gracile (Boopedon), 128.
Gracile (Nephele), 49.
Gracile (Ommexycha), 300.
Gracile (Tettix), 49.
Gracilicornis (Leio-scaphæus), 422.
Gracilicornis (Mesopsis), 410.
Gracilipes (Mestobregina), 249.
Gracilipes (Melanoplus), 518.
Gracilipes (Trepidulus), 249.
Gracilipes (Tylotropi-dius), 556.
Gracilis (Acamptus), 194.
Gracilis (Aleuas), 427.
Gracilis (Allotriusia), 444.
Gracilis (Apioscelis), 85.
Gracilis (Arcyptera), 172.
Gracilis (Arnilia), 414.
Gracilis (Birmana), 1.
Gracilis (Brancsikellus), 194.

- Gracilis* (Calanus), 98.
Gracilis (Chlæbora), 215.
Gracilis (Chrotegonus), 300.
Gracilis (Cyclocercus), 495.
Gracilis (Dieironotus), 341.
Gracilis (Eutryxalis), 106.
Gracilis (Eremobia), 289.
Gracilis (Hadrotettix), 255, [263].
Gracilis (Hedotettix), 49.
Gracilis (Helioscirtus), 281.
Gracilis (Humoe), 215.
Gracilis (Hyalopteryx), 166.
Gracilis (Leptopternis), 279.
Gracilis (Leptysmæ), 411.
Gracilis (Macrotona), 443.
Gracilis (Mantis), 569.
Gracilis (Mecostethus), 172.
Gracilis (Melanoplus), 526.
Gracilis (Mesops), 93.
Gracilis (Napaia), 126.
Gracilis (Edaleus), 225.
Gracilis (Edipoda), 255, 279.
Gracilis (Ommexycha), 297, 300.
Gracilis (Orchamus), 349.
Gracilis (Orphulella), 121.
Gracilis (Pamphagus), 349.
Gracilis (Pezotettix), 526.
Gracilis (Platypterna), 150.
Gracilis (Proctolabus), 421.
Gracilis (Rhachicreagra), 544.
Gracilis (Schistocerca), 454.
Gracilis (Sphingonotus), 279.
Gracilis (Stenacris), 414.
Gracilis (Stetheophyma), 172.
Gracilis (Tettigidea), 58, 89.
Gracilis (Tettix), 49.
Gracilis (Tropinotus), 361.
Gracilis (Trimerotropis), 255.
Gracilis (Hadrotettix), 256.
Gracilis (Proscopia), 90.
Gracilis (Stenobothrus), 121.
Gracillima (Inusia), 414.
 GRATA, 298.
Grallatus (Scirtobænus), 571.
Graminea (Acrida), 93.
Graminea (Cyrtaacanthacris), 447.
Graminea (Orphulella), 119.
Graminea (Parorphula), 119.
Gramineum (Acridium), 447.
Grammæus (Anthermus), 443.
Grammæus (Stenobothrus), 164.
Grandidieri (Chlæbora), 216.
Grandidieri (Phymateus), 315.
Grandis (Acridella), 95.
Grandis (Eremobia), 286.
Grandis (Gryllus), 380.
Grandis (Edaleus), 228.
Grandis (Tmethis), 285.
Grandis (Tropidaeris), 380, 381.
Grandis (Truxalis), 95.
Granosa (Pyrgomorpha), 327.
Granosa (Pyrgomorphella), 327.
Granosa (Proscopia), 84.
Granosus (Anthermus), 443.
Granosus (Eunapiodes), 584.
Granosus (Eunapius), 553.
Granosus (Euryparythes), 553.
Granosus (Pamphagus), 553.
Granti (Phaulotypus), 68.
Granulata (Arphia), 195.
Granulata (Batrachotetrix), 292.
Granulata (Pneumora), 64.
Granulata (Pompholyx), 64.
Granulata (Proscopia), 84.
Granulata (Prostalia), 64.
Granulata (Pyrgomorphæ), 325.
Granulata (Stenoseopus), 320.
Granulata (Tettix), 46.
Granulata (Eremocharis), 290.
Granulatum (Acridium), 273.
Granulatum (Acrydium), 46.
Granulatum (Chlorophyllum), 7.
Granulatus (Acrydium), 292.
Granulatus (Alcamenes), 362.
Granulatus (Batrachotetrix), 292.
Granulatus (Batrachotettix), 292.
Granulatus (Eomorphopus), 22.
Granulatus (Hedotettix), 50.
Granulatus (Sphenacris), 336.
Granulatus (Tettix), 46.
Granulatus (Tropinotus), 362.
Granulatus (Tettix), 46.
Granulosa (Elæochlæbora), 366.
Granulosa (Eremocharis), 290.
Granulosa (Eremopeza), 290.
Granulosa (Lunarekiana), 345.
Granulosa (Mazæa), 386.
Granulosa (Prothachis), 364.
Granulosa (Proscopia), 85.
Granulosa (Xiphicera), 345.
Granulosum (Astroma), 90.
Granulosus (Opion), 543.
Grata (Epacromia), 271.
Gratiosa (Orphulella), 122.
Gratiosa (Pseudotrimerotropis), 258.

- Gratiosa* (*Stenobothrus*), 122.
Gratiosa (*Trimerotropis*), 258.
Gratiosa (*Ædipoda*), 241.
Gratiosum (*Acrydium*), 44.
Gratiosus (*Eumecistes*), 436.
Gratiosus (*Tettix*), 44.
Gratissima (*Schistocerca*), 585.
Greeni (*Scirtotypus*), 68.
Greeni (*Systolederus*), 20.
Gregaria (*Scyllina*), 132.
Gregarius (*Electrotettix*), 132.
Gregarius (*Stenobothrus*), 132.
Grisea (*Akicera*), 318.
Grisea (*Anconia*), 250.
Grisea (*Hoplolophus*), 348.
Grisea (*Petasia*), 305.
Grisea (*Tapesia*), 305.
Grisea (*Akicera*), 342.
Griseus (*Amorphopus*), 22.
Griseus (*Dietyophorus*), 305.
Griseus (*Hippiscus*), 210.
Griseus (*Xanthippus*), 210.
Griseus (*Caloptenus*), 532.
Griseus (*Melanoplus*), 532.
Griseus (*Pamphagus*), 342.
Grobberi (*Sphingonotus*), 274, 582.
Grossa (*Chlæbora*), 216.
Grossa (*Orthocbtha*), 141.
Grossa (*Pnorisa*), 151.
Grossum (*Acrydium*), 167.
Grossum (*Stetheophyma*), 167.
Grossum (*Stethophyma*), 168.
Grossum (*Acridium*), 191.
Grossus (*Gryllus*), 167.
Grossus (*Locusta*), 167.
Grossus (*Mecostethus*), 168.
Grossus (*Thisoicetrus*), 559.
GRYLLACRIS, 571.
Grylloides (*Oxya*), 388.
Grylloides (*Phalaca*), 388.
Grylloides (*Pyrgomorphia*), 325.
Grylloides (*Truxalis*), 325.
GRYLLUS, 228, 586.
Guentheri (*Heliastus*), 135.
Guarani (*Diedronotus*), 361.
Guarani (*Tropinotus*), 361.
Guatemalæ (*Heliastus*), 270.
Guatemalæ (*Orphula*), 118.
Guatemalteca (*Tettigidea*), 58.
Guentheri (*Pyrgomorphia*), 326.
Guibélondei (*Hedotettix*), 50.
Guineensis (*Chortolietes*), 193.
Guineensis (*Heteropternis*), 221.
Guineensis (*Ædipoda*), 193, 221.
Guineensis (*Euprepocnemis*), 560.
Gulosa (*Schistocerca*), 457.
Gundlachii (*Mastax*), 79.
Gundlachii (*Masyntes*), 79.
Guttata (*Blatta*), 567.
Guttata (*Mastax*), 70.
Guttata (*Oncolophus*), 463.
Guttatifrons (*Euschmidtia*), 82.
Guttatus (*Erianthus*), 70.
Guttatus (*Gryllus*), 463.
Guttatus (*Gryllus*), 570.
Guttatus (*Locusta*), 370.
Guttifera (*Heteropternis*), 221.
Guttulosa (*Cyrtacanthacris*), 451.
Guttulosa (*Ædipoda*), 271.
Guttulosum (*Acridium*), 451.
Gutturosa (*Tæniopoda*), 372.
Gavisa (*Heteracris*), 395.
Gavisa (*Oxya*), 395.
GYMNES, 110.
GYMNIDIUM, 385.
GYMNOBOTHRUS, 148.
GYMNOSCIRTETES, 486.
GYMNOTETTIX, 75.
GYRTONE, 340.
Haani (*Choroctypus*), 67.
Haani (*Desmoptera*), 329.
Haani (*Systolederus*), 20.
Haani (*Xiphicera*), 67.
Haasi (*Tylotropidus*), 556.
HADROTETTIX, 263.
Hæmatocnemis (*Gryllus*), 586.
Hæmatonota (*Copiocera*), 420.
Hæmatonotum (*Acridium*), 420.
Hæmatoptera (*Anan-dalea*), 329.
Hæmatoptera (*Mestra*), 329.
Hæmatopterum (*Acridium*), 329.
Hæmatopterum (*Pyrgomorphia*), 329.
Hæmatopum (*Acrydium*), 546.
Hæmatopus (*Calliptamus*), 546.
Hæmatopus (*Calliptenus*), 546.
Hæmatopus (*Caloptenus*), 546.
Hæmatopus (*Euryphymus*), 546.
Hæmatopus (*Gryllus*), 546.
Hæmatopus (*Locusta*), 546.
Hæmatoscelis (*Ixalidium*), 385.
Hæmorrhoidalis (*Catan-tops*), 479.
Hæmorrhoidalis (*Chor-thippus*), 173.
Hæmorrhoidalis (*Gom-phocerus*), 173.
Hæmorrhoidalis (*Gryllus*), 172.
Hæmorrhoidalis (*Ædipoda*), 172.
Hæmorrhoidalis (*Omo-cestus*), 172.
Hæmorrhoidalis (*Stenobothrus*), 172, 173.

- Heterocera* (Diptera), 182.
Heterobachii (Acridium), 467.
Heterobachii (Bibracte), 467.
Heterosis (Cedipoda), 275.
Hiatensis (Sphingonotus), 275.
HALDEMANELLA, 294.
Haldemani (Hippiscus), 206.
Haldemani (Cedipoda), 206.
Haldemani (Pardalophora), 204.
HALDEMANNIA, 294.
HALDMANELLA, 294.
Haldemani (Hippiscus), 207.
HALMENUS, 503.
Hannata (Scorpa), 60.
Hannata (Tettix), 60.
Hannatum (Acridium), 61.
Hannade (Erenergryllus), 154.
Haumarstroemi (Stauroderus), 178.
Hammarstroemi (Stenobothrus), 178.
Hancocki (Acridium), 48.
Hancocki (Loxilobus), 18.
Hancocki (Merionotus), 55.
Hancocki (Neotettix), 51.
Hancocki (Tettix), 48.
HAPLOTROPIS, 283.
HAPLOPUS, 569.
Haploscelis (Lamarekiana), 344.
Haploscelis (Pamphagus), 344.
Haploscelis (Xiphocera), 344.
HAPLOTROPIS, 283.
Harpago (Scelimena), 13.
Harpago (Tettix), 13.
Harpago (Tettix), 13.
Hastata (Astronotus), 89.
Hastata (Cephalocoma), 89.
Hastata (Paratettix), 33.
Hastata (Tettix), 33.
Hastatus (Leiotettix), 490.
Hastatus (Oxynotus), 15.
Hauensteini (Dociostaurus), 153.
Hauensteini (Stauronotus), 153.
HAUSTELLARIA, 570.
Haydenii (Derotemna), 245.
Haydenii (Cedipoda), 243.
Heberli (Tettix), 498.
Heberli (Meristylus pteryx), 544.
Hecate (Maura), 306.
Hecate (Petasia), 306.
HEDOTETTIX, 49, 579.
Hedreichi (Glyptanus), 285.
HELIASUS, 269.
HELIOSCIURTUS, 280.
Helluo (Caloptenus), 532.
HEMIACRIS, 268.
HEMERIANTHUS, 67.
Hemipterum (Acridium), 199.
Hemipterus (Chrotogonus), 302.
HENIA, 416.
Heptapotamica (Eremobia), 287.
Heptapotamicus (Tmetthis), 287.
Herbacea (Heteracris), 555.
Herbaceum (Acridium), 555.
Herbaceus (Cyliandro-tettix), 412.
Herbaceus (Eneptolophus), 201.
Herbaceus (Euprepocnemis), 555.
Herbaceus (Melanoplus), 510.
Herbaceus (Pezotettix), 555.
HERMISTRIA, 375.
Heros (Trachytettix), 576.
Hesperica (Acinipe), 350.
Hesperica (Porthetis), 350.
Hesperica (Acocera), 350.
Hespericus (Pamphagus), 350.
Hesperidum (Sphingonotus), 277.
Hesperiphila (Arphia), [198], 236.
HESTEROTETTIX, 498.
Hesperus (Paratettix), 30.
Hesperus (Telmatettix), 30.
HETERACRIS, 554.
HETERAPRIUM, 572.
Heteroceros (Blatta), 566.
Heterocrita (Acheta), 570.
HETEROLAMPRA, 563.
Heteropoda (Phasma), 87.
Heteropoda (Taxiarchus), 87.
HETEROPTERNIS, 290, 12.
HETEROTRYPUS, 570.
Hexodon (Acridium), 13.
Hexodon (Scelimena), 13.
Hexodon (Tettix), 13.
HERODULA, 567.
Hieroglyphica (Pæcilocera), 317.
Hieroglyphica (Tettix), 42.
Hieroglyphicum (Acridium), 41.
Hieroglyphicus (Decticus), 317.
Hieroglyphicus (Dasyphorus), 317.
Hieroglyphicus (Pæcilocera), 317.
Hieroglyphicus (Pækilocerus), 317.
HIEROGLYPHUS, 396.
Hilare (Acridium), 41.
Hilans (Edicochlora), 366.
Hilaris (Epiprora), 419.
Hilaris (Opitacris), 387.
Hilaris (Rudenoderma), 391.
Hilaris (Tettix), 42.
Hildebrandi (Phymateus), 313.
Himalayica (Atractomorpha), 332.
HIPPACRIS, 370.
HIPPISCUS, 203.
Hippiscus (Choroetypus), 69.
Hippiscus (Plagiotriptus), 69.
HIPPODES, 10.
HIPPOPEDON, 202.
HIRRIUS, 3.
Hirsutus (Paratettix), 33.
Hirta (Blatta), 567.
Hirtipes (Acrolophitus), 105.
Hirtipes (Gryllus), 108.
Hismatica (Cedipoda), 165.

- Hispanica (Ramburia), 166.
 Hispanica (Ramburiella), 165.
 Hispanicum (Stethophyma), 166.
 Hispanicus (Gomphoceris), 165.
 Hispanicus (Gryllus), 165.
 Hispanicus (Stauronotus), 153.
 Hispanicus (Stenobothrus), 165.
 Hispida (Bradynotes), 501.
 Hispida (Corynorhynchus), 85.
 Hispida (Pezotettix), 501.
 Hispida (Proscopia), 85.
Hispidulum (Acridium), 288.
 Hispidulus (Corynorhynchus), 86.
 Hispidum (Spathalium), 298.
 Hispidus (Corynorhynchus), 85.
 Histrica (Paratettix), 33, 578.
 Histrica (Tettix), 33.
 Histricum (Dactyloctenium), 542.
 Histricus (Paratettix), 33, 578.
 Histricus (Tettix), 33.
 Histrio (Doclostaurus), 153.
 Histrio (Edipoda), 153.
 Histrio (Sphenarium), 303.
Histrio (Sphenarium), 303.
Histrionicus (Misythus), 9.
 HUSYCHIUS, 391.
 Hoagi (Boöpedon), 128.
Hoplani (Edipoda), 263.
 Hopeditica (Mantis), 568.
 Holdereri (Bryodema), 261.
 HOLOCERUS, 28.
 HOLOCOMPSEA, 565.
 HOLOLAMPRA, 562.
 HOLOPERCNA, 143.
 Holtzi (Tmethis), 287.
 Homalodema (Om-mexycha), 300, 301.
 Homalodemum (Om-mexycha), 300.
 HOMALOSAPARUS, 584.
 Homoptera (Edipoda), 147.
 Hoodensis (Sphingonotus), 275.
 Hoosieri (Paroxya), 505.
 Hoosieri (Pezotettix), 505.
 Hopei (Systella), 339.
 Hopei (Trigonopteryx), 339.
 HOPLOLOPHA, 547.
 Hoplosterna (Mestra), 330.
 Hoplosterna (Tagasta), 330.
 HORBOCERUS, 561.
 HORESIDOTES, 127, 580.
 Horrenda (Pantelia), 10.
 Horrendus (Cladonotus), 10.
 Horrida (Graea), 278.
 Horrida (Hoplolopha), 347.
 Horrida (Schinzia), 341.
 Horrida (Xiphocera), 347.
 Horridus (Pamphagus), 347.
Horridus (Cladonotus), 12.
 Horvathi (Stauroderus), 178.
 Horvathi (Stenobothrus), 178.
 Hospes (Edipoda), 262.
 Hospita (Stropis), 438.
Hottentottum (Acridium), 450, 545.
Hottentottum (Calliptamus), 545.
 Hottentottus (Acrotylus), 264.
Hottentottus (Calliptenus), 547.
Hottentottus (Caloptenus), 547.
Hottentottus (Euryphymus), 546.
 Hottentotus (Batrachotettix), 291.
 Hottentotus (Batrachotettix), 291.
 Hova (Euschmidia), 82.
 Hova (Ischnacrida), 405.
 Hova (Zonocerus), 316.
Hova (Atractomorpha), 333.
 Huachuca (Conalcaea), 493.
 Huasteca (Trimero-tropis), 256.
 HUMBE, 215.
 HUMBELLA, 215.
Humbertiana (Pteron-sticta), 217.
 Humbertianus (Cladonotus), 9.
 Humbertianus (Eri-anthus), 70.
Humbertianus (Acrotylus), 266.
 Humboldtii (Lophacris), 378.
 Humboldtii (Titanacris), 378.
 Humerale (Acridium), 38.
 Humeralis (Amorphopus), 22.
 Humeralis (Catantops), 481.
 Humeralis (Gryllus), 481.
 Humeralis (Hybotettix), 29.
 Humeralis (Tettix), 22, 38.
Humeralis (Catantops), 481.
Humeralis (Heteracris), 393.
 Humile (Acridium), 483.
 Humile (Rhienoderma), 391.
 Humile (Spharagemon), 234.
Humile (Oxya), 483.
 Humilicrus (Acridium), 444.
 Humilicrus (Orthacanthacris), 444.
 Humilis (Catantops), 483.
 Humilis (Hymenotes), 62.
 Humilis (Edipoda), 131, [255].
 Humilis (Phlaeonotus), 62.
 Humilis (Stirapleura), 131.
 Humilis (Trimero-tropis), 255.
 Humilis (Tetanorhynchus), 86.
 HUMPATELLA, 320.
 Humphreysii (Conalcaea), 493.
 Humphreysii (Melanoplus), 514.

- Humphreysii* (Pezomachus), 493, 514.
Hyalopoda (Pezomachus), 515.
Hyalopis (Tetradactylus), 493.
Hyalopis (Melanoplus), 518.
Hyalorhina (Pseudotrimetropis), 259.
Hyalorhina (Trimetrotropis), 259.
Hyalina (Agonozoa), 251.
Hyalina (Heteropternis), 221.
Hyalina (Schistocerca), 457.
Hyalina (Trimetrotropis), 251.
Hyalinum (Mestobregma), 249.
Hyalinus (Acrotylus), 267.
Hyalinus (Stauroderus), 179.
Hyalinus (Stenobothrus), 179.
Hyalinus (Trepidulus), 249.
Hyalodes (Humbert), 215.
 HYALOPTERYX, 165.
 HYALORHINUS, 279.
 HYBOTETTIX, 29.
 HYBUSA, 88.
Hyla (Acridium), 393, 394.
Hyla (Oxya), 393, 394.
Hymenaea (Elkocellora), 366.
Hymenaea (Xiphocera), 366.
 HYMENOTES, 4.
 HYPERHOMALA, 573.
 HYPOCHLORA, 497.
 HYPSEUS, 4.
 HYS, 563.
 HYSIA, 384.
 HYSIELLA, 384.
Hystrix (Acridium), 284.
Hystrix (Cuculligera), 284.
Hystrix (Gryllus), 284.
Hystrix (Gedipoda), 284.
Ibandana (Eupropoecnemus), 560.
Iberica (Gedipoda), 240.
 ICHTHIACRIS, 337.
 ICHTHYDION, 335.
 ICHTHYOTETTIX, 335.
Ictericus (Sphenarium), 303.
Ictericus (Calliptamus), 552.
Ictericus (Caloptenus), 552.
Icterus (Chromacris), 374.
Icterus (Rhombus), 374.
Idonea (Schistocerca), 457.
Ignobilis (Paratettix), 35.
Ignobilis (Tettix), 35.
Ignota (Porthetis), 348.
Iheringa (Zoniopoda), 376.
Illepidia (Cyrtacanthacris), 451.
Illepidum (Acrydium), 44.
Illepidum (Acridium), 451.
Illepidus (Tettix), 44.
Illepidus (Caloptenus), 547.
Illustris (Heteracris), 555.
Illustrissima (Orthacanthacris), 446.
Illustrissimum (Acridium), 446.
Illustrissimus (Cyrtacanthacris), 446.
Imitans (Leptopternis), 279.
Imitans (Sphingonotus), 279.
Imitatrix (Acridium), 451.
Imitatrix (Cyrtacanthacris), 451.
Imitatrix (Mastax), 78.
Immaculata (Bulla), 62.
Immaculata (Phacoparia), 426.
Immaculata (Pneumora), 62.
Immaculatus (Hippiscus), 204.
Immanis (Melanoplus), 532.
Immanis (Caloptenus), 484.
Impennis (Pterotiltus), 386.
Impennis (Pygostolus), 386.
Imperator (Catantops), 479.
Imperfecta (Arphia), 195.
Imperfecta (Opeia), 114.
Imperfecta (Tettigidea), 59.
Imperialis (Tropidacris), 380.
Impiger (Melanoplus), 524.
Impleta (Cyrtacanthacris), 455.
Impleta (Schistocerca), 455.
Impotens (Parapetasia), 308.
Impotens (Petasia), 308.
Impressa (Xistra), 27.
Impressus (Liotettix), 54.
Impressus (Protatettix), 54.
Impressus (Tettix), 54.
Impudica (Scotussa), 490.
Impudicus (Melanoplus), 514.
Inaequale (Xerophyllum), 8.
Inaequalipennis (Pyrgomorphus), 325.
Inaequalis (Hypsaeus), 8.
Inaequalis (Mazarredia), 25.
Inaequalis (Proscopia), 84.
Inamena (Eucoptera), 469.
Inamens (Caloptenus), 469.
Inane (Acrydium), 65.
Inanis (Cystocelia), 65.
Inanis (Gryllus), 65.
Inanis (Pneumora), 62.
Incaratus (Gryllus), 586.
Incertus (Chrologonus), 300.
Incertus (Tetamorhynchus), 86.
Incisa (Chimarocephala), 200.
Incisa (Proscopia), 87.
Incisus (Melanoplus), 532.
Inclarata (Munatia), 364.
Inclarata (Xiphocera), 364.

- Includens* (*Ilutacanthus*), 443.
Incluta (Cyrtacanthacris), 449.
Incluta (Epaceromia), 226.
Incluta (Rodunia), 140.
Inclutum (Acridium), 449.
Inclutus (Edaleus), 226.
Inclutus (Stenobothrus), 140.
Incompta (Eucoptacra), 469.
Incomptus (Caloptenus), 469.
Inconspicua (Pseudotrimerotropis), 258.
Inconspicua (Trachyrhachis), 247.
Inconspicua (Trachyrhachys), 247.
Inconspicua (Trimerotropis), 258.
Inconspicuus (Melanoplus), 520.
Inconspicuus (Sphodromerus), 549.
Incutus (Melanoplus), 533.
Incurvata (Tettix), 46.
Incurvatum (Acridium), 46.
Incurvatus (Tettix), 46.
Inda (Bryodema), 262.
Indecisa (Orthacanthacris), 445.
Indecisum (Acridium), 445.
Idfatigabilensis (Sphingonotus), 275.
India (Scelimena), 576.
Indica (Acrida), 97.
Indica (Acridella), 97.
Indica (Aspidophyma), 342.
Indica (Tagasta), 331.
Indica (Pyrgomorpha), 326.
Indicus (Catantops), 483.
Indicus (Criotettix), 16.
Indicus (Gymnobothrus), 148.
Indicus (Paratettix), 33.
Indigena (Melanoplus), 515.
Indum (Acridium), 49.
Indum (Bryodema), 262.
Indus (Sphingonotus), 277.
Ineptus (Catantops), 476.
Inermis (Hysia), 384.
Inermis (Hysilla), 384.
Inermis (Lactista), 237.
Infantilis (Melanoplus), 527.
Infaustra (Tettix), 55.
Infautus (Coptotettix), 55.
Infernalis (Arphia), 197.
Infernalis (Macromastax), 82.
Infernalis (Edaleus), 225.
Infernus (Aulacothrus), 189.
Inficita (Edipoda), 220.
Inficita (Cyrtacanthacris), 451.
Inficita (Edipoda), 265.
Inficium (Acridium), 451.
Infirmus (Bermius), 396.
Inflatus (Coptotettix), 55.
Inflatus (Tettix), 48.
Influmata (Atractomorpha), 332.
Influmata (Phleoba), 138.
Influmata (Schistocerca), 456.
Infuscata (Catantops), 483.
Infuscata (Chortophaga), 199.
Infuscata (Locusta), 199.
Infuscata (Mesopsis), 410.
Infuscata (Tragocephala), 199.
Infuscatum (Acridium), 483.
Infuscatum (Oxya), 483.
Infuscatus (Catantops), 483.
Infuscatus (Sitalces), 435.
Ingenita (Amblytropidia), 115.
Ingenitzkyi (Stauroderus), 178.
Ingenitzkyi (Stenobothrus), 178.
Ingens (Agymnastus), 212.
Ingens (Blatta), 566.
Ingens (Proscopia), 84.
Ingens (Xanthippus), 212.
Innotabile (Acridium), 483.
Innotata (Bennia), 71.
Innotata (Mastax), 71.
Inops (Melanoplus), 526.
Inornata (Opomala), 350.
Inornata (Tagasta), 330.
Inornata (Tettix), 17.
Inornatipes (Inusia), 415.
Inornatum (Spharagemon), 234.
Inornatus (Acanthalobus), 17.
Inornatus (Acrotylus), 267.
Inornatus (Melanoplus), 519.
Inornatus (Edaleus), 225.
Inscita (Trigoniza), 441.
Inscitus (Caloptenus), 441.
Inscripta (Cyrtacanthacris), 455.
Inscripta (Schistocerca), 455.
Inscriptum (Acridium), 455.
Insidiosus (Criotettix), 18.
Insidiosus (Loxilobus), 18.
Insidiosus (Ptemoblox), 585.
Insignis (Caloptenopsis), 550.
Insignis (Caloptenus), 550.
Insignis (Camoesia), 304.
Insignis (Diedronotus), 361.
Insignis (Eremocharis), 290.
Insignis (Heteracris), 554.
Insignis (Edipoda), 290.
Insignis (Podisma), 534.
Insignis (Prorachthes), 408.
Insignis (Tropidonotus), 361.
Insignis (Tropinotus), 361.
Insipida (Durania), 140.
Insipida (Rodunia), 140.
Insitiva (Ischnansis), 485.

Instabilis (Scyllina), 132.
 Instillatus (Eulaisus), 225.
 Insulbrica (Edipoda), 265.
 Insularium (Acridium), 265.
 Insulricum (Edipoda), 265.
 Insulricus (Acrotylus), 264, 265.
 Insulricus (Gryllus), 264.
 Insula (Dellia), 423.
 Insularis (Catantops), 478.
 Insularis (Brachytrops), 69.
 Insularis (Cornops), 417.
 Insularis (Cylindrotettix), 412.
 Insularis (Litosciatus), 379.
 Insularis (Mazurellus), 25.
 Insularis (Orphulella), 123.
 Insularis (Phaestus), 576.
 Insularis (Plagiotriptus), 69.
 Insularis (Tagasta), 331.
 Integra (Ancusa), 259.
 Intercalata (Acrida), 91.
 Interior (Arnilia), 419.
 Interior (Leprus), 214.
 Interior (Opsomala), 419.
 Interior (Melanoplus), 523.
 Interioris (Coryphistes), 436.
 Interlineata (Opomala), 139.
 Interlineata (Phlaoba), 139.
 Interlineata (Rodunia), 139.
 Intermedia (Brachystola), 293.
 Intermedia (Chrysoschraon), 147.
 Intermedia (Euprepocnemis), 569.
 Intermedia (Gerania), 472.
 Intermedia (Fenestra), 127.
 Intermedius (Catantops), 484.
 Intermedius (Chrotogonus), 392.
 Intermedius (Leprus), 210.
 Intermedius (Melanoplus), 512.
 Internexa (Cyrtacanthacris), 450.
 Internata (Schistocerca), 455.
 Interrupta (Chirista), 143.
 Interrupta (Cyrtacanthacris), 461.
 Interrupta (Xiphocris), 333.
 Interruptus (Catantops), 484.
 Interruptus (Chortocetes), 193.
 Interruptus (Cladonotus), 9.
 Interruptus (Coptotettix), 56.
 Interruptus (Euparotettix), 31.
 Interruptus (Paratettix), 31.
 Interruptus (Truxalis), 95.
 Intertexta (Mermiria), 104.
 Intricata (Orphulella), 122.
 Intricata (Truxalis), 122.
 Intratus (Sphingonotus), 278.
 Inunctus (Pterotiltus), 387.
 Inunctus (Pygostolus), 387.
 INUSIA, 414.
 Invenusta (Pnorisa), 151.
 Inversum (Heteraprium), 572.
 Inversus (Aprion), 572.
 Inversus (Morsinus), 572.
 Iris (Phymateus), 313.
 Irisus (Caloptamus), 545.
 Irisus (Euryphymus), 545.
 Irregulara (Acridium), 452.
 Irregularis (Cyrtacanthacris), 452.
 Irrorata (Edipoda), 255.
 Irrorata (Trimerotropis), 255.
 Irreptum (Acrydium), 45.
 Irruptus (Tettix), 45.
 ISCHINACRIDA, 404.
 ISCHINANSIS, 485.
 ISCHNOPTERA, 562.
 Ischnus (Melanoplus), 519.
 ISONYX, 197.
 Istriana (Stenobothrus), 162.
 Italianum (Acridium), 552.
 Italicum (Acrydium), 551.
 Italianus (Calliptamus), 550, 551.
 Italianus (Callipterus), 551, 552.
 Italianus (Caloptamus), 552.
 Italianus (Gryllus), 551.
 Italicus (Locusta), 551.
 Jalapa (Tettigidea), 57.
 Javan (Pseudotetranebes), 80.
 Jallæ (Thericles), 80.
 Jamaicensis (Sphingonotus), 275.
 Javanica (Tenebrion), 290.
 Janeirois (Inusia), 415.
 Japonica (Acridium), 18.
 Japonica (Cyrtacanthacris), 452.
 Japonica (Trilophidia), 244.
 Japonica (Tettix), 18, 45.
 Japonica (Tropidopoda), 404.
 Japonica (Truxalis), 404.
 Japonicum (Acridium), 452.
 Japonicum (Acrydium), 45.
 Japonicus (Acanthalobus), 18.
 Japonicus (Chrysoschraon), 147.
 Japonicus (Sphingonotus), 277.
 Japonicus (Tettix), 45.
 Japonicus (Gryllus), 394.
 Javanica (Saussurella), 61.
 Javanica (Opomala), 137.
 Javanus (Encusis), 73.
 JIVARUS, 599.
 JODACRIS, 428.
 Johnstoni (Acrotylus), 267.
 Johnstoni (Chrotogonus), 267.

- Johnstoni* (*Caloptenopsis*), 549.
Jucunda (*Anthinochroma*), 420.
Jucunda (*Elaeochlora*), 261.
Jucunda (*Orphula*), 118.
Jucunda (*Phymaptera*), 334.
Jucunda (*Pacilochroma*), 420.
Jucunda (*Xiphocera*), 366.
Jucundus (*Chorthippus*), 184.
Jucundus (*Gomphoceris*), 184.
Jucundus (*Stenobothrus*), 184.
Jurundus (*Pezotettix*), 507.
Judicata (*Desmoptera*), 328.
Jugata (*Tettix*), 61.
Jugatus (*Phlaeonotus*), 61.
Juliana (*Pseudotrimerotropis*), 255.
Juliana (*Trimerotropis*), 255.
Juncorum (*Zoniopoda*), 376.
Jungi (*Cirphula*), 439.
Jungi (*Chortocetes*), 194.
Jungii (*Blatta*), 564.
Jungii (*Periplaneta*), 564.
Junius (*Melanoplus*), 523.
Junius (*Pezotettix*), 523.
Junodi (*Acrotylus*), 266.
Junodiana (*Heteropteris*), 221.
Jurinei (*Oxyphyma*), 412.
Juvenalis (*Elaeochlora*), 367.
Juvenus (*Melanoplus*), 520.

 Kalnyka (*Duroniella*), 141.
 KAPAORIA, 388.
 Karnyi (*Catantops*), 483.
 Karschi (*Aresceutica*), 473.
 Karschi (*Calanus*), 98.
 Karschi (*Caloptenopsis*), 550.
 Karschi (*Catantops*), 482.
 Karschi (*Dietyophorus*), 305.
 Karschi (*Phymateus*), 314.
 Karschi (*Piezotettix*), 7.
 Karschi (*Pteropera*), 473.
 Karschi (*Symbellia*), 81.
 Karschi (*Tapesia*), 305.
 KASSONGIA, 470.
 Keeleri (*Caloptenus*), 528.
 Keeleri (*Melanoplus*), 528.
 Kennicottii (*Melanoplus*), 511.
 Kheili (*Arcyptera*), 171.
 Kiowa (*Mestobregma*), 249.
 Kiowa (*Edipoda*), 249.
 Kiowa (*Psinidia*), 249.
 Kiowa (*Trachyrhachis*), 249.
 Kirbyi (*Acrotylus*), 267.
 Kirbyi (*Euthymia*), 384.
 Kittaryi (*Sphingonotus*), 278.
 Kittargi (*Edipoda*), 280.
 Klugii (*Ommexycha*), 298.
 Klugii (*Tryxalis*), 96.
 Koebeli (*Arphia*), 197.
 Koebeli (*Conozoa*), 256.
 Koebeli (*Pseudotrimerotropis*), 256.
 Koebeli (*Tanaocerus*), 293.
 Koebeli (*Trimerotropis*), 256.
 Koepperi (*Podisma*), 535.
 Kollarii (*Chorthippus*), 180.
 Kraussi (*Catantops*), 479.
 Kraussii (*Acrydium*), 44.
 Kraussii (*Dociostaurus*), 153.
 Kraussii (*Eugavialidium*), 14.
 Kraussii (*Gavialidium*), 14.
 Kraussii (*Gomphomastax*), 72.
 Kraussii (*Ischnacrida*), 406.
 Kraussii (*Rhamphacrida*), 406.
 Kraussii (*Stauronotus*), 153.
 Kraussii (*Tetrix*), 44.
 Kraussi (*Euthymia*), 384.
 Kuekenethali (*Cranaë*), 387.
 Kunzei (*Ligurotettix*), 136.

 Labiata (*Arcyoptera*), 171.
 Labiata (*Arcyptera*), 171.
 Labiata (*Podisma*), 170.
 Labiatum (*Arcyptera*), 170.
 Labiatus (*Stauronotus*), 171.
 Labiatus (*Stethophyma*), 171.
 Labratum (*Osmilia*), 540.
 Labratum (*Acridium*), 540.
 Lacerta (*Tristria*), 401.
 LACTISTA, 236.
 Læta (*Copiocera*), 418.
 Læta (*Cyphocercastis*), 471.
 Læta (*Mastax*), 78.
 Læta (*Paramastax*), 78.
 Læta (*Phlaëoba*), 139.
 Læta (*Rodunia*), 139.
 Lætabilis (*Phaenicoptera*), 574.
 Lætum (*Acridium*), 446.
 Lætum (*Acridium*), 191.
 Lætus (*Eumapius*), 584.
 Lætus (*Euryparyphes*), 584.
 Lætus (*Stenobothrus*), 145.
 Lætus (*Stenobothrus*), 167.
 Lævicolis (*Epilampra*), 564.
 Lævicolis (*Heterolampra*), 564.
 Lævifrons (*Rhytidochrota*), 543.
 Lævipes (*Diedronotus*), 361.
 Lævipes (*Tropidonotus*), 361.
 Lævipes (*Tropinotus*), 361.
 Lævis (*Perixerus*), 541.
 Lævis (*Gryllus*), 316.
 Læviuscula (*Eremobia*), 289.
 Lakinus (*Melanoplus*), 509.
 Lakinus (*Pezotettix*), 509.
 LAMARCKIANA, 343.

- Lameerei* (*Chrotogonus*), 300.
Lameerei (*Sphingonotus*), 272.
Lamelipes (*Hyalopteryx*), 105.
LAMELLITETTIX, 24.
Laminata (*Praxibulus*), 397.
Laminata (*Praxilla*), 397.
Lamniatus (*Misythus*), 10.
Lancea (*Cephalocœma*), 89.
Lanceolata (*Atractomorpha*), 332.
Lanceolata (*Gonyacantha*), 407.
Lanceolata (*Gonyacanthella*), 497.
Lanceolata (*Stenacris*), 413.
Languidus (*Systolederus*), 20.
Lanuginosa (*Boagella*), 465.
L. quadrifida (*Crematogaster*), 252.
Larrea (*Clematodes*), 429.
Lata (*Acerida*), 94.
Lata (*Truxalis*), 94.
Latifasciatus (*Hippiscus*), 209.
Latifasciatus (*Xanthippus*), 209.
Latus (*Melanoplus*), 515.
Laterale (*Aceridium*), 41.
Laterale (*Acrydium*), 57.
Lateralis (*Tettigidea*), 57.
Lateralis (*Tetrix*), 57.
Lateralis (*Tettix*), 57.
Lateralis (*Lamachus*), 359.
Lateritius (*Hippiscus*), 210.
Lateritius (*Xanthippus*), 210.
LATHICERUS, 283.
Laticincta (*Petasia*), 305.
Laticincta (*Pseudotrimerotropis*), 257.
Laticincta (*Trimerotropis*), 257.
Laticinctum (*Derotemma*), 243.
Laticinctus (*Dietypophorus*), 305.
Laticornis (*Chelastorhynchus*), 409.
Laticornis (*Mesopsa*), 410.
Laticornis (*Mesopsa*), 410.
Laticornis (*Oponota*), 409.
Laticosta (*Caloptenopsis*), 550.
Laticostata (*Edipoda*), 278.
Latifasciata (*Pseudotrimerotropis*), 257.
Latifasciata (*Trimerotropis*), 257.
Latifasciatus (*Sphingonotus*), 278.
Latifera (*Tettix*), 18.
Latifercula (*Melanoplus*), 516.
Latiferus (*Acanthalobus*), 18.
Latifrons (*Coptotettix*), 55.
Latimerus (*Oxytettix*), 576.
Latipennis (*Chromacris*), 373.
Latipennis (*Circotettix*), 253.
Latipennis (*Colpodespha*), 362.
Latipennis (*Locusta*), 253.
Latipennis (*Paraxibulus*), 397.
Latipennis (*Praxilla*), 397.
Latipennis (*Rhomalea*), 373.
Latipennis (*Stauroderus*), 181.
Latipennis (*Stenobothrus*), 181.
Latipes (*Abila*), 424.
Latipes (*Acrydium*), 44.
Latipes (*Platypterna*), 150.
Latipes (*Tettix*), 44.
Latipes (*Xiphocera*), 344.
Lauranus (*Cladonotus*), 9.
Laticostis (*Corynorhynchus*), 86.
Laticostis (*Prostigma*), 84.
Latispina (*Tettix*), 18.
Lativertix (*Mazarredia*), 26.
Lativitta (*Tryxalis*), 97.
Lativittatus (*Stenobothrus*), 165.
Latreillei (*Aceridium*), 380.
Latreillei (*Acrydium*), 379, 380.
Latreillei (*Tropidacris*), 379.
Latruncularia (*Pristocorypha*), 406.
Latum (*Ommexyela*), 300.
Latus (*Chrotogonus*), 300.
Latus (*Melanoplus*), 515.
Lauderi (*Diedronotus*), 361.
Lauderi (*Tropidonotus*), 361.
Lauderi (*Tropinotus*), 361.
LAUFFERIA, 323.
Lauræ (*Duronia*), 140.
Lauta (*Badistica*), 396.
Lauta (*Circotettix*), 253.
Lauta (*Mazarredia*), 25.
Lauta (*Trimerotropis*), 253.
Lexus (*Metaxyneus*), 557.
Ledereri (*Edipoda*), 242.
Ledereri (*Thalpomena*), 246.
LEGUA, 408.
LEIOSCAPHEUS, 422.
LEIOTETTIX, 490.
Leinaceni (*Thaleus*), 582.
Lemniscatum (*Aceridium*), 487.
Lemniscatum (*Podisina*), 487.
Lemniscatus (*Dichroplus*), 487.
Lemniscatus (*Pezotettix*), 487.
Lemniscatus (*Trigonophymus*), 487.
Lentiginosum (*Derotemma*), 244.
Lentiginosum (*Imetodera*), 244.
LENTILLA, 385.
Lepechinus (*Gryllus*), 42.
Lepida (*Copiocera*), 418.
Lepida (*Exarna*), 443.
Lepida (*Segellia*), 472.
LEPIDOPHORA, 568.
Lepidus (*Caloptenus*), 443.
Lepidus (*Melanoplus*), 526.

Liberasi (Schistocerca), 457.
Liberatum (Acanthium), 457.
Litoralis (Eyprepocnemis), 558.
Litoralis (Tarsometras), 558.
Littoralis (Caloptenus), 558.
Littoralis (Eyprepocnemis), 558.
Littoralis (Eyprepocnemis), 558.
Littoralis (Gryllus), 558.
Littoralis (Tarsometras), 558.
Liturala (Edipoda), 242.
Liturala (Edipoda), 242.
Liturala (Phlaeoba), 139.
Liturifer (Caloptenopsis), 551.
Liturifer (Caloptenus), 551.
Livida (Paratettix), 578.
Livida (Tettix), 38.
Lividus (Gryllus), 456.
Livingstoni (Physiphorina), 64.
Lobata (Gryllus), 156.
Lobata (Deroceras), 383.
Lobata (Stumba), 26.
Lobata (Stiphra), 87.
Lobatum (Acanthium), 383.
Lobatus (Choreotettix), 252.
Lobipennis (Euschimelia), 83.
Lobipes (Cervidia), 408.
LOBOPOMA, 137.
LOBOPTERA, 563.
Lobosella (Flammociana), 344.
Loboscelis (Pamphagus), 344.
Loboscelis (Xiphocera), 344.
Lobulata (Tettix), 55.
Lobulatus (Lacertix), 55.
Lobulatus (Prototettix), 55.
Lobulatus (Tettix), 55.
LOCHEUMA, 368.
LOCHEYMA, 368.
LOCUSTA, 228, 444, 446, 575.
Locusta (Sauraxis), 468.
LOCUSTIDÆ, 1, 575.

LOCUSTINÆ, 194.
Logmi (Schistocerca), 12.
Longiceps (Tanta), 324.
Longiceps (Spartolus), 19.
Longicorn (Acydium), 187.
Longicornis (Blatta), 566.
Longicornis (Bulla), 62.
Longicornis (Chortipus), 187.
Longicornis (Gryllus), 187.
Longicornis (Melanoplus), 520.
Longicornis (Neurades), 357.
Longicornis (Ocnorodes), 357.
Longicornis (Opsomala), 150, [403].
Longicornis (Pamphagus), 357.
Longicornis (Pezotettix), 520.
Longicornis (Phypterna), 150.
Longicornis (Pseudotrimerotropis), 258.
Longicornis (Sauraxis), 166.
Longicornis (Trimerotropis), 258.
Longicornis (Tropidopola), 403.
Longicrus (Edipoda), 146.
Longicrus (Podisma), 146.
Longilobus (Chortipus), 2.
Longilobus (Acantholobus), 577.
Longipalpa (Blatta), 566.
Longipenne (Acanthium), 417.
Longipenne (Dietylotum), 542.
Longipenne (Paracornops), 417.
Longipennis (Acanthium), 456.
Longipennis (Dietylotum), 542.
Longipennis (Dietromorpha), 125.
Longipennis (Disosteira), 232.
Longipennis (Neotettix), 51.
Longipennis (Oxya), 417.
Longipennis (Sphingonotus), 277.

Longipennis (Dendrotettix), 502.
Longipennis (Sauraxis), 188.
Longipennis (Acanthium), 266, 582.
Longipennis (Amphibotettix), 12.
Longipennis (Lezina), 570.
Longipennis (Magenta), 570.
Longipennis (Ocularidra), 149.
Longipennis (Edipoda), 266.
Longipennis (Tetmarhynchus), 86.
Longispina (Elaeochlora), 366.
Loosi (Tanta), 324.
LOPHACRIS, 378.
Lorata (Edipoda), 164.
Lorata (Stenobothrus), 164.
Loratus (Batrachotettix), 291.
Loratus (Batrachotettix), 291.
LORYMA, 400.
LOXILOBUS, 18, 577.
Lucasi (Acanthium), 175.
Lucasi (Duroniella), 140.
Lucasi (Oncosternus), 175.
Lucasi (Phlaeoba), 140.
Lucasi (Sphingonotus), 277.
Lucasi (Stenobothrus), 175.
Lucasi (Stenobothrus), 175.
Lucida (Tauchira), 397.
Lucifer (Heterocera), 28.
Lucifer (Tettix), 28.
LUCINA, 570.
Lucina (Acanthium), 409.
LUCRETILIS, 388.
Lucrosus (Catalopis), 476.
Lucrosus (Bryodema), 261.
Luctuosa (Peristegus), 311.
Luctuosum (Bryodema), 261.
Luctuosus (Bryodema), 261.
Luctuosus (Gryllus), 261.

- Luctuosus* (*Locusta*), 261.
Lucubensis (*Charagotettix*), 16.
Luculenta (*Paracinema*), 144.
Ludius (*Ptemoblax*), 474.
Lugens (*Bryodemus*), 262.
Luggeri (*Acrydium*), 47.
Luggeri (*Tettix*), 47.
Lugubre (*Ommexycha*), 301.
Lugubris (*Acerida*), 95.
Lugubris (*Chrotogonus*), 301.
Lugubris (*Erianthus*), 70.
Lugubris (*Maura*), 307.
Lugubris (*Ommexycha*), 301.
Lugubris (*Gryllus*), 287.
Lugubris (*Elipoda*), 262.
Lunulatum (*Aceridium*), 41.
Lunulatus (*Gryllus*), 183.
Lunum (*Achrydium*), 463.
Lunum (*Monachidium*), 463.
Lunus (*Gryllus*), 463.
Lunus (*Monachidium*), 463.
Lurida (*Æolopus*), 192.
Lurida (*Caloptenus*), 528.
Lurida (*Epacromia*), 192.
Lurida (*Maura*), 306.
Lurida (*Xistea*), 27.
Luridescens (*Aceridium*), 455.
Luridescens (*Schistocerca*), 455.
Luridus (*Gryllus*), 306.
Luridus (*Melanoplus*), 528.
Luridos (*Oraistes*), 401.
Lusitanus (*Scirtobaeus*), 571.
Lutea (*Sphingonotus*), 276.
Luteicornae (*Aceridium*), 452.
Luteicornis (*Cyrtacanthacris*), 452.
Luteicornis (*Elipoda*), 162.
Luteicornis (*Stenobothrus*), 162, 163.
Luteipes (*Stenobothrus*), 165.
Luteola (*Arphia*), 197.
Luteola (*Oxya*), 395.
Luteolum (*Aceridium*), 395.
Luteolum (*Oxya*), 395.
Luteolum (*Aceridium*), 482.
Luteomarginata (*Tetridodina*), 3.
Luteomarginata (*Tettigodina*), 3.
Lutescens (*Elasmoderus*), 586.
Lutescens (*Eremobius*), 586.
Lutescens (*Aceridium*), 418.
Lutescens (*Cyrtacanthacris*), 448.
Lutescens (*Caloptenus*), 443.
Lutescens (*Exarna*), 443.
Lutescens (*Gryllus*), 334.
Luteum (*Phaulacridium*), 442.
Luteus (*Sphingonotus*), 276.
Lutosa (*Metrodora*), 24.
Mabillei (*Acinipe*), 350.
Mabiliei (*Pamphagus*), 350.
MACHÆRIDIA, 100.
MACHÆROCERA, 109.
Maculenta (*Macraesidia*), 100.
MACNEILLIA, 114.
Macneillei (*Melanoplus*), 524, [532].
Macneilli (*Plectrotettix*), 134.
Macneilli (*Scyllina*), 134.
Macracanthus (*Caloptenopsis*), 550.
Macrocera (*Elipoda*), 164.
Macrocera (*Stenobothrus*), 164.
MACROMASTAX, 82.
MACROPHYILODROMIA, 565.
Macroptera (*Ommexycha*), 297.
Macroptera (*Tylotropidus*), 556.
Macropterum (*Ommexycha*), 297.
Macropterum (*Spathalium*), 297.
Macropterus (*Tettix*), 39.
Macropus (*Tettix*), 42.
MACROTONA, 443.
Macula-lutea (*Aceridium*), 466.
Macula-lutea (*Althamenes*), 465.
Maculata (*Bibracte*), 467.
Maculata (*Leptopternis*), 279.
Maculata (*Elipoda*), 242.
Maculata (*Pneumora*), 64.
Maculata (*Scaria*), 60.
Maculata (*Tettix*), 40.
Maculata (*Trigoniza*), 441.
Maculata (*Tytthotyle*), 294.
Maculata (*Deroecorys*), 383.
Maculatum (*Aceridium*), 265.
Maculatum (*Acrydium*), 265.
Maculatus (*Aiolopus*), 581.
Maculatus (*Catantops*), 481.
Maculatus (*Circotettix*), 251.
Maculatus (*Gomphocerus*), 157.
Maculatus (*Hippiscus*), 208.
Maculatus (*Melanoplus*), 509.
Maculatus (*Thrinax*), 294.
Maculatus (*Trigoniza*), 441.
Maculatus (*Xanthippus*), 208.
Maculatus (*Cyphophorus*), 383.
Maculicollis (*Aceridium*), 448.
Maculicollis (*Cyrtacanthacris*), 448.
Maculicollis (*Goniæa*), 437.
Maculiferum (*Aceridium*), 381.
Maculiferus (*Dipontus*), 381.
Maculipennis (*Acrocara*), 109.
Maculinervis (*Cuculligera*), 285.

- Maculinervis* (*Prionotropis*), 285.
Maculipenne (*Acridium*), 461.
Maculipennis (*Phaeoparia*), 426.
Maculipennis (*Psoloessa*), 129.
Maculipennis (*Schistocerca*), 461.
Maculipennis (*Orphula*), 120.
Maculipennis (*Stenobothrus*), 120.
Maculipes (*Mesambria*), 440.
Maculosa (*Euprepocnemis*), 561.
Maculosa (*Psinidia*), 247.
Maculosa (*Stropis*), 438.
Maculosa (*Tettix*), 40.
Maculosum (*Acridium*), 438.
Maculosum (*Stropis*), 438.
Madagassus (*Phymateus*), 314.
Madecassa (*Acrida*), 92.
Madecassa (*Buysoniella*), 335.
Madecassa (*Pyromorphella*), 327.
Madecassa (*Tryxalis*), 92.
Madecassus (*Eduleus*), 226.
Maderæ (*Edipoda*), 245.
Maderæ (*Thalponema*), 245.
Madimbana (*Allotriusia*), 444.
MADUREA, 148.
Maesoi (*Coptotettix*), 55.
Magellanicus (*Phrynotettix*), 212.
Magellanicus (*Tristira*), 212.
Magister (*Arcyptera*), 171.
Magister (*Mecostethus*), 171.
Magistralis (*Metrodora*), 28.
Magistralis (*Scabrotettix*), 28.
Magna (*Amblytropidia*), 114.
Magna (*Brachystola*), 293.
Magna (*Cephalocema*), 89.
Magna (*Eremobia*), 295.
Magna (*Macheroecera*), 110.
Magna (*Mastax*), 78.
Magna (*Paramastax*), 78.
Magna (*Phyllodromia*), 563.
Magna (*Brachystola*), 294.
Magnifica (*Cyrtacanthacris*), 449.
Magnifica (*Erucius*), 73.
Magnifica (*Trimerotropis*), 255.
Magnificum (*Acridium*), 449.
Magnus (*Brachypeplus*), 293.
Magnus (*Orietettix*), 577.
Magnus (*Phrynotettix*), 295.
MAGRETTIA, 570.
Maindroni (*Orthacris*), 336.
Major (*Catantops*), 479.
Major (*Dibastica*), 396.
Major (*Dinotettix*), 26.
Major (*Sphingonotus*), 277.
Malachitica (*Schistocerca*), 459.
MALAGASSA, 75.
Malagassus (*Catantops*), 482.
Malcolmi (*Erianthus*), 70.
Manca (*Chirista*), 142.
Manca (*Pezotettix*), 516.
Manca (*Trigoniza*), 441.
Mancus (*Draconata*), 368.
Mancus (*Melanoplus*), 516.
Mannulus (*Pagopedilum*), 345.
Mannulus (*Xiphocera*), 345.
MANTID.E, 567.
MANTIS, 567, 568.
Mantispoides (*China*), 75.
Mantispoides (*Mastax*), 75.
MAPHYTEUS, 312.
Marcapata (*Otumba*), 26.
Marci (*Dictyophorus*), 370.
Marci (*Rhomalea*), 370.
Marci (*Romalea*), 370.
Margaritatus (*Aptoceras*), 430.
Marginale (*Acridium*), 424.
Marginale (*Phaulacridium*), 442.
Marginalis (*Caloptenopsis*), 550.
Marginalis (*Caloptenus*), 442.
Marginalis (*Zosperamerus*), 424.
Marginalis (*Caloptenus*), 442.
Marginalis (*Gryllus*), 177.
Marginata (*Blatta*), 562.
Marginata (*Cranaë*), 387.
Marginata (*Desmoptera*), 329.
Marginata (*Hololampra*), 562.
Marginata (*Edipoda*), 241.
Marginata (*Paratettix*), 578.
Marginata (*Temnopteryx*), 562.
Marginata (*Tetrix*), 38.
Marginata (*Tettix*), 38.
Marginatum (*Acridium*), 38.
Marginatum (*Sphenarium*), 303.
Marginatum (*Acridium*), 199.
Marginatus (*Catantops*), 482.
Marginatus (*Melanoplus*), 526.
Marginatus (*Pezotettix*), 526.
Marginella (*Atractomorpha*), 330.
Marginella (*Mestra*), 330.
Marginella (*Tagasta*), 330.
Marginellus (*Truxalis*), 330.
Marginalis (*Calliptamus*), 553.
Marginicollis (*Leptysma*), 411.
Marginicollis (*Opomata*), 411.

- Marginecollis* (Opsonalia), 411.
Marginecosta (Tristria), 396.
Marginipennis (Euryphymus), 547.
Marie (Acreptera), 581.
Maritima (Locusta), 254.
Maritima (Edipoda), 254.
Maritima (Trimerotropis), 254.
Marmorata (Dissosteira), 236.
Marmorata (Locusta), 236.
Marmorata (Edipoda), 236.
Marmorata (Porthetis), 352.
Marmorata (Scirtetica), 236.
Marmorata (Scirtettica), 236.
Marmorata (Tettix), 42.
Marmorata (Pneumora), 64.
Marmoratus (Calliptamus), 553.
Marmoratus (Gastri-margus), 226.
Marmoratus (Gryllus), 226.
Marmoratus (Hippiscus), 204.
Marmoratus (Edaleus), 226, 227, 228.
Marmoratus (Paehytillus), 226.
Marmoratus (Pamphagus), 352.
Marmoratus (Sticthipus), 204.
Maroccanus (Docio-staurus), 152.
Maroccanus (Eury-paryphes), 353.
Maroccanus (Eunapius), 353.
Maroccanus (Stauro-notus), 152.
Maroccanus (Tmethis), 582.
Marschalli (Arnilia), 413.
Marshalli (Chrotogonus), 302.
Marshalli (Maura), 307.
Marshalli (Stenacris), 413.
Marshalli (Pezotettix), 518.
Martini (Coptaerella), 468.
Martini (Orthoetha), 580.
Martini (Platypterna), 580.
Maruxima (Pyrgo-morpha), 326, [583].
MASTACIDES, 74.
MASTAX, 76.
MASTUSIA, 418.
MASYNTES, 79.
MAURA, 306.
Maura (Tettix), 49.
Mauretanica (Acinipe), 351.
Mauretanica (Edipoda), 242.
Mauretanicus (Acinipe), 351, [583].
Mauretanicus (Pamphagus), 351, [583].
Maxima (Acrida), 92.
Maxima (Ischnaerida), 404.
Maxima (Leptacris), 404.
Maxima (Taniopoda), 372.
Maximiliani (Macrophyllodromia), 565.
Maximiliani (Phorticea), 565.
Maximiliani (Zetobora), 565.
Maya (Schistocerca), 456.
MAZÆA, 386.
Mazaganeus (Eunapius), 584.
MAZARREDIA, 24, 577.
Mazarredoi (Coptotettix), 56.
Mecheria (Sphingonotus), 274.
MECOSTETHUS, 144, 167.
MECOSTIBUS, 283.
Media (Desmoptera), 329.
Medialis (Tettigidea), 57.
Megacephala (Aristia), 425.
Megacephala (Eupni-godes), 129.
Megacephala (Pezotettix), 425.
Megacephala (Pnigodes), 129.
Megacephala (Taniophora), 390.
Megacephala (Aristia), 391.
Megacephalum (Acridium), 163.
Melanocera (Schistocerca), 457.
Melanocerca (Euthymia), 384.
Melanocerum (Acridium), 457.
Melanocerum (Schistocerca), 457.
Melanocorne (Acridium), 446.
Melanopleurus (Stenobothrus), 126.
MELANOPLUS, 509.
Melanoptera (Pseudotrimerotropis), 257.
Melanoptera (Trimerotropis), 257.
Melanopterus (Gomphocerus), 177.
Melanopterus (Stenobothrus), 177.
Melanopus (Caloptenus), 545.
Melanopus (Euryphymus), 545.
Melanorhodon (Acridium), 445.
Melanorhodon (Orthacanthaeris), 445.
Melanostictus (Catantops), 480.
Melanostictus (Gryllus), 586.
MELANOTETRIX, 131.
Mellou (Schistocerca), 455.
Melleola (Conozoa), 251.
Mellerborgi (Phæstus), 3.
Mellerborgi (Tetrix), 3.
Mellerborgi (Tettix), 3.
Mellifera (Coptacra), 468.
Mellitus (Catantops), 478.
MELOSCIRTUS, [160], 184.
Membracioides (Bulla), 63.
Membracioides (Pneumora), 63.
Mendax (Pezotettix), 536.
Menetriesii (Phlocerus), 148.
Menyharthi (Lamarkiana), 343.
Menyharthi (Xiphocera), 343.
Merceti (Taphronota), 309.
Meridionalis (Anniceris), 422.

- Milberti (Schistocerca).
 [462].
Milberti (*Acridium*),
 530.
Miles (Catantops), 482.
Miles (Chromacris), 373.
Miles (Gryllus), 373.
Miles (Locusta), 373.
Miles (Rhomalea), 373.
Miles (Rutodideres),
 373.
Miles (Gryllus), 373.
Miles (Locusta), 373.
Miles (Rhomalea), 373.
Mihare (Acridium), 308.
Miliaris (Aularches),
 308.
Miliaris (Gryllus), 308.
Miliaris (Locusta), 308.
Miliaris (Phymateus),
 308.
Miliarius (Acanthalobus),
 17.
Miliarius (Criotettix), 17.
Militaris (Eumastax),
 77.
Militaris (Mastax), 77.
Militaris (Melanoplus),
 516.
Millierei (Dericorys),
 383.
Mimica (Paraidemona),
 496.
Mimulus (Catantops),
 480.
Mimulus (Heterotrypus),
 570.
Mimus (Paratettix), 33.
Minax (Spartolus), 19.
Miniacea (Acidacris),
 375.
Miniata (Cedipoda), 238,
 239.
Miniata (Acrida), 95.
Miniata (Locusta), 175.
Miniata (Truxalis), 95,
 96.
Miniatipennis (Humbe),
 215.
Miniatula (Dellia), 423.
Miniatulus (Pterotiltus),
 387.
Miniatum (Acridium),
 217.
Miniatius (Ctyphippus),
 239.
Miniatius (Gryllus), 238.
Miniatius (Toxopterus),
 123.
Miniatius (Chorthippus),
 164.
Miniatius (Gomphocerus),
 165.
Miniatius (Gryllus), 163.
Miniatius (Stenobothrus),
 164.
Minina (Leptysma),
 411.
Minimipenne (Achurum),
 102.
Minimum (Sphenarium),
 304.
Minimus (Catantops),
 479.
Minimus (Heliastus),
 270.
Minor (Æoloplus), 501.
Minor (Arnilia), 413.
Minor (Caloptenus),
 527.
Minor (Catara), 564.
Minor (Eurotettix), 491.
Minor (Hisychius), 391.
Minor (Humbe), 215.
Minor (Locusta), 229.
Minor (Melanoplus),
 527.
Minor (Metaleptea),
 118.
Minor (Cedaleus), 227.
Minor (Orphula), 118.
Minor (Pachytylus),
 229.
Minor (Paraleuas), 427.
Minor (Procolpia), 364.
Minor (Stenacris), 413.
Minor (Xerophyllum),
 8.
Minor (Calliptamus),
 547.
Minor (Caloptenus),
 547.
Minor (Eutryxalis), 106.
Minor (Methone), 292.
 MINORISSA, 334.
Minusculus (Chortoi-
 cetes), 193.
Minusculus (Steno-
 bothrus), 193.
Minuta (Mazarredia),
 25.
Minuta (Cedipoda), 174.
Minuta (Omocestus),
 174.
Minuta (Mastax), 76.
Minutipennis (Pezo-
 tettix), 526.
Minutissimus (Gompho-
 cerus), 174.
Minutissimus (Omoces-
 tus), 174.
Minutissimus (Steno-
 bothrus), 174.
Minutus (Apotettix), 54.
Minutus (Coptotettix),
 55.
Minutus (Telmatettix),
 30.
 MIOBLATTA, 565.
 MIOSCIRTUS, 218.
Mira (Rhabdoplea),
 147.
Mirabilis (Brunnerella),
 214.
Mirabilis (Scolecocephalus),
 406.
 MIRACULUM, 83.
Miraculum (Charilaus),
 341.
 MIRIATRA, 29, 578.
Mirificum (Miraculum),
 83.
Miripennis (Glypho-
 clonus), 98.
Misera (Tettix), 45.
Miserabilis (Liottettix),
 54.
Miserabilis (Tetrix), 54.
Miserum (Acrydium),
 45.
Missionum (Melano-
 plus), 518.
Missouriensis (Mantis),
 568.
 MISYTHUS, 9.
Mithras (Gryllus), 463.
 MITRARIA, 29.
Mitrata (Quilta), 392.
Mitratum (Acridium),
 392.
Mitratum (Quilta), 392.
 MTRICEPHALA,
 384.
 MITRITETTIX, 29.
Mlokozewitzki (Ceda-
 leus), 225.
Mlokosievetsi (Cedaleus),
 226.
Mlokosiewiczzi (Cedaleus),
 226.
Mlokozewitzcki (Ceda-
 leus), 225.
Mlokozewitzcki (Pachy-
 tylus), 225.
 MNESARCHUS, 2.
 MNESICLES, 75.
Mocquersyi (Galideus),
 584.
Moderata (Cedipoda),
 186.
Moderatus (Stenobothrus),
 186.
Modesta (Dibastica),
 396.
Modesta (Leptomerintho-
 phora), 431.
Modesta (Maura), 307.
Modesta (Ophthalmol-
 ampis), 390.

- Modesta (Pseudotrimerotropis), 257.
 Modesta (Syrbula), 108.
 Modesta (Trimerotropis), 257.
 Modestus (Agræcotettix), 496.
 Modestus (Diedronotus), 360.
 Modestus (Muesicles), 73.
 Modestus (Tropidonotus), 360.
 Modestus (Tropinotus), 360.
 Modicierus (Lentula), 385.
 Modicus (Catantops), 478.
 Modigliani (Coptotettix), 55.
 Modiglianii (Eritrichius), 424.
 Moeta (Orthacanthacris), 444.
 Mœstun (Acridium), 444.
 Mota (Trachypetra), 292.
 Mollipes (Acrostegastes), 465.
 Mollis (Gryllus), 182.
 Mollis (Locusta), 182.
 Molluccensis (Desmoptera), 328.
 Monacha (Maura), 307.
 Monacha (Xiphicera), 66.
 MONACHIDIUM, 463.
 Monachus (Choroetypus), 66.
 MONASTRIA, 565.
 MONCHECA, 572.
 Mongolica (Trilophidia), 244.
 Mongolica (Bryodemus), 261.
 Mongolicus (Sphingonotus), 226.
 MONISTRIA, 318.
 Monoceros (Cleostratus), 2.
 Monstrosa (Graea), 298.
 Monstrosus (Draconotus), 367.
 Monstrosus (Dracotettix), 367.
 Monstrum (Thaumastax), 75.
 Montana (Edipoda), 205.
 Montana (Platyphyma), 517.
 Montana (Pseudotrimerotropis), 258.
 Montana (Trimerotropis), 258.
 Montana (Locusta), 187.
 Montana (Platyphyma), 523.
 Montanus (Asemoplus), 507.
 Montanus (Bradynotes), 507.
 Montanus (Cratypedes), 205.
 Montanus (Encoptolophus), 201.
 Montanus (Hippiscus), 205.
 Montanus (Melanoplus), 517.
 Montanus (Xanthippus), 205.
 Montanus (Gomphocerus), 187.
 Montanus (Gryllus), 187.
 Montanus (Stenobothrus), 187.
 Monteiroi (Ischnacrida), 405.
 Montezuma (Oxycoryphus), 107.
 Montezuma (Syrbula), 107.
 Monticola (Acinipe), 351.
 Monticola (Melanoplus), 523.
 Monticola (Pamphagus), 351.
 Monticola (Porthetis), 351.
 Monticola (Pseudotrimerotropis), 256.
 Monticola (Trimerotropis), 256.
 Monticola (Acocera), 354.
 Monticollis (Gryllus), 465.
 Monticollis (Teratodes), 465.
 Monticolus (Eumigus), 351.
 Monticolus (Pamphagus), 351.
 Montivagus (Stenobothrus), 581.
 MORABA, 99.
 Morbillosa (Locusta), 313.
 Morbillosa (Phymateus), 313.
 Morbillosa (Pacilocera), 313.
 Morbillosa (Potua), 11.
 Morbillosa (Tettix), 11.
 Morbillosum (Acridium), 49, 313.
 Morbillosum (Gryllus), 312, 313.
 Morbillosum (Locusta), 312.
 Morbillosum (Phymateus), 313, 314.
 Morbosa (Euprepocnemis), 558.
 Morbosa (Paraeuprocnemis), 558.
 Morbosum (Acridium), 558.
 Morbosus (Euprepocnemis), 558.
 Morbosus (Pezotettix), 558.
 Mordax (Aristia), 425.
 Mordax (Phæoparia), 425.
 Morio (Arcyptera), 171.
 Morio (Chorthippus), 177.
 Morio (Gomphocerus), 177.
 Morio (Gryllus), 171.
 Morio (Chorthippus), 177.
 Morio (Gryllus), 177.
 Morio (Stenobothrus), 177.
 Morosus (Dichroplus), 489.
 Morosus (Platacanthoides), 559.
 Morosus (Platacanthus), 559.
 Morosus (Trigonophymus), 489.
 MORPHACRIS, 218.
 MORPHOPUS, 22.
 MORSEA, 79.
 Morsei (Melanoplus), 526.
 Morsei (Tettix), 46.
 Moseri (Helioscirtus), 280.
 Mossambicensis (Phlæoba), 140.
 Mossambicensis (Rodunia), 140.
 Mossambicus (Acrotylus), 267.
 Mossambicus (Caloptenopsis), 550.
 Mossambicus (Caloptenus), 550.
 Mozubitica (Ereimobia), 289.
 Mucronata (Batrachidea), 60.

- Mucronata* (*Oxyolena*), 98.
Mucronata (*Tetrix*), 49, 60.
Mucronatum (*Acrydium*), 49.
Mucronatum (*Tetrix*), 60.
Muelleri (*Acinipe*), 350.
Muelleri (*Pamphagus*), 350.
Multicolor (*Pterotiltus*), 336.
Multicostata (*Tettigidea*), 58.
Multireticulata (*Trigonopteryx*), 339.
Multispinosa (*Cephalocœma*), 88.
Multispinosus (*Acrotylus*), 267.
MUNATIA, 366.
Munda (*Rhabdoplea*), 147.
Munda (*Tettix*), 45.
Munda (*Cyrtacanthacris*), 489.
Mundata (*Eucoptacra*), 470.
Mundata (*Heteracris*), 470.
Mundum (*Acrydium*), 45.
Mundus (*Hadrotettix*), 263.
Mundus (*Stenobothrus*), 165.
Muricata (*Eremobia*), 286, 287.
Muricata (*Tmethis*), 286.
Muricatum (*Acridium*), 286.
Muricatus (*Gryllus*), 286.
Muricatus (*Thrinchus*), 286, 287.
Muricatus (*Tmethis*), 286, 287.
Muscosa (*Paulinia*), 296.
Musica (*Edipoda*), 227.
Musicum (*Acrydium*), 227.
Musicus (*Gastrimargus*), 227.
Musicus (*Gryllus*), 227.
Mutabilis (*Gryllus*), 183.
Mutabilis (*Edipoda*), 183.
Mutator (*Caloptenus*), 548.
Mutator (*Euryphymus*), 548.
Mutica (*Heterolampra*), 563.
Mutilata (*Mastax*), 78.
Mutilata (*Masyntes*), 78.
Mutilata (*Scirtomastax*), 78.
Mutillata (*Xiphicera*), 66.
Mutillatus (*Choroetypus*), 66.
Mutus (*Eneremius*), 293.
Mysteca (*Amblytropidea*), 115.
Mystecus (*Stenobothrus*), 115.
Namaqua (*Orbillus*), 474.
Namaquensis (*Batrachornis*), 291.
Nana (*Inusia*), 415.
Nana (*Cyrtacanthacris*), 483.
Nanula (*Cyrtacanthacris*), 470.
Nanula (*Eucoptacra*), 470.
Nanulum (*Acridium*), 470.
Nanum (*Acridium*), 483.
Nanus (*Amphitornus*), 580.
Nanus (*Melanoplus*), 533.
Nanus (*Hippiscus*), 206.
NAPAIA, 126.
Nasica (*Opsomala*), 419.
Nasicum (*Acridium*), 419.
Nasicus (*Geloimimus*), 341.
Naso (*Truxalis*), 585.
Nasuta (*Acrida*), 95.
Nasuta (*Lamarckiana*), 344.
Nasuta (*Tryxalis*), 96.
Nasuta (*Xiphicera*), 344.
Nasuta (*Xiphocera*), 344.
Nasuta (*Acrida*), 93, 94.
Nasuta (*Truxalis*), 93.
Nasuta (*Tryxalis*), 93.
Nasutus (*Acrida*), 95.
Nasutus (*Geloius*), 338.
Nasutus (*Gryllus*), 95.
Nasutus (*Acrida*), 92, 93.
Nasutus (*Gryllus*), 92, 93, 94.
Nasutus (*Truxalis*), 93.
Nasutus (*Truxalis*), 92, 95.
Nasutus (*Tryxalis*), 93.
Natalensis (*Metapa*), 404.
Natalensis (*Ischnacrida*), 404.
NAUTIA, 389.
Navasi (*Omocestus*), 581.
Navicula (*Eritettix*), 111.
Naviculus (*Eritettix*), 111.
Naviculus (*Gomphocercus*), 111.
Nebrascensis (*Edipoda*), 232.
Nebrascensis (*Phœtaliotes*), 504, 505.
Nebulosa (*Abracris*), 428.
Nebulosa (*Jodacris*), 428.
Nebulosa (*Edipoda*), 278.
Nebulosa (*Omalotettix*), 428.
Nebulosa (*Stenobothrus*), 173.
Nebulosa (*Tettix*), 38.
Nebulosa (*Acrida*), 96.
Nebulosa (*Locusta*), 201.
Nebulosus (*Erucius*), 73.
Nebulosus (*Hadrotettix*), 263.
Nebulosus (*Sphingonotus*), 278.
Nebulosus (*Truxalis*), 96.
Neglecta (*Arphia*), 205.
Neglecta (*Edipoda*), 205.
Neglecta (*Orphulella*), 121.
Neglecta (*Edipoda*), 206.
Neglectus (*Cratypedes*), 205.
Neglectus (*Hippiscus*), 205.
Neglectus (*Xanthippus*), 205.
Neocaledonica (*Cyrtacanthacris*), 451.
Neocaledonicum (*Acridium*), 451.
Neomexicana (*Conalceæ*), 493.
Neomexicana (*Mermiria*), 105.
Neomexicana (*Opomala*), 105.

- Neomexicanus* (*Melanoplus*), 518.
NEOTETITIX, 51.
Nepalensis (*Caloptenus*), 440.
Nepalensis (*Mesambria*), 440.
NEPHELE, 23.
NERENIA, 338.
Nerifolia (*Gryllus*), 572.
Nerifolia (*Locusta*), 572.
Nerifolia (*Tettigonia*), 572.
Nerifolius (*Cleandrus*), 572.
NETROSOMA, 486.
Nevadensis (*Hesperotettix*), 499.
Nevadensis (*Pedioscirtetes*), 108.
Newskii (*Stenobothrus*), 163.
Newskyi (*Stenobothrus*), 163.
Nexusus (*Criotettix*), 17.
NICARAGUÆ (*Tettigidea*), 58.
Nicaragæ (*Anniceris*), 424.
NICARCHUS, 433.
NICHELII, 381.
Nietana (*Arphia*), 195.
Nietanus (*Tomonotus*), 195.
Nigellus (*Criotettix*), 16.
Nigra (*Mastax*), 77.
Nigra (*Paramastax*), 77.
Nigra (*Tettigidea*), 58.
Nigra (*Tettix*), 38.
Nigrescens (*Caloptenus*), 516.
Nigrescens (*Glyphoclonus*), 98.
Nigrescens (*Melanoplus*), 516.
Nigricans (*Acrydium*), 42.
Nigricans (*Copiocera*), 420.
Nigricans (*Glaphyracris*), 420.
Nigricans (*Epacromia*), 245.
Nigricans (*Trilophidia*), 245.
Nigricans (*Gryllus*), 222.
Nigricolle (*Acrydium*), 45.
Nigricollis (*Tettix*), 45.
Nigricorne (*Acridium*), 446.
Nigricornis (*Catantops*), 481.
Nigricornis (*Ceracris*), 144.
Nigricornis (*Cymochtha*), 142.
Nigricornis (*Cyrtacanthacris*), 446.
Nigricornis (*Horæocerus*), 561.
Nigricornis (*Hysia*), 384.
Nigricornis (*Hysiella*), 384.
Nigrinervis (*Anniceris*), 422.
Nigrinervis (*Coryphistes*), 436.
Nigripennis (*Ædipoda*), 275.
Nigripennis (*Sphingonotus*), 275.
Nigrispinum (*Acridium*), 451.
Nigrispinus (*Hysichius*), 391.
Nigroadpersus (*Eumigus*), 583.
Nigroantennata (*Pterotiltus*), 387.
Nigrocincta (*Ædipoda*), 239.
Nigroconspersum (*Acridium*), 382.
Nigroconspersus (*Coryphistes*), 436.
Nigroconspersus (*Diponthus*), 382.
Nigrofasciata (*Ædipoda*), 224.
Nigrofasciatum (*Acrydium*), 224.
Nigrofasciatus (*Gryllus*), 224.
Nigrofasciatus (*Edaleus*), 224, 225, 226.
Nigrofasciatus (*Pachytylus*), 224.
Nigrogeniculatus (*Stenobothrus*), 163.
Nigroguttata (*Ommatolampis*), 434.
Nigrolineatus (*Stenobothrus*), 187.
Nigromaculatum (*Acridium*), 161.
Nigromaculatus (*Gomphocerus*), 161.
Nigromaculatus (*Stenobothrus*), 161.
Nigromarginata (*Machærocera*), 110.
Nigromarginata (*Peruvia*), 110.
Nigropicta (*Parasphena*), 321.
Nigroplagiatus (*Apteropeædes*), 83.
Nigropleura (*Netrosoma*), 486.
Nigropleurum (*Netrosoma*), 486.
Nigropleurus (*Edomeurus*), 435.
Nigropunctata (*Goniæa*), 437.
Nigropunctatum (*Acinophyllum*), 8.
Nigropunctatus (*Caloptenus*), 547.
Nigropunctatus (*Euryphymus*), 547.
Nigropunctatus (*Nocærodes*), 357.
Nigropunctatus (*Ocnèrodes*), 357.
Nigroreticulata (*Cranaë*), 387.
Nigrosignata (*Rubellia*), 319.
Nigrotaeniata (*Tristria*), 400.
Nigrotaeniatum (*Spathosternum*), 400.
Nigrotaeniatum (*Acrydium*), 176.
Nigrovaria (*Cyrtacanthacris*), 447.
Nigrovariegatus (*Caloptenopsis*), 550.
Nigrovariegatus (*Caloptenus*), 550.
Nigrovarium (*Acridium*), 447.
Nigrovittatus (*Pezotettix*), 508.
Nigrovittatus (*Philocleon*), 508.
Nigrovittatus (*Stenobothrus*), 180.
Nigrum (*Boopelium*), 128.
Niloticus (*Sphingonotus*), 274.
Nipponensis (*Erianthus*), 70.
Nitens (*Gryllus*), 456.
Nitidula (*Segellia*), 472.
Nitidula (*Tetratænia*), 418.
Nitidulum (*Acridium*), 394.
Nitidus (*Melanoplus*), 514.
Nitidus (*Paprides*), 442.
Nivalis (*Brachaspis*), 503.

- Nivalis* (Pezotettix), 503.
Nobilis (Euprepocnemis), 561.
Nobilis (Plectrotettix), 134.
Nobilis (Scyllina), 134.
Nobilis (Stenobothrus), 134.
Nobrei (Tettix), 43.
 NOCARODES, 354.
Nodicollis (Antiphanes), 432.
Nodicollis (Ommatolampis), 432.
Nodifera (Criotettix), 17.
Nodifera (Tettix), 17, 18.
Nodiferus (Acanthalobus), 18.
Nodosa (Scelymena), 13.
Nodulosa (Tetrix), 17.
Nodulosa (Tettix), 43.
Nodulosus (Coptotettix), 56.
Nodulosus (Criotettix), 17.
Nodulosus (Tettix), 17.
Nodulus (Euryphymus), 548.
 NOMOTETTIX, 51.
Notabilis (Amorphopus), 21.
Notabilis (Edipoda), 217.
Notabilis (Quiroguesia), 217.
Notata (Batrachidea), 60.
Notata (Hedotettix), 50.
Notata (Mestra), 330.
Notata (Paratettix), 578.
Notata (Tagasta), 330.
Notata (Tettix), 38, 50.
Notata (Cyrtacanthacris), 558.
Notatum (Acridium), 558.
Notatus (Catantops), 480.
Notatus (Dichroplus), 490.
Notatus (Trigonophymus), 490.
Nothra (Rhachicreagra), 544.
 NOTOCERUS, 29, 578.
Notochloris (Sisantum), 116.
Notochloris (Metaleptea), 103.
Notochloris (Tryxalis), 103.
Notochlorus (Truxalis), 103.
 NOTOPLEURA, 154.
Novæ-Guinææ (Acridium), 328.
Novæ-Guinææ (Desmoptera), 328.
Novæ-Guinææ (Eugavialidium), 14.
Novæ-Guinææ (Euparatettix), 31.
Novæ-Guinææ (Gavialidium), 14.
Novæ-Guinææ (Kapao-ria), 388.
Novæ-Guinææ (Paratettix), 31.
Novæ-Guinææ (Pyrgomorpha), 328.
Nubecula (Gryllus), 446.
Nubicola (Podisma), 534.
Nubila (Microtes), 236.
Nubila (Pseudotrimerotropis), 259.
Nubila (Trimerotropis), 259.
Nubilum (Boöpedon), 128.
Nubilus (Gryllus), 128.
 NUCERIA, 430.
 NUCIERA, 430.
Nudata (Penichrotes), 80.
Nudulus (Catantops), 481.
Nudus (Asemoplus), 507.
Nudus (Penichrotes), 80.
Nudus (Sitalces), 435.
Nudus (Pezotettix), 496.
Numida (Eunapius), 353.
Numida (Euryparaphes), 353.
Numidicus (Pamphagus), 352.
Nuptialis (Procolpia), 363.
Nuptialis (Rhomalea), 374.
Nuptialis (Romalea), 374.
Nuptialis (Xomana), 363.
Nuptus (Gryllus), 586.
Nutans (Coryphistes), 436.
Nutans (Tetrix), 42.
Nutans (Tettix), 42.
Nyassicus (Orbillus), 474.
Nympha (Gryllus), 306, 313, 342, 343.
Nymphæa (Locusta), 306, 313, 342, 343.
Oberthuri (Bennia), 71.
Oberthuri (Cataloipus), 556.
Oberthuri (Dictyophorus), 304.
Oberthuri (Euprepocnemis), 556.
Oberthuri (Gymnobothrus), 148.
Oberthuri (Petasia), 304.
Oberthuri (Tapesia), 304.
Oberthuri (Cataloipus), 557.
Obesa (Brachynotes), 502.
Obesa (Paxilla), 56.
Obesa (Pezotettix), 502.
Obesa (Robecchia), 466.
Obesa (Tettigidea), 56.
Obesus (Batrachopus), 358.
Obesus (Caloptenus), 553.
Obesus (Heliastus), 270.
Obesus (Paracaloptenus), 553.
Obesus (Parascopas), 491.
Obesus (Paratettix), 33.
Obesus (Pezotettix), 502.
Obesus (Psilotettix), 424.
Obesus (Scopas), 491.
Obiona (Tragocephala), 203.
Obionus (Stenobothrus), 203.
Obliqua (Osmilia), 540.
Obliqua (Pneumora), 65.
Obliqua (Systella), 340.
Obliqua (Trigonopteryx), 340.
Obliqua (Cyrtacanthacris), 482.
Obliquata (Orphulella), 121.
Obliquata (Schistocerca), 459.
Obliquata (Blatta), 563.
Obliqueannulata (Traulia), 475.
Obliquifera (Tettix), 45.
Obliquiferum (Acridium), 45.
Obliquinervis (Gerania), 472.
Obliquum (Acridium), 540.
Obliquum (Osmilia), 540.
Obliquum (Acridium), 540.
Obliquus (Gryllus), 540.

- Obliterans* (*Caloptenus*), 169.
Obliterata (*Trilophidia*), 218.
Obliterata (*Ædipoda*), 207, 232.
Obovatipennis (*Melanoplus*), 520.
Obovatipennis (*Pezotettix*), 520.
Obscœnus (*Alectorolophus*), 467.
Obscura (*Leptysmia*), 411.
Obscura (*Machrocera*), 109.
Obscura (*Macneillia*), 114.
Obscura (*Ædipoda*), 220.
Obscura (*Opeia*), 113.
Obscura (*Orphulella*), 121.
Obscura (*Pseudotrimerotropis*), 260.
Obscura (*Pycnodietya*), 223.
Obscura (*Schistocerca*), 458.
Obscura (*Stirapleura*), 131.
Obscura (*Tæniopoda*), 372.
Obscura (*Tettix*), 41, 48.
Obscura (*Trimerotropis*), 260.
Obscura (*Ædipoda*), [193], 223.
Obscurata (*Ædipoda*), 272.
Obscuratus (*Sphingonotus*), 272.
Obscurella (*Chortoicetes*), [193].
Obscurella (*Heteropternis*), 220.
Obscurella (*Ædipoda*), [193], 220.
Obscurobrunneus (*Choryphistes*), 436.
Obscurobrunneus (*Coryphistes*), 436.
Obscurum (*Acridium*), 41, 458.
Obscurum (*Pedeticum*), 114.
Obscurum (*Spathalium*), 298.
Obscurum (*Acridium*), 461.
Obscurum (*Acrydium*), 223.
Obscurus (*Calotettix*), 196.
Obscurus (*Chrysochraon*), 111.
Obscurus (*Dichroplus*), 487.
Obscurus (*Gryllus*), 223, 458.
Obscurus (*Hippiscus*), 209.
Obscurus (*Locusta*), 223.
Obscurus (*Melanoplus*), 514.
Obscurus (*Oxycoryphus*), 113.
Obscurus (*Tetrix*), 48.
Obscurus (*Tettix*), 48.
Obscurus (*Trigonophymus*), 487.
Obscurus (*Xanthippus*), 209.
Obscurus (*Gryllus*), 239.
Obsidata (*Cystocœlia*), 65.
Obsoleta (*Colpolopha*), 363.
Obsoleta (*Lamarciana*), 345.
Obsoleta (*Tropinotus*), 363.
Obsoleta (*Xiphicera*), 345.
Obsoleta (*Xiphocera*), 363.
Obtusa (*Cephalocœna*), 89.
Obtusa (*Cercina*), 398.
Obtusa (*Chimarocephala*), 200.
Obtusa (*Oxya*), 394.
Obtusa (*Phaeoparia*), 426.
Obtusifer (*Catantops*), 484.
Obtusiferum (*Acridium*), 484.
Obtusifrons (*Lentula*), 385.
Obtusifrons (*Thericles*), 81.
Obtusum (*Acridium*), 394.
Obtusum (*Oxya*), 394.
Obtusum (*Acridium*), 484.
Obtusus (*Apterotettix*), 21.
Obtusus (*Erianthus*), 70.
Obtusus (*Glyphanus*), 285.
Obumbrata (*Ædipoda*), 189.
Obumbrata (*Tinaria*), 189.
Occidentale (*Acridium*), 456, 457.
Occidentale (*Schistocerca*), 457.
Occidentalis (*Ageneotettix*), 135.
Occidentalis (*Amblytropidia*), 115.
Occidentalis (*Caloptenus*), 509.
Occidentalis (*Chrotognus*), 301.
Occidentalis (*Gymnotettix*), 75.
Occidentalis (*Hypusa*), 88.
Occidentalis (*Melanoplus*), 509.
Occidentalis (*Ædipoda*), 236.
Occidentalis (*Pezotettix*), 509.
Occidentalis (*Proscopia*), 88.
Occidentalis (*Scirtetica*), 236.
Occidentalis (*Stenobothrus*), 115.
Occidentalis (*Taphronota*), 309, 310.
Occidentalis (*Trachyrhachys*), 247.
Occidentalis (*Gryllus*), 455.
Occidentalis (*Pezotettix*), 525.
Occipitalis (*Alpha*), 116.
Occipitalis (*Chorthippus*), [188].
Occipitalis (*Cordillacris*), 116.
Occipitalis (*Stenobothrus*), 116, [188].
Oceanica (*Atractomorpha*), 334.
Oceanica (*Chortoicetes*), 193.
Oceanica (*Ædipoda*), 193.
Oceanica (*Phaneroptera*), 574.
Oceanicus (*Truxalis*), 334.
Ocellata (*Blatta*), 566.
Ocellata (*Bulla*), 63.
Ocellata (*Pneumora*), 63.
Ocellata (*Stropis*), 438.
Ocellatus (*Acrotylus*), 267.
Ocellatus (*Stropis*), 438.
Ocelote (*Hippiscus*), 204.
Ocelote (*Ædipoda*), 204.
OCHEOTETTIX, 50.
Ochræa (*Xistra*), 27.
Ochræcipennis (*Ædipoda*), 254.

- Ochraceipennis (Trimero-
tropis), 254.
 Ochraceum (Acridium),
41.
 Ochraceus (Batrachidia),
41.
 Ochraceus (Conometo-
pus), 368.
 Ochraceus (Gryllus), 586.
 Ochraceus (Tettix), 41.
 OCHRILIDIA, 149.
 OCHROPHLEBIA, 322.
 OCHROPHLEGMA,
322.
 Ochrostictus (Gryllus),
586.
 OCHROTETTIX, 112.
 OCNERODES, 356.
 OCNOCERUS, 99.
 Ocreatus (Orchetypus),
68.
Oeskayi (*Chorthippus*),
146.
 Octofasciata (Ædipoda),
272.
Octofasciata (*Sphingo-*
notus), 272.
 Octofasciatus (Sphingo-
notus), 272.
Octolunata (*Xiphicera*),
367.
 Octomaculata (Xiphic-
era), 367.
 Octomaculatus (Trybli-
phorus), 392.
 Octospilota (Mantis), 567.
 Oculata (Calamaceris),
337.
 Oculata (Paratettix), 579.
 Oculata (Proscopia), 84.
Oculata (*Tettix*), 40.
Oculatum (*Spharagerum*),
235.
 Oculatus (Æoloplus),
501.
 Oculatus (Criotettix),
16.
Oeymifolia (*Locusta*),
575.
 OCYTETTIX, 576.
 Odiosa (Tettix), 54.
 Odiosus (Liotettix), 54.
 Odontocercus (Bermius),
396.
 ODONTOMELUS, 100.
 CEDALEUS, 224.
 EDALOMETOPON,
389.
 CEDIPODA, 238.
 CEdipodioides (Lerina),
219.
 CEdipodioides (Pseudo-
celes), 222.
 CEDOMERUS, 435.
 CEONOMUS, 118.
 OGMOTHELA, 151.
 Olcese (Euryparyphes),
584.
Oleifolia (*Gryllus*), 575.
Oleifolia (*Tettigonia*),
575.
Olfersii (*Acridium*), 378.
Olfersii (*Lophacris*),
378.
Olfersii (*Titanacris*),
378.
 OLIGONYX, 568.
 Olivacea (Campyla-
cantha), 498.
 Olivacea (Coscineuta),
424.
 Olivacea (Metapula),
403.
 Olivacea (Orphula), 119.
 Olivacea (Orphulella),
119.
 Olivacea (Petasia), 306.
 Olivacea (Pezotettix),
498.
 Olivacea (Pœcilocera),
306.
 Olivacea (Rhienoderma),
391.
 Olivacea (Schistocerca),
458.
 Olivacea (Verdulia),
338.
 Olivaceum (Acridium),
458.
 Olivaceus (Anniceris),
422.
 Olivaceus (Melanoplus),
531.
 Olivaceus (Phymateus),
311.
 Olivaceus (Phyteumas),
311.
 Olivaceus (Platybothrus),
[188].
 Olivaceus (Stenobothrus),
119, [188].
 Olivieri (Tmethis), 288.
 OMALLOTETTIX, 428.
 OMALOTETTIX, 428.
 OMMATOLAMPIS,
433.
 OMMEXYCHA, 296.
 OMMEXYCHINÆ,
296.
 Omnicolor (Acridium),
376.
 Omnicolor (Zoniopoda),
376.
 OMOCESTUS, 172, 581.
 OMURA, 334.
 ONCOLOPHA, 163.
 Opaca (Gomphomastax),
72.
 Opacula (Serpusia), 473.
 Opacum (Acrydium), 40.
 Opacus (Gomphomastax),
72.
 Opacus (Nocarodes), 355.
 Opacus (Parerucius),
72.
Opacus (*Gryllus*), 313.
 OPAON, 543.
 OPEIA, 113.
Ophiopsis (*Proscopia*),
84.
 OPHIOTETTIX, 3.
 Ophthalmia (Acrid-
arachnea), 580.
 Ophthalmica (Tettix),
32.
 Ophthalmicus (Catan-
tops), 477.
 Ophthalmicus (Systole-
derus), 20.
 OPHTHALMOLAM-
PIS, 389.
 Opilioides (Lucina), 570.
 Opilioides (Paralucina),
570.
 Opilonoides (Escalera),
406.
Opimus (*Bradynotes*),
502.
 OPIPTACRIS, 387.
 OPOMALA, 419.
 Opomaloides (Stropis),
438.
 Opomaloides (Xiphoc-
era), 438.
 OPSHOMALA, 419.
 OPSOMALA, 419, 584.
 Opulenta (Chromaceris),
374.
 Opulenta (Rhomalea),
374.
 Opulentum (Mona-
chidium), 463.
 Opulentus (Catantops),
476.
 ORAISTES, 401.
 ORBILLUS, 474.
 ORCHAMUS, 349, 571.
 ORCHESTICUS, 571.
 ORCHETYPUS, 68.
 Oreas (Podisma), 535.
 Oregonensis (Chorthip-
pus), 188.
 Oregonensis (Pezotettix),
535.
 Oregonensis (Podisma),
535.
 Oregonensis (Stenobo-
thrus), 188.
 ORESTERA, 358.

- Orientalis (Acinipe), 583.
 Orientalis (Caloptenopsis), 550.
 Orientalis (Caloptenus), 550.
 Orientalis (Catantops), 484.
 Orientalis (Primnia), 484.
Orientalis (Gryllus), 230.
 Orizabæ (Orphula), 122.
 Orizabæ (Orphulella), 122.
 Orizabæ (Tomonotus), 237.
 Ornata (Badistica), 396.
 Ornata (Edipoda), 241.
 Ornata (Pacilocera), 318.
 Ornata (Stirapleura), 130.
 Ornata (Tettix), 47.
 Ornata (Tristria), 401.
Ornata (Tetrix), 46.
 Ornaticollis (Catreus), 368.
 Ornaticollis (Tropinotus), 368.
 Ornatipes (Cyrtacanthacris), 561.
 Ornatipes (Euprepocnemis), 561.
 Ornatipes (Nautia), 389.
 Ornatissima (Oxya), 426.
 Ornatissimus (Adimantus), 426.
 Ornatum (Acrydium), 47.
 Ornatum (Antiphon), 464.
 Ornatum (Monachidium), 464.
 Ornatus (Amphitornus), 113.
 Ornatus (Catantops), 477.
 Ornatus (Doclostaurus), 130.
 Ornatus (Pacilocerus), 318.
 Ornatus (Stenobothrus), 165.
 Ornatus (Stenocrobilus), 485.
 Ornatus (Tettix), 47.
Ornatus (Gryllus), 323.
 ORPHULA, 117, 119.
 ORPHULELLA, 119.
 ORPHULINA, 118.
 ORTHACANTHACRIS, 444.
 ORTHACRIS, 336.
 ORTHOCHTHA, 141, 580.
 ORTHOSCAPHEUS, 427.
 Oslari (Lactista), 237.
 OSMILIA, 539.
 OSMILOLA, 432.
 OSSA, 296.
 OSTRACINA, 212.
 Otomita (Chimarocephala), 200.
 Otomitus (Tomonotus), 200.
 OTUMBA, 26, 577.
 Ovateiceps (Arphia), 195.
 Ovateipennis (Dellia), 423.
 Ovateipennis (Sitalces), 435.
 OXYA, 393.
 OXYBLEPTA, 415.
 OXYBLEPTELLA, 414.
 Oxycephala (Tettix), 47.
 Oxycephalum (Acrydium), 47.
 Oxycephalus (Tetrix), 47.
 OXYCORYPHUS, 136.
 OXYNOTUS, 15.
 OXYOLENA, 98.
 OXYPHYMA, 412.
 Oxyptera (Ommexycha), 301.
 Oxypterum (Ommexycha), 301.
 Oxypterus (Chrotogonus), 391.
 OXYRRHEPES, 402.
 Pachecoi (Fortunata), 582.
 Pachecoi (Wernerella), 582.
 Pachymerus (Piezotettix), 7.
 Pachymerus (Plagioccephalus), 7.
 Pachytyloides (Humbel), 215.
 Pachytyloides (Humbel), 216.
 PACHYTYLUS, 228.
 Pacifica (Chimarocephala), 200.
 Pacifica (Euthyrhapha), 565.
 Pacifica (Machærocera), 110.
 Pacifica (Pseudotrimerotropis), 258.
 Pacifica (Syrbula), 107.
 Pacifica (Tragoccephala), 200.
 Pacifica (Trimerotropis), 258.
 Pacificus (Hesperotettix), 499.
 Pacificus (Melanoplus), 518.
 Pacificus (Pezotettix), 518.
 Packardii (Melanoplus), 524, 525.
 Pagana (Orphula), 117.
 Pagana (Truxalis), 117.
 Paganus (Gomphocerus), 117.
 Paganus (Hyalopteryx), 117.
 PAGOPEDILUM, 345.
 PALLASIELLA, 168.
Pallasii (Gryllus), 286.
Pallasii (Locusta), 286.
Pallasii (Edipoda), 222.
 Pallens (Catantops), 481.
 Pallens (Gryllus), 460.
 Pallens (Schistocerca), 460.
Pallens (Acridium), 460.
Pallens (Schistocerca), 460.
 Pallescens (Acridium), 37.
 Pallescens (Tettix), 37.
 Palliata (Blatta), 560.
 Palliceus (Lucina), 570.
 Palliceus (Paralucina), 570.
 Pallida (Epacromia), 193.
 Pallida (Heteropternis), 221.
 Pallida (Inusia), 414.
 Pallida (Ischnacrida), 405.
 Pallida (Leptysmia), 412.
 Pallida (Opeia), 114.
 Pallida (Opsomala), 405.
 Pallida (Paropomala), 106.
 Pallida (Stirapleura), 131.
 Pallida (Tristria), 401.
 Pallida (Tylotropidius), 556.
Pallidicornis (Caloptenopsis), 550.
Pallidicornis (Calliptenus), 549.
 Pallidinervis (Gergis), 386.
 Pallidinota (Parorphula), 119.
 Pallidipennis (Arphia), 197.

- Pallidipennis (Ædipoda), 258.
 Pallidipennis (Pseudotrimerotropis), 258.
 Pallidipennis (Trimerotropis), 258.
 Pallidum (Ommexycha), 299.
 Pallidum (Spharagemon), 235.
 Pallidus (Chortoicetes), 193.
 Pallidus (Chrotogonus), 299.
 Pallidus (Encoptolophus), 202.
 Pallidus (Gomphocerus), 158.
 Pallipes (Catantops), 482.
 Pallipes (Paratettix), 35.
 Pallipes (Rhachicreagra), 544.
 Pallipes (Tettix), 35.
Pallitarsis (Tettix), 35.
 Palmeri (Calamacris), 337.
 Palmeri (Melanoplus), 517.
 Palmeri (Opeia), 114.
 Palmeri (Rhabdotettix), 495.
 Palpalis (Gomphocerus), 157.
 Palpata (Ommatolampis), 434.
 Palpatus (Chthonius), 15.
 Palpatus (Chthonotettix), 576.
 Palpatus (Tefrinda), 15, 576.
 Palpatus (Tettix), 15.
 Palustris (Eotettix), 498.
 PAMPHAGINÆ, 341.
 PAMPHAGODES, 342.
 Pamphagoides (Filchnerella), 582.
 PAMPHAGUS, 352.
 PANESTHIA, 566.
 Pannonicus (Æolopus), 581.
 Panteli (Diedronotus), 361.
 Panteli (Omocestus), 175.
 Panteli (Phlæoba), 138.
 Panteli (Stenobothrus), 175.
 Panteli (Tropidonotus), 361.
 PANTELIA, 10.
 Pantherina (Anabylis), 432.
 Pantherina (Pardalophora), 206.
 Pantherinum (Acridium), 506.
 Pantherinus (Hippiscus), 206.
 Pantherinus (Pæcilotettix), 506.
 Panzeri (Tettix), 37.
 Panzeri (Tettix), 37.
 Papagensis (Horesidotes), 580.
 PAPAGO, 107.
 Papillosa (Blatta), 565.
 Papillosa (Bulla), 63, 64.
 Papillosa (Pneumora), 63.
Papillosa (Pæcilocera), 313.
 Papillosum (Acrydium), 64.
 Papillosus (Gryllus), 64.
Papillosus (Dictyophorus), 313.
 PAPIPAPPUS, 211.
 PAPPUS, 211.
 PAPIDES, 442.
 Papuanus (Catantops), 484.
 Papuasica (Cyrtacanthacris), 451.
 Papuasicum (Acridium), 451.
Parabolica (Pyrgomorphia), 334.
 PARACALOPTENUS, 553.
 PARACHLOEBATA, 124.
 PARACINEMA, 143.
 PARACOMACRIS, 139.
 PARACOPTACRA, 468.
 PARACORNOPS, 417.
 PARADICHOPLUS, 492.
 Paradoxa (Doriella), 339.
 Paradoxa (Ædipoda), 209.
Paradoxa (Mantis), 62.
Paradoxa (Ædipoda), 206.
 Paradoxus (Hippiscus), 209.
 Paradoxus (Xanthippus), 209.
Paraensis (Taxiarchus), 87.
 PARAEUPREPOCNE-MIS, 557.
 Paraguayense (Paracornops), 417.
 Paraguayensis (Bucephalacris), 423.
 Paraguayensis (Dichroplus), 488.
 Paraguayensis (Diponthus), 382.
 Paraguayensis (Isonyx), 166.
 Paraguayensis (Trigonophymus), 481.
 PARAIDEMONA, 496.
 PARALEUAS, 427.
 Parallela (Locusta), 187.
 Parallela (Ædipoda), 186.
Parallela (Proscopia), 84.
 Parallelum (Aulocara), 136.
 Parallelus (Chorthippus), 186.
 Parallelus (Gomphocerus), 186.
 Parallelus (Gryllus), 186.
 Parallelus (Stenobothrus), 187.
Parallelus (Gomphocerus), 146.
 Paralogistes (Stereotettix), 167.
 PARALUCINA, 570.
 PARAMASTAX, 77.
 Paranense (Acridium), 460.
 Paransensis (Schistocerca), 460.
 PARAPETASIA, 307.
 PARAPHLÆOBA, 138.
 Parapleura (Ædipoda), 145.
 PARAPLEURUS, 144.
 Parapleurus (Gomphocerus), 145.
 Parapleurus (Gryllus), 145.
 PARASCOPIAS, 491.
 PARASPHENA, 321.
 PARATETTIX, 32, 578.
 PARATHERICLES, 82.
 PARATYLOTROPIDIA, 504.
 Pardalina (Cyrtacanthacris), 452.
 Pardalina (Eumastax), 77.
 Pardalina (Locusta), 228.
 Pardalina (Ædipoda), 208.
 Pardalina (Psinidia), 247.

- Pardalinus (*Acridium*), 452.
 Pardalinus (*Hippiscus*), 208.
 Pardalinus (*Metator*), 247.
 Pardalinus (*Pachytulus*), 228.
 Pardalinus (*Phymateus*), 311.
 Pardalinus (*Phyteumas*), 311.
 Pardalinus (*Xanthippus*), 208.
 Pardalis (*Phymeurus*), 545.
 PARDALOPHORA, 206.
 PAREPISACTUS, 75.
 PAREPISTAVRUS, 471.
 PARERUCIUS, 72.
 PAREUPREOC-NEMIS, 557.
 PARGA, 98.
 PARMILIS, 342.
 Parnassica (*Podisma*), 535.
Parnassica (*Ædipoda*), 222.
 PAROPOMALA, 106, 580.
 PARORPHULA, 119.
 PAROXYA, 505.
 Paroxyoides (*Melanoplus*), 527.
 Partita (*Heteropternis*), 221.
 Parva (*Blatta*), 564.
 Parva (*Periplaneta*), 564.
Parva (*Philibostroma*), 134.
 Parviceps (*Heliastus*), 270.
 Parviceps (*Ædipoda*), 270.
 Parvipennis (*Euschmidtia*), 83.
 Parvipennis (*Tettigidea*), 57.
 Parvipennis (*Tetrix*), 57.
 Parvispina (*Elkoechloa*), 365.
 Parviverticis (*Telmattettix*), 31.
 Parvula (*Tettigidea*), 58.
Parvula (*Cyrtacanthacris*), 451, 456.
Parvulum (*Acridium*), 161.
Parvulus (*Acridium*), 161.
 Parvulus (*Cephalotettix*), 494.
 Parvulus (*Eumigus*), 583.
Parvum (*Philibostroma*), 117.
 Parvus (*Coptotettix*), 579.
 Parvus (*Encoptolophus*), 201.
 Parvus (*Euparatettix*), 31.
 Parvus (*Nomotettix*), 52.
 Parvus (*Systolederus*), 577.
Parvus (*Caloptenus*), 523.
 Patagiata (*Cranaë*), 387.
 Patagiatus (*Metaxymecus*), 557.
 Patagona (*Clarazella*), 374.
 Patagonus (*Pappus*), 211.
 Patiana (*Schistocerca*), 460.
 Patianum (*Acridium*), 460.
 PATOCRA, 470.
 Patriæ (*Plectrotettix*), 134.
 Patriæ (*Scyllina*), 134.
 Patruæ (*Acridium*), 488.
 Patruæ (*Podisma*), 488.
 Patruelis (*Acrotylus*), 266.
 Patruelis (*Dichroplus*), 488.
 Patruelis (*Ædipoda*), 266.
 Patruelis (*Orphula*), 120.
 Patruelis (*Orphulella*), 120.
 Patruelis (*Pezotettix*), 488.
Patruelis (*Acrotylus*), 205.
 Patruus (*Crimisus*), 24.
 PAULINIA, 296.
 Paulinoi (*Acinipe*), 351.
 Paulinoi (*Pamphagus*), 351.
 Pauper (*Melanoplus*), 527.
 Pauperatus (*Catantops*), 476.
 Paupercula (*Coptacra*), 468.
 Paupercula (*Lamareckiana*), 345.
 PAUROTARSUS, 60.
 Pavonina (*Locusta*), 572.
 Pavonina (*Pterochroza*), 572.
 PAXILLA, 56.
 Pazii (*Ommatolampis*), 434.
Pecticornis (*Rhomalea*), 371.
Pecticornis (*Taniopoda*), 371.
 Pectinicornis (*Empusa*), 568.
 Pectoralis (*Rhombodera*), 567.
Pectoralis (*Acridium*), 460.
Pectoralis (*Cyrtacanthacris*), 460.
 Pedarius (*Caloptenus*), 554.
 Pedarius (*Peripolus*), 554.
 Pedemontana (*Pezotettix*), 535.
 Pedemontana (*Podisma*), 535.
 Pedemontanus (*Pezotettix*), 535.
Pedes (*Rhomalea*), 374.
 Pedester (*Gryllus*), 537.
 Pedestre (*Acridium*), 537.
 Pedestre (*Acrydium*), 537.
 Pedestris (*Gryllus*), 537.
 Pedestris (*Locusta*), 537.
 Pedestris (*Mesops*), 101.
 Pedestris (*Pezotettix*), 537, 538.
 Pedestris (*Podisma*), 537.
 Pedestris (*Pseudura*), 101.
 PEDETICUM, 114.
 PEDIES, 542.
 PEDIOSCIRTETES, 108.
 PEGASIDION, 504.
 PEITHARCHICUS, 404.
 PELECINOTUS, 464.
 PELECYCLEIS, 398.
 PELECYCLUS, 398.
 PELERINUS, 574.
 Pelidna (*Orphula*), 120.
 Pelidna (*Orphulella*), 120.
 Pelidnus (*Gomphocerus*), 120.
 Pelidnus (*Stenobothrus*), 120.
 Pellarini (*Ædipoda*), 242.
Pellepidus (*Lactista*), 238.
 Pellucida (*Camnula*), 202, 203.

- Pellucida (Edipoda), 202, 203.
Pellucida (*Encoptolopha*), 201.
Pellucida (*Edipoda*), 201.
Pellucida (*Truxalis*), 93, 94.
 Pelops (Cladonotus), 9.
 Pendulus (*Metaxymecus*), 557.
Penelope (*Aræopteryx*), 249.
 PENICHROTES, 79.
 Peninsulæ (Barytettix), 494.
 Pennata (Tettigidea), 57.
Pennicornis (*Gryllus*), 323.
Pennicornis (*Locusta*), 323.
Pennicornis (*Ochrophlebia*), 323.
Pennicornis (*Pæcilocérus*), 323.
 Pennsylvanica (Ischnoptera), 562.
 Pentagrammica (Charora), 268.
 PECEDES, 82.
 Peragrans (*Epacromia*), 133.
 Peragrans (*Gomphocerus*), 133.
 Peragrans (*Plectrotettix*), 133.
 Peragrans (*Scyllina*), 133.
Peregrinum (*Acridium*), 459, 460.
Peregrinum (*Schistocerca*), 459, 460.
 PERENA, 331.
 Perezii (*Cuculligera*), 284.
 Perezii (*Thrinchus*), 284.
 Perficita (*Catantops*), 484.
 Perficita (*Heteracris*), 484.
 Peringueyi (*Batrachornis*), 291.
 Peringueyi (*Batrachotettix*), 291.
 Peringueyi (*Batrachotettix*), 291.
 Peringueyi (*Lamarckiana*), 344.
 Peringueyi (*Plerisca*), 321.
 Peringueyi (*Xiphocera*), 344.
 PERIPLANETA, 564.
 PERIPOLUS, 554.
 PERISTEGUS, 311.
 PERIXERUS, 541.
 Perloides (*Batrachornis*), 291.
 Perminutus (*Criotettix*), 19.
 Perminutus (*Loxilobus*), 19.
 Permistum (*Acridium*), 382.
 Permistus (*Diponthus*), 382.
 Perpallidus (*Paropomala*), 580.
Perplexa (*Trimerotropis*), 253.
Perplexus (*Circotettix*), 253.
 Persa (*Eremobia*), 286.
 Persa (*Sphingonotus*), 278.
 Persa (*Thalpomena*), 246.
 Persa (*Tinethis*), 286.
 Personata (*Mastax*), 78.
 Personata (*Paramastax*), 78.
 Personatus (*Euparatettix*), 31.
 Personatus (*Paratettix*), 31.
 Perspicillaris (*Ectobia*), 562.
 Perspicillata (*Ommatolampis*), 433, 434.
 Perspicillatus (*Gryllus*), 433.
 Perspicillatus (*Locusta*), 433.
 Perturbans (*Schistocerca*), 459.
 PERUVIA, 110.
 Peruviana (*Chromacris*), 374.
 Peruviana (*Phrynotettix*), 212.
 Peruviana (*Rhomalea*), 374.
 Peruviana (*Schistocerca*), 462.
 Peruviana (*Tristira*), 212.
 Peruvianus (*Allotettix*), 28.
 Peruvianus (*Anchotatus*), 88.
 Peruvianus (*Paratettix*), 28.
 Peruvianus (*Pezotettix*), 490.
 Peruvianus (*Trigonophymus*), 490.
 Pervittata (*Cranaë*), 387.
 PETAMELLA, 402.
 Petasata (*Nautia*), 389.
 Petasatum (*Edalometopon*), 389.
 PETASIA, 304.
 PETASIDA, 316.
 Petræum (*Acridium*), 173.
 Petræus (*Omocestus*), 173.
 Petræus (*Stenobothrus*), 173.
 Petricola (*Pezotettix*), 503.
 Petricolus (*Brachaspis*), 503.
 PEUCESTES, 574.
 PEZOTETTIX, 398, 492, 503, 533.
 PHÆDROTETTIX, 493.
 PHÆOPARIA, 425.
 PHÆSTUS, 3, 576.
 PHALACA, 388.
 PHANEROCERUS, 282.
 PHANEROPTERA, 574.
 PHANEROTURIS, 125.
 PHANTOMA, 568.
 Pharaonis (*Acridella*), 95.
 Pharaonis (*Phlæoba*), 140.
 Pharaonis (*Rodunia*), 140.
 Pharaonis (*Truxalis*), 95.
 PHASGONURIDÆ, 570.
 PHASMIDÆ, 569.
 PHAULACRIDIUM, 442.
 PHAULOTETTIX, 494.
 PHAULOTYPUS, 68.
 PHELENE, 23.
 PHEMONOE, 388.
 PHIALOSPHÆRA, 473.
 Philippensis (*Trigonopteryx*), 340.
 Philippina (*Atractomorpha*), 333.
 Philippina (*Schistocerca*), 455.
 Philippinensis (*Systema*), 340.
Philippinum (*Gaviolidium*), 15.
 PHILOCLEON, 508.

- PHLEOBA, 137.
 PHLEOBIDA, 138.
 PHILBOSTROMA, 117.
 PHLOCERUS, 148.
 PHLEONOTUS, 61.
 580.
 Phœnicoptera (Edipoda), 206.
 Phœnicoptera (Pardalophora), 206.
Phœnicoptera (*Edipoda*), 207.
Phœnicoptera (*Edipoda*), 207.
 Phœnicopterus (Hippocus), 206.
Phœnicopterus (*Hippocus*), 207.
 PHCETALIOTES, 504.
 Phcetaliotiformis (Melanoplus), 532.
 PHORASPIS, 563.
 Paronusa (Euprepocnemis), 561.
 PHRYNOTETTIX, 211, 294.
 Phyllocera (Miriatria), 30.
 Phyllocera (Mitraria), 30.
 Phyllocerum (Acridium), 30.
 Phyllocerum (Tetrix), 30.
 Phyllocerus (Amorphopus), 22.
 Phyllocerus (Morphopus), 22.
 PHYLLOCHOREIA, 67.
 PHYLLODROMIA, 563.
 PHYLLODROMICA, 562.
 PHYLLONOTUS, 4.
 PHYLLOPTERA, 574.
 PHYLLOTETTIX, 4.
 PHYLOTETTIX, 4.
 PHYMAPTERA, 334.
 PHYMATEUS, 312.
 PHYMEURUS, 545.
 Physalus (Mecostibus), 283.
 PHYSOPHORINA, 64.
 Physopoda (Scyllina), 134.
 PHYTEUMAS, 311.
 PHYXACRA, 469.
 Piceifrons (Acridium), 462.
 Picta (Acorypha), 548.
 Picta (Dissosteira), 236.
 Picta (Opomala), 409.
 Picta (Parasphena), 321.
 Picta (Phoraspis), 563.
 Picta (Pœcilocera), 317.
 Picta (Pezotettix), 542.
 Picta (Scirtetica), 236.
 Picta (Scyllina), 133.
 Picta (Trimerotropis), 236.
 Picta (Xiphocera), 346.
 Picta (Zoniopoda), 376.
 Picteti (Thalpomena), 246.
 Picteti (Wernerella), 246.
 Picticeps (Parasphena), 321.
 Picticollis (Elæochlora), 366.
 Picticollis (Xiphocera), 366.
 Picticornis (Caloptenus), 506.
 Picticornis (Hesperotettix), 506.
 Picticornis (Hippacris), 370.
 Picticornis (Pœilotettix), 506.
 Picticornis (Rhomalea), 371.
 Picticornis (Taniopoda), 371.
Picticornis (*Taniopoda*), 371.
 Pictilis (Traulia), 475.
 Pictipennis (Dissosteira), 233.
 Pictipes (Acridium), 561.
 Pictipes (Cyrtacanthacris), 561.
 Pictipes (Euprepocnemis), 561.
 Pictipes (Paraeuprepocnemis), 557.
 Pictipes (Pteropera), 473.
 Pictipes (Stropis), 438.
 Pictula (Cyrtacanthacris), 449.
 Pictulum (Acridium), 449.
 Pictum (Acrydium), 317.
 Pictum (Dactylotum), 542.
 Pictum (Pagopedilum), 346.
 Pictum (Philibostroma), 117.
 Pictum (Popedetes), 542.
Pictum (*Dactylotum*), 541.
 Picturata (Conozoa), 251.
 Picturata (Pyrgomorpha), 324.
 Picturata (Tanita), 324.
 Picturata (Orphulella), 121.
Picturatum (*Dactylotum*), 542.
 Picturatus (Melanoplus), 511.
 Pictus (Erucius), 73.
 Pictus (Gelastorrhinus), 409.
 Pictus (Gryllus), 317. 7
 Pictus (Melanoplus), 510.
 Pictus (Plectrotettix), 133.
 Pictus (Pœcilocerus), 317.
 Pictus (Pœkilocerus), 317.
Pictus (*Gryllus*), 227.
 Pierretii (Alophonota), 369.
 Pierretii (Xiphocera), 369.
 PIEZOTETTIX, 6.
 Pilatus (Melanoplus), 533.
 Piliferus (Sigaus), 441.
 Pilipes (Acridium), 442.
 Pilipes (Azelota), 442.
 Pilipes (Caloptenus), 549.
 Pilipes (Sphodromerus), 549.
 Pilosa (Pseudotrimerotropis), 259.
 Pilosa (Rhytidochrota), 543.
 Pilosa (Trimerotropis), 259.
 Pilosus (Paraidemona), 495.
 Pilosus (Pezotettix), 495.
 Pilosus (Rhabdotettix), 495.
 Pilosus (Sphingonotus), 274.
 Pilosus (Tarbaleus), 389.
Pilosus (*Gryllus*), 546.
 Pima (Cordillacris), 117.
 Pinetus (Melanoplus), 532.
 Pingue (Acridium), 483.
 Pingue (Catantops), 483.
 Pinguis (Bradynotes), 501.

- Pinguis* (*Caloptenus*), 547.
Pinguis (*Catantops*), 483.
Piperatus (*Acantherus*), 103.
Pisciforme (*Acridium*), 405.
Pisciforme (*Opsomala*), 405.
Pisciformis (*Opsomala*), 403.
Pistrinaria (*Pseudotrimerotropis*), 257.
Pistrinaria (*Trimerotropis*), 257.
Pistrinaria (*Batrachotetrix*), 291.
Pistrinarius (*Batrachotetrix*), 291.
Pistrinarius (*Batrachotetrix*), 291.
Placida (*Edipoda*), 254.
Plagiata (*Agriacris*), 369.
Plagiata (*Cyrtacanthacris*), 452.
Plagiata (*Tettigidia*), 58.
Plagiata (*Xiphocera*), 369.
Plagiatum (*Acridium*), 452.
Plagiatum (*Choriphylum*), 6.
Plagiatum (*Phyllonotus*), 6.
PLAGIOCEPHALUS, 6.
PLAGIOTRIPTUS, 69.
Plagosus (*Æoloplus*), 501.
Plagosus (*Pezotettix*), 501.
Plana (*Goniæa*), 437.
Plana (*Hedotettix*), 50.
Plana (*Tettigidea*), 579.
Plana (*Tettix*), 50.
Planipennis (*Disosteira*), 233.
Planitarsus (*Mazarredia*), 577.
Planum (*Goniatron*), 136.
Planum (*Spharagemon*), 234.
Planum (*Sphenarum*), 304.
Planus (*Bolotettix*), 577.
Planus (*Coptotettix*), 55.
Planus (*Tettigidea*), 579.
PLATACANTHOIDES, 559.
PLATACANTHUS, 559.
Plattii (*Edipoda*), 248.
Plattii (*Trachyrhachis*), 248.
Plattii (*Trachyrhachys*), 248.
PLATYBOTHRUS, 188.
Platyceps (*Paraphlæoba*), 138.
Platyerca (*Platyphyma*), 399.
Platycercus (*Pezotettix*), 399.
PLATYCLEIS, 571.
Platycorys (*Hymenotes*), 8.
Platycorys (*Xerophylum*), 8.
PLATYPHYMA, 398.
Platyptera (*Arcyptera*), 172.
Platyptera (*Stetheophyma*), 172.
Platyptera (*Systema*), 340.
Platyptera (*Systema*), 340.
PLATYPTERNA, 149, 580.
PLATYPTERNODES, 581.
Platypterum (*Acridium*), 340.
Platypterum (*Trigonopteryx*), 340.
Platypterus (*Mecostethus*), 172.
Platypygia (*Æolopus*), 192.
Platypygia (*Epacromia*), 192.
PLATYTETTIX, 23.
PLATYTHORUS, 21.
Plebeia (*Apotropis*), 440.
Plebeia (*Heteracris*), 440.
Plebeia (*Orphulella*), 123.
Plebeia (*Truxalis*), 123.
Plebeja (*Eumastax*), 76.
Plebeja (*Mastax*), 76.
Plebejus (*Gomphocerus*), 123.
Plebejus (*Hyalopteryx*), 123.
Plebejus (*Melanoplus*), 526.
Plebejus (*Pezotettix*), 526.
PLECTRONOTUS, 59.
PLECTROPHORUS, 132.
PLECTROTETTIX, 132.
PLEGMAPTERUS, 544.
Plena (*Chortocetes*), [193].
Plena (*Epacromia*), [193], 225.
Plenipennis (*Caloptenopsis*), 549.
Plenipennis (*Caloptenus*), 549.
Plenus (*Edaleus*), 225.
PLERISCA, 321.
PLESIOTETTIX, 20.
Plicatula (*Cacanda*), 302.
Plorans (*Acridium*), 560.
Plorans (*Caloptenus*), 560.
Plorans (*Euprepocnemis*), 560.
Plorans (*Eyprepocnemis*), 560.
Plorans (*Gryllus*), 560.
Plorans (*Pezotettix*), 560.
Plorans (*Acridium*), 230.
Plumbeus (*Melanoplus*), 521.
Plumbum (*Caloptenus*), 521.
Plutonium (*Draconotus*), 367.
Plutonium (*Dracotettix*), 367.
PNEUMORA, 63.
PNIGODES, 129.
PNORISA, 150.
PODISMA, 392, 533.
PODISMOPSIS, 147.
PODODULA, 395.
PÆCILOCERA, 317.
PÆCILOCERUS, 317.
PÆCILOCHROMA, 420.
Pæciolopus (*Gryllus*), 586.
PÆCILOTETTIX, 7, 506.
PÆKILOCERUS, 317.
PEPEDETES, 542.
Polita (*Panesthia*), 566.
Polita (*Podisma*), 534.
Politum (*Paracornops*), 417.
Polychroa (*Tauchira*), 397.
Polychroma (*Euthymia*), 384.
Polymita (*Pæcilocera*), 317.

- Polymorpha (Tetrix), 57.
 Polymorpha (Tettigidea), 57.
 POLYPHAGA, 565.
 POLYSARCUS, 544.
 Pompalis (Catantops), 477.
 POMPHOLYX, 64.
 Ponderosa (Brachystola), 293.
 Ponderosus (*Caloptenus*), 529.
 Ponticus (*Æolopus*), 581.
 Pontificalis (Mitraria), 29.
 Pontificalis (Pseudomitraria), 29.
Poenis (*Duronia*), 140.
 Poppiusi (Chrysochraon), 147.
 Porosus (*Pœcilocerus*), 309.
 Porphyreum (Acridium), 416.
 Porphyreus (Oxyblepta), 416.
 Porrecta (Trimerotropsis), 254.
Porrecta (*Truxalis*), 332.
 PORTHETIS, 346.
 POTUA, 11.
 Poultoni (*Eumastax*), 76.
 Poultoni (Taphronota), 309.
 Præclara (Pseudotrimerotropsis), 257.
 Præclara (Trimerotropsis), 257.
Præmonstrator (*Catantops*), 478.
 Præmorsa (*Colpophora*), 363.
 Præmorsa (*Coptacra*), 469.
 Præmorsa (*Eucoptacra*), 469.
 Præmorsum (Acridium), 469.
 Præmorsum (Catantops), 469.
 Præmorsus (Catantops), 469.
 PRÆPHIPPIGERA, 571.
 PRÆPHIPPIGERIDA, 571.
 Prasina (*Atractomorpha*), 331.
 Prasina (*Cyrtacanthacris*), 453.
 Prasina (*Desmoptera*), 329.
 Prasina (*Epacromia*), 193.
 Prasina (*Ochrophlebia*), 323.
 Prasina (*Xenippa*), 408.
Prasina (*Cyrtacanthacris*), 453.
 Prasinata (*Euprepocnemis*), 561.
 Prasinifera (*Heteracris*), 394.
 Prasinifera (*Oxya*), 394.
 Prasinum (Acridium), 453.
Prasinum (*Acridium*), 453.
 Prasinus (Acridoderes), 470.
 Prasinus (*Chortocetes*), 193.
 Prasinus (*Euplectrotettix*), 132.
Prasinus (*Gryllus*), 191.
 Pratensis (*Dichroplus*), 488.
 Pratensis (*Hesperotettix*), 499.
 Pratensis (*Parachloebata*), 124.
 Pratensis (*Plectrotettix*), 132.
 Pratensis (*Scyllina*), 132.
 Pratensis (*Trigonophymus*), 488.
 Pratorum (*Chorthippus*), 187.
 Pratorum (*Gomphocerus*), 187.
 Pratorum (*Orphulella*), 121.
 Pratorum (*Stenobothrus*), 187.
 PRAXIBULUS, 397.
 PRAXILLA, 397.
 Prehensile (*Cyathosternum*), 557.
Presicus (*Gryllus*), 191.
 PRIMNIA, 189.
 Primnoa (*Eupodisma*), 503.
 Primnoa (*Podisma*), 503.
 Primnoa (*Prumna*), 523.
Princeps (*Tropidacris*), 378.
 PRIONACRIS, 377.
 PRIONIDIA, 217.
Prionocera (*Orthochaeta*), 580.
 PRIONOLOPHA, 353.
 PRIONOSTHENUS, 349.
 PRIONOTROPIS, 283.
Priscum (*Acridium*), 45.
 Priscus (*Tettix*), 45.
 Pristinus (*Merotettix*), 53.
 PRISTOCORYPHA, 406.
 Procera (*Humbe*), 216.
Procera (*Humbella*), 216.
 Procera (*Oxya*), 402.
 Procera (*Oxyrrhypes*), 402.
 Procera (*Pyrgomorpha*), 326, [583].
Procera (*Truxalis*), 96.
 Procerus (*Edaleus*), 216.
 Procerus (*Oxyrrhypes*), 402.
 Processus (*Miriatra*), 578.
 Processus (*Mitritettix*), 578.
 PROCOLPIA, 364.
 PROCTOLABRUS, 421.
 PROCTOLABUS, 421.
 Producta (*Miriatra*), 29.
 Producta (*Mitraria*), 29.
 Producta (*Rodunia*), 140.
 Producta (*Scaria*), 60.
 Producta (*Scelimenaa*), 13.
 Producta (*Scelymenaa*), 13.
 Producta (*Tapesia*), 305.
 Producta (*Tetrix*), 13.
 Producta (*Tettix*), 13.
 Productum (Acridium), 13.
 Productum (*Gavialidium*), 15.
 Productum (*Tetrix*), 13.
 Productus (*Dictyophorus*), 305.
 Productus (*Stenobothrus*), 140.
 Prolongatus (*Allo-tettix*), 28.
 Prominula (*Orphulella*), 123.

- Propinqua (Acrida), 95.
 Propinqua (Arnilia), 413.
 Propinqua (Stenacris), 413.
Propinquans (*Stenobothrus*), 120.
 Propinquus (Melanoplus), 523.
 Propinquus (Stenobothrus), 165.
 Propinquus (Tetanorhynchus), 86.
Proprium (*Acridium*), 458.
 PRORACHTES, 408.
 PRORACHTHES, 408.
 PRORHACHIS, 364.
 PRORHACIS, 364.
 Prorsa (Tettigidea), 59.
 PROSARTHRIA, 83.
 PROSCOPIA, 83.
 PROSPHENA, 303.
 PROSTALIA, 64.
 Prosternalis (Oxyrrhepes), 402.
 PROTAGASTA, 321.
Proteifolia (*Phylloptera*), 574.
 PROTOMACHUS, 334.
 PROTOTETTIX, 54.
 Proxima (Cyrtacanthacris), 451.
 Proxima (Ochrophlebia), 323.
 Proximum (*Acridium*), 451.
 Proximus (Apotettix), 579.
 Pruinosa (Ochrididia), 150.
 Pruinosa (Platypterna), 150.
Pruinosa (*Edipoda*), 263.
 PRUMNA, 502.
 Przewalskii (Gomphocerus), 156.
 PSEDNURA, 101.
 PSEUDOCELES, 222.
 PSEUDOCOMACRIS, 139.
 PSEUDOCRANAE, 388.
Pseudofasciata (*Trimerotropis*), 253.
Pseudofasciata (*Cercotettix*), 253.
 PSEUDOMITRARIA, 29.
 PSEUDOMYTRARIA, 29.
Pseudonietana (*Arphia*), 196.
Pseudonietanus (*Tomonotus*), 196.
 PSEUDOPOMALA, 102.
 PSEUDOSERMYLE, 569.
 PSEUDOSTAURONOIUS, 130, 132.
 PSEUDOTHERICLES, 80.
 PSEUDOTRIMERO-TROPIS, 255.
 PSILOTETTIX, 424.
 PSINIDIA, 246.
Psittacina (*Acridium*), 333.
Psittacina (*Elæochlora*), 366.
Psittacina (*Xiphocera*), 366.
Psittacinum (*Acridium*), 333.
Psittacinum (*Truxalis*), 333.
Psittacinum (*Acridium*), 332.
Psittacus (*Chromacris*), 373.
Psittacus (*Rhomalea*), 373.
Psittacus (*Romalea*), 373.
 PSOLOESSA, 129.
 PSOPHUS, 213.
 PTEMOBLAX, 474, 585.
 PTERNOSCIRTA, 217, 280.
 PTERNOSCIRTUS, 280.
 PTERNOSTICTA, 217.
 PTEROCHROZA, 572.
Pterolepis (*Mastacides*), 74.
 PTEROPERA, 473.
Pterosticha (*Calliptamus*), 559.
Pterostichus (*Thisiocetrus*), 559.
 PTEROTETTIX, 26.
 PTEROTILTUS, 386.
 PTETICA, 223.
Puberulus (*Thericles*), 81.
Pudica (*Calacris*), 421.
Pudica (*Heteropternis*), 221.
Pudica (*Edipoda*), 221.
Pulechus (*Diponthus*), 376.
Puellus (*Hedotettix*), 50.
Puer (*Melanoplus*), 519.
Puer (*Pezotettix*), 519.
 PUERULA, 575.
Pugionatus (*Spartolus*), 19.
Pugionatus (*Threisciscus*), 19.
 Pugnax (*Ommatolampis*), 434.
 Pugnax (*Rhienoderma*), 391.
 PUIGGARIA, 61.
Pulebella (*Cyrtacanthacris*), 483.
Pulebella (*Mestobregma*), 249.
Pulebella (*Orphulina*), 118.
Pulebella (*Pedioscirtetes*), 108.
Pulebella (*Tæniopoda*), 372.
Pulebella (*Tettigidea*), 59.
Pulebella (*Trachyrhachis*), 249.
Pulebella (*Trepidulus*), 249.
Pulebellum (*Acridium*), 538.
Pulehellus (*Catantops*), 483.
Pulehellus (*Hedotettix*), 50.
Pulehellus (*Catantops*), 483.
Puleher (*Clinocephalus*), 124.
Puleher (*Compsacris*), 124.
Puleher (*Criotettix*), 18.
Puleher (*Loxilobus*), 18.
Puleherrimus (*Phymateus*), 313.
Pulchra (*Acrydium*), 579.
Pulchra (*Dichopetala*), 573.
Pulchra (*Euprepocnemis*), 561.
Pulchra (*Ischnacrida*), 405.
Pulchra (*Tapesia*), 306.
Pulehripenis (*Arphia*), 196.
Pulehripenis (*Eremobia*), 288.
Pulehripenis (*Fenestra*), 127.
Pulehripenis (*Tmethis*), 288.
Pulehripes (*Caloptenus*), 561.
Pulehripes (*Euprepocnemis*), 561.
Pulehripes (*Hermistria*), 375.
Pulehripes (*Parasphena*), 321.

- Pulchripes* (*Sphenarium*), 321.
Pulchripes (*Ophthalmolampis*), 390.
Pulchripes (*Phymateus*), 310.
Pulchripes (*Tæniophora*), 390.
Pulchripes (*Taphronota*), 310.
Pulicarius (*Gryllus*), 62.
Pulicarius (*Locusta*), 62.
Pulla (*Tristria*), 401.
Pulla (*Edipoda*), 178.
Pullus (*Criotettix*), 18.
Pullus (*Gryllus*), 179.
Pullus (*Loxilobus*), 18.
Pullus (*Paratettix*), 33.
Pullus (*Stauroderus*), 179.
Pullus (*Stenobothrus*), 179.
Pulverulenta (*Edipoda*), 191.
Pulverulentus (*Aiolopus*), 191.
Pulvinata (*Edipoda*), 184.
Pulvinatus (*Chorthippus*), 184.
Pulvinatus (*Stenobothrus*), 184.
Pumila (*Blatta*), 567.
Pumilus (*Hippiscus*), 209.
Pumilus (*Xanthippus*), 209.
Punctaria (*Mesambria*), 440.
Punctarium (*Acridium*), 440.
Punctata (*Acoryphella*), 548.
Punctata (*Blatta*), 567.
Punctata (*Heterogamia*), 565.
Punctata (*Lactista*), 237.
Punctata (*Locusta*), 308.
Punctata (*Munatia*), 365.
Punctata (*Edipoda*), 237.
Punctata (*Orphulella*), 121.
Punctata (*Paraidemona*), 496.
Punctata (*Phymateus*), 308.
Punctata (*Pæcilocera*), 309.
Punctata (*Polyphaga*), 565.
Punctata (*Proscopia*), 86.
Punctata (*Schistocerca*), 457.
Punctata (*Systella*), 339.
Punctata (*Trigonopteryx*), 339.
Punctata (*Truxalis*), 121.
Punctatissima (*Digentia*), 395.
Punctatosignata (*Tettix*), 42.
Punctatum (*Acridium*), 339.
Punctatum (*Acrydium*), 121.
Punctatum (*Trigonopteryx*), 339.
Punctatus (*Acridoderes*), 471.
Punctatus (*Arulenus*), 3.
Punctatus (*Aularches*), 308.
Punctatus (*Epitettix*), 576.
Punctatus (*Eumigus*), 352.
Punctatus (*Gryllus*), 308.
Punctatus (*Gymnes*), 110.
Punctatus (*Hirrius*), 3.
Punctatus (*Lactista*), 237.
Punctatus (*Locusta*), 308.
Punctatus (*Pamphagus*), 352.
Punctatus (*Pezotettix*), 496.
Punctatus (*Phymateus*), 208.
Punctatus (*Tetanorhynchus*), 86.
Puncticeps (*Opsomala*), 415.
Puncticeps (*Oxyblepta*), 415.
Puncticeps (*Stenopola*), 415.
Puncticornis (*Lamarckiana*), 345.
Puncticornis (*Xiphocera*), 345.
Punctifrons (*Acridium*), 333.
Punctifrons (*Gesonia*), 393.
Punctifrons (*Oxya*), 393.
Punctifrons (*Pachytylus*), 215.
Punctifrons (*Sitalces*), 435.
Punctifrons (*Stalens*), 215.
Punctipennis (*Acridium*), 484.
Punctipennis (*Heteracris*), 555.
Punctipennis (*Paraleuas*), 421.
Punctipennis (*Cyrtacanthacris*), 484.
Punctipennis (*Opsomala*), 104.
Punctipennis (*Pezomorphia*), 104.
Punctipes (*Leiotettix*), 490.
Punctiventris (*Pæcilocera*), 318.
Punctiventris (*Pækilocerus*), 318.
Punctosa (*Akicera*), 343.
Punctosa (*Lamarckiana*), 343.
Punctulata (*Blatta*), 566.
Punctulata (*Tettix*), 42.
Punctulata (*Chloratus*), 125.
Punctulatum (*Chrysichraon*), 125.
Punctulatus (*Caloptenus*), 531.
Punctulatus (*Dichroplus*), 489.
Punctulatus (*Gryllus*), 489.
Punctulatus (*Melanoplus*), 531.
Punctulatus (*Pezotettix*), 489.
Punctulatus (*Trigonophymus*), 489.
Punicea (*Ophthalmolampis*), 390.
Puniceus (*Phymateus*), 315.
Punticornis (*Porthetis*), 345.
Punticornis (*Xiphocera*), 345.
Pupæformis (*Mastacides*), 74.
Pupæformis (*Pezotettix*), 526.
Pupillata (*Bulla*), 63.
Pupillata (*Pneumora*), 63.
Pupus (*Diotarus*), 10.
Purpurascens (*Acrydium*), 22.
Purpurascens (*Eumorphopus*), 23.
Purpurascens (*Phymateus*), 314.
Purpurascens (*Sphenarium*), 304.

- Purpurascens* (Tettix), 22.
Purpurea (Sinipta), 109.
Purpurea (Tanita), 324.
Purpureus (Gryllus), 109.
Purpurifera (Cyrtacanthacris), 448.
Pusilla (Chortoicetes), 193.
Pusilla (Epacromia), 193.
Pusilla (Stirapleura), 130.
Pusilla (Xiphicera), 67.
Pusillulus (Chortoicetes), 194.
Pusillus (Choroetypus), 67.
Pusillus (Eotettix), 498.
Pusillus (Gymnoscirtetes), 436.
Pustulata (Minorissa), 334.
Pustulifera (Monistria), 319.
Pustuliferum (Acridium), 319.
Pustulipennis (Caloptenus), 472.
Pustulipennis (Gerania), 472.
Pustulosa (Monistria), 319.
Putidus (Catantops), 476.
Putnami (Cratypedes), 205.
 PYCNODICTYA, 223.
 PYCNOSARCUS, 544.
 PYCNOSTICTUS, 271.
Pyenostictus (Dipontlus), 382.
Pygmæa (Ochrophlebia), 322.
Pygmæa (Ochrophlegma), 322.
Pygmæa (Vilerna), 430.
Pygmæum (Spathosternum), 400.
Pygmea (Xiphicera), 430.
Pygmea (Xiphocera), 430.
 PYGODERA, 214.
 PYGOSTOLUS, 386.
Pyramidalis (Proscopia), 85.
Pyramidata (Schistocerca), 455.
Pyrenæa (Pezotettix), 536.
Pyrenæa (Podisma), 536.
Pyrenæus (Pezotettix), 536.
Pyrenæus (Stenobothrus), 163.
 PYRGODERA, 214.
 PYRGOMORPHA, 324, 583.
 PYRGOMORPHELLA, 327.
 PYRGOMORPHINÆ, 299.
 PYRGOPHYMA, 310.
Pyrrhocnemis (Acridium), 439.
Pyrrhocnemis (Cirphula), 439.
Pyrrhomela (Petasia), 307.
Pyrrhoscelis (Heteropteris), 220.
Quadrata (Otumba), 577.
Quadratus (Caloptenus), 480.
Quadratus (Melanoplus), 526.
Quadricarinata (Mas-tusia), 418.
Quadricarinata (Mazarredia), 25.
Quadridentata (Acinipe), 353.
Quadridentatus (Eunapius), 353.
Quadridentatus (Eury-paryphes), 353.
Quadrilobus (Ecephantus), 464.
Quadrinaculata (Locusta), 575.
Quadrinaculata (Tetrix), 47.
Quadrinaculata (Tettix), 47.
Quadrinaculata (Epacromia), 264.
Quadrinaculatum (Acridium), 264.
Quadrinaculatum (Acrydium), 38.
Quadrinaculatum (Edipoda), 264.
Quadrilagiata (Hedotettix), 49.
Quadrindulatus (Micro-notus), 53.
Quadrindulatus (Tettix), 53.
Quagga (Thericles), 81.
Quercus (Dendrotettix), 502.
 QUILTA, 392.
 QUIROGUESIA, 216.
Rabula (Circotettix), 252.
 RACILIA, 397.
Radama (Acridium), 454.
Radama (Cyrtacanthacris), 454.
Radama (Acrida), 91.
Radiata (Locusta), 199.
Radiata (Tragocephala), 199.
Radiata (Ochrophlebia), 322.
 RADINOTATUM, 101.
Radula (Corynorhynchus), 85.
Radula (Proscopia), 85.
Radula (Proscopia), 84.
Rafflesi (Systella), 340.
Rafflesii (Systella), 340.
Rafflesii (Truxalis), 95.
Rafflesii (Tryxalis), 95.
Rainierensis (Asemoplus), 507.
Ramburi (Chorthippus), 161.
 RAMBURIA, 165.
 RAMBURIELLA, 165.
 RAMONA, 250.
Ramona (Arphia), 197.
Rana (Cratillopus), 439.
Rana (Cratippus), 439.
Rana (Methone), 292.
Rana (Metrodora), 24.
Rana (Phrynottettix), 212.
Rana (Trachypetrella), 292.
Rana (Tristira), 212.
 Ranacea (Cyrtacanthacris), 451, 585.
Ranaceum (Acridium), 451.
Ranaceus (Gryllus), 451.
Ranaceus (Locusta), 451.
Ranavalœ (Acridium), 454.
Ranavalœ (Cyrtacanthacris), 454.
Raulinii (Acinipe), 349.
Raulinii (Pamphagus), 349.
Raulinii (Porthetis), 349.
Raymondi (Gomphoceris), 173.
Raymondi (Omocestus), 173.
Raymondi (Stenobothrus), 173.

- Rebellis (Conozoa), 250.
 Rebellis (Trimerotropis), 280.
 Recta (Rodunia), 140.
Recta (Paroaya), 506.
Rectus (Melanoplus), 521.
 Rectus (Stenobothrus), 140.
 Reducta (Tettix), 45.
 Reducta (Vilerna), 430.
 Reductum (Acrydium), 45.
 Reductus (Caloptenus), 548.
 Reductus (Euryphymus), 548.
 Reedi (Hybasa), 88.
 Referta (Bradynotes), 502.
 Reflexa (Hoplolopha), 347.
 Reflexus (Melanoplus), 516.
 Reflexus (Pamphagus), 347.
 Regalis (Æoloplus), 500.
 Regalis (Caloptenus), [500], 511.
 Regalis (Catantops), 476.
 Regalis (Melanoplus), 511.
Regalis (Æoloplus), 507.
 Regularis (Diedronotus), 361.
 Regularis (Tropinotus), 361.
 Rehni (Ichthiaceris), 337.
Rejcta (Heteracris), 531.
 Remissa (Mazarredia), 25.
Remora (Gryllus), 347.
 Rendalli (Acrida), 94.
 Rendalli (Chrotogonus), 302.
 Rendalli (Pagopedilum), 345.
 Rendalli (Xiphicera), 345.
 Renkensis (Acridium), 454.
 Renkensis (Cyrtacanthacris), 454.
 Renkensis (Locusta), 454.
 Repleta (Epacromia), 264.
 Repletus (Acrotylus), 264.
 Repletus (Caloptenus), 529.
 Repletus (Melanoplus), 529.
 Respondens (Acrydium), 220.
 Respondens (Heteropternis), 220.
 Reticularis (Taniopoda), 372.
 Reticulata (Blatta), 566.
 Reticulata (Stropis), 438.
Reticulata (Locusta), 372.
Reticulata (Monachidia), 372.
 Reticulatus (Platyttettix), 23.
Reticulatus (Dictyophorus), 370.
Reticulatus (Gryllus), 372.
 Retifolia (Locusta), 574.
 Retifolia (Phylloptera), 574.
 Reuteri (Gomphocerus), 156.
 Revoili (Tenuitarsus), 299.
 Rex (Tropidaeris), 380.
 RHABDOPLEA, 147.
 RHABDOTETTIX, 494.
 RHACHICREAGRA, 544.
 RHACHIDORUS, 571.
 RHADINOTATUM, 101.
 RHAMPHACRIDA, 406.
 Rhames (Hyalorhipis), 280, 582.
 Rhames (Leptopternis), 280, 582.
 RHAPHOTITTIA, 151.
 RHICNODERMA, 391.
 Rhodiptera (Parga), 98.
 Rhodipterus (Amycus), 98.
 Rhodopa (Bryodema), 262.
 Rhodopa (Ædipoda), 262.
 Rhodoptera (Atractomorpha), 333.
Rhodoptera (Ædipoda), 262.
Rhodoptila (Truxalis), 325.
 Rhodoptilus (Coryphistes), 435.
Rhodoptilus (Gryllus), 222.
 Rhodopus (Bryodema), 262.
 RHODORRHIPIS, 290.
 RHOMALEA, 369-375.
 Rhombea (Cicada), 4.
 Rhombea (Hymenotes), 5.
 Rhombea (Membracis), 5.
 Rhombea (Phyllotettix), 4.
 Rhombeum (Acridium), 5.
 Rhombeum (Choriphyllum), 5, 6.
 Rhombeum (Choriphyllum), 5.
 Rhombeum (Hymenotes), 5.
 RHOMBODERA, 567.
Rhombodea (Locusta), 182.
 RHYNCHOTETTIX, 578.
 RHYTIDOCROTA, 543.
 Riffensis (Pamphagodes), 342.
 Rignaudii (Pœkilocerus), 316.
 Rignaudii (Zonocerus), 316.
 Rileyanum (Derotema), 244.
 Rileyanum (Tmetodera), 244.
 Rileyanus (Melanoplus), 510.
 ROBECCHIA, 466.
 Robinsoni (Annanalea), 329.
 Robusta (Amblytropidia), 115.
 Robusta (Heteracris), 555.
 Robusta (Haldemania), 295.
 Robusta (Haldemania), 295.
 Robusta (Orphulella), 123.
 Robusta (Phrynotettix), 295.
 Robusta (Syrbula), 108.
 Robustulus (Dichroplus), 489.
 Robustulus (Pezotettix), 489.
 Robustulus (Trigonophymus), 489.
 Robustum (Acridium), 555.
 Robustum (Spharagemon), 234.
 Robustus (Acanthalobus), 577.

- Robustus (*Caloptenus*), 529.
 Robustus (*Dichroplus*), 488.
 Robustus (*Halmenus*), 503.
 Robustus (*Melanoplus*), 529.
 Robustus (*Pezotettix*), 529.
 Robustus (*Phrynotettix*), 295.
 Robustus (*Sitalces*), 435.
 Robustus (*Trigonophymus*), 488.
 Rodericensis (*Chortoictes*), 193.
 Rodericensis (*Epacromia*), 193.
 RODUNIA, 139.
 Rogenhoferi (*Conozoa*), 250.
 Rollini (*Chrotogonus*), 301.
 ROMALED, 369.
 Romi (*Odontomelus*), 101.
 Rosacea (*Dittoternis*), 220.
 Rosacea (*Pyrgomorpha*), 326.
 Rosacea (*Truxalis*), 94.
 Rosacea (*Edipoda*), 223.
 Rosaceum (*Mestobregma*), 249.
 Rosaceus (*Trepidulus*), 249.
 Rosea (*Acrotylus*), 582.
 Rosea (*Cyrtacanthacris*), 447.
 Rosea (*Leptysmia*), 412.
 Rosea (*Protagasta*), 321.
 Rosea (*Pyrgomorpha*), 325.
 Rosea (*Truxalis*), 325.
 Rosca (*Leptysmia*), 412.
 Roseipennis (*Bryodemus*), 262.
 Roseipennis (*Cyphophorus*), 383.
 Roseipennis (*Dericorys*), 383.
 Roseipennis (*Derocorystes*), 383.
 Roseipennis (*Nuceria*), 430.
 Roseipennis (*Nuciera*), 430.
 Roseipennis (*Orthoscapheus*), 427.
 Roseipennis (*Pacilocera*), 315.
 Roseipennis (*Pakilocerus*), 315.
 Rosenbergii (*Eumastax*), 78.
 Rosenbergii (*Scirtomastax*), 78.
 Roseosignatus (*Mnesicles*), 73.
 Roseoviridis (*Orbillus*), 474.
 Roseum (*Acridium*), 447.
 Roseum (*Acrydium*), 447.
 Roseus (*Gryllus*), 447, 586.
 Roseus (*Locusta*), 447.
 Roseus (*Stenocrobilus*), 485.
 Rostrata (*Mermiria*), 105.
 Rostrata (*Taphronota*), 310.
 Rostrata (*Proscopia*), 84.
 Rostratus (*Rhynchotettix*), 578.
 Rosulentus (*Diedronotus*), 360.
 Rosulentus (*Tropidonotus*), 360.
 Rotundata (*Meristopteryx*), 242.
 Rotundata (*Edipoda*), 242.
 Rotundata (*Phæoparia*), 426.
 Rotundatus (*Chrotogonus*), 299.
 Rotundatus (*Orchestypus*), 68.
 Rotundifrons (*Brachytypus*), 69.
 Rotundifrons (*Plagiotriptus*), 69.
 Rotundipennis (*Melanoplus*), 520.
 Rotundipennis (*Pezotettix*), 520.
 Rubella (*Cyrtacanthacris*), 449.
 RUBELLIA, 319.
 Rubellum (*Acridium*), 449.
 Rubens (*Pneumora*), 62, 63.
 Rubescens (*Acridium*), 448.
 Rubescens (*Cyrtacanthacris*), 448.
 Rubescens (*Gryllus*), 586.
 Rubescens (*Edipoda*), 274.
 Rubescens (*Sphingonotus*), 274.
 Rubicunda (*Locusta*), 176.
 Rubicundus (*Gryllus*), 163.
 Rubicundus (*Sterobothrus*), 163.
 Rubicundus (*Gryllus*), 176.
 Rubiginosa (*Cyrtacanthacris*), 484.
 Rubiginosa (*Schistocerca*), 458.
 Rubiginosum (*Acridium*), 458, 462, 484.
 Rubripennis (*Acrydium*), 214.
 Rubripennis (*Trachyrhachis*), 248.
 Rubripennis (*Trachyrhachys*), 243.
 Rubripes (*Eucopiocera*), 421.
 Rubripes (*Pseudotrimerotropis*), 258.
 Rubripes (*Scotussa*), 490.
 Rubripes (*Scyllina*), 134.
 Rubripes (*Trimerotropis*), 258.
 Rubripes (*Acrydium*), 546.
 Rubripes (*Nocarodes*), 355.
 Rubro-ornata (*Maura*), 307.
 Rubro-ornata (*Petasia*), 307.
 Rudis (*Heteracris*), 561.
 Rudis (*Tettix*), 43.
 Rufa (*Blatta*), 566.
 Rufa (*Edipoda*), 241.
 Rufescens (*Acrida*), 94.
 Rufescens (*Gryllus*), 581.
 Rufescens (*Phlæoba*), 139.
 Rufescens (*Rodunia*), 139.
 Rufescens (*Stenobothrus*), 581.
 Rufescens (*Truxalis*), 94.
 Rufescens (*Gryllus*), 459.
 Ruficorne (*Acridium*), 450, 451.
 Ruficorne (*Acridium*), 450.

- Ruficornis* (Agesander), 543.
Ruficornis (Cyrtacanthacris), 450.
Ruficornis (Gryllus), 450.
Ruficornis (Orthacris), 336.
Ruficornis (Tettigidea), 59.
Ruficornis (Tettix), 59.
Ruficornis (Proscopia), 85.
Rufipennis (Hyalopteryx), 105.
Rufipennis (Hemipteryx), 105.
Rufipes (Acridium), 540.
Rufipes (Catantops), 477.
Rufipes (Coptotettix), 55.
Rufipes (Gryllus), 540.
Rufipes (Mazarredia), 25.
Rufipes (Melanoplus), 524.
Rufipes (Osmilia), 540.
Rufipes (Oxya), 394.
Rufipes (Podisma), 539.
Rufipes (Stropis), 438.
Rufipes (Tettix), 25.
Rufipes (Acridium), 174.
Rufipes (Gomphocerus), 174.
Rufipes (Gryllus), 174.
Rufipes (Locusta), 174.
Rufipes (Naucrates), 355.
Rufipes (Edipoda), 174.
Rufipes (Stenobothrus), 174.
Rufitibia (Heteracris), 555.
Rufitibia (Acridium), 483.
Rufomarginatum (Acrydium), 176.
Rufopunctata (Atractomorpha), 331.
Rufostriata (Epacromia), 192.
Rufostriatus (Eolopus), 192.
Rufovittata (Aptenopodes), 508.
Rufovittata (Phemonoe), 388.
Rufum (Acridium), 156.
Rufum (Aulocara), 135.
Rufus (Chorthippus), 157.
Rufus (Gomphocerus), 156, 157.
Rufus (Gryllus), 156.
Rufus (Locusta), 156.
Rufus (Stenobothrus), 157.
Rufus (Gryllus), 158.
Rugitrons (Stropis), 438.
Ruginata (Blepnema), 268.
Rugosa (Apotettix), 54.
Rugosa (Exarna), 443.
Rugosa (Edipoda), 203.
Rugosa (Tettix), 54.
Rugosa (Timonota), 245.
Rugosa (Trigoniza), 441.
Rugosa (Trilophidia), 245.
Rugosipes (Lamarekiana), 344.
Rugosipes (Xiphicera), 344.
Rugosum (Sphenarium), 304.
Rugosum (Acridium), 462.
Rugosus (Apotettix), 54.
Rugosus (Criotettix), 18.
Rugosus (Hippiscus), 203.
Rugosus (Loxobus), 18.
Rugosus (Paurotarsus), 61.
Rugosus (Telmatettix), 50.
Rugosus (Gryllus), 347, 379.
Rugosus (Hippiscus), 204.
Rugulosa (Bibracte), 467.
Rugulosa (Goniæa), 437.
Rugulosa (Maura), 307.
Rugulosa (Orphulina), 119.
Rugulosa (Platyphyma), 399.
Rugulosa (Vilerna), 430.
Rugulosus (Pezetettix), 399.
Rugulosus (Stenobothrus), 119.
Rugulosus (Eunapius), 354.
Rugulosus (Pamphagus), 354.
Rupestris (Blatta), 567.
Ruscula (Xiphocera), 435.
Rustica (Cyrtacanthacris), 160.
Rustica (Epilampra), 563.
Rustica (Heterolampra), 563.
Rusticum (Acridium), 460.
Rusticus (Hedotettix), 50.
Rusticus (Melanoplus), 518.
Rusticus (Pezetettix), 518.
Rusticus (Gryllus), 460.
RUTIDODERES, 311.
Sabaudum (Pyrgophyma), 310.
Sabalosa (Porthetis), 346.
Sabulosa (Xiphocera), 346.
Sabulosum (Pagopedilum), 346.
Sabulosus (Porthetis), 346.
Sacalava (Catantops), 482.
Sacer (Caloptenus), 549.
Sacer (Sphodromerus), 549.
Saxus (Paratettix), 35.
Sagitta (Oxybleptella), 414.
Sagittaria (Xistra), 27.
Sagittarius (Catantops), 479.
Sagittata (Xistra), 27.
Sagittatus (Paratettix), 27.
Sagrae (Chorophyllum), 6.
Sagrai (Chorophyllum), 5.
Sagrai (Hymenotes), 5.
Sagrai (Phyllonotus), 6.
Sahare (Acinipe), 350.
Sahare (Pamphagus), 350.
Saharica (Notopleura), 154.
Sajax (Apioscelis), 85.
Sajax (Proscopia), 85.
Sakalava (Euschmidia), 82.
Salamandra (Pezetettix), 536.
Salamandra (Podisma), 536.
Salina (Edipoda), 241.
Salina (Orphulella), 121.
Salina (Pseudotrimeroptis), 258.
Salina (Stirapleura), 130.

- Salina (Trimerotropis), 258.
Salina (*Ædipoda*), 261.
 Salinator (*Gryllus*), 586.
 Salinum (*Acrydium*), 241.
 Salinus (*Gryllus*), 241.
 Salinus (*Ochrotettix*), 112.
 Salmiafolia (*Locusta*), 575.
 Saltator (*Acerotylus*), 266.
 Saltator (*Hippopedon*), 202.
 Saltator (*Melanoplus*), 520.
 Saltator (*Parepisactus*), 77.
 SANAA, 572.
Sancta (*Mantis*), 568.
 Sanctæ-Helenæ (*Acridium*), 189.
 Sanctæ-Helenæ (*Prinia*), 189.
 Sanctæ-Helenæ (*Tinaria*), 189.
 Sanctæ-Mariæ (*Acridium*), 448.
 Sanctæ-Mariæ (*Cyrtacantha*), 448.
 Sanderi (*Pyrgomorpha*), 324.
 Sanderi (*Tanita*), 324.
 Sangiorgii (*Stauroderus*), 178.
 Sangiorgii (*Stenobothrus*), 178.
Sanguinaria (*Arphia*), 196.
 Sanguinea (*Acerida*), 91.
 Sanguinea (*Morphaeris*), 218.
 Sanguineo-annulata (*Caryanda*), 395.
Sanguineocephalus (*Caloptenus*), 505.
 Sanguineus (*Gryllus*), 218.
 Sanguineus (*Leiotettix*), 490.
 Sanguineus (*Melanoplus*), 511.
 Sanguineus (*Pæcilotettix*), 506.
Sanguineus (*Truxalis*), 425.
 Sanguiniferus (*Sphodromerus*), 549.
 Sanguinipes (*Traulia*), 475.
Sanguinipes (*Acridium*), 430.
Sanguinipes (*Acrydium*), 430.
 Sanguinolenta (*Phlaoba*), 139.
 Sanguinolenta (*Rodunia*), 139.
 Sanguinolenta (*Scelimena*), 13.
Sanguinolenta (*Acrydium*), 316.
Sanguinolentus (*Caloptenus*), 523.
Sanguinolentus (*Pækilocerus*), 316.
 SANNA, 572.
 Sansibara (*Æolopus*), 192.
 Sansibara (*Epacromia*), 192.
 Sansibarica (*Euschmidtia*), 32.
Sansibaricus (*Comacris*), 141.
 SAPARUS, 431.
 Sapellanus (*Melanoplus*), 518.
 Saphiripes (*Calliptamus*), 545.
 Saphiripes (*Euryphymus*), 545.
 Sarasini (*Gastrimargus*), 228.
 Sarasini (*Edaleus*), 228.
Sardenum (*Acridium*), 352.
 Satanas (*Maura*), 307.
 Satanas (*Petasia*), 307.
 Satrapes (*Sphingonotus*), 272.
 Satur (*Bradynotes*), 502.
 Saturata (*Eucoptaera*), 419.
Saturata (*Pternostieta*), 217.
 Saturatum (*Acridium*), 419.
 Saturatus (*Caloptenus*), 546.
 Saturatus (*Euryphymus*), 546.
 Saucia (*Catantops*), 478.
 Saucia (*Conistica*), 223.
 Saucia (*Dissosteira*), 223.
 Saucia (*Ædipoda*), 223.
 Saucium (*Acridium*), 478.
 Saucius (*Catantops*), 478.
 Sauleyi (*Stauroderus*), 179.
 Sauleyi (*Stenobothrus*), 179.
 Sauleyi (*Tetrix*), 43.
 SAURACRIS, 468.
 Saurus (*Masyntes*), 79.
 Saussureana (*Arphia*), 195.
 Saussureanum (*Derotema*), 243.
 Saussurei (*Acridium*), 540.
 Saussurei (*Chrotogonus*), 301.
 Saussurei (*Choriphylum*), 6.
 Saussurei (*Chorophylum*), 6.
 Saussurei (*Euthymia*), 384.
 Saussurei (*Heteropternis*), 221.
 Saussurei (*Hippiscus*), 206.
 Saussurei (*Lamarkiana*), 345.
 Saussurei (*Ommatolampis*), 541.
 Saussurei (*Osmilia*), 540.
 Saussurei (*Pardalophora*), 206.
 Saussurei (*Phyllonotus*), 6.
 Saussurei (*Teinophaus*), 541.
 Saussurei (*Xiphocera*), 345.
Saussurei (*Caloptenopsis*), 551.
Saussurei (*Stenobothrus*), 158.
 SAUSSURELLA, 61.
 Savannarum (*Boöpedon*), 128.
 Savignii (*Ommexycha*), 300.
 Savigny (*Chrotogonus*), 300.
 Savigny (*Ommexycha*), 300.
 Savignyi (*Duronia*), 140.
 Savignyi (*Duroniella*), 140.
 Savignyi (*Heteropternis*), 221.
 Savignyi (*Ommexycha*), 300.
 Savignyi (*Sphingonotus*), 277.
Savignyi (*Leptoscirtus*), 269.
 Saxatile (*Spharagemon*), 234.
 Saxatilis (*Pseudotrimerotropis*), 259.
 Saxatilis (*Trimerotropis*), 259.

- Saxosa* (Cota), 11.
Saxosus (Phymateus), 315.
Scaber (Atractomorpha), 332.
Scaber (Caloptenus), 440.
Scaber (Gryllus), 365.
Scaber (Paratettix), 32.
Scaber (Plectronotus), 53.
Scaber (Tettix), 32.
Scaber (Truxalis), 332.
Scaberrimus (Trachytettix), 12.
Scabiosus (Aularches), 309.
Scabiosus (Gryllus), 309.
Scabiosus (Locusta), 309.
Scabiosus (Phymateus), 309.
Scabiosus (Gryllus), 308.
Scabiosus (Locusta), 308.
Scabra (Blatta), 567.
Scabra (Elaeochlora), 365.
Scabra (Mesambria), 440.
Scabra (Proscopia), 84.
Scabra (Tmetonota), 245.
Scabriculus (Sphingonotus), 276.
Scabriculus (Sphingonotus), 276.
Scabridus (Discotettix), 2.
Scabridus (Mnesarchus), 2.
Scabripes (Diedronotus), 361.
Scabripes (Paratettix), 35.
Scabripes (Tropidonotus), 361.
Scabripes (Tropinotus), 361.
SCABRITETTIX, 27.
Scabriusculus (Sphingonotus), 277.
Scabrosa (Ochrophlebia), 324.
Scabrosa (Tanita), 324.
Scabrosus (Scabritettix), 27.
SCABROTETTIX, 27.
Scabrum (Acrydium), 32.
Scalaris (Edipoda), 177.
Scalaris (Stauroderus), 177.
Scalaris (Truxalis), 96.
Scalata (Amphicremna), 99.
Scapularis (Gymnobotrus), 148.
Scapularis (Otumba), 26.
Scapularis (Paratettix), 32.
Scapularis (Tettix), 32.
SCARIA, 61, 579.
SCELHYMENA, 13.
SCELIMENA, 12, 576.
SCELYMENA, 13.
Schaefferi (Pseudotrimerotropis), 257.
Schaefferi (Trimerotropis), 257.
SCHINZIA, 341.
SCHISTOCERCA, 454, 585.
Schistocercoides (Acridium), 454.
Schistocercoides (Cyrtacanthacris), 454.
Schistocercoides (Scyllina), 133.
Schmidtii (Podisma), 536.
Schmidtii (Pezotettix), 537.
Schochii (Clypeotettix), 31.
Schochii (Edipoda), 242.
Schochii (Paratettix), 31.
Schoutedeni (Catantops), 479.
Schrankii (Tettix), 40.
Schrenkii (Thrinchus), 282.
Schrenkii (Thrinchus), 282.
Schulthessi (Orthochtha), 580.
Schulthessi (Rodunia), 140, 580.
SCHULTHESSIA, 355.
Schulzi (Antita), 585.
Schulzi (Dichroplus), 490.
Schulzi (Diedronotus), 360.
Schulzi (Diponthus), 382.
Schulzi (Euplectrotettix), 132.
Schulzi (Trigonophymus), 490.
Schulzi (Tropidonotus), 360.
Schulzi (Tropinotus), 360.
SCINTHARISTA, 216.
SCIRTETICA, 235.
SCIRTETTICA, 235.
SCIRTOBENUS, 571.
SCIRTOMASTAX, 78.
SCIRTOTYPUS, 68.
Scitulus (Tryxalis), 95.
Scitulum (Acridium), 560.
Scitulus (Euprepocnemis), 560.
Scitulus (Melanoplus), 519.
Scitus (Melanoplus), 511.
SCOLECOCEPHALUS, 406.
SCOPAS, 491.
SCOTUSSA, 490.
Scriptipennis (Caloptenus), 549.
Scriptipennis (Sphodromerus), 549.
Scriptum (Acridium), 41.
Scriptus (Caloptenus), 512.
Scriptus (Melanoplus), 512.
Serobiculatum (Acridium), 454.
Serobiculatus (Cyrtacanthacris), 453.
Sudderi (Ageneotettix), 134.
Sudderi (Aulocara), 134.
Sudderi (Chrotogonus), 299.
Sudderi (Cornops), 417.
Sudderi (Eremnus), 134.
Sudderi (Euthymia), 384.
Sudderi (Melanoplus), 515.
Sudderi (Oligonyx), 568.
Sudderi (Orphula), 123.
Sudderi (Orphulella), 123.
Sudderi (Paroxya), 505.
Sudderi (Pezotettix), 515.
Sudderi (Podisma), 535.
Sudderi (Prospheia), 303.
Sudderi (Spharagemon), 235.
Sudderi (Tettigidea), 58.
Sudderi (Schistocerca), 458.

- Sculpta (Cirphula), 439.
 Sculpta (Mazarredia), 25.
 Sculpturata (Camoensia), 304.
Scutatus (Gryllus), 359.
Scutatus (Locusta), 359.
Scutellare (Acridium), 458.
 Scutellaris (Batrachotetrix), 291.
 Scutellaris (Pneumora), 63.
 Scutellaris (Trachypetra), 291.
Scutellatum (Acrydium), 40.
 Scutifer (Calliptamus), 553.
 Scutifer (Caloptenus), 553.
 Scutigera (Batrachotetrix), 292.
 Scutigera (Batrachotetrix), 292.
 Scutigera (Trachypetra), 292.
Sebetium (Acridium), 241.
 Secura (Blatta), 563.
 Secura (Phyllodromia), 563.
 Securicolle (Tropidauchen), 348.
 Securicollis (Tropidauchen), 348.
 Securifer (Cladonotus), 9.
 SEDULIA, 472.
Sefrae (Sphingonotus), 276.
 SEGELLIA, 472.
 Segurensis (Pamphagus), 583.
 Selache (Gelastorrhinus), 409.
 Selecta (Epacromia), 281.
 Selectus (Caloptenus), 546.
 Selectus (Melanoplus), 516.
 Sellata (Rhytidochrota), 543.
Sellatum (Acridium), 459.
 Selysi (Discotettix), 2.
 Selysi (Maura), 307.
 Semenovi (Conophyma), 399.
 Semenowi (Conophyma), 399.
 Semenowi (Eremobia), 287.
 Semenowi (Tmethis), 287.
 Semicæca (Eumastax), 76, 77.
 Semicæca (Mastax), 76.
 Semicæcus (Mastax), 76.
Semicarinata (Duronio), 139.
 Semicarinatus (Chrysocbraon), 141.
 Semicarinatus (Comaceris), 141.
Semicarinatus (Chrysocbraon), 139.
 Semicolor (Gomphocerus), 159.
Semifasciatum (Acridium), 446.
 Semihirsutus (Paratettix), 33.
 Semipicta (Opomala), 409.
 Semipictus (Gelastorrhinus), 409.
 Semiroseus (Calliptamus), 546.
 Semiroseus (Caloptenus), 546.
 Semiroseus (Euryphymus), 546.
Semirubrum (Acridium), 378.
 Semivittata (Schistocerca), 462.
 Semivittatum (Acridium), 462.
 Semoni (Blatta), 564.
 Semoni (Rhachidorus), 571.
 Semoni (Stylopyga), 564.
 Semperi (Mazarredia), 25.
 Senegalensis (Chrotogonus), 299.
 Senegalensis (Edaleus), 225.
 Senegalensis (Pachytylus), 225.
 Separata (Schistocerca), 458.
 Sepositus (Sygrus), 353.
 Septemfasciata (Cyrtacanthacris), 448.
 Septemfasciatum (Acridium), 448.
 Septentrionalis (Cyrtacanthacris), 457.
 Septentrionalis (Schistocerca), 457.
 Septentrionalis (Taxiarchus), 87.
Septentrionalis (Pezotettix), 521.
 Serapis (Calliptamus), 548.
 Serapis (Caloptenus), 549.
 Serapis (Sphodromerus), 548.
 Serbica (Pyrgomorpha), 327.
 Serbica (Pyrgomorphaella), 327.
Seriadis (Gryllus), 461.
 Seriatos (Pycnostictus), 271.
 Serpa (Ochrophlebia), 322.
 SERPUSIA, 473.
 Serrata (Acrida), 97.
 Serrata (Bulla), 63.
 Serrata (Chiriquia), 23.
 Serrata (Hoplolopha), 348.
 Serrata (Opomala), 584.
 Serrata (Opsomala), 584.
 Serrata (Pneumora), 63.
 Serrata (Porthetis), 348.
 Serrata (Prionolopha), 358, 359.
 Serrata (Tryxalis), 97.
 Serrata (Xiphocera), 348, 359.
 Serraticus (Adrapetes), 71.
Serratofasciatum (Acrydium), 359.
 Serratum (Acrydium), 359.
 Serratus (Bulla), 358.
 Serratus (Coryphistes), 436.
 Serratus (Gryllus), 358, 359.
 Serratus (Pamphagus), 359.
 Serratus (Tropinotus), 359.
 Serratus (Truxalis), 97.
 Serricollis (Nocarodes), 355.
 Serricornis (Moraba), 99.
 Serricornis (Thrinchus), 287.
 Serricornis (Tmethis), 287.
 Serripes (Acrydium), 44, 347.
 Serripes (Gryllus), 347.
 Serripes (Locusta), 347.

- Serripes* (Pamphagus), 347.
Serripes (Tettix), 44.
Serrulata (Graea), 298.
Serrulata (Ommexycha), 298.
Serrulata (Oxya), 393.
Serrulatam (Spathalium), 298.
Serrulatus (Gryllus), 297.
Servillei (Ommexycha), 297.
Servillei (Tapesia), 306.
Servillei (Xerophyllum), 7.
Servillei (Gryllus), 376.
 SERVILLIA, 575.
Severus (Humpatella), 329.
Sexguttata (Cystocelia), 65.
Sexguttata (Pneumora), 65.
Sezaniensis (Proscopia), 90.
Shastana (Bruneria), 131.
Shastana (Bruneria), 131.
Shastanus (Circotettix), 252.
Shastanus (Gomphocerus), 131.
Shelfordi (Discotettix), 575.
Shoshone (Acridium), 459.
Shoshone (Schistocerca), 459.
 SIA, 571.
Sibirica (Tettix), 44.
Sibiricum (Acridium), 44, 155.
Sibiricus (Chorthippus), 156.
Sibiricus (Gomphocerus), 155, 156, 581.
Sibiricus (Gryllus), 155.
Sibiricus (Locusta), 155.
Sibiricus (Stenobothrus), 155, 156.
Sibiricus (Tettix), 44.
Sica (Cephalocœna), 88.
Sica (Proscopia), 88.
Sicifolia (Systella), 340.
Sicula (Edipoda), 239.
Sicula (Opomala), 403.
Sicula (Opsomala), 403.
Sicula (Tropidopola), 403.
Siculus (Caloptenus), 356.
Sierra (Hippiscus), 204.
Sierranus (Melanoplus), 513.
 SIGAUS, 441.
Sigillata (Orthacanthacris), 444.
Sigillatum (Acridium), 444.
Sigmoidalis (Euryphymus), 545.
Signata (Acrydium), 579.
Signata (Elimæa), 573.
Signata (Edipoda), 166.
Signata (Ramburiella), 166.
Signata (Tettix), 40.
Signatipennis (Edipoda), 131, [254].
Signatipennis (Stirapleura), 131.
Signatipennis (Trimerotropis), [254].
Signatipes (Caloptenus), 484.
Signatipes (Omatettix), 428.
Signatum (Acrydium), 45.
Signatus (Caloptenus), 548.
Signatus (Catantops), 479.
Signatus (Eotettix), 498.
Signatus (Epistaurus), 471.
Signatus (Euryphymus), 548.
Signatus (Tettix), 45.
 SILVITETTIX, 112.
Sima (Locusta), 575.
Simile (Conophyma), 400.
Simile (Xerophyllum), 8.
Similis (Camptylacantha), 498.
Similis (Caloptenus), 559.
Similis (Euparatettix), 578.
Similis (Melanoplus), 519.
Similis (Paratettix), 33.
Similis (Pseudotrimerotropis), 258.
Similis (Thisoicetrus), 559.
Similis (Trimerotropis), 258.
Similis (Xistra), 27.
Similis (Zoniopoda), 376.
Similis (Atractomorpha), 333.
Simillima (Acinipe), 351.
Simillima (Porthetis), 351.
Simillimus (Pamphagus), 351.
Simoni (Paraphlaoba), 138.
Simoni (Paratettix), 35.
Simonyi (Omocestus), 174.
Simonyi (Stenobothrus), 174.
Simplex (Amorphopus), 22.
Simplex (Arphia), 197.
Simplex (Eremopachys), 296.
Simplex (Eritettix), 111.
Simplex (Gomphocerus), 111.
Simplex (Heteracris), 394.
Simplex (Melanoplus), 510.
Simplex (Morphopus), 22.
Simplex (Orphulella), 120.
Simplex (Oxya), 394.
Simplex (Phlaoba), 138.
Simplex (Stauroderus), 181.
Simplex (Stenobothrus), 138, 181.
Simulans (Orthacris), 336.
Simulatrix (Acrotylus), 267.
Simulatrix (Epacromia), 267.
Simulatrix (Schistocerca), 462.
Simulatrix (Acridium), 462.
Simulatrix (Cyrtacanthacris), 462.
 SINALOA, 495.
Suavis (Acridium), 394.
Sinensis (Atractomorpha), 332.
Sinensis (Gelastorrhinus), 409.
Sinensis (Heteropternis), 220.
Sinensis (Tryxalis), 409.
Sinensis (Caloptenus), 469.
Sinetyi (Epistaurus), 471.
 SINIPTA, 109.
Sinuata (Atractomorpha), 332.

- Sinuata (Colpolopha), 363.
 Sinuatoecollis (Zygo-phlaeoba), 138.
 Sinuatus (Paratettix), 35.
 Sinuatus (Phleconotus), 580.
 Sinuatus (Tylotettix), 12.
 Simufrons (Nomotettix), 52.
 Sinuosus (Euryphymus), 547.
 STANTUM, 116.
 STIPALCES, 434.
 Sitifense (Acridium), 353.
 Sitifensis (Euryparaphes), 353.
 Sjøestedti (Phymateus), 313.
 Skaložubovi (Celes), 222.
 Smaragdipes (Leptomerinthophora), 431.
Smaragdulum (Acridium), 146.
Smilacea (Ædipoda), 146.
Smilaceum (Acridium), 146.
 Smithi (Scyllina), 133.
 Smithi (Tetranorhynchus), 86.
 Snowi (Pseudotrimerotropis), 258.
 Snowi (Trimerotropis), 258.
 Snowii (Melanoplus), 521.
 Sobria (Mazarredia), 24.
 Sobria (Tettix), 24.
Sobria (Ædipoda), 271.
 Sobrinus (Hedotettix), 50.
 Socia (Chirista), 142.
 Socia (Epacromia), 142.
 Socius (Aulacobothrus), 189.
 Socius (Epacromia), 142.
 Socius (Gomphocerus), 142.
 Sokolowi (Conophyma), 400.
 Sokotranus (Pækilocerus), 316.
 Sokotranus (Zonocerus), 316.
 Somali (Demodocus), 554.
 Somali (Heteracris), 554.
 Somalia (Acrida), 97.
 Somalicus (Euprepocnemis), 560.
 Somalicus (Eyprepocnemis), 560.
 Somalicus (Tylotropidius), 556.
 Sommeri (Spathalium), 298.
Sonneratii (Dictyophorus), 317.
Sonneratii (Pæcilocera), 317.
Sonneratii (Pækilocerus), 317.
 Sonomaensis (Melanoplus), 519.
 Sonoræ (Melanoplus), 509.
 Sonorensis (Paratettix), 35.
 Sonorensis (Schistocerca), 458.
 Sordida (Coryphistes), 436.
 Sordida (Ædipoda), 200.
 Sordida (Opsomala), 436.
 Sordida (Pseudotrimerotropis), 259.
 Sordida (Tettix), 47.
 Sordida (Tragocephala), 201.
 Sordida (Trimerotropis), 259.
 Sordidum (Pagopedilum), 346.
 Sordidus (Encoptolophus), 200, 201.
 Sordidus (Pamphagus), 346.
 Sordidus (Platybothrus), 188.
 Sordidus (Stenobothrus), 188.
 Sordidus (Tettix), 47.
Sordidus (Caloptenus), 480.
Sordidus (Encoptolophus), 201.
 Soror (Proscopia), 84.
 SPANIONYX, 568.
 Sparrmani (Lamarckiana), 343.
 Sparrmani (Xiphocera), 343.
 Sparsa (Circotettix), 253.
 Sparsa (Heteracris), 555.
 Sparsa (Ædipoda), 253.
 Sparsum (Acridium), 555.
 SPATHALIUM, 298.
 Spathalium (Ommexycha), 298.
 SPATHOSTERNUM, 400.
 Spathulata (Tettix), 46.
 Spathulata (Tettix), 46.
 Spathulatum (Acridium), 46.
 Spatulata (Parga), 98.
 Speciosa (Chromacris), 373.
 Speciosa (Heteracris), 555.
 Speciosa (Orphula), 120.
 Speciosa (Rhomalea), 373.
 Speciosissima (Ophthalmolampis), 390.
 Speciosum (Acridium), 373.
 Speciosus (Alectorolophus), 467.
 Speciosus (Catantops), 484.
 Speciosus (Gryllus), 373.
 Speciosus (Hesperotettix), 500.
 Speciosus (Pezotettix), 500.
 Speciosus (Stenobothrus), 120.
 Spectabilis (Mastusia), 418.
Spectabilis (Eupropacris), 477.
 Spectrum (Lamarckiana), 344.
 Spectrum (Xiphocera), 344.
 Specularia (Sedulia), 472.
 Specularia (Traulia), 472.
 Specularis (Copiocera), 420.
 Specularis (Hyalopteryx), 105.
 Sphalera (Orthacanthacris), 444.
 SPHARAGEMON, 233.
 SPHENACRIS, 336.
 Sphenarioides (Aptenopedes), 508.
 Sphenarioides (Pygromorphella), 327.
 Sphenarioides (Uahagonia), 335.
 SPHENARIUM, 303.
 SPHENEXIA, 320.
 SPHINCTONOTUS, 272.

- Spthingiformis (Gryllus), 364.
 Spthingiformis (Locusta), 364.
 SPHINGONOTHUS, 271.
 SPHINGONOTUS, 271, 582.
 SPHODROMERUS, 548, 585.
 Spicata (Tettigidea), 59.
 Spiculatum (Eugavialidium), 14.
 Spiculatum (Gavialidium), 14.
Spiculatus (Tettix), 14.
 Spinicollis (Finotia), 357.
 Spinifer (Heterogamia), 565.
 Spinner (Polyphaga), 565.
 Spinifera (Servilia), 575.
 Spinifrons (Dolatettix), 6.
 Spinifrons (Metrodora), 26.
 Spinifrons (Otumba), 26.
 Spinifrons (Tetrix), 26.
 Spinifrons (Tettix), 26.
 Spinilobus (Criotettix), 16.
 Spinosa (Proscopia), 86.
 Spinostylata (Methana), 564.
 Spinosus (Corynorhynchus), 86.
 Spinosus (Plesiotettix), 20.
 Spinulosa (Bulla), 64.
 Spinulosa (Lamarekiana), 343.
 Spinulosa (Xiphocera), 343.
 Spissa (Catantops), 478.
 Spissa (Cyrtacanthacris), 478.
Spissus (Caloptenus), 551.
 Splendens (Catantops), 482.
 Splendens (Gryllus), 482.
 Splendens (Pygophyma), 310.
 Spleniata (Serpusia), 473.
 Spoliata (Elaeochlora), 366.
 Spoliata (Xiphocera), 366.
 Spinosus (Gryllus), 586.
 Spretis (Acridium), 513.
 Spretus (Caloptenus), 513.
 Spretus (Melanoplus), 513.
 Spretus (Pezotettix), 513.
 Spumans (Dictyophorus), 305.
 Spumans (Gryllus), 305.
 Spumans (Petasia), 305, 306.
 Spumans (Pœcilocera), 305.
 Spumans (Tapesia), 305, 306.
 Spureata (Dissosteira), 232.
 Spuria (Oxya), 395.
 Spurium (Acridium), 395.
 Spurium (Oxya), 395.
 Squalidus (Gryllus), 586.
 Squatina (Pyrgomorpha), 326.
 Squalina (Tanita), 326.
 Squalinus (Dyscolorinus), 336.
 Squalus (Gomphocerus), 150.
 Squalus (Pnorisa), 150, 151.
 Squamipennis (Perixerus), 541.
 Squamipennis (Euryphymus), 545.
 Squarrosa (Locusta), 311.
 Squarrosa (Rutidoderes), 311.
Squarrosa (Pseudocera), 314.
 Squarrosus (Gryllus), 311.
 Squarrosus (Libellula), 311.
 Squarrosus (Locusta), 311.
 Squarrosus (Peristegus), 311.
 Squarrosus (Phymateus), 311.
 Squarrosus (Rutidoderes), 311.
Squarrosus (Gryllus), 314.
Squarrosus (Locusta), 314.
 Stæli (Acrida), 92.
 Stæli (Arnilia), 419.
 Stæli (Catantops), 479.
 Stæli (Eumapus), 354.
 Stæli (Euryparyphes), 354.
 Stæli (Opsomala), 419.
 Stæli (Tæniodopa), 371.
 Stæli (Taphronota), 309.
 Stæli (Tylotropidius), 556.
 Stali (Acrida), 92.
 Stali (Spathalium), 298.
 Stali (Tryxalis), 92.
Stali (Calopterus), 281.
 STAURODERUS, 177, 580.
 STAURONOTUS, 152.
 STAUORHECTUS, 166.
 STEGASTRIS, 392.
Steindachneri (Brachycataphus), 149.
 STENACRIS, 413.
Stenobothroides (Opsomala), 104.
 STENOBOTHRUS, 160.
 Stenocrobyloides (Catantops), 482.
 STENOCROBYLUS, 485.
 STENODORUS, 49.
 STENODORUS, 49.
 Stenofrons (Teredorus), 30.
 STENOPOLA, 415.
 Stenoptera (Duronio), 139.
 Stenopterus (Chrysocraon), 139.
 STENOSCEPA, 320.
 STENOXYPHUS, 328.
 STEREOTETTIX, 166.
 STETHEOPHYMA, 167, 169.
 STETHOPHYMA, 167, 168, 169.
 STIBARA, 574.
 STIBAROPTERA, 574.
 STICTHIPPIUS, 204.
 Stigmatica (Traulia), 475.
 Stigmaticum (Acridium), 161.
 Stigmaticus (Gomphocerus), 161.
 Stigmaticus (Gryllus), 160.
 Stigmaticus (Stenobothrus), 160, 161.
Stigmaticus (Chorthippus), 162.
Stigmaticus (Gomphocerus), 175.

- Stigmatosus (Hippiscus), 210.
 Stigmatosus (Xanthippus), 210.
STIPATOR, 571.
 Stipatum (Acridium), 480.
 Stipatus (Catantop-), 480.
STIPHRA, 87.
STIRAPLEURA, 130.
 Stolidus (Euryphymus), 547.
Stolli (*Chromacris*), 373.
Stolli (*Phymateus*), 314.
Stolli (*Pterochroza*), 573.
Stolli (*Rhomalea*), 373.
 Stollii (Batrachotetrix), 292.
 Stollii (Batrachotettix), 292.
 Stollii (Phymateus), 314.
Stollii (*Acridium*), 408.
Stollii (*Arcyoptera*), 170, 171.
Stollii (*Opsomala*), 408.
 Stonei (Melanoplus), 525.
 Stragulum (Tettix), 38.
 Straminea (Acrida), 95.
 Straminea (Edipoda), 259.
 Straminea (Pseudotrimerotropis), 259.
Straminea (*Heteracris*), 394.
Stramineus (*Caloptenus*), 480.
Strangulata (*Heteracris*), 402.
 Strangulatum (Edocara), 135.
 Strangulum (Edocara), 136.
 Straubei (Nocarodes), 355.
 Straubei (Pamphagus), 355.
Straubei (*Nocarodes*), 355.
 Strenua (Pseudotrimerotropis), 258.
 Strenua (Trimerotropis), 259.
Strenum (*Acridium*), 458.
Strenuum (*Acridium*), 458.
 Strenuus (Acridoderes), 470.
 Strenuus (Caloptenus), 470.
 Strepens (Acrydium), 190.
 Strepens (Æolopus), 190.
 Strepens (Aiolopus), 190.
 Strepens (Epacromia), 190.
 Striata (Apotropis), 440.
 Striata (Paratettix), 33.
 Striata (Proscopia), 90.
 Striata (Tetrix), 33.
Striata (*Proscopia*), 86.
 Striatum (Astroma), 90.
 Striatus (Egnatioides), 269.
 Striatus (Tritropis), 440.
Striatus (*Gryllus*), 39.
 Stricta (Coptacra), 468.
 Strictus (Aulacothrus), 189.
 Strictus (Caloptenus), 468.
 Stridula (Edipoda), 213.
 Stridulum (Acridium), 213.
 Stridulum (Acrydium), 213.
 Stridulus (Gryllus), 213.
 Stridulus (Locusta), 213.
 Stridulus (Pachytylus), 213.
 Stridulus (Psophus), 213.
 Strigata (Eutryxalis), 105.
 Strigata (Parorphula), 119.
Strigata (*Edipoda*), 219.
 Strigatus (Mnesicles), 74.
 Strigifer (Caloptenus), 469.
 Strigifer (Eucoptacra), 469.
 Strigosa (Machæridia), 98.
 Strigosa (Parga), 98.
Strigulatus (*Stenobothrus*), 400.
STROPIS, 438.
STRUMIGER, 282.
 Strumosa (Cota), 11.
 Strumosus (Melanoplus), 515.
 Stuhlmanni (Brachycrotaphus), 149.
 Stuhlmanni (Ochridia), 149.
 Stuhlmanniana (Lamarciana), 343.
 Stuhlmanniana (Xiphocera), 343.
 Stummeri (Eremobia), 289.
 Stummeri (Tmethis), 289.
 Stupefacta (Podisma), 534.
 Stupefactus (Pezotettix), 534.
 Stupida (Calvarias), 570.
 Stylata (Xistra), 577.
 Stylifer (Catantops), 478.
Subalpinum (*Podisma*), 538.
 Subaptera (Astroma), 90.
 Subaptera (Cephalocœma), 90.
 Subaptera (Proscopia), 90.
 Subapterus (Alectorolophus), 467.
 Subapterus (Anchotatus), 88.
Subcæruleipennis (*Gryllus*), 222.
Subcæruleipennis (*Edipoda*), 222.
 Subconspersa (Amblytropidia), 115.
 Subconspersus (Stenobothrus), 115.
 Subcruciatus (Pagopedilum), 345.
 Subcucullatus (Deltotus), 7, 576.
 Subcucullatus (Tettix), 7.
 Subcylindrica (Ochrophlebia), 323.
 Subcylindrica (Tanita), 323, 324.
 Subfasciatum (Acridium), 228.
 Subfasciatum (Edipoda), 228.
 Subfasciatus (Gastri-margus), 228.
 Subfasciatus (Edaleus), 228.
 Subgracilis (Encoptolophus), 202.
 Subgranulata (Proscopia), 87.
 Subgranulatus (Taxiarchus), 87.

- Subhyalina* (*Anchylotropidia*), 115.
Subinmaculata (*Aceridium*), 451.
Sublævis (*Barombia*), 386.
Sublævis (*Fortunata*), 582.
Sublævis (*Mecostibus*), 283.
Sublævis (*Proscopia*), 87.
Sublævis (*Taxiarchus*), 87.
Sublævis (*Tetanorhynchus*), 86.
Sublævis (*Wernerella*), 582.
Sublittorata (*Cyrtacanthacris*), 585.
Sublitturatum (*Aceridium*), 585.
Subnuda (*Aresceutica*), 466.
Suboblusa (*Proscopia*), 84.
Subparallela (*Proscopia*), 86.
Subpustulata (*Apotropis*), 440.
Subpustulata (*Tettix*), 32.
Subpustulatum (*Aceridium*), 440.
Subrosea (*Heliastus*), 270.
Subrufescens (*Stenobothrus*), 165.
Subsellata (*Cyrtacanthacris*), 449.
Subsellatum (*Aceridium*), 449.
Subsinuatus (*Gomphocerus*), 180.
Subspureata (*Cyrtacanthacris*), 462.
Subspureata (*Schistocerca*), 462.
Subsulcata (*Eremobia*), 290.
Subsulcata (*Eremocharis*), 290.
Subtilis (*Acrida*), 95.
Subtilis (*Rhaphotittha*), 151.
Subtruncatus (*Orcheotypus*), 68.
Subulata (*Tetrix*), 32, 57.
Subulata (*Tettix*), 37, 38.
Subulatum (*Aceridium*), 36.
Subulatum (*Acrydium*), 36, 578.
Subulatus (*Bulla*), 36.
Subulatus (*Criotettix*), 16.
Subulatus (*Gryllus*), 36.
Subulatus (*Tettix*), 37, 38, 39.
Subulosum (*Pagopedilum*), 346.
Subverrucosa (*Taphronota*), 310.
Subvittata (*Cyrtacanthacris*), 456.
Subvittata (*Schistocerca*), 456.
Subvittata (*Proscopia*), 84.
Succineta (*Cyrtacanthacris*), 448.
Succinetum (*Aceridium*), 448.
Succinetum (*Acrydium*), 448.
Succinetum (*Aceridium*), 450.
Succinctus (*Gryllus*), 448.
Succinctus (*Locusta*), 448.
Succinctus (*Gryllus*), 450.
Succinea (*Blatta*), 567.
Succinea (*Coptacra*), 468.
Succursor (*Ptemoblax*), 585.
Succursor (*Ptemoblax*), 585.
Sudanensis (*Tristria*), 401.
Suffusus (*Scyllina*), 133.
Suffusus (*Criotettix*), 252.
Suffusus (*Trimerotropis*), 252.
Sulcata (*Cosmorhynssa*), 219.
Sulcata (*Morphaeris*), 219.
Sulcata (*Trigoniza*), 441.
Sulcata (*Cosmorhynssa*), 219.
Sulcata (*Phyllochoreia*), 67.
Sulcaticollis (*Catreus*), 368.
Sulcaticollis (*Tropinotus*), 368.
Sulcatus (*Gryllus*), 219.
Sulcatus (*Hymenotes*), 6.
Sulcatus (*Piezotettix*), 6.
Sulciceps (*Carsula*), 407.
Sulciolus (*Pachytulus*), 228.
Sulcifer (*Catantops*), 481.
Sulcifrons (*Conozoa*), 251.
Sulcifrons (*Psimidia*), 251.
Sulcirostris (*Episcopotettix*), 421.
Sulculatus (*Ocnocerus*), 99.
Sulfurescens (*Ædipoda*), 241.
Sulphurans (*Ædipoda*), 242.
Sulphurea (*Arphia*), 197, 198.
Sulphurea (*Locusta*), 197.
Sulphurea (*Ædipoda*), 197.
Sulphureum (*Aceridium*), 197.
Sulphureum (*Acrydium*), 197.
Sulphureus (*Caloptenus*), 477.
Sulphureus (*Catantops*), 477.
Sulphureus (*Gryllus*), 197.
Sulphureus (*Temonotus*), 197.
Sulphuripennis (*Acrida*), 92.
Sulphuripennis (*Truxalis*), 92.
Sulphuripennis (*Acrida*), 92.
Sumatrana (*Xistra*), 27.
Sumatrensis (*Potua*), 11.
Sumatrensis (*Saussurella*), 61.
Sumatrensis (*Coptacra*), 470.
Sumichrasti (*Achurum*), 102.
Sumichrasti (*Machrocera*), 110.
Sumichrasti (*Heliastus*), 269.
Sumichrasti (*Melanoplus*), 269.
Sumichrasti (*Ædipoda*), 269.
Sumichrasti (*Pezotettix*), 529.
Sumichrasti (*Truxalis*), 102.
Sundaicus (*Gastrimargus*), 228.
Sundaicus (*Ædaleus*), 228.
Superba (*Paracinea*), 144.

- Superba* (Tæniopoda), 371.
Superbum (Monachidium), 371, [464].
Superbum (Zygoclistron), 426.
Superbus (Taxiarchus), 87.
Surda (Eumastax), 77.
Surinama (Eumastax), 78.
Surinama (Scirotomastax), 78.
Surinama (Tetratænia), 418.
Surinamum (Acridium), 418.
Surinamum (Acrydium), 418.
Surinamus (Gryllus), 418.
Suschkini (Sphingonotus), 274.
Suschkini (Tmethis), 289.
Suturalis (Hippiscus), 204.
Suturalis (Tristria), 401.
 SYGRUS, 353.
 SYLETRIA, 431.
Sylvatica (Atractomorpha), 334.
Sylvaticus (Melanoplus), 526.
Sylvaticus (Truxalis), 334.
Sylvestre (Paracinema), 144.
Sylvestris (Eritettix), 111.
Sylvestris (Melanoplus), 519.
Sylvestris (Gryllus), 144.
 SYMBELLIA, 81.
Symmetricus (Melanoplus), 529.
 SYMMETROPLEURA, 574.
 SYMPÆSTRIA, 574.
 SYNTOMACRIS, 431.
 SYNTOMAPTERA, 564.
 SYRBULA, 107.
Syriaca (Eremocharis), 290.
Syriaca (Euprepocnemis), 557.
Syriaca (Paraeuprepocnemis), 557.
Syriaca (Pezotettix), [539], 557.
Syriaca (Podisina), [539].
Syriaca (Tropidopoda), 403.
Syriacum (Acridium), 353.
Syriacus (Eunapius), 353.
Syriacus (Euryparyphes), 353.
Syrica (Opomala), 403.
 SYSTELLA, 339.
 SYSTOLEDERUS, 20, 577.
Tæniata (Amphieremna), 99.
Tæniata (Gelastorrhinus), 409.
Tæniata (Lucretilis), 388.
Tæniata (Machæridia), 98.
Tæniata (Opsomala), 409.
Tæniata (Paramastax), 78.
Tæniata (Parga), 98.
Tæniata (Ischnacrida), 405.
Tæniata (Ischnacrida), 405.
Tæniatum (Acridium), 409.
Tæniatum (Opsomala), 409.
Tæniatus (Aulacobothrus), 189.
Tæniolatus (Catantops), 480.
 TÆNIONEMA, 569.
 TÆNIOPHORA, 390.
 TÆNIOPODA, 371.
 TÆNIOSOMA, 569.
 TÆNOPHAUS, 541.
 TAGASTA, 330.
Tamaulipennis (Tæniopoda), 371.
Tamulus (Acridium), 192.
Tamulus (Æolopus), 192.
Tamulus (Epacromia), 192.
Tamulus (Gomphocerus), 192.
Tamulus (Gryllus), 192.
 TANAOCERUS, 293.
 TANITA, 323.
Taosanus (Phrynotettix), 295.
 TAPESIA, 304.
 TAPHRONOTA, 309.
Taramassi (Catantops), 478.
 TARAMASSUS, 561.
 TARBALEUS, 389.
Tarsale (Acridium), 440.
Tarsalis (Ischnacrida), 405.
Tarsalis (Mesambria), 440.
Tarsalis (Opomala), 405.
Tarsata (Zoniopoda), 375.
Tarsata (Zoniopoda), 376.
Tarsatum (Acridium), 375.
Tarsatum (Acrydium), 375.
Tarsius (Caloptenopsis), 553.
Tartara (Eremobia), 288.
Tartara (Tettix), 43.
Tartarica (Locusta), 461.
Tartaricum (Acridium), 445.
Tartaricus (Gryllus), 445.
Tartarus (Acrydium), 43.
Tartarus (Tettix), 43.
Tartarus (Tmethis), 288.
Tasmaniensis (Trigoniza), 441.
Tatarica (Schistocerca), 459.
Tatarica (Edipoda), 230.
Tataricum (Acridium), 445, 450.
Tataricus (Gryllus), 459.
Tataricus (Locusta), 459.
 TAUCHIRA, 397.
Taurus (Gryllus), 347.
Taurus (Locusta), 347.
 TAXIARCHUS, 87.
Tecta (Tettigidea), 58.
Tectiferum (Acridium), 453.
Tectiferus (Cyrtacanthacris), 453.
Tectiformis (Deltonotus), 7, 576.
Tectus (Apotettix), 54.
Tectus (Tettix), 54.
 TEFREINDA, 15, 576.
 TEICHOPHRYS, 71.
 TEINOPHAUS, 541.
Telifera (Criotettix), 17.
Telifera (Tettix), 17.
Tellustris (Pezotettix), 517.
 TELMATETTX, 30.
Temporalis (Chortoi-cetes), 193.
Temporalis (Epacromia), 193.
Tenebrifer (Catantops), 484.
Tenebriferum (Acridium), 484.

- Tenebrosa* (*Cyrtacanthacris*), 452.
Tenebrosa (*Opomala*), 138.
Tenebrosa (*Philaoba*), 138.
Tenebrosa (*Arphia*), 195, 196.
Tenebrosa (*Edipoda*), 196.
Tenebrosus (*Acridium*), 452.
Tenebrosus (*Melanoplus*), 528.
Tenebrosus (*Tomonotus*), 196.
Tenella (*Copiacra*), 468.
Tenella (*Cyrtacanthacris*), 468.
Tenellus (*Gryllus*), 163.
Tenellus (*Locusta*), 163.
Tenera (*Carsula*), 467.
Tentatoria (*Edipoda*), 270.
Tentatus (*Tettix*), 46.
Tenuicarina (*Stirapleura*), 130.
Tenuicornie (*Acridium*), 42.
Tenuicornis (*Humbe*), 215.
Tenuicornis (*Humbella*), 215.
Tenuicornis (*Pachytylus*), 215.
Tenuicornis (*Tettix*), 42.
Tenuipennis (*Eolopus*), 500.
Tenuipennis (*Melanoplus*), 518.
Tenuis (*Erucius*), 73.
Tenuis (*Eumas'ax*), 76.
Tenuis (*Mastax*), 76.
Tenuis (*Heteracris*), 393.
Tenuis (*Podisma*), 187.
Tenuis (*Truxalis*), 93.
 TENUITARSUS, 299.
Teocela (*Symmetrepleura*), 574.
Tepameca (*Orphulella*), 122.
Tepamecus (*Stenobothrus*), 122.
Tepanica (*Orphula*), 120.
Tepanicus (*Orphula*), 120.
Tepidus (*Melanoplus*), 520.
Teporata (*Arphia*), 196.
 TEPPERIA, 565.
 TERATODES, 465.
 TEREDORUS, 30.
Teros (*Anabylsis*), 432.
Tereticolle (*Acridium*), 449.
Tereticollis (*Cyrtacanthacris*), 449.
Tereticornis (*Truxalis*), 137.
Tereirostris (*Prosarthria*), 83.
Teretiusecula (*Cephalocema*), 89.
Tergestina (*Epiacromia*), 192.
Tergestinus (*Eolopus*), 192, 581.
Tergestinus (*Aiolopus*), 192, 581.
Tergestinus (*Gryllus*), 192.
Terminale (*Paracinema*), 144.
Terminalis (*Melanoplus*), 524.
Terminalis (*Edipoda*), 272.
Terminalis (*Sphingonotus*), 272.
Terminifera (*Chortocetes*), 194.
Terminifera (*Epiacromia*), 194.
Terrea (*Gemeneta*), 385.
Terrea (*Ostracina*), 212.
Terrestris (*Brachaspis*), 504.
Terrestris (*Bufoacris*), 295.
Terrestris (*Pezotettix*), 524.
Terrosa (*Tinetonota*), 245.
Terridenta (*Porthetis*), 354.
Terrulentus (*Eunapius*), 354.
Terrulentus (*Pamphagus*), 354.
Terrulentus (*Euryparyphes*), 354.
Tessellata (*Pseudotrimerotropis*), 256.
Tessellata (*Trimerotropis*), 256.
Tessellatus (*Pœcilocerus*), 317.
Testacea (*Ischnacrida*), 405.
Testacea (*Mantis*), 569.
Testacea (*Opeia*), 114.
Testacea (*Acrida*), 94.
Testaceum (*Spathalium*), 298.
Testaceus (*Caloptenus*), 548.
Testaceus (*Coptotettix*), 56.
Testaceus (*Euryphymus*), 548.
Testaceus (*Parasphena*), 321.
Testaceus (*Truxalis*), 94.
Testudo (*Amorphopus*), 22.
Testudo (*Phanerocherus*), 282.
 TETANORHYNCHUS, 86.
 TETRAMEROTROPIS, 202.
Tetranesiotes (*Sphingonotus*), 275.
 TETRASTENIA, 418.
 TETRACODINA, 3.
 TETRIX, 36.
 TETRICERUS, 23.
 TETTIGIDEA, 56, 579.
 TETTIGODINA, 3.
 TETTIX, 36.
Texana (*Conozoa*), 254.
Texana (*Mermiria*), 104.
Texana (*Pardalophora*), 207.
Texana (*Psibidia*), 248.
Texana (*Psoloessa*), 129.
Texana (*Stirapleura*), 129.
Texana (*Trachyrhachis*), 248.
Texana (*Trachyrhachys*), 248.
Texana (*Trimerotropis*), 254.
Texanus (*Hippiscus*), 207.
Texanus (*Melanoplus*), 526.
Texanus (*Paratettix*), 34.
Texanus (*Pezotettix*), 526.
Texense (*Spharagemon*), 234.
Texensis (*Dissosteira*), 234.
Texensis (*Encoptolophus*), 202.
Texensis (*Melanoplus*), 515.
Thalephora (*Taphronota*), 310.
Thalephora (*Taphronota*), 310.
Thalephorus (*Gryllus*), 310.
Thalephorus (*Loensta*), 310.
Thalassica (*Pseudotrimerotropis*), 256.

- Thalassica* (Trimerotropis), 256.
Thalassina (Chlœbora), 215.
Thalassina (Epacromia), 191.
Thalassina (Humble), 215.
Thalassina (Edipoda), 191.
Thalassina (Epacromia), 190, 192.
Thalassina (Edipoda), 190.
Thalassinum (Acridium), 190, 231.
Thalassinum (Acrydium), 191.
Thalassinus (Æolopus), 190.
Thalassinus (Aiolopus), 191.
Thalassinus (Circotettix), 252.
Thalassinus (Gomphocerus), 191.
Thalassinus (Gryllus), 190, 191.
Thalassinus (Gryllus), 190.
THALEIUS, 582.
THALPOMENA, 245.
THAUMASTAX, 75.
Theresiæ (Tomonotus), 238.
THERICLES, 81.
THISOECETRUS, 558.
THISOICETRUS, 558.
Thomasi (Melanoplus), 531.
Thomasi (Mestobregma), 248.
Thomasi (Trachyrhachis), 248.
Thomasi (Trachyrhachys), 248.
Thoracica (Epacromia), 221.
Thoracica (Heteropternis), 221.
Thoracicum (Acrydium), 37.
THRASYDERES, 377.
THREISCUS, 19.
THRINCHINÆ, 281.
THRINCHUS, 281.
THRINCOTROPIS, 341.
THRINCUS, 281.
Thrymnatoptera (Acrida), 95.
Thunbergii (Bulla), 63.
Thunbergii (Edipoda), 262.
- THYRIPTILON**, 115.
THYRSUS, 29.
Tiaratus (Thyrus), 29.
Tibiale (Acridium), 457.
Tibialis (Acinipe), 351.
Tibialis (Batrachopus), 358.
Tibialis (Calephorus), 137.
Tibialis (Caloptenopsis), 550.
Tibialis (Cranaë), 387.
Tibialis (Cyphophorus), 383.
Tibialis (Dericorys), 383.
Tibialis (Derocorys), 383.
Tibialis (Gelastorrhinus), 409.
Tibialis (Gryllus), 278.
Tibialis (Ochrlidia), 149.
Tibialis (Opsomala), 409.
Tibialis (Oxycoryphus), 137.
Tibialis (Pamphagus), 351.
Tibialis (Platypterna), 149.
Tibialis (Porthetis), 351.
Tibialis (Sphingonotus), 278.
Tibialis (Vilerna), 430.
Tibialis (Acyoptera), 171.
Tigrinus (Hippiscus), 208.
Tigrinus (Xanthippus), 208.
Tigris (Masynthes), 79.
TINARIA, 189.
Tincta (Edipoda), 242.
Tinctipennis (Mantis), 569.
Tipularia (Eumastax), 77.
Tipularia (Mastax), 77.
TIPANACRIS, 377.
Titusi (Pseudotrimerotropis), 258.
Titusi (Trimerotropis), 258.
TMETHIS, 285, 582.
TMETODERA, 244.
TMETONOTA, 245.
Tolteca (Batrachidea), 34.
Tolteca (Edipoda), 257.
Tolteca (Orphulella), 122.
Tolteca (Osmilia), 540.
Tolteca (Paratettix), 34, 35.
- Tolteca* (Pseudotrimerotropis), 257.
Tolteca (Schistocerca), 456.
Tolteca (Tettix), 34.
Tolteca (Trimerotropis), 257.
Toltecum (Acridium), 456, 540.
Toltecum (Osmilia), 540.
Toltecus (Alenas), 540.
Toltecus (Hippiscus), 209.
Toltecus (Oxycoryphus), 122.
Toltecus (Paratettix), 34.
Toltecus (Xanthippus), 209.
TOMONOTUS, 194, 237.
Tonkinensis (Tagasta), 331.
Tornosi (Arcyptera), 170.
Torquata (Ommatolampis), 434.
Torquatus (Paprides), 442.
Totonaca (Orphulella), 122.
Totonacus (Oxycoryphus), 122.
Townsendi (Arphia), 196.
Townsendi (Pseudotrimerotropis), 257.
Townsendi (Trachyrhachis), 248.
Townsendi (Trachyrhachys), 248.
Townsendi (Trimerotropis), 257.
TOXOPTERUS, 123.
TRACHYPETRA, 291, 292.
TRACHYPETRELLA, 292.
Trachyptera (Ommexycha), 300.
Trachypteron (Ommexycha), 300.
Trachypterus (Chrotonotus), 300.
TRACHYRHACHIS, 247.
TRACHYRHACHYS, 247.
Trachystictum (Zygoclistron), 426.
TRACHYTETRIX, 11, 576.
TRAGOCEPHALA, 198.

- Transinga* (Blattæ), 563.
Transiens (Acridium), 452.
Transiens (Cyrtacanthacris), 452.
Transrigata (Edipoda), 204.
Transrigatus (Hippiscus), 204.
Transversus (Gastri-margus), 227.
Transversus (Gryllus), 227.
TRAULIA, 475.
TREPIDULUS, 249.
Triangularis (Hymenotes), 4.
Triangularis (Tettix), 47.
Triangulata (Cutilia), 564.
Triangulata (Polyzosteria), 564.
Tribuloides (Melanoplus), 515.
Tribulus (Melanoplus), 515.
Tricarinata (Apotropis), 440.
Tricarinata (Duronina), 140.
Tricarinata (Pnorisa), 151.
Tricarinata (Pyrgomorpha), 326.
Tricarinata (Rodunia), 140.
Tricarinata (Stropis), 440.
Tricarinata (Camnula), 203.
Tricarinata (Locusta), 186.
Tricarinatus (Criotettix), 16.
Tricarinatus (Eritettix), 111.
Tricarinatus (Paratettix), 33.
Tricarinatus (Stenobothrus), 111.
Tricineta (Edipoda), 272.
Tricinctus (Sphingonotus), 272.
Tricolor (Gryllus), 143.
Tricolor (Paracinema), 143.
Tricolor (Phlæoba), 140.
Tricolor (Rodunia), 140.
Tricoloripes (Gomphocerus), 192.
Tricostatus (Euryphymus), 547.
Tricostatus (Spartolus), 19.
Tricristata (Eolacris), 367.
Tricristata (Xiphicera), 367.
Tricristata (Xistra), 27.
Trifasciata (Edipoda), 263.
Trifasciatus (Catantops), 476.
Trifasciatus (Gryllus), 263.
Trifasciatus (Hadrotettix), 263.
Trifasciatus (Stenocrobilus), 476.
Triglina (Locusta), 575.
TRIGONIZA, 441.
TRIGONOFEMORA, 27.
TRIGONOPHYMUS, 486.
TRIGONOPTERYX, 339.
Trilineata (Elæochlora), 365.
Trilineata (Xiphicera), 365.
Trilineata (Xiphocera), 365.
TRILOPHIDIA, 244.
TRIMEROTROPIS, 253, 255.
Trinesiotis (Sphingonotus), 275.
Trinitatis (Amblytropidia), 115.
Trinitatis (Sitalces), 435.
Trinitatis (Tettigidea), 59.
TRIPETALOCERA, 1.
TRISTIRA, 211.
Tristis (Cyphocerastis), 471.
Tristis (Melanoplus), 515.
Tristis (Tettix), 40.
Tristis (Tristria), 401.
TRISTRIA, 401.
TRITROPIS, 439.
Trivavensis (Ephippigera), 295.
Trivavensis (Phrynotettix), 295.
Trivavensis (Ephippigera), 208.
Trivittata (Cocama), 432.
Trochilus (Acridium), 389.
Trochilus (Ophthalmolampis), 389.
Trogon (Chromacris), 374.
Trogon (Rhomalea), 374.
Trogon (Romalea), 374.
TROPIDACRIS, 379.
TROPIDAUCHEN, 348.
TROPIDODERUS, 569.
TROPIDOLOPHUS, 212.
TROPIDONOTUS, 359.
TROPIDOSTETHUS, 358.
TROPINOTUS, 359.
TROXALLIS, 91.
Truchmana (Aegyptera), 169.
Truchmana (Edipoda), 168.
Truculenta (Arphia), 195.
Truncata (Mazarredia), 25.
Truncaticollis (Zygo-phlæoba), 138.
Truncatipennis (Conaleva), 493.
Truncatus (Anniceris), 422.
Truncatus (Loxilobus), 577.
Truncatus (Melanoplus), 532.
Truncatus (Edaleonotus), 507.
TRYXALIS, 91, 102, 103, 585.
TRYBLOPHORUS, 392.
TRYPOPHYLLUM, 7.
Tryxaliera (Ochrilidia), 149.
Tryxaliera (Opomala), 149.
Tryxalidocera (Platypterna), 149.
TRYXALIS, 91, 101.
Tryxaloides (Gelastorhinus), 409.
Tschivavensis (Ephippigera), 295.
Tschivavensis (Halde-manella), 295.
Tschivavensis (Haldmanella), 295.
Tschivavensis (Phrynotettix), 295.
Tschivavensis (Ephippigera), 208.

- Tschoffeni (Amphicremna), 99.
 Tschoffeni (Hedotettix), 50.
 Tuberculata (Apioscelis), 85.
 Tuberculata (Blatta), 566.
 Tuberculata (Bryodema), 260.
 Tuberculata (Ædipoda), 250.
 Tuberculata (Pardalophora), 207.
 Tuberculata (Proscopia), 85.
 Tuberculata (Stiphra), 87.
 Tuberculata (Stropis), 438.
 Tuberculatum (Acridium), 207, 438.
 Tuberculatum (Bryodema), 261.
 Tuberculatum (Eugavialidium), 14.
 Tuberculatum (Gavialidium), 14.
 Tuberculatum (Acridium), 360.
 Tuberculatus (Bryodema), 260.
 Tuberculatus (Coptotettix), 56.
 Tuberculatus (Euryphymus), 546.
 Tuberculatus (Gryllus), 260.
 Tuberculatus (Hippiscus), 207.
 Tuberculatus (Melanoplus), 516.
 Tuberculatus (Paratettix), 34.
 Tuberculosa (Barombia), 386.
 Tuberculosa (Tmetonota), 245.
 Tuerki (Acrydium), 43, 579.
 Tuerki (Tetrix), 43.
 Tuerki (Tettix), 43.
 Tmetanus (Pamphagus), 352.
 Turanicus (Chrotogonus), 300.
 Turbata (Epacromia), 266.
 Turbatus (Acrotylus), 266.
 Turbatus (Doclostaurus), 154.
 Turbatus (Stenobothrus), 154.
 Turbida (Cyrtacanthacris), 449.
 Turbida (Epacromia), 271.
 Turbidum (Acridium), 449.
 Turbidus (Caloptenus), 548.
 Turbidus (Euryphymus), 548.
 Turbinatum (Gymnidium), 385.
 Turcomana (Ædipoda), 168.
 Turcomana (Pallasiella), 168.
 Turcomanum (Stethophyma), 168.
 Turcomanus (Chorthippus), 168.
 Turcomannus (Stauronotus), 168.
 Turgaica (Stauronotus), 171.
 Turgida (Nephele), 23.
 Turgida (Phelene), 23.
 Turgida (Rhytidochrota), 543.
 Turgidicrus (Lentula), 385.
 Turki (Tetrix), 44.
 Turki (Tettix), 43.
 Turnbulli (Æoloplus), 501.
 Turnbullii (Caloptenus), 501.
 Turpis (Acrotylus), 267.
 Turpis (Epacromia), 267.
 Turriker (Cladonotus), 9.
 Turrita (Acrida), 92.
 Turritus (Acrida), 92.
 Turritus (Gryllus), 92.
 Turritus (Thrinchus), 286.
 TYLOTETRIX, 12.
 TYLOTROPIDIUS, 556.
 TYMPANOPHYLLUM, 572.
 Typicalis (Melanoplus), 514.
 TYPOPHYLLUM, 573.
 Typus (Paracaloptenus), 554.
 Typus (Parapleurus), 145.
 TYTTHOTYLE, 294.
 Ugandensis (Paratettix), 32.
 UHAGONIA, 335.
 Uhagonii (Gomphoceris), 174.
 Uhagonii (Stenobothrus), 174.
 Umbraculata (Haustellaria), 570.
 Umbrifer (Stenobothrus), 165.
 Umbrifera (Tettix), 45.
 Umbriferum (Acrydium), 45.
 Umbripennis (Liotettix), 54.
 Umbripennis (Prototettix), 54.
 Uncinata (Pantelia), 10.
 Uncinata (Scelmena), 13.
 Uncinata (Tetrix), 13.
 Uncinatus (Plesiotettix), 20.
 Uncinatus (Systolederus), 20.
 Uncinatus (Tettix), 20.
 Undatus (Truxalis), 93.
 Undulatum (Acinophyllum), 8.
 Undulatum (Acridium), 42.
 Undulatus (Circotettix), 242, 257.
 Undulatus (Ædipoda), 242.
 Undulifer (Stenobothrus), 189.
 Undulifera (Tinaria), 189.
 Ungarica (Truxalis), 93.
 Ungaricus (Truxalis), 93.
 Unguicula (Truxalis), 93.
 Unguicula (Tryxalis), 96.
 Unguiculatus (Leptoscirtus), 269.
 Unicarinatus (Caloptenus), 547.
 Unicarinatus (Euryphymus), 547.
 Unicolor (Acentetus), 113.
 Unicolor (Akentetus), 113.
 Unicolor (Atrachelacris), 486.
 Unicolor (Bibracte), 467.
 Unicolor (Bulla), 62.
 Unicolor (Chlorizeina), 319.
 Unicolor (Choroetypus), 67.
 Unicolor (Gryllus), 62.

- Unicolor** (*Mesochloa*), 112.
Unicolor (*Phyllochoreia*), 67.
Unicolor (*Stenobothrus*), 113.
Unicolor (*Pezotettix*), 515.
Unicolor (*Truxalis*), 93.
Uniforme (*Netrosoma*), 486.
Uniformis (*Acrolophitus*), 138.
Uniformis (*Eoloplus*), 501.
Uniformis (*Caloptenopsis*), 550.
Uniformis (*Melanoplus*), 514.
Uniformis (*Netrosoma*), 486.
Uniformis (*Seyllina*), 132.
Unilineata (*Cyrtacanthacris*), 462.
Unilineatum (*Acridium*), 462.
Unilobatus (*Alectorolophus*), 467.
Unistrigata (*Cranaë*), 387.
Unistrigata (*Oxya*), 387.
Unistrigata (*Tenio-phora*), 387.
Unistrigatum (*Acridium*), 387, 395.
Unistrigatum (*Cranaë*), 387.
Unistrigatum (*Oxya*), 387, 395.
Urania (*Catantops*), 477.
URNISA, 271.
URNISSA, 271.
Usambarica (*Metopa*), 404.
Usitatus (*Melanoplus*), 532.
Ustulata (*Stauroderus*), 180.
Utahensis (*Dissosteira*), 235.
Utahensis (*Melanoplus*), 511.
Utahensis (*Ædipoda*), 235.
Utahensis (*Spharagemon*), 235.
Vacca (*Thericles*), 81.
Vagans (*Gomphocerus*), 180.
Vagans (*Ædipoda*), 180.
Vagans (*Stenobothrus*), 180.
Vaginalis (*Mastacides*), 74.
Valga (*Amesotropis*), 148.
Valga (*Cyclocercus*), 495.
Valgus (*Cyclocercus*), 495.
Valida (*Herus*), 107.
Valida (*Syrbula*), 107.
Validicornis (*Coryphistes*), 436.
Validispinus (*Arulenus*), 2.
Validispinus (*Bolotettix*), 577.
Validus (*Hippiscus*), 210.
Validus (*Melanoplus*), 533.
Validus (*Xanthippus*), 210.
Vanus (*Catantops*), 477.
Varalai (*Chrotogonus*), 302.
Varentzowi (*Diexis*), 398.
Varentzowi (*Mioscirtus*), 218.
Varia (*Epacromia*), 245.
Varia (*Trilophidia*), 245.
Variabilis (*Acrida*), 96.
Variabilis (*Celes*), 221, 222.
Variabilis (*Ctyphippus*), 222.
Variabilis (*Eritettix*), 111.
Variabilis (*Gryllus*), 221.
Variabilis (*Melanoplus*), 525.
Variabilis (*Neotettix*), 51.
Variabilis (*Ædipoda*), 221.
Variabilis (*Paratettix*), 33, 578.
Variabilis (*Perixerus*), 541.
Variabilis (*Phantoma*), 568.
Variabilis (*Stirapleura*), 131.
Variabilis (*Truxalis*), 96.
Variabilis (*Chorthippus*), 183.
Variabilis (*Stenobothrus*), 183.
Varians (*Chirista*), 142.
Varians (*Gymnabothrus*), 142.
Varicolor (*Chlorus*), 491.
Varicolor (*Paradichroplus*), 491.
Varicolor (*Pezotettix*), 491.
Varicolor (*Rhytidochrota*), 543.
Varicornis (*Apalacris*), 183.
Varicornis (*Catantops*), 483.
Varicornis (*Euprepocnemis*), 561.
Varicornis (*Heteracris*), 561.
Varicus (*Melanoplus*), 532.
Variegata (*Anniceris*), 422.
Variegata (*Cibotopteryx*), 367.
Variegata (*Cyrtacanthacris*), 450.
Variegata (*Epigrypa*), 88.
Variegata (*Hyperhomala*), 573.
Variegata (*Edipoda*), 242.
Variegata (*Phyllaphora*), 573.
Variegata (*Podisma*), 534.
Variegata (*Pseudotrimerotropis*), 259.
Variegata (*Trimerotropis*), 259.
Variegata (*Xiphicera*), 328.
Variegata (*Arcyoptera*), 170.
Variegata (*Arcyoptera*), 170.
Variegata (*Ommatolampis*), 418.
Variegatum (*Acridium*), 41, 450.
Variegatum (*Dactylo-tum*), 541.
Variegatum (*Acridium*), 418.
Variegatum (*Scutheophyma*), 170.
Variegatus (*Acrolophitus*), 108.
Variegatus (*Acrotylus*), 267.
Variegatus (*Gomphocerus*), 156.
Variegatus (*Gryllus*), 316.

- Variegatus* (*Hippiscus*), 204.
Variegatus (*Leioscapheus*), 422.
Variegatus (*Locusta*), 316.
Variegatus (*Nocarodes*), 356.
Variegatus (*Paratettix*), 33.
Variegatus (*Pezotettix*), 541.
Variegatus (*Stauro-rhectus*), 166.
Variegatus (*Stenoxypus*), 328.
Variegatus (*Zonocerus*), 316.
Variegatus (*Gryllus*), 169, 316.
Variegatus (*Locusta*), 169.
Variolosa (*Coptacra*), 469.
Variolosa (*Phyxacra*), 469.
Variolosa (*Pneumora*), 63, 64.
Variolosum (*Acridium*), 64.
Variolosus (*Bulla*), 63.
Variolosus (*Gryllus*), 63, 64.
Variolosus (*Locusta*), 64.
Variolosus (*Melanoplus*), 509.
Varipennis (*Sitalces*), 435.
Varipennis (*Tæniopoda*), 372.
Varipes (*Acridium*), 462.
Varipes (*Opsomala*), 584.
Varipes (*Plectrotettix*), 133.
Varipes (*Schistocerca*), 462.
Varipes (*Scyllina*), 133.
Varipes (*Locusta*), 182.
Vastator (*Edipoda*), 152.
Vaucherianus (*Eunapius*), 354.
Vaucherianus (*Euryparyphes*), 354.
Vegana (*Campylacantha*), 498.
Velazquezii (*Lophacris*), 378.
Velazquezii (*Acridium*), 378.
Velazquezii (*Titanacris*), 378.
Velox (*Acridium*), 393.
Velox (*Gryllus*), 393.
Velox (*Oxya*), 393, 394.
Venezuelæ (*Heliastus*), 270.
Venosa (*Locusta*), 182.
Venosus (*Gryllus*), 586.
Ventrale (*Acridium*), 174.
Ventralis (*Gryllus*), 174.
Ventralis (*Omocestus*), 174.
Venulosum (*Spathosternum*), 400.
Venusta (*Dissosteira*), 232, 233.
Venusta (*Dittopternis*), 220.
Venusta (*Maura*), 306.
Venusta (*Microscirtus*), 219.
Venusta (*Morphacris*), 219.
Venusta (*Edipoda*), 219, 220, 233, 278.
Venusta (*Ommatolampis*), 434.
Venusta (*Phaneroptera*), 574.
Venusta (*Schistocerca*), 458.
Venusta (*Scintharista*), 219.
Venustus (*Calephorus*), 137.
Venustus (*Mioscirtus*), 219.
Venustus (*Oxycoryphus*), 137.
Venustus (*Sphingonotus*), 278.
VERDULIA, 338.
Vermiculata (*Stropis*), 438.
Vernalis (*Eritettix*), 111.
Verrucifer (*Diotarus*), 10.
Verrucigena (*Pteropera*), 473.
Verrucosa (*Tmetonota*), 245.
Verrucosa (*Apioscelis*), 85.
Verrucosum (*Acridium*), 308.
Verrucosus (*Gryllus*), 314.
Verrucosus (*Locusta*), 314.
Verrucosus (*Pamphagus*), 349.
Verrucosus (*Phymateus*), 314.
Verrucosus (*Prionosthenus*), 349.
Verruculata (*Locusta*), 252.
Verruculata (*Edipoda*), 252.
Verruculata (*Phrynotettix*), 295.
Verruculata (*Trimerotropis*), 253.
Verruculatus (*Circotettix*), 252.
Verruculatus (*Phrynotettix*), 295.
Versicolor (*Acrotylus*), 265.
Versicolor (*Ceracris*), 144.
Versicolor (*Erianthus*), 70.
Versicolor (*Enumastax*), 77.
Versicolor (*Euschmidtia*), 83.
Versicolor (*Gryllus*), 287.
Versicolor (*Locusta*), 287.
Versicolor (*Masyntes*), 77.
Versicolor (*Tmethis*), 287.
Verrucalis (*Edaleus*), 226.
Vestita (*Blatta*), 565.
Vestita (*Holocompa*), 565.
Veteratoria (*Orphulina*), 118.
Vexillatus (*Gryllus*), 463.
Vexillatus (*Locusta*), 463.
Viatica (*Psednura*), 101.
Viatica (*Tryxalis*), 101.
Viator (*Gryllus*), 586.
Viatoria (*Scyllina*), 133.
Viatorius (*Plectrophorus*), 133.
Viatorius (*Plectrotettix*), 133.
Viatorius (*Scyllina*), 133.
Viatorius (*Stenobothrus*), 133.
Vicaria (*Schistocerca*), 460.
Vicarium (*Acridium*), 460.
Vicarius (*Hippodes*), 10.
Vicarus (*Hippodes*), 10.
Vicina (*Oxya*), 394.

- Vicina* (Paramastax), 78.
Vicina (*Ocyra*), 478.
Vidali (Criotettix), 16.
Vigilans (Mermiria), 105.
 VILERNA, 429.
Villosa (Prionidia), 218.
Villosa (Pternoscirta), 218.
Villosus (Catantops), 480.
Villosus (Gryllus), 218.
Vinaceus (Gryllus), 62.
Vinaceus (Locusta), 62.
Vinulata (Pseudotri-merotropis), 259.
Vineolata (Triacero-tropis), 259.
Vinosi (Cyrtacanthacris), 452.
Vinosum (Acridium), 452.
Viola (Melanoplus), 529, 539.
Viola (Pezotettix), 529.
Violacea (Acidacris), 375.
Violacea (Ischnacrida), 405.
Violacea (Ochrophlebia), 322.
Violacea (Ochrophlegma), 322.
Violacea (Osmilia), 540.
Violacea (Stenobothrus), 163.
Violacea (Traulia), 476.
Violacea (*Lophacris*), 377.
Violacea (*Osmilia*), 539.
Violaceum (Acridium), 476, 540.
Violaceum (Osmilia), 540.
Violaceus (Anthermus), 443.
Violaceus (Phymateus), 314.
Violaceus (Gryllus), 510.
Violaceus (Acridium), 452.
Violascens (Cyrtacanthacris), 452.
Virens (Coscineuta), 423.
Virens (Gryllus), 423.
Virens (Ommexycha), 297.
Virens (*Panaphagus*), 352.
Virescens (Acridium), 479.
Virescens (Brachystola), 293.
Virescens (Brachypeplus), 293.
Virescens (Eucoptacra), 470.
Virescens (Gastrimar-gus), 226.
Virescens (Gryllus), 226.
Virescens (Oxyrrhepes), 402.
Virescens (Pedies), 542.
Virescens (*Mastax*), 76.
Virgata (Chirista), 142.
Virgata (Paropomala), 106.
Virgata (Tetratænia), 418.
Virgatum (Acridium), 418.
Virgatus (Eritettix), 111.
Virgatus (Gomphocerus), 111.
Virgatus (Melanoplus), 514.
Virginiana (Chorto-phaga), 199.
Virginiana (Elipoda), 199.
Virginianum (Acridium), 199.
Virginianus (Gryllus), 199.
Virgo (Gryllus), 574.
Virgo (Ligocutinus), 574.
Virgo (Tettigonia), 574.
Virgula (Chirista), 142.
Virgula (Duronis), 142.
Virgula (Edaleus), 226.
Virgula (Elipoda), 226.
Viridans (Gryllus), 586.
Viride (Acridium), 461.
Viridescens (Cyrtacanthacris), 457.
Viridescens (Orphulella), 122.
Viridescens (Schisto-cerca), 457.
Viridescens (Gryllus), 231.
Viridicata (Elaeoblora), 365.
Viridicata (Xiphicera), 365.
Viridifasciata (Chorto-phaga), 198, 199.
Viridifasciata (Locusta), 198.
Viridifasciata (Trago-cephala), 198, 199.
Viridifasciatum (Acry-dium), 198.
Viriditrops (*Dichro-tettix*), 127.
Viridipenne (Monachid-ium), 466.
Viridipennis (Abisares), 466.
Viridipennis (Arnilia), 413.
Viridipennis (Gastrimar-gus), 227.
Viridipennis (Gryllus), 413.
Viridipennis (Edaleus), 227.
Viridipennis (Stenacris), 413.
Viridipes (Melanoplus), 519.
Viridipes (Phymateus), 314.
Viridipes (Stenobothrus), 189.
Viridipes (Tinaria), 189.
Viridis (Aiolopus), 581.
Viridis (Antandrus), 392.
Viridis (Arnilia), 419.
Viridis (Caloptenus), 498.
Viridis (Chloëalis), 125.
Viridis (Chrysoschraon), 125.
Viridis (Diablepia), 141.
Viridis (Dibastia), 396.
Viridis (Dichromorpha), 125.
Viridis (Epacromia), 192.
Viridis (Hesperotettix), 498, 499.
Viridis (Leiotettix), 490.
Viridis (Ommatolampis), 498.
Viridis (Opshomala), 419.
Viridis (Opsomala), 419.
Viridis (Ossa), 296.
Viridis (Paulinia), 296.
Viridis (Pezotettix), 498.
Viridis (Podisma), 392.
Viridis (Schistocerca), 461.
Viridis (Spathalium), 298.
Viridis (*Hesperotettix*), 498.

- Viridissima (Orphulella), 122.
 Viridissimus (Stenobothrus), 122.
 Viridivitta (Heteracris), 393.
 Viridula (Locusta), 176.
 Viridula (Edipoda), 176.
 Viridula (Patocera), 470.
 Viridula (Xenippa), 408.
 Viridula (Duronio), 139.
 Viridula (Phlæoha), 139.
 Viridulum (Acridium), 144.
 Viridulum (Acrydium), 175.
 Viridulus (Anniceris), 422.
 Viridulus (Catantops), 477.
 Viridulus (Chorthippus), 176.
 Viridulus (Gomphocerus), 176.
 Viridulus (Gryllus), 175.
 Viridulus (Locusta), 175.
 Viridulus (Stenobothrus), 176.
 Viridulus (Truxalis), 104.
 Vitellinus (Hippiscus), 210.
 Vitellinus (Xanthippus), 210.
 Vitrea (Catantops), 482.
 Vitrea (Mastax), 73.
 Vitrea (Sphingonotus), 274.
 Vitreus (Erucius), 73.
 Vitreus (Gryllus), 586.
 Vitripenne (Thyriptilon), 116.
 Vittafrons (Schistocerca), 462.
 Vittagenæ (Nautia), 389.
 Vittata (Amblytropidia), 115.
 Vittata (Apotropis), 440.
 Vittata (Catantops), 481.
 Vittata (Heteropternis), 221.
 Vittata (Ischnacridia), 405.
 Vittata (Mitricephala), 384.
 Vittata (Opomala), 415.
 Vittata (Pæcilocera), 318.
 Vittata (Schistocerca), 461.
 Vittata (Stenopola), 415.
 Vittata (Tettix), 39, 40, 42, 44.
 Vittata (Catantops), 148.
 Vittata (Eumastax), 76.
 Vittata (Locusta), 182.
 Vittaticolle (Acridium), 447.
 Vittaticollis (Cyrtacanthacris), 447.
 Vittatum (Acridium), 41, 461.
 Vittatum (Acridium), 190.
 Vittatum (Acrydium), 456.
 Vittatus (Anthermus), 443.
 Vittatus (Caloptenopsis), 549.
 Vittatus (Caloptenus), 549.
 Vittatus (Catantops), 481.
 Vittatus (Chlorus), 491.
 Vittatus (Decticus), 318.
 Vittatus (Dichroplus), 489.
 Vittatus (Gryllus), 405.
 Vittatus (Mesops), 405.
 Vittatus (Pæcilocerus), 318.
 Vittatus (Trigonophymus), 489.
 Vittatus (Tritropis), 440.
 Vittatus (Truxalis), 405.
 Vitticeps (Acridium), 426, 455.
 Vitticeps (Adimantus), 426.
 Vitticeps (Schistocerca), 455.
 Vitticolle (Acridium), 395.
 Vitticollis (Aleuas), 427.
 Vitticollis (Oxya), 395.
 Vittifer (Stenobothrus), 189.
 Vittifera (Ochrophlegma), 322.
 Vittifera (Tettix), 45.
 Vittifera (Tinaria), 189.
 Vittifera (Xiphocera), 322.
 Vittiferum (Acrydium), 45.
 Vittifrons (Stenobothrus), 165.
 Vittiger (Osmilia), 540.
 Vittigera (Oxya), 394.
 Vittigera (Pnorisa), 151.
 Vittigera (Schistocerca), 461.
 Vittigerum (Acridium), 394, [461], 540.
 Vittipennis (Syntomacris), 431.
 Vittipennis (Loryma), 400.
 Vittipennis (Platyphyma), 400.
 Vittipes (Heteracris), 555.
 Vittiventris (Sitalces), 435.
 Vivax (Campylacantha), 498.
 Vivax (Pezotettix), 498.
 Vocans (Goniaea), 437.
 Vocans (Gryllus), 437.
 Voeltzkowiana (Paratettix), 33.
 Volans (Ochetotettix), 51.
 Volaticus (Melanoplus), 521.
 Volitans (Pegasidion), 504.
 Volueris (Caloptenus), 505.
 Volueris (Photaliotes), 505.
 Volueris (Stegastris), 392.
 Volueris (Trybliophorus), 392.
 Volxemi (Derapsiella), 335.
 Volxemi (Deraspis), 335.
 Volxemi (Nocarodes), 357.
 Volxemi (Oenerodes), 357.
 Volxemi (Pamphagus), 357.
 Volxemi (Sitalces), 435.
 Vorax (Caloptenus), 416.
 Vorax (Oxyblepta), 416.
 Vulcanius (Caloptenopsis), 553.
 Vulcanius (Caloptenus), 553.
 Vulcanus (Pæcilocerus), 318.
 Vulcanus (Pækilocerus), 318.
 Vulnerata (Trilophidia), 244.
 Vulneratum (Acridium), 244.

- Veneratum (Edipoda), 244.
 Vydari (Euryphymus), 547.
 Wacibroecki (Arydium), 49.
 Wagneri (Microscirtus), 218.
 Wagneri (Microscirtus), 218.
 Wagneri (Edipoda), 218.
 Wagneri (Scintharista), 218.
 Wahlbergi (Gastri-margus), 227.
 Wahlbergi (Edaleus), 227.
 Wahlbergi (Pachytylus), 227.
 Walhousei (Phleobus), 138.
 Walkeri (Acridium), 430.
 Walkeri (Bufonacris), 290.
 Walkeri (Eremotettix), 290.
 Walkeri (Orphastella), 122.
 Wallula (Conozoa), 251.
 Wallula (Psinidia), 251.
 Walshii (Melanoplus), 517.
 Washingtonianus (Melanoplus), 517.
 Washingtonianus (Melanoplus), 517.
 Watsoni (Caloptenus), 552.
 Watermannus (Caloptenus), 552.
 Weberi (Conophyma), 339.
 WERNERELLA, 246, 552.
 Wernerella (Orthacanthacris), 444.
 Wernerellus (Catantops), 479.
 Werneri (Stenobothrus), 163.
 Wernerianus (Stenoderus), 180.
 Westwoodi (Hypsopus), 4.
 Westwoodi (Chorophyllum), 5.
 Westwoodi (Systella), 540.
 Wigner (Lepus), 211.
 Wigner (Edipoda), 211.
 Wheeler (Leprus), 211.
 White (Lophochoreia), 67.
 White (Bassia), 291.
 Wilverthi (Paratettix), 35.
 WILVERTHIA, 100.
 Winger (Acridium), 452.
 Wingatei (Cyrtacanthacris), 452.
 Wyomingsensis (Mesops), 106.
 Wyomingsensis (Opomala), 106.
 Wyomingsensis (Parapomala), 106.
 Wyomingsensis (Edipoda), 235.
 Wyomingsensis (Sphaerogramma), 235.
 XANTHIPPIUS, 207.
 Xanthodora (Oxyblepta), 416.
 Xanthodora (Stenopola), 416.
 Xanthocnorus (Gryllus), 416.
 Xanthocnemis (Euryphymus), 546.
 XANTHOMASTAX, 74.
 Xanthoptera (Arphia), 195.
 Xanthoptera (Chromacris), 374.
 Xanthoptera (Edipoda), 195.
 Xanthoptera (Parga), 98.
 Xanthopterum (Acridium), 374.
 Xanthopterus (Amycus), 98.
 Xanthopterus (Tomonotus), 195.
 Xanthus (Stenoderus), 180.
 XENIPPA, 408.
 Xerophyllum (Xerophyllum), 8.
 XEROPHYLLUM, 7.
 XIPHICERA, 65, 343.
 XIPHIOLE, 432.
 XIPHOCERA, 343.
 XIPHOPHORA, 365.
 XISTRA, 27, 577.
 XOMANA, 363.
 XYPHICERA, 65, 343.
 Xyphicera (Acridium), 40.
 Xyphicera (Gryllus), 40.
 XYRONOTUS, 340.
 Yarrowii (Caloptenus), 531.
 Yarrowii (Melanoplus), 531.
 Yersini (Opachal-lampis), 389.
 Yersini (Oreomyza), 349.
 Yersini (Pamphagus), 349.
 Yorktownensis (Chortocetes), 194.
 Ypsidora (Stenoderus), 181.
 ZACOMPSEA, 142.
 ZAPATA, 129.
 Zapoteca (Orphastella), 123.
 Zapoteca (Stenoderus), 455.
 Zapotecus (Hippiscus), 208.
 Zapotecus (Oxyoryctes), 123.
 Zapotecus (Xanthippus), 208.
 ZARYTES, 326.
 Zebra (Gryllus), 586.
 Zebra (Thericles), 81.
 Zebura (Dipteris), 220.
 Zeburatus (Orchamus), 349.
 Zeburatus (Pamphagus), 349.
 Zetterstedtii (Chorthippus), 175.
 Ziczac (Tettix), 42.
 Zietzi (Paratennopteryx), 563.
 Zimmermanni (Melanoplus), 516.
 Zimmermanni (Pezomela), 516.
 Zimmermanni (Tomonotus), 199.
 Zinna (Edipoda), 271.
 Zinini (Sphingonotus), 272.
 Zonata (Acoryphella), 348.

Zonata (Clypeotettix),
31.
Zonata (Tettix), 31.
Zonatipes (Zosperamerus), 424.
Zonatum (Acridium),
41.

Zonatus (Acrotylus),
264.
ZONIOPODA, 375.
ZONIPODA, 375.
Zonocera (Gesonia),
393.
ZONOCERUS, 315, 583.

ZOSPERAMERUS,
424.
Zabowskyi (Stenobothrus), 161.
ZYGOCLISTRON, 426.
ZYGOPHLEOBA, 138.

LIST OF THE CURRENT
NATURAL HISTORY PUBLICATIONS
OF THE TRUSTEES OF THE
BRITISH MUSEUM.

The following publications can be purchased through the Agency of *Messrs. LONGMANS & CO.*, 39, *Paternoster Row*, London, E.C.; *Mr. QUARITCH*, 11, *Grafton Street*, New Bond Street, W.; and *Messrs. DULAU & CO., Ltd.*, 37, *Soho Square*, W.; or at the NATURAL HISTORY MUSEUM, Cromwell Road, London, S.W.

The History of the Collections contained in the Natural History Departments of the British Museum :—

Vol. I. Libraries; Botany; Geology; Minerals.
Pp. xvii., 442. 1904, 8vo. 15s.

Vol. II. Separate historical accounts of the several collections included in the Department of Zoology.
Pp. 782. 1906, 8vo. 30s.

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance :—

Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20s.

Vol. II. E—K. Pp. 501–1038. 1904, 4to. 20s.

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2s. 3d.

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1s. 6d.

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881-2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1*l.* 10*s.*

Summary of the Voyage...	...	...	By Dr. R. W. Coppinger.
Mammalia ...	...	...	" O. Thomas.
Aves...	...	...	" R. B. Sharpe.
Reptilia, Batrachia, Pisces	...	...	" A. Günther.
Mollusca ...	...	...	" E. A. Smith.
Echinodermata ...	...	...	" F. J. Bell.
Crustacea ...	...	...	" E. J. Miers.
Coleoptera ...	...	...	" C. O. Waterhouse.
Lepidoptera ...	...	...	" A. G. Butler.
Aleynaria and Spongiida	...	...	" S. O. Ridley.

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. 2*l.*

Mammalia ...	...	...	By Capt. G. E. H. Barrett-Hamilton.
Notes on Antarctic Seals ...	...	...	" E. A. Wilson, M.B.
Extracts from the "Diary" of the late Nicolai Hanson.	...	...	—
Aves ...	...	...	" Dr. R. Bowdler Sharpe.
Pisces...	...	...	" G. A. Boulenger, F.R.S.
Tunicata ...	...	...	" Prof. W. A. Herdman, F.R.S.
Mollusca ...	...	...	" E. A. Smith.
Echinoderma ...	...	...	" Prof. F. J. Bell.
Insecta ...	...	...	" G. H. Carpenter and Hon. N. C. Rothschild.
Arachnida ...	...	...	" Dr. E. L. Trouessart.
Crustacea ...	...	...	" T. V. Hodgson.
Polychæta ...	...	...	" Dr. A. Willey.
Gephyrea ...	...	...	" A. E. Shipley.
Nematoda ...	...	...	" Dr. von Linstow.
Cestoda ...	...	...	"
Polyzoa ...	...	...	" R. Kirkpatrick.
Porifera ...	...	...	"
Anthozoa ...	...	...	" Dr. L. Roule and S. J. Hickson, F.R.S.
Actiniæ ...	...	...	" J. A. Clubb.
Hydrozoa ...	...	...	" E. T. Browne.
Cryptogamia ...	...	...	" A. Gepp, V. H. Blackman, and Miss E. S. Barton.
Rock Specimens ...	...	...	" Dr. G. T. Prior.

National Antarctic Expedition, 1901-1904. [*Discovery Report.*] Natural History :—

Vol. I. Geology (Field-Geology : Petrography). Pp. xii., 160 : 10 plates, 72 text-figures, 2 maps. [With Index.] 1907, 4to. 1*l.* 10*s.*

Field-Geology ...	...	By H. T. Ferrar, M.A., F.G.S.
Rock-Specimens ...	...	" G. T. Prior, M.A., D.Sc., F.G.S.

Vol. II. Zoology (Vertebrata : Mollusca : Crustacea). Pp. xiv., 355 : 33 plates (17 coloured), 146 text-figures, 1 map. 1907, 4to. 3*l.*

Mammalia (pp. 69 : 5 pls. [3 col.], 36 figs.).	...	By E. A. Wilson, M.B.
Aves (pp. 121 : 13 pls. col., 46 figs.)	...	
Anatomy of Penguins (pp. 23 : 1 pl., 8 figs.).	...	" W. P. Pycraft.

National Antarctic Expedition, 1901-1904—*continued*.Vol. II.—*continued*.

- Fishes (pp. 5 : 2 pls.) By G. A. Boulenger, F.R.S.
 Cephalodiscus (pp. 67 : 7 pls. [1 col.], .. W. G. Ridewood, D.Sc.
 17 figs.).
 Mollusca. I.—Cephalopoda (pp. 2 : .. W. E. Hoyle, D.Sc.
 1 fig.).
 „ II.—Gastropoda } (pp. 12, 1 : .. E. A. Smith, I.S.O.
 „ III.—Amphineura } 2 pls.).
 „ IV.—Nudibranchiata (pp. 28 : .. Sir Chas. Eliot,
 1 pl., 30 figs.). K.C.M.G., LL.D.
 „ V.—Lamellibranchiata (pp. 7 : }
 1 pl.). .. E. A. Smith, I.S.O.
 Brachiopoda (pp. 2 : 4 figs.)
 Crustacea I.—Decapoda (pp. 7)
 „ II.—Cumacea (pp. 6 : 1 pl., } .. W. T. Calman, D.Sc.
 4 figs.).

Vol. III. Zoology and Botany (Invertebrata : Marine Algae, Musci). Pp. vi., 273 : 51 plates, 8 text-figures, and 1 chart. 1907, 4to. 2l. 10s.

- On Collecting in Antarctic Seas (pp. 10) By T. V. Hodgson, F.L.S.
 Mollusca. VI.—Pteropoda (pp. 15 : .. Sir Charles Eliot,
 2 pls.). K.C.M.G., LL.D.
 Crustacea. III.—Amphipoda (pp. 39 : .. A. O. Walker, F.L.S.
 13 pls.).
 „ IV.—Leptostraca (pp. 2 : .. Dr. J. Thiele.
 2 figs.).
 „ V.—Ostracoda (pp. 9 : 3 pls.) .. Prof. G. S. Brady,
 F.R.S.
 „ VI.—Cirripedia (pp. 4 : 1 pl.) .. Prof. A. Gruvel.
 Pycnogonida (pp. 72 : 10 pls.) T. V. Hodgson, F.L.S.
 Acari (pp. 6 : 1 pl.) Dr. E. L. Trouessart.
 Chaetognatha (pp. 6 : 1 chart) Dr. G. H. Fowler, F.L.S.
 Nematoda (pp. 4 : 1 pl.) Dr. O. von Linstow.
 Cestoda (pp. 6 : 1 pl.) A. E. Shipley, F.R.S.
 Coelentera. I.—Alcyonaria (pp. 15 : .. Prof. S. J. Hickson,
 2 pls.). F.R.S.
 „ II.—Hydroid Zoophytes .. Prof. S. J. Hickson,
 (pp. 34 : 4 pls.). F.R.S., and F. H. Gravely.
 „ III.—Tentacles of a Siphonophore (pp. 3 : 5 figs.). .. Dr. J. Rennie.
 Porifera. I.—Hexactinellida (pp. 25 : .. R. Kirkpatrick.
 7 pls.).
 Marine Algae. I.—Phaeophyceae and .. A. Gepp and Mrs. E. S.
 Floridæ (pp. 15 : Gepp.
 4 pls.).
 „ „ II.—Corallinaceae (pp. 2 : .. M. Foslie.
 1 fig.).
 Musci (pp. 6 : 2 pls.) J. Cardot.

Vol. IV. Zoology (various Invertebrata). Pp. iv., 281 : 65 plates, 1 text-figure. 1908, 4to. 1l. 15s.

- Mollusca. VII.—Solenogastres (pp. 13 : By Dr. H. F. Nierstrasz.
 2 pls.).
 Insecta.—Aptera (pp. 5 : 1 pl.) G. H. Carpenter, B.Sc.,
 M.R.I.A.
 Crustacea. VII.—Schizopoda (pp. 42 : .. W. M. Tattersall, M.Sc.
 8 pls.).
 „ VIII.—Copepoda (pp. 44 : .. R. Norris Wolfenden,
 7 pls.). M.D.

National Antarctic Expedition, 1901-1904—*continued.*Vol. IV—*continued.*

Echinoderma (pp. 16 : 5 pls.)	By F. Jeffrey Bell, M.A.
Echinoderm Larvæ (pp. 9 : 1 pl.)	„ E. W. McBride, M.A., F.R.S., and J. C. Simpson, B.Sc.
Myzostomidæ (pp. 26 : 1 pl. and 1 figure) ..	„ Dr. Rudolf Ritter von Stummer-Traunfels.
Sipunculoidea (pp. 6)	„ W. F. Lanchester, M.A.
Coelentera. IV.—Actiniæ (pp. 12 : 3 pls.) ..	„ J. A. Clubb, M.Sc.
Porifera. II.—Tetraxonida (pp. 56 : 19 pls.) ..	„ R. Kirkpatrick.
„ III.—Calcarea (pp. 52 : 12 pls.) ..	„ C. F. Jenkin, B.A.

A Monograph of Christmas Island (Indian Ocean) : Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337 : 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20s.

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6s.

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6s.

MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5s.

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4s.

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869, 8vo. 6s. 6d.

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8s.

—— Supplement. By John Edward Gray, F.R.S., &c. Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2s. 6d.

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1s. 6d.

Catalogue of Ruminant Mammalia (*Pecora*, Linnaeus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3s. 6d.

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 17. 8s.

BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 14. 6s.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes); and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17s.

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part I., containing the families Dicaeidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 17. 2s.

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Selater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 17.

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 17. 8s.

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ,

Catalogue of the Birds in the British Museum—*continued*.

- Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*. 8*s*.
- Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyzæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l*. 4*s*.
- Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*.
- Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 16*s*.
- Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l*. 10*s*.
- Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l*. 6*s*.
- Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhanphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l*. 5*s*.

Catalogue of the Birds in the British Museum—*continued*.

- Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 10*s.*
- Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 10*s.*
- Vol. XXII. Catalogue of the Game Birds (*Pterocletes*, *Gallinæ*, *Opisthocomi*, *Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 6*s.*
- Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinocetidæ, Gruidæ, Psoppiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20*s.*
- Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 5*s.*
- Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 1*s.*
- Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Herons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 1*l.* 5*s.*
- Vol. XXVII. Catalogue of the Chenomorphæ (Palamedæ, Phoenicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 1*l.* 12*s.*

A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—

Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10s.

Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10s.

Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10s.

Vol. V. Pp. xx., 678. [With Systematic and Alphabetical Indexes.] 1909, 8vo. £1.

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1s. 6d.

Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1s. 9d.

Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1s. 6d.

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1s. 6d.

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

Vol. I. Ratitæ. Carinatae (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30s.

Vol. II. Carinatae (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30s.

Vol. III. Carinatae (Psittaciformes—Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25s.

Vol. IV. Carinatae (Passeriformes continued). By Eugene W. Oates, assisted by Capt. Savile G. Reid. Pp. xviii., 352. 14 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 30s.

REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbænians in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1s.

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872, 4to. 2s. 6d.

Part II. Emydosaurians, Rhynchocephalia, and Amphisbænians. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3s. 6d.

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4s.

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15s.

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger:—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20s.

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Anniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20s.

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 17. 6s.

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c.:—

Vol. I., containing the families Typhlopidae, Glauconiidae, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 17. 1s.

Catalogue of the Snakes in the British Museum—*continued*.

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 17s. 6d.

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 14. 6s.

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4s.

BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6s.

FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15s.

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3s. 6d.

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2s.

Catalogue of the Fresh-water Fishes of Africa in the British Museum (Natural History). Vol. I. By G. A. Boulenger, F.R.S. Pp. xi., 373 : 270 text-figures. [With Systematic and Alphabetical Indexes.] 1909, imp. 8vo. £1 12s. 6d.

MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5s.

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8s.

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2s. 6*d*.

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1s. 9*d*.

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c. :—

Part II. Olividæ. Pp. 41. 1865, 12mo. 1s.

Catalogue of the Conchifera, or Bivalve Shellis, in the Collection of the British Museum. By M. Deshayes :—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3s.

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217–292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6*d*.

BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* “Catalogue of the Mollusca, Part IV.”] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3s.

POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5s.

CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1*l*. 5s.

ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10s. 6*d*.

INSECTS.

Coleopterous Insects.

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2s. 6d.

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3s. 6d.

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16s.

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3s.

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10s. 6d.

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and CEdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7s.

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6s.

Hymenopterous Insects.

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates 1853, 2s. 6d.

Part II. Apidæ. Pp. 199-465. 6 Plates. [With an Alphabetical Index.] 1854. 6s.

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6s

Catalogue of Hymenopterous Insects in the British Museum—*continued*.

Part IV. Sphegidae, Larridae, and Crabronidae. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6s.

Part V. Vespidae. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6s.

Part VI. Formicidae. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6s.

Part VII. Dorylidae and Thynnidae. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2s.

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidae and Siricidae. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18s.

Dipterous Insects.

A Monograph of the Culicidae, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1s.

Vol. IV. Pp. xix., 639 : 16 plates and 297 text-figures. [With Index.] 1907, 8vo. 1*l.* 12s. 6*d.*

A Monograph of the Tsetse-Flies (Genus *Glossina*, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15s.

Illustrations of African Blood-sucking Flies other than Mosquitoes and Tsetse-Flies. By Ernest Edward Austen, with coloured figures by Grace Edwards. Pp. xv., 221 : 13 coloured plates, 3 text-figures. 1909, roy. 8vo. £1 7s. 6*d.*

Lepidopterous Insects.

Catalogue of the Lepidoptera Phalaenae in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidae in the Collection of the British Museum. Pp. xxi., 559 : 285 woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15s.

—Atlas of 17 Coloured Plates, 8vo. 15s.

Catalogue of Lepidoptera Phalænæ—*continued*.

- Vol. II. Catalogue of the Arctiadae (Nolinae, Lithosianae) in the Collection of the British Museum. Pp. xx., 589 : 411 woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18s.
- Atlas of 18 Coloured Plates (xviii.—xxxv.), 8vo. 15s.
- Vol. III. Catalogue of the Arctiadae (Arctianae) and Agaristidae in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15s.
- Atlas of 19 Coloured Plates (xxxvi.—liv.), 8vo. 16s.
- Vol. IV. Catalogue of the Noctuidae [Agrotinae]. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15s.
- Atlas of 23 Coloured Plates (lv.—lxxvii), 8vo. 16s.
- Vol. V. Catalogue of the Noctuidae [Hadeninae]. Pp. xvi., 634 : 172 woodcuts. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 15s.
- Atlas of 18 Coloured Plates (lxxviii.—xcv.), 8vo. 15s.
- Vol. VI. Catalogue of the Noctuidae [Cucullianae]. Pp. xiv., 532 : 172 woodcuts. [With Systematic and Alphabetical Indexes.] 1906, 8vo. 15s.
- Atlas of 12 Coloured Plates (xcvi.—cvii.), 8vo. 10s.
- Vol. VII. Catalogue of the Noctuidae [Acronyctinae]. Pp. xv., 709 : 184 woodcuts. [With Systematic and Alphabetical Indexes.] 1908, 8vo. 17s.
- Atlas of 15 Coloured Plates (cviii.—cxxii.), 8vo. 13s.
- Vol. VIII. Catalogue of the Noctuidae [Acronyctinae, II.]. Pp. xiv., 583 : 162 woodcuts. [With table of the Phylogeny of the Acronyctinae, and Systematic and Alphabetical Indexes.] 1909, 8vo. 15s.
- Atlas of 14 Coloured Plates (cxxiii.—cxxxvi.), 8vo. 12s.

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

- Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2l. 10s.
- Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2l. 4s.
- Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2l.
- Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2l.

Illustrations of Typical Specimens of Lepidoptera Heterocera
in the Collection of the British Museum—*continued*.

Part IX. The Macrolepidoptera Heterocera of Ceylon.
By George Francis Hampson. Pp. v., 182. 157-176
Coloured Plates. [With a General Systematic List of
Species collected in, or recorded from, Ceylon.] 1893,
4to. 2*l.* 2*s.*

Catalogue of the Collection of Palæarctic Butterflies formed
by the late John Henry Leech, and presented to the
Trustees of the British Museum by his Mother, Mrs. Eliza
Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured
Plates. With a Portrait and Biographical Memoir of Mr.
Leech. 1902, 4to. 1*l.*

Catalogue of Diurnal Lepidoptera described by Fabricius in
the Collection of the British Museum. By Arthur Gardiner
Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7*s.* 6*d.*

List of the Specimens of Lepidopterous Insects in the
Collection of the British Museum. By Francis Walker.
12mo. :—

Part XXIII. Geometrites. Pp. 756-1020. 1861. 3*s.* 6*d.*

Part XXV. ————— Pp. 1281-1477. 1862. 3*s.*

Part XXVI. ————— Pp. 1478-1796. [With an
Alphabetical Index to Parts XX.-XXVI.] 1862. 4*s.* 6*d.*

Part XXVII. Crambites and Tortricites. Pp. 1-286.
1863. 4*s.*

Part XXVIII. Tortricites and Tineites. Pp. 287-561.
1863. 4*s.*

Part XXIX. Tineites. Pp. 562-835. 1864. 4*s.*

Part XXX. ————— Pp. 836-1096. [With an Alpha-
betical Index to Parts XXVII.-XXX.] 1864. 4*s.*

Part XXXI. Supplement. Pp. 1-321. 1864. 5*s.*

Part XXXIII. ————— Part 3. Pp. 707-1120.
1865. 6*s.*

Part XXXIV. ————— Part 4. Pp. 1121-1533.
1865. 5*s.* 6*d.*

Neuropterous Insects.

Catalogue of the Specimens of Neuropterous Insects in the
Collection of the British Museum. By Dr. H. Hagen.
Part I. Termitina. Pp. 34. 1858, 12mo. 6*d.*

Orthopterous Insects.

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l*.

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s*. 6*d*.

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s*. 6*d*.

Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s*.

Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s*.

Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s*.

Synonymic Catalogue of Orthoptera. By W. F. Kirby :—

Vol. I. Orthoptera Euplexoptera, Cursoria, et Gressoria. (Forficulidæ, Hemimeridæ, Blattidæ, Mantidæ, Phasmidæ.) Pp. x., 501. [With Index.] 1904, 8vo. 10*s*.

Vol. II. Orthoptera Saltatoria. Part I. (Achetidæ et Phasgonuridæ.) Pp. viii., 562. [With Index.] 1906, 8vo. 15*s*.

Hemipterous Insects.

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s*.

Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s*.

Part VIII. Pp. 220. [With Alphabetical Index.] 1873.

[6*s*. 6*d*.

Homopterous Insects.

- A Synonymic Catalogue of Homoptera. Part I. Cicadidæ.
By W. L. Distant. Pp. 207. [Index.] 1906, 8vo. 5s.

VERMES.

- Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2s.

ANTHOZOA.

- Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1s. 6d.

- Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3s.

- Catalogue of the Madreporarian Corals in the British Museum (Natural History) :—

Vol. I. The Genus *Madrepora*. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1l. 4s.

Vol. II. The Genus *Turbinaria*; the Genus *Astræopora*. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18s.

Vol. III. The Genus *Montipora*; the Genus *Anacropora*. By Henry M. Bernard, M.A., &c. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1l. 4s.

Vol. IV. The Family Poritidæ. I.—The Genus *Goniopora*. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1l.

Vol. V. The Family Poritidæ. II.—The Genus *Porites*. Part I.—*Porites* of the Indo-Pacific Region. By Henry M. Bernard, M.A. Pp. vi., 303. 35 Plates. [With Index of Generic and Specific Names and Explanation of the Plates.] 1905, 4to. £1 15s.

Catalogue of the Madreporarian Corals in the British Museum—*continued*.

Vol. VI. The Family Poritidæ. II.—The Genus *Porites*. Part II.—*Porites* of the Atlantic and West Indies, with the European Fossil Forms. The Genus *Goniopora*, a supplement to Vol. IV. By Henry M. Bernard, M.A. Pp. vi., 173. 16 Collotype and 1 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1906, 4to. £1.

BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3s. 6d.

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition. Part I. *Andrenidæ* and *Apidæ*. By Frederick Smith, M.E.S. New issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Index. 1891, 8vo. 6s.

Catalogue of British Fossorial Hymenoptera, *Formicidæ*, and *Vespidæ* in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6s.

Illustrations of British Blood-sucking Flies, with notes by Ernest Edward Austen, Assistant, Department of Zoology, British Museum (N.H.). Pp. 74. 34 Coloured Plates. 1906, roy. 8vo. £1 5s.

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7s.

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12s. 6d.

List of the Specimens of British Animals in the Collection of the British Museum; with Synonyma and References to figures. 12mo.:—

Part V. *Lepidoptera*. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1s. 9d.

Part VI. *Hymenoptera*. By F. Smith. Pp. 134. 1851. 2s.

List of the Specimens of British Animals in the Collection of the British Museum—*continued*.

- Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3s. 6d.
- Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3s. 6d.
- Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2s. 6d.
- Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1s.
- Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9d.
- Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1s. 4d.
- Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6d.
- Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1s.
- Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3s.

PLANTS.

Illustrations of Australian Plants collected in 1770 during Captain Cook's Voyage round the World in H.M.S. "Endeavour." By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. [Being a series of lithographic reproductions of copper-plates engraved after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley.] With Introduction and Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—101 Plates, with 31 pages of descriptive text. 1900, fol. £1 5s.

Part II.—142 Plates (pls. 101–243), with 41 pages of descriptive text (pp. 35–75). 1901, fol. £1 15s.

Part III.—77 Plates (pls. 244–318, 45A, and 122), with 26 pages of descriptive text, including Index to the whole work (pp. 77–102), and 3 maps. 1905, fol. £1 5s.

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7s. 6d.

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853-61—*continued*.

Vol. I.—*continued*.

Part II. Combretaceæ to Rubiaceæ. Pp. 337-510.
[With Index of Genera.] 1898, 8vo. 4s.

Part III. Dipsacæ to Scrophulariaceæ. Pp. 511-784. [With Index of Genera.] 1898, 8vo. 5s.

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785-1035. [With Index.] 1900, 8vo. 5s.

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc., F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6s.

Part II. Cryptogamia. Pp. 261-566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6s.

Vascular Cryptogams	...	By William Carruthers, F.R.S.
Mosses	...	Antony Gepp, M.A., F.L.S.
Hepatics	...	F. Stephani.
Marine Algæ	...	Ethel S. Barton.
Freshwater Algæ	...	W. West, F.L.S., and G. S. West, B.A.
Diatomaceæ	...	Thomas Comber, F.L.S.
Lichenes	...	E. A. Wainio.
Fungi	...	Annie Lorrain Smith.
Mycetozoa	...	Arthur Lister, F.R.S.

Synopsis of the British Basidiomycetes : a Descriptive Catalogue of the Drawings and Specimens in the Department of Botany, British Museum. By Worthington George Smith, F.L.S. Pp. 531. 5 Plates and 145 Figures in Text. [With Index.] 1908, 8vo. 10s.

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M. Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16s.

List of British Diatomaceæ in the Collection of the British Museum. By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1s.

FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S.:—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5s.

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6s.

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4s.

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 33 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5s.

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6s.

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 10s. 6d.

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S.:—

Part I. Containing the Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7s. 6d.

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7s. 6d.

Part III. Containing the Order Chelonia. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7s. 6d.

Catalogue of the Fossil Reptilia and Amphibia in the British Museum—*continued*.

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7s. 6d.

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c. :—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21s.

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodolulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrosteian Actinopterygii). Pp. xlv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21s.

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aethospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21s.

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percoformes, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21s.

A descriptive Catalogue of the Tertiary Vertebrata of the Fayûm, Egypt. Based on the Collection of the Egyptian Government in the Geological Museum, Cairo, and on the Collection in the British Museum (Natural History), London. By C. W. Andrews, D.Sc. Pp. xxxvii., 324 : 98 Text Figures and 26 Plates. [With Systematic and Alphabetical Indexes.] 1906, 4to. 17. 15s.

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6s.

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10s.

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History) :—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Pterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10s. 6d.

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15s.

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D. F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12s. 6d.

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2s. 6d.

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5s.

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates. [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10s.

The Cretaceous Bryozoa. By J. W. Gregory, D.Sc., F.R.S., &c. :—

Vol. I. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16s.

Vol. II. Pp. xlviii., 346. 75 Woodcuts and 9 Plates. [With List of Localities, Bibliography, Subject and Systematic Indexes, and Explanation of Plates.] 1909, 8vo. 13s.

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886 4to. 25s.

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3s.

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5s.

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge :—

Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanation of the Plates, &c.] 1894, 8vo. 10s.

Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15s.

Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20s.

Part IV. The Jurassic Flora. II.—Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10s.

Catalogue of the Fossil Plants of the Glossopteris Flora in the Department of Geology, British Museum (Natural History). Being a Monograph of the Permo-carboniferous Flora of India and the Southern Hemisphere. By E. A. Newell Arber, M.A., F.L.S., F.G.S. Pp. lxxiv., 255 : 51 Text-Figures and 8 Plates. [With Bibliography and Alphabetical Index.] 1905, 8vo. 12s. 6d.





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00726 2629